cleanerfuture.

SAFETY DATA SHEET

GEL SANITIZER

Infosafe No.: LQA5T
ISSUED Date : 19/03/2020
ISSUED by: CLEANER FUTURE

1. IDENTIFICATION

GHS Product Identifier
GEL SANITIZER

Company Name
CLEANER FUTURE (ABN 28607341515)

Address
5 Kim Close Bulleen
VIC 3105 AUSTRALIA

Telephone/Fax Number
Tel: 03 9850 3055

Emergency phone number
03 9850 3055 (9am-5pm)

E-mail Address
accounts@adsg.com.au

Recommended use of the chemical and restrictions on use
Hand Sanitiser

2. HAZARD IDENTIFICATION

GHS classification of the substance/mixture
Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) including Work, Health and Safety Regulations, Australia.
Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)
Flammable Liquids: Category 2
Eye Damage/Irritation: Category 2A

Signal Word (s)
DANGER

Hazard Statement (s)
H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

Precautionary statement – General
P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P103 Read label before use.

Pictogram (s)
Exclamation mark,Flame

Precautionary statement – Prevention
P210 Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P264 Wash contaminated skin thoroughly after handling.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement – Response
P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use water mist, powder, carbon dioxide or alcohol-resistant foam for extinction.

Precautionary statement – Storage
P403+P235 Store in a well-ventilated place. Keep cool.

Precautionary statement – Disposal
P501 Dispose of contents/container to an approved waste disposal plant..

Other Information
This product contains Ototoxic substances. Combination with noise exposure, even at safe levels, could still cause auditory injuries and hearing loss.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Name	CAS	Proportion
Ethanol	64-17-5	70-<100 %
Glycerin	56-81-5	0-1 %
Ingredients determined not to be hazardous, including water.		To 100%

4. FIRST-AID MEASURES

Inhalation
If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

Ingestion
Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

Skin
The product is designed for skin contact. If there is a reaction, remove all affected clothing and wash affected area thoroughly with soap and water. Wash contaminated clothing before reuse or discard. If symptoms develop and/or persist seek medical attention.

Eye contact
If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.

First Aid Facilities
Eyewash, safety shower and normal washroom facilities.

Advice to Doctor
Treat symptomatically.

Other Information
For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media
Use water fog(or if unavailable, fine water spray), alcohol resistant foam, dry agent (carbon dioxide, dry chemical powder).

Unsuitable Extinguishing Media
Do not use water jet.

Hazards from Combustion Products
Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

Specific Hazards Arising From The Chemical
Highly flammable liquid and vapour. Vapour/air mixtures may ignite explosively. Flashback along the vapour trail may occur. Runoff to sewer may create fire or explosion hazard.

Hazchem Code
•2YE

Decomposition Temperature
Not available

Precautions in connection with Fire
Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) operated in positive pressure mode. In case of fire the product may be violently or explosively reactive. Use water spray to disperse vapours. This product should be prevented from entering drains and watercourses.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures
Wear appropriate personal protective equipment and clothing to prevent exposure.

Small spill: Mop up & wash residue to drain with copious amounts of water. Wipe up with absorbent (clean rag or paper towels). Collect and seal in properly labelled containers for disposal.

Large spill: Extinguish or remove all sources of ignition and stop leak if safe to do so. Increase ventilation. Evacuate all unprotected personnel. Slippery when spilt. Avoid accidents, clean up immediately. If possible contain the spill. Place inert absorbent, non-combustible material onto spillage. Use clean non-sparking tools to collect the material and place into suitable labelled containers for subsequent recycling or disposal. Dispose of waste according to the applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations.

7. HANDLING AND STORAGE

Precautions for Safe Handling
General: avoid eye contact. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands before eating, drinking, smoking or using the toilet facilities.

Industrial application: Wear appropriate personal protective equipment and clothing to prevent exposure. Handle and use the material in a well-ventilated area, away from sparks, flames and other ignition sources. Have emergency equipment (for fires, spills, leaks, etc.) readily available. Work from suitable, labelled, fire-resistant containers. Open containers carefully as they may be under pressure. Keep containers tightly closed. Flameproof equipment is necessary in areas where the product is being used. Take precautionary measures against static discharges. Earth or bond all equipment. Do not empty into drains. Ensure a high level of personal hygiene is maintained when using this product, that is, always wash hands before eating, drinking, smoking or using the toilet facilities.

Conditions for safe storage, including any incompatibilities
Store this product separately from food items and keep it out of the reach of children and pets.
Industrial application: Store in a cool, dry, well-ventilated area away from sources of ignition, oxidising agents, strong acids, foodstuffs, and clothing. Keep containers closed when not in use, securely sealed and protected against physical damage. Inspect regularly for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Take precautions against static electricity discharges. Use proper grounding procedures. Ensure that storage conditions comply with applicable local and national regulations.

For information on the design of the storeroom, reference should be made to Australian Standard AS1940 - The storage and handling of flammable and combustible liquids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit values
No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:

Ethanol
TWA: 1000 ppm
TWA: 1880 mg/m³

Glycerin mist
TWA: 10 mg/m³

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.

Source: Safe Work Australia

Biological Limit Values
No biological limits allocated.

Appropriate Engineering Controls
Industrial applications: This substance is hazardous and should be used with a local exhaust ventilation system, drawing vapours away from workers' breathing zone. A flame-proof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of vapours/mists below the exposure standards, suitable respiratory protection must be worn. Refer to relevant regulations for further information concerning ventilation requirements.
Refer to AS 1940 - The storage and handling of flammable and combustible liquids and AS/NZS 60079.10.1 Explosive atmospheres - Classification of areas - Explosive gas atmospheres, for further information concerning ventilation requirements.

Respiratory Protection
Industrial Application: If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable vapor/mist filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.
Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection
Not generally required. However, avoid contact with eyes.

Industrial Application: Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations.
Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 (series) - Eye Protectors for Industrial Applications.

Hand Protection
Not required under normal conditions of use. The product is a hand cleaning/sanitizing agent.

Industrial Application: Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.
Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection
Not generally required.

Industrial Application: Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Description	Properties	Description
Form	Liquid	**Appearance**	Pink liquid
Colour	Pink	**Odour**	Alcohol odour
Decomposition Temperature	Not available	**Melting Point**	0°C
Boiling Point	80°C	**Solubility in Water**	Miscible in water
Specific Gravity	0.89 (20°C)	**pH**	7-8
Vapour Pressure	5.9 hPa (20°C)	**Vapour Density (Air=1)**	1.59(15°C)
Evaporation Rate	Not available	**Odour Threshold**	Not available
Viscosity	Approx 6000 cSt.	**Volatile Component**	98% (g/L)
Partition Coefficient: n-octanol/water	Not available	**Flash Point**	25°C
Flammability	Highly flammable liquid.	**Auto-Ignition Temperature**	392°C
Flammable Limits - Lower	4%	**Flammable Limits - Upper**	20%

10. STABILITY AND REACTIVITY

Chemical Stability
Stable under normal conditions of storage and handling.

Reactivity and Stability
Reacts with incompatible materials.

Conditions to Avoid
Heat, open flames and other sources of ignition.

Incompatible materials
Oxidising agents, acids, acid chlorides, alkali metals, ammonia, potassium tert-butoxide.

Hazardous Decomposition Products
Oxides of nitrogen

Possibility of hazardous reactions
Reacts with incompatible materials.

Hazardous Polymerization
Will not occur.

11. TOXICOLOGICAL INFORMATION

Toxicology Information
No toxicity data available for this material. The available acute toxicity data for the ingredient/s is/are given below.

Acute Toxicity - Oral
ATE (Acute toxicity estimate based on ingredients):>2000 mg/kg

Acute Toxicity - Inhalation
ATE (Acute toxicity estimate based on ingredients):>5 mg/l

Acute Toxicity - Dermal
ATE (Acute toxicity estimate based on ingredients):>2000 mg/kg

Ingestion
Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

Inhalation
Inhalation of product vapours may cause irritation of the nose, throat and respiratory system.

Skin
The product is designed for skin contact. Not expected to have adverse effects when in contact with skin. However for individuals with sensitive skin, product may cause redness, itching or irritation.

Eye
Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.

Respiratory sensitisation
Not expected to be a respiratory sensitiser.

Skin Sensitisation
Not expected to be a skin sensitiser.

Germ cell mutagenicity
Not considered to be a mutagenic hazard.

Carcinogenicity
Not considered to be a carcinogenic hazard.

Reproductive Toxicity
Not considered to be toxic to reproduction.

STOT-single exposure
Not expected to cause toxicity to a specific target organ.

STOT-repeated exposure
Not expected to cause toxicity to a specific target organ.

Aspiration Hazard
Not expected to be an aspiration hazard.

Other Information
This product contains Ototoxic substances. Combination with noise exposure, even at safe levels, could still cause auditory injuries and hearing loss.

12. ECOLOGICAL INFORMATION

Ecotoxicity
No ecological data available for this material. Acute toxicity estimate (based on ingredients):>100 mg/l

Persistence and degradability
The product is readily biodegradable.

Mobility
Not available

Bioaccumulative Potential
Risk of bioaccumulation in an aquatic species is low.

Other Adverse Effects
Not available

Environmental Protection
Do not discharge product into drains, sewers or waterways.

13. DISPOSAL CONSIDERATIONS

Disposal considerations
Dispose of waste according to applicable local and national regulations. Labels should not be removed from containers until they have been cleaned. Do not cut, puncture or weld on or near containers. Empty containers may contain flammable residues. Contaminated containers must not be treated as household waste. Containers should be cleaned by appropriate methods and then re-used or disposed of by landfill or incineration as appropriate. Do not incinerate closed containers. Advise flammable nature.

14. TRANSPORT INFORMATION

Transport Information
Road and Rail Transport (ADG Code):
This material is a Class 3 - Flammable Liquid according to The Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)
Class 3 - Flammable Liquids are incompatible in a placard load with any of the following:
- Class 1: Explosives
- Division 2.1: Flammable Gases.
(Division 2.1 and Class 3 are incompatible in transport if both are in tanks or other receptacles with a capacity individually exceeding 500 L)
- Division 2.3: Toxic Gases
- Division 4.2: Spontaneously Combustible Substances
- Division 5.1: Oxidising substances
- Division 5.2: Organic Peroxides
- Class 6: Toxic or Infectious Substances
(where the flammable liquid is nitromethane)
- Class 7: Radioactive materials unless specifically exempted

Marine Transport (IMO/IMDG):
Classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.
Class/Division: 3
UN No: 1170
Proper Shipping Name: ETHANOL SOLUTION
Packing Group: II
EMS: F-E, S-D
Special Provisions: 144

Air Transport (ICAO/IATA):
Classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.
Class/Division: 3
UN No: 1170
Proper Shipping Name: ETHANOL SOLUTION
Packing Group: II
Packaging Instructions (passenger & cargo): 353
Packaging Instructions (cargo only): 364
Hazard Label: Flammable Liquid
Special Provisions: A3, A58, A180

U.N. Number
1170

UN proper shipping name
ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Transport hazard class(es)
3

Packing Group
II

Hazchem Code
•2YE

IERG Number
14

IMDG Marine pollutant
No

Transport in Bulk
Not available

Special Precautions for User
Not available

15. REGULATORY INFORMATION

Regulatory information
Classified as Hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule
Not Scheduled

16. OTHER INFORMATION

Date of preparation or last revision of SDS
SDS created: March 2020

References
Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.
Standard for the Uniform Scheduling of Medicines and Poisons.
Australian Code for the Transport of Dangerous Goods by Road & Rail.
Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.
Workplace exposure standards for airborne contaminants.
Adopted biological exposure determinants, American Conference of Industrial Hygienists (ACGIH).
Globally Harmonised System of Classification and Labelling of Chemicals.
Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

END OF SDS