# HP Color LaserJet Managed MFP E57540 series



# Unparalleled performance. Deepest security.

Ideal for enterprises and medium businesses that need a secure, highly productive, energy-efficient colour MFP.



HP Color LaserJet Managed MFP E57540dn



HP Color LaserJet Managed Flow MFP E57540c

Dynamic security enabled printer. Only intended to be used with cartridges using an HP original chip. Cartridges using a non-HP chip may not work, and those that work today may not work in the future. Learn more at: http://www.hp.com/go/learnaboutsupplies







9/

High-speed performance meets energy efficiency

- Print the first page from sleep mode as fast as 8.6 seconds.<sup>1</sup>
- Speed through jobs. Print two sides almost as quickly as one up to 40 ipm<sup>2</sup> and scan both sides of the page at once.
- This MFP uses exceptionally low amounts of energy thanks to its innovative design and toner technology.<sup>3</sup>
- Choose a maximum capacity of up to 2,300 sheets.<sup>4</sup> Print up to 59 pages per minute on A5.<sup>2</sup>

# Unparalleled fleet security and management

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.<sup>5</sup>
- Protect sensitive data on the MFP and in transit, using embedded security features and 256-bit encryption.<sup>5</sup>
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions <sup>6</sup>
- Centralise control of your printing environment with HP Web Jetadmin and help build business efficiency.<sup>7</sup>

# More. Pages, performance, and protection.

- Make an impression with leading colour quality from HP. Get unparalleled printing for your office needs.
- Get more pages with each Original HP Toner cartridge with JetIntelligence and high-yield cartridges.  $^{\rm 8,9}$
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with preinstalled toner cartridges. Replace them with cartridges featuring auto seal removal.

## Stay connected with secure mobile printing options

- Enable 128-bit encrypted wireless direct printing from mobile devices without accessing the network.<sup>10</sup>
- Print with just a touch of your NFC-enabled mobile device to this printer no network needed.<sup>11</sup>
- Easily print from a variety of smartphones and tablets generally no setup or apps required.<sup>12</sup>
- Easily access, print, and share resources with Ethernet and optional wireless networking.<sup>13</sup>

# Product walkaround

## HP Color LaserJet Managed Flow MFP E57540c shown

- 1. 100 sheet ADF with single-pass, two-sided scanning and HP EveryPage
- 2. Hardware Integration Pocket
- 3. Easy-access USB port
- 4. 250 sheet output tray
- 5. Front door (access to HP JetIntelligence Toner cartridges)
- 6. Fax port, Ethernet port, Host USB port, Hi-Speed USB 2.0 printing port
- 7. Automatic two-sided printing
- 8. 550 sheet tray 2
- 9. 20.3 cm (8 in) colour touchscreen
- 10. Optional wireless direct printing/optional NFC
- 11. Convenience stapler
- 12. Advanced workflow features, including pull-out keyboard
- 13. Right door (access to the print path)
- 14. 100 sheet multipurpose tray 1
- 15. HP High-Performance Secure Hard Disk



# Series at a glance





Model	HP Color LaserJet Managed MFP E57540dn	HP Color LaserJet Managed Flow MFP E57540c	
Product number	3GY25A	3GY26A	
Print, copy, scan, and optional fax	Yes		
Print speed up to 40 ppm (black and colour)		Yes	
100 sheet ADF with single-pass, two-sided scanning		Yes	
20.3 cm (8.0 in) colour touchscreen		Yes	
100 sheet multipurpose tray 1; 550 sheet tray 2		Yes	
HIP, easy-access USB, encrypted HDD		Yes	
Advanced workflow features	No	Convenience stapler; Scan to Microsoft® SharePoint®; H EveryPage technology; Pull-out keyboard; Embedded 00	

# Accessories, Supplies and Support

Supplies	BSL36A HP Color LaserJet BSL36A 220V Fuser Kit (Average yield 150,000 pages)
	BSL37A HP Color LaserJet BSL37A Toner Collection Unit (Average yield 54,000 pages)
	CF360XC HP High Yield Black Contract Original LaserJet Toner Cartridge (14,900 pages) CF361XC HP High Yield Cyan Contract Original LaserJet Toner Cartridge (11,700 pages) CF362XC HP High Yield Yellow Contract Original LaserJet Toner Cartridge (11,700 pages) CF363XC HP High Yield Magenta Contract Original LaserJet Toner Cartridge (11,700 pages) W9060MC HP Black Managed LaserJet Toner Cartridge (15,000 pages) W9061MC HP Cyan Managed LaserJet Toner Cartridge (12,200 pages)
	W9062MC HP Yellow Managed LaserJet Toner Cartridge(12,200 pages)
Accessories	W9063MC HP Magenta Managed LaserJet Toner Cartridge (12,200 pages)  Q7432A HP Staple Cartridge Pack
Accessories	<b>E5K48A</b> HP 1 GB x32 144-pin (800 MHz)DDR3 SODIMM
	E5K49A HP 2 GB x32 144-pin (800 MHz) DDR3 SODIMM
	BSL53A HP LaserJet MFP Analog Fax Accessory 600
	BSL34A HP Color LaserJet 550-sheet Media Tray
	A7W14A HP LaserJet Swedish Overlay Keyboard
	BSL28A HP Internal USB Ports
	BSL51A HP Color LaserJet Printer Cabinet
	BSL31A HP Foreign Interface Harness
	F5S62A HP Trusted Platform Module Accessory
	J8030A HP Jetdirect 3000w NFC/Wireless Accessory
	J8031A HP Jetdirect 2900nw Print Server
Service and Support	U8TW4E HP 3 year Next Business Day with Defective Media Retention Service for LaserJet M577 E57540 Managed U8TW5E HP 4 year Next Business Day with Defective Media Retention Service for LaserJet M577 E57540 Managed U8TW6E HP 5 year Next Business Day with Defective Media Retention Service for LaserJet M577 E57540 Managed U8TX0PE HP 1 year Post Warranty Next Business Day with Defective Media Retention Service for LaserJet M577 E57540 Managed U8TX1PE HP 2 year Post Warranty Next Business Day with Defective Media Retention Service for LaserJet M577 E57540 Managed U9JT2E HP Installation Service with Network Configuration Workgroup Printer

# **Technical specifications**

Model	HP Color LaserJet Managed MFP E57540dn	HP Color LaserJet Managed Flow MFP E57540c	
Product number	3GY25A	3GY26A	
Functions	Print, copy, scan, optional fax		
Control panel	20.3 cm (8 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu)	20.3 cm (8 in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); Extended Keyboard	
Print	<u> </u>		
Print technology	Laser		
Print speed <sup>1</sup>	Black (A4, normal) Up to 38 ppm; Colour (A4, normal): Up to 38 ppm; Black (A4, duplex): Up to 38 ipm; Colour (A4, duplex): Up to 38 ipm;		
First page out	Black (A4, ready): As fast as 5.6 sec; Colour (A4, ready): As fast as 6.9 sec; Black (A4, sleep): As fast as 8.6 sec; Colour (A4, sleep): As fast as 8.8 sec;	Black (A4, ready): As fast as 5.9 sec; Colour (A4, ready): As fast as 6.9 sec; Black (A4, sleep): As fast as 9.1 sec; Colour (A4, sleep): As fast as 9.0 sec;	
Print resolution	Black (best): Up to 1200 x 1200 dpi; Colour (best): Up to 1200 x 1200 dpi; Technology: HP ImageREt 3600, Pantone Calibrated;		
Monthly duty cycle <sup>2</sup>	Up to 120,000 pages A4; Recommended monthly page volume <sup>3</sup> : 2000 to 15,000		
Printer smart software features	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collat	Print preview, duplex printing, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, easy-access USB, HP EasyColour	
Standard print languages	HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)		
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP postscript Level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); Additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at http://www.hp.com/go/laserjetfonts		
Print area	Print margins Top: 2 mm absolute/5 mm assured image, Bottom: 2 mm absolute/5 mm assured image, Left: 2 mm absolute/5 mm assured image, Right: 2 mm absolute/5 mm assured image; Maximum print area: 215.9 x 355.6 mm		
Duplex printing	Automatic (standard)		
Сору	·		
Copy speed	Black (A4): Up to 38 cpm; Colour (A4): Up to 38 cpm	Black (A4): Up to 38 cpm; Colour (A4): Up to 38 cpm	
Copier specifications	Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Collation; Bookle Job build; Edge-to-edge; Job storage; ID Copy; Book Copy; A-to-B Copy (different media sizes); Maximum number of copies: Up to 9999 copies; Reduce/Enlarge: 25 to 400%;		
Scan	·		
Scan speed	Normal (A4): Up to 43 ppm/43 ipm (black and white), up to 38 ppm/38 ipm (colour); Duplex (A4): Up to 43 ipm (black and white), up to 38 ipm (colour)	Normal (A4): Up to 45 ppm/64 ipm (black and white), up to 45 ppm/58 ipm (colour); Duplex (A4): Up to 64 ipm (black and white), up to 58 ipm (colour)	
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, PBC, ITFE, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	

Model	HP Color LaserJet Managed MFP E57540dn	HP Color LaserJet Managed Flow MFP E57540c
Product number	3GY25A	3GY26A
Scanner specifications	Scanner type: Flatbed, ADF; Scan technology: Contact Image Sensor (CIS); Scan input modes: Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXP) applications; Duplex ADF scanning: Yes; Scan size maximum (flatbed): 216 x 356 mm; Optical scan resolution: Up to 600 dpi	
Scanner advanced features	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets	Optimise text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect colour; Edge Erase; Job notification; Blank page suppression; HP Quick Sets; HP EveryPage; Auto orientation; Embedded Optical Character Recognition (OCR); Auto crop to page; Auto-tone
Recommended monthly scan volume <sup>4</sup>	4150 to 6900	8350 to 13,900
Scannable area	Minimum media size (flatbed): No minimum Maximum media size (flatbed): 216 x 356 mm; Minimum media size (ADF): 105 x 127 mm Maximum media size (ADF): 216 x 356 mm	
Bit depth/ Grey scale levels	24-bit / 256	
Digital sending	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF	
Fax		
Fax	Optional,	
Processor speed	1.2 GHz	
Connectivity		
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket	
Optional	HP Jetdirect 3000w NFC/Wireless Accessory J8030A, HP Jetdirect 2900nw Print Server J8031A	
Wireless	Optional, enabled with purchase of hardware accessory.	
Mobile printing capability <sup>5</sup>	HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0	
Supported network protocols	Via built-in networking solution: TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, IPP 2.0, Apple AirPrint' HP ePrint, FTP Print, Google Cloud Print; Discovery: SLP, Bonjour, Web Services Discovery: IP Config: IPv4 (BootP, DHCP, AutolP, Manual, TFTP Config, ARP-Ping), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6); Management: SNMPv2/v3, HTTP/HTTPs, Telnet, TFTP Config, FTP FW Download, Syslog; Security: SNMPv SSL Cert Management, Firewall, ACL, 802.1x.	
Network capabilities	Via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard)	
Hard disk	Standard, embedded HP High-Performance Secure Hard Disk, minimum 320 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Eras Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)	
Memory	Standard: 1.25 GB (printer), 512 MB (scanner); Maximum <sup>6</sup> : 3.75 GB	
Media handling		
Number of paper trays	Standard: 2 ; Maximum: 5	
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heavy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transparency, labels, letterhead, envelope, preprinted, prepunched, coloured, rough, opaque film, user-defined	
Media size	Custom (metric): Tray 1: 76 x 127 to 216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; Optional Trays 3+: 102 x 148 to 216 x 356 mm; Supported (metric): Tray 1 A4, RA4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm, A6, 16K, envelopes (B5, C5 ISO, C6, DL ISO); Custom: 76 x 127 to 216 x 356 mm; Tray 2: A4, A5, B5 (JIS), B6 (JIS), 10 x 15 cm A6, 16K; Custom: 102 x 148 to 216 x 297 mm; Optional Trays 3+: A4, RA4, A5, B5 (JIS), 16K; Custom: 102 x 148 to 216 x 356 mm; ADF: Oficio; Executive; Statement 16K; A4; RA4; A5; A6; B5; B6 (JIS); Postcard (JIS), DPostcard (JIS)	

Model	HP Color LaserJet Managed MFP E57540dn	HP Color LaserJet Managed Flow MFP E57540c	
Product number	3GY25A	3GY26A	
Media handling	Standard input: 100-sheet multipurpose tray, 550-sheet input tray 2 Standard output: 250-sheet output bin Optional input: 550-sheet media input tray 3, 550-sheet media input tray 4, 550- sheet media input tray 5 ADF: Standard, 100 sheets	Standard input: 100-sheet multipurpose tray, 550-sheet input tray 2 Standard output: 250-sheet output bin, convenience stapler Optional input: 550-sheet media input tray 3, 550-sheet media input tray 4, 550-sheet media input tray 5 ADF: Standard, 100 sheets	
Media weight	Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Automatic Duplexer: 60 to	220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); Optional Trays 3+: 60 to 163 g/m²; <b>ADF</b> : 45 to 199 g/m²	
Input capacity	Tray 1: Sheets (75 g/m² paper): 100; Transparencies, cardstock (163 g/m²): 50; Cardstock (216 g/m²): 30; Envelopes: 10 Tray 2: Sheets (75 g/m² paper): 550; Labels, cardstock (163 g/m²); Transparencies: 100 Tray 3: Sheets (75 g/m² paper): 550; Labels, cardstock (163 g/m²); Transparencies: 100 Maximum: Up to 2,300 sheets ADF: Standard, 100 sheets		
Output capacity	Standard: Up to 250 sheets Envelopes: Up to 10 envelopes Transparencies: Up to 100 sheets Maximum: Up to 250 sheets		
Compatible operating systems <sup>5</sup>	Android, Linux Boss (5.0), Linux Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7.6, 7.7, 7.8, 7.9, 8.0, 8.1, 8.2, 8.3, 8.4, 8.5, 8.6), Linux Fedora (22, 23, 24), Linux Mint (17, 17.1, 17.2, 17.3, 18), Linux Red Hat Enterprise (6.0, 7.0), Linux SUSE (13.2, 42.1), Linux Ubuntu (12.04, 14.04, 15.10, 16.04, 16.10), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 El Capitan, UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows Vista all 32-bit editions (Home Basic, Premium, Professional, etc.), Windows XP SP3 32-bit editions (XP Home, XP Pro, etc.)		
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003 R2, Citrix on Windows Server 2008/2008 R2/2008 R2 SP1, Citrix on Windows Server 2012/2012 R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services 32/64-bit, Citrix XenApp 5.0/6.5 (For Windows Server 2008 R2 Ferminal Services, 32/64-bit), Citrix XenApp 7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Ferminal Services, 32/64-bit), Citrix XenDesktop 5.6 (for Windows Server 2008 R2 Ferminal Services, 32-and 64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2008 R2 Ferminal Services, 32-and 64-bit), Citrix XenDesktop 7.0/7.5 (for Windows Server 2008 R2 Ferminal Services), Above 10 (Lients 10 thtps://www.novell.com/liprint, Windows Server 2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise (Ferminal Services), Windows Server 2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 R2 4-bit Standard/Enterprise (+ Cluster & Terminal Services)		
Minimum system requirements	Windows: 2 GB available hard disk space; 0S hardware requirements see http://www.microsoft.com;  Mac 1.3 GB available hard drive space; Internet; 0S hardware requirements see http://www.apple.com for more info		
Software included	HP Connected, HP Device Experience (DXP), HP PCL 6 (XPS) Printer Driver, HP Software Installer/Uninstaller, Mac OS Welcome Screen (Directs users to http://www.123.HP.com or OS App Source for printer software), Online user manuals		
Security management	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, optional HP and 3rd party advanced authentication solutions (e.g.: badge readers); Network: IPsec/firewall with Certificate, Pre-Shared Key, and Kerberos authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS; Certificates, Access Control List; Data: Storage Encryption, Encrypted PDF & Email (Luses FIPS 140 validated cryptographic libraries from Microsoft), Secure Erase, SSL/TLS (HTTPS), Encrypted Credentials; Device: Security lock slot, USB port disablement, hardware integration pocket for security solutions, Intrusion Detection with Red Balloon Security Technology - Constant in-device monitoring for attacks, SureStart Secure Boot - BIOS Integrity Checking with self-healing capability, Whitelisting - loads only known good code (DLLs, EXEs, etc.); Security management: Compatible with HP JetAdvantage Security Manager, Device Security Syslog Messages processed and accessable in Arcsight and Splunk SIEMs		
Printer management	HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP Web JetAdmin Software; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver		
Dimensions and weight	1		
Printer dimensions (W x D x H) <sup>7</sup>	Minimum 482 x 504 x 583 mm; Maximum: 699 x 504 x 583 mm;		
Package dimensions (W x D x H)	755 x 600 x 650 mm		
Printer weight	38.1 kg	38.6 kg	
Package weight	44.4 kg	45 kg	
Operating environment	Temperature: 15 to 30°C; Humidity: 30 to 70% RH		
Storage conditions	Temperature: 0 to 35°C; Humidity: 10 to 90% RH		
Acoustics	Acoustic power emissions: 6.5 B(A) (printing at 38 ppm); Acoustic pressure emissio	ns: 51 dB(A) (printing at 38 ppm)	
Power <sup>8</sup>	Requirements: Input voltage: 200 to 240 VAC, 50 Hz (Not dual voltage, product varies by part number with option code identifier);  Consumption: 592 watts (printing), 47.3 watts (ready), 3.48 watts (sleep), 0.08 watts (auto-off/manual on), 0.49 watts (auto-off/auto-on/wake on LAN);  Typical Electricity Consumption (TEC) <sup>5</sup> : Blue Angel: 1.51 kWh/Week; Energy Star 3.0: 0.464 kWh/Week;  Power supply type: Internal (Built-in) power supply;		
Certifications	CISPR 22:2008 (Class B), EN 55022:2010 (Class B), ICES-003, Issue 5 (Class B), EN 61000-3-2:2006+A1:2009+A2:2009, EN 61000-3-3:2008, EN 55024:2010. Other EMC approvals as required by individual countries ENERGY STAR® qualified; EPEAT® Silver		
Blue Angel compliant	Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies		
Country of origin	Made in China		
What's in the box <sup>10</sup>	HP Color LaserJet Managed MFP E57540dn; Four preinstalled HP LaserJet toner cartridges (black: 6,000 pages, colour: 5,000 pages); Toner collection unit; In-box documentation; CD	HP Color LaserJet Managed Flow MFP E57540c; Four preinstalled HP LaserJet toner cartridges (black: 6,000 pages, colour: 5,000 pages); Toner collection unit; In-box documentation; CD; Power Cord	
Warranty	One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to http://www.hp.com/support to learn about HP award winning service and support options in your region.		

#### Footnotes

- 1 Based on HP internal testing of top three leading competitors' first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings, Actual results may vary. For details, see http://www.hp.com/go/Ljclaims
- <sup>2</sup> Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- <sup>3</sup> Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see http://www.hp.com/go/Ljclaims
- <sup>4</sup> Purchase of optional paper trays required to reach maximum input capacity.
- 5 Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity.
- <sup>6</sup> Some solutions require download or additional purchase. Learn more at http://www.hp.com/go/printingsolutions.
- <sup>7</sup> Universal device pluq-in is offered with HP Web Jetadmin 10.3 SR4 and higher. HP Web Jetadmin is free and available for download at http://www.hp.com/go/webjetadmin
- <sup>8</sup> More pages versus predecessor cartridges claim based on page-yield comparison of HP 508X High Yield Original LaserJet Toner Cartridges with HP Black Managed LaserJet Toner Cartridges. For more information, see http://www.hp.com/go/learnaboutsupplies.
- <sup>9</sup> HP Black Managed Laser Jet Toner Cartridges not include; please purchase separately.
- 10 Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct—capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see http://www.hp.com/go/businessmobileprinting.
- 11 Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory. Mobile device must support Near-field communication (NFC)—enabled printing. For more information, see http://www.hp.com/go/businessmobileprinting.

residential environment and an FCC class A device should not be purchased for use in a residential environment due to the increased risk of interference to radio communications

- 12 Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory. Learn more at http://www.hp.com/go/mobileprinting.
- 13 Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. 14 An FCC Class A emissions compliant device meets the less stringent (higher) levels of emissions allowed by the FCC for a product operation in a commercial environment. An FCC class A device cannot be marketed for use in a

#### Technical specifications disclaimers

- 1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity
- <sup>2</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
- <sup>3</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

  4 HP recommends that the number of scanned pages per month be within the stated range for optimum device performance.
- 5 Not all "Compatible Operating Systems" are supported with INBOX software. Full solution software available only for Windows 7 and newer. Legacy Windows Operation Systems (XP, Vista, and equivalent servers) get print and scan drivers only. Windows RT OS for Tablets (32/64-bit) uses a simplified HP print driver built into the RT OS. UNIX modelscripts are available on http://www.hp.com (Modelscripts are printer drivers for UNIX operating systems). Linux systems use in-OS HPLIP software
- <sup>6</sup> Max memory is with 1 GB DIMM installed. The maximum the Firmware can use is 2 GB so 250 MB is unused in this configuration.
- $^{7}$  Without Tray 1 extended.
- B Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- 9 Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).
- 10 Toner cartridge yields established using ISO/IEC test standards. Actual yields and costs vary considerably depending on images printed, number of colour pages printed, and other factors.



www.blauer-engel.de/uz205

















## http://www.hp.com/uk

© Copyright 2021 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein

