

PELICAN 6P

COMBINED • REMOTE REFRIGERATION UNIT



5/10/2022 content modifiable without notice.


arneg

ITALIA


YOUR GLOBAL PARTNER FOR RETAIL SOLUTIONS

PELICAN 6P COMB-C BT-BT V1E LINEARE R


Length without side panels	mm	1875				2500				3750			
Height	cm	205		216		205		216		205		216	
Height of glass front		G3	G4	G3	G4	G3	G4	G3	G4	G3	G4	G3	G4
Temperature class	3L1	•				•				•			
Preservation temperature	°C -22/-25	•				•				•			
Horizontal display area*	m ²	4,53				6,05				9,07			
Energy class**		A G C				A G C				A G C			




H205 G3



H205 G4




H216 G3




H216 G4

PELICAN 6P COMB-C BT-BT V2E LINEARE R


Length without side panels	mm	1875				2500				3750			
Height	cm	205		216		205		216		205		216	
Height of glass front		G3	G4	G3	G4	G3	G4	G3	G4	G3	G4	G3	G4
Temperature class	3L1	•				•				•			
Preservation temperature	°C -22/-25	•				•				•			
Horizontal display area*	m ²	4,53				6,05				9,07			
Energy class**		A G C				A G C				A G C			




H205 G3



H205 G4



H216 G3





H216 G4

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.

PELICAN 6P COMB-C BT-BT V2E TESTATA R


Overall length	mm	2352			
Height	cm	205		216	
Height of glass front		G3	G4	G3	G4
Temperature class	3L1	•			
Preservation temperature	°C -22/-25	•			
Horizontal display area*	m ²	3,83			
Energy class**					




H205 G3



H205 G4



H216 G3



H216 G4

*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.