



CATALOGUE



MAKING INEFFICIENCIES EXTINCT

makinex.com.au



FASTER, SAFER, EASIER

MAKINEX is an Australian owned, global company that provides innovative solutions to the construction, hire and rental, landscaping, flooring and related industries.

We design, manufacture and distribute unique products that vastly increase productivity, saving time and physical effort.

Our products provide contractors and tradespeople with a better way to do their jobs – faster, safer and easier.



MX 16 kVA 3 phase and single phase Generator

AWARDS



INCLEAN
INNOVATION
AWARD

2014



INNOVATION IN
EXPORT AWARD
PREMIER NSW
EXPORT AWARDS

2015



TAKING HIRE HIGHER
AWARD
KENNARDS HIRE
SUPPLIERS AWARDS

2015



SAFE WORK
AUSTRALIA
GOOD DESIGN
AWARD

2016



WORLD OF CONCRETE
MOST INNOVATIVE
PRODUCTS
GENERAL
CONSTRUCTION TOOLS
AND EQUIPMENT

2017



WORLD OF CONCRETE
MOST INNOVATIVE
PRODUCTS
GENERAL
CONSTRUCTION TOOLS
AND EQUIPMENT

2020



HRIA
BEST NEW
PRODUCT
AWARD

2014



RER
INNOVATIVE
PRODUCT
AWARD

2015



UK INNOVATION
TRAIL AWARD

2016



WORLD OF CONCRETE
MOST INNOVATIVE
PRODUCT
FOR CONCRETE
CONSTRUCTION

2017



6th CHINA
LOGISTICS
TECHNOLOGY
AWARD 2017
INNOVATION
AWARD

2017

MAIN CONTENTS

SURFACE PREPARATION 4



Jackhammer
Trolley



Floor Stripper



Mixing Station

SURFACE CLEANING 10



Dual Pressure
Washer



Dual Pressure
Cleaner

POWER SOLUTIONS 14



Generators



Hybrid
Power System



Mobile Charge
Pod

LIFTING & LOADING 20



Powered Hand
Truck

MINI DUMPERS 22



Cormidi
Dumpers

**This piece of equipment is saving
us costs and preventing injuries.**

Darren Curmi, Branch Manager, Kennard's Hire, Alexandria



Powered Hand Truck

JACKHAMMER TROLLEY JHT-U2

Remove floor tiles, parquetry and mortar beds

THE MAKINEX JACKHAMMER TROLLEY is a versatile demolition tool that removes floor tiles, parquetry, and mortar beds. It can also prepare surfaces by removing residue from tile beds and concrete floors.


CHALLENGE ON THE JOB?

- Taking up tiles is a tough physical job - no one likes doing it
- On the job back and neck injuries that costs time and money

SOLUTIONS

- ✓ Makinex Jackhammer Trolley gets the job done up to 6 x faster
- ✓ Adjustable angle with foot plates allows you to remove tiles with less effort
- ✓ Built in anti vibration features to reduce operator fatigue
- ✓ Ensuring your staff have the best tools for the job
- ✓ Suits most 16kg (35lb) jackhammers
- ✓ Removes a variety of floor coverings

Makinex Flippable Wide Chisel Jackhammer Attachment
-75mm (3in) wide harden steel chisel with flippable edges allows for more even wearing



Tile Smasher Jackhammer Attachment

- Machined from a single block of steel with no moving plates, results in no shearing of bolts
- Fitted with 150mm (6in) wide high tensile steel replaceable blade



JACKHAMMER TROLLEY SPECIFICATIONS AND COMPATIBILITY

SPECIFICATIONS

Dimensions	Weight
L 1000mm (3ft 3in) x	27.5kg (60.6lb)
W 400mm (1ft 3in) x	
H 300mm (12in)	

COMPATIBILITY

Suitable for the following 16kg (35lb) jackhammer models:

Bosch GSH16	Hitachi H65
Dewalt D25901K-XE	Makita 1307 & 1317
Hilti 1000 & 1500	



Spare blades available



The JHT suits most 16kg jackhammers.

//
I am able to complete jobs faster, which allows me to bid and win more jobs.
//

Don Preston, LMS Restoration



ACCESSORIES

1. Makinex Flippable Wide Chisel Jackhammer attachment 75mm
2. Tile Smasher Complete-Hilti Style Shank
3. Tile Smasher Complete-Universal Short Shank
4. Tile Smasher Blade (only)
5. Hex Head Bolts
6. Handle Grips
7. Brake Lever & Cable



Please refer to page 25 for part numbers

>> Visit our website to see the Jackhammer Trolley in use

MIXING STATION MS-100

Fast mix, easy pour, mixes 100kg in 3 mins


THE MAKINEX MIXING STATION is an efficient mixing solution for mixing self-leveling cements, compounds & epoxies, allowing quick mixing & pouring.

CHALLENGE ON THE JOB?

- Accurately mixing batch in time
- Distributing the compound evenly
- Bending over a bucket to mix product

SOLUTIONS

- ✓ Mixes up to 100kg (220 lb) hands free in only 3 minutes
- ✓ Removable dust suppression lid and bucket
- ✓ Lightweight with easy tilt for precision when pouring
- ✓ More efficient than traditional hand mixing
- ✓ Less waste due to more accurate batch mix



MIXING STATIONS SPECIFICATIONS

Weight	18kg (40lb)
Width	541mm (21 in)
Length	646mm (25in)

MAKINEX MIXER SPECIFICATIONS

Weight (w/o paddle)	5 kgs
Voltage	120v
Watts	1800w
Speeds	2
Rpm Range(variable)	150-300 rpm gear 1 300-650 rpm gear 2

Helical Paddle



REQUIRMENT FOR VARIOUS BRANDED OPTIONS

Suitable for various stirrers and mixers:

Powerful motor with a minimum 1400W
160 x 600 mm helical paddle
Dual Speed Gears
Electronic Speed Control

ACCESSORIES



Please refer to page 25 for part numbers

FLOOR STRIPPER VS-125

For removal of vinyl, carpet, cork and waterproof membranes

THE MAKINEX FLOOR STRIPPER is a heavy duty industrial floor stripper for contractors, rental companies & renovators designed to remove materials such as vinyl, glued carpet & cork from floors.

CHALLENGE ON THE JOB?

- Having a transportable stripper, so I can work anywhere
- A cost effective stripper that actually works
- Having enough downward force over the blade to lift vinyl

SOLUTIONS

- ✓ 16kg (35lb) weight positioned over the blade gets the job done faster
- ✓ Adjustable telescopic handle height, to suit anyone
- ✓ Tool free set up, makes it quick and easy to use
- ✓ Compact and reliable machine designed in Australia, built to last



The removable weight gives great downward pressure on the blade which helps lift the vinyl.

Paul Makepeace, ERM Flooring




Removable 16kg (35lb) weight

Lifting eye

Extremely robust design

Solid cast front plate



Spare blades available

Double edged blade

Tool free set up

Adjustable telescopic handle



SPECIFICATIONS

Dimensions	L 917mm [36.1in] x W 366mm [14.4in] x H 896mm [35.3in]
Weight (total)	64kg [132lb] 48kg [106lb] without weight
Weight (removable)	16kg [35lb]
Motor	240V / 0.55KW 4 pole single phase electric motor
Handle extended	H 1080mm [43in]
Handle retracted	780mm [31in]

ACCESSORIES

1. Blades
2. Blade Thumb Screw



Please refer to page 25 for part numbers

1300 795 953 · makinex.com.au

HOSE 2 GO H2GO

Constant pressure water supply unit without a battery or pump

THE HOSE 2 GO provides a consistent flow of water that allows for both cooling and dust suppression when cutting, core drilling and grinding concrete. Once the user has filled the unit from a tap it's ready to go, giving the user up to 30 minutes of constant flowing water without using a battery or pump.

CHALLENGE ON THE JOB?

- Getting a constant flow of water for dust suppression
- Tanks being too heavy to move around
- Tanks breaking down
- Running out of battery power
- Limited availability of on site water supply

SOLUTIONS

- ✓ No pump which means greater reliability
- ✓ No complicated electrics to breakdown
- ✓ No need to manually pump for water pressure you need
- ✓ On the job dust suppression – easy and simple
- ✓ Up to 30 mins constant flow of water
- ✓ Portable only weighs 20kg (44lb) so you can use it anywhere
- ✓ On the job cooling – ensuring longer blade life

SPECIFICATIONS

Length	325mm/12.8in
Width	144mm/5.7in
Height (placed horizontally)	800mm/31.5in
Weight (Dry)	5.7kg/12.6 lb
Weight (Full)	19.5kg/43 lb
Full tank capacity	13.8L/3.65 gal



Constant flow
of water ✓



13.8 [3.6 gal]
litre capacity ✓



Usage up to
30 mins ✓

Cutting, washing or drilling, the Hose 2 Go provides a water supply without the need to manually pump to maintain pressure.



Carry the Hose 2 Go to job site with the strap attachment



We found the Hose2Go very beneficial for our concrete drilling & cutting work

Top notch installations and maintenance



Easily portable, just fill up
at the tap and go.



ACCESSORIES

1



1. Spray Guns

2



2. Hose 3m

3



3. Tap Adaptor

4



4. Screw on quick
connect hose fitting

5



5. Quick connect
stop valve hose
fitting

5



6. Strap attachment

DUAL PRESSURE WASHER DPW 4000

Clean large surface areas faster and easier

WORK ANYWHERE, CLEAN ANYTHING. What more could you want? The dual pressure washer combines a rotary cleaner and wand pressure washer in the one machine, with the ease of swapping between them at the turn of a handle.

CHALLENGE ON THE JOB?

- I need one cleaning machine to do everything
- A wand pressure washer and rotary cleaner in one
- I want a machine that can clean various surfaces using different pressures

SOLUTIONS

- ✓ Combined wand and rotary cleaner in one
- ✓ Adjustable pressure from 1000 - 4000psi
- ✓ A walk behind cleaning machine that gets the job done easier and faster
- ✓ Eliminates having to have multiple machines on site such as hoses, pressure washers and pumps
- ✓ No license required to operate



DPW-4000 SPECIFICATIONS

Dimensions (handle folded)	Weight	Hose length	Sound level at handle	Engine	Fuel tank capacity	Fuel	Pump	Litres per minute	Pressure range	Rotary size
L 1360mm (4ft 5.5in) x W 620mm (2ft) x H 890mm (2ft 11in)	107kg 235lb	10M (32ft 9in) wand length 900mm	Measured sound power level LwA 112 dB (A) Guaranteed sound power level LwA 117 dB (A)	Pull start Honda GX390 air cooled 4-stroke OHV	6.1L (1.61 gallons)	Unleaded 86 octane or higher	Heavy duty AR Triplex with gear reduction, thermal release valve, pressure release valve, pressure gauge & external bypass	15 Litres per minute	1,000 - 4000PSI	610mm (24in)



Being able to switch between the two cleaning configurations makes it a very handy machine.



Daniel Hona, Site Manager Delta Group, Sydney

Heavy duty galvanised frame

Lifting eye

Wand

Hose Reel position for improved functionality.

Adjustable pressure

Heavy duty geared pump with thermal release valve

Folding handle

Surface cleaner

Brake castors

ACCESSORIES

1



1. Rotary Nozzle

2



2. Wand nozzle with 15, 25 & 40

3



3. 10m Hose

Please refer to page 25 for part numbers

DUAL PRESSURE CLEANER

DPC 2200

2 in 1 Pressure Cleaning Machine

The DUAL PRESSURE CLEANER combines a pressure wand and rotary cleaner in one machine that is compact and lightweight for ease of movement and transportation. It has an inbuilt 18" (450mm) Rotary surface cleaner, a wand and a 10 m hose. Switch between the surface cleaner and the wand with ease, allowing you to do more jobs with the 1 machine.

- ✓ 18" (450mm) stainless steel rotary surface cleaner
- ✓ 10 m Hose
- ✓ Wand
- ✓ Lightweight at 33 kgs
- ✓ Durable HDPE foam filled chassis




Challenges on the job

- ✗ Wasting time on set up and switching tools.
- ✗ Must keep moving the pressure pump around.
- ✗ Hand cramps and back strain complaints.

Solution/Benefits

- ✓ Spray gun wand and rotary cleaner in one.
- ✓ 18" (450mm) stainless steel rotary.
- ✓ Lightweight (33kgs). Adjustable handle & easy to store.



DPC-2200 SPECIFICATIONS

Dimensions (Handle Up)	Weight	Hose length	Engine	Fuel tank capacity
L 835mm (2ft 8in) x W 480mm (1ft 6in) x H 1030mm (3ft 4in)	33kg (72lb)	10M (32ft 9in)	Briggs and Stratton	5L
Fuel	Pump	Litres per minute	Fixed pressure	Rotary size
Unleaded 86 octane or higher	AR Triplex pump	11 Litres per minute	2200PSi	450mm (18in)

PETROL GENERATORS

Robust & reliable solutions for providing power

THE MOST COMPACT GENERATORS on the market with 15% more power. They can deliver 3 phase and single phase power at the same time. With less than 3% total harmonic distortion they are ideal for high-frequency applications.

CHALLENGE ON THE JOB?

- Having power near to where I am working
- Combining 3 phase and single phase outlets
- Being easy to move on and off vehicles
- Tight access

SOLUTIONS

- ✓ Most compact portable generator on market
- ✓ 15% more power from the same engines
- ✓ 3 phase & single phase paralleling capacity
- ✓ Easy to position near working area
- ✓ 3 year warranty

AVAILABLE MODELS

GEN-10P SPECIFICATIONS

Max output	10kVA/8kW
Frequency	50Hz
Voltage	240V/415V
Rated output	6400W
Sockets	Sockets 2 x 15A single phase + 1 x 20A 3 phase sockets with RCBO protection
DRY Weight	100kg
Noise level (7m)	No load - 72dB 50% load - 76dB 100% load - 78dB
Engine	Honda GX-390
Starting system	Pull start
Fuel economy	2.3 L/h @ 50% load
Dimensions	598mm (23in) [L] x 609mm (24in) [W] x 1162mm (46in) [H]



GEN-23P SPECIFICATIONS

Max output	23kVA/19kW
Frequency	50Hz
Voltage	240/415V
Rated output	18,000W
Sockets	2x15A Single Phase and/or 32A 3-phase sockets with RCBO protection

DRY Weight	240kgs
Noise level (7m)	50% Load - 78dB

Engine	Vanguard EFI 37hp
Starting system	Electric/Key Start
Fuel economy	5.6 L/h @ 50% load
Dimensions	1105mm (43.5in) [L] x 632mm (24.8in) [W] x 1024mm (40.3in) [H]



GEN-16P SPECIFICATIONS

Max output	16kVA/13kW
Frequency	50Hz
Voltage	240/415V
Rated output	12,500W
Sockets	2x15A Single Phase and/or 32A 3-phase sockets with RCBO protection
DRY Weight	155kgs
Noise level (7m)	No Load - 72dB 50% Load - 76dB 100% Load - 78dB
Engine	GX-690
Starting system	Electric/Key Start
Fuel economy	4.9 L/h @ 50% load
Dimensions	773mm (30in) [L] x 530mm (21in) [W] x 902mm (36in) [H]



GEN-32P SPECIFICATIONS

Max output	30kVA/28kW
Frequency	50Hz
Voltage	240/415V
Rated output	25000W
Sockets	2x15A Single Phase + 2x32A 3-phase sockets with RCBO protection

DRY Weight	320kgs
Noise level (7m)	50% Load - 72-76dB

Engine	Honda GX-690 x 2
Starting system	Electric/Key Start
Fuel economy	9.8 L/h @ 50% load
Dimensions	1105mm (43.5in) [L] x 632mm (24.8in) [W] x 1206mm (47.4in) [H]



Extremely manouverable. We ran a 3 phase grinder, a single phase grinder and a vacuum all at the same time.

Jason, Concrete Artisans

GEN-23P 23Kva

ACCESSORIES

1



1. Rubber feet

2



2. Rubber Handle grips

3



3. Generator Adapter Plug
20A - 32A

4



4. Machine Adapter Plug
with breaker 32A - 20A

Please refer to page 25 for part numbers

PARALLEL BOX

GEN-16P &
GEN-10P
WITH
PARALLEL
BOX



HYBRID POWER SYSTEM_{HPS}

Portable, Silent & Clean Energy

Makinex **Hybrid Power System (HPS)** is the most versatile and advanced off grid power system. Providing grid like electricity in areas where grid power is either unavailable or directly replacing expensive/ unreliable grid power. The system consists of a roof or ground mounted solar panels a battery bank to store energy, an integrated backup diesel generator and an inverter to act as an interface between the different inputs.



FEATURES

- ✓ Significant fuel and servicing savings
- ✓ Low noise, silent except for minimal generator run time
- ✓ Reduced emissions
- ✓ Portable, easy to deploy, easy to store
- ✓ Remote monitoring, diagnostics, remote start/stop
- ✓ High Customisation – Run time, quiet time etc
- ✓ Australian built generators
- ✓ Additional Solar if required
- ✓ Longer service life


EASY TO STORE

EASY TO SETUP


EASY TO TRANSPORT



CLOSED



OPEN



SPECIFICATIONS

Model number	HPS 10	HPS 15	HPS 20	HPS 45
Battery	16kWh	28kWh	32kWh	48kWh
Inverter Power	10kVA	15kVA	20kVA	40kVA
Solar Power	3.6kW	3.6kW	3.6kW	7.2kW
Add on Solar	3.6kW	3.6kW	3.6kW	3.6kW
Total Solar	7.2kW	7.2kW	7.2kW	10.8kW
Generator 4 Pole	10kVA	15kVA	20kVA	45kVA
Noise [7m]	60dBA	60dBA	60dBA	60dBA


MOBILE CHARGE POD_{MCP}

STOP YOUR BATTERIES GOING MISSING!!

MOBILE CHARGE POD allows contractors on a construction site to safely store power tools batteries, chargers & mobile devices while charging their batteries. It has 6 lockers that are large enough for the large battery bank chargers and provides a protected GPO for each locker.

The GPOs are positioned such that the plugs are outside of the locker to enable safety inspectors and others to inspect tags on the electrical equipment. Each locker has large holes in the doors that can be used for inspection and for air ventilation.

- ✓ Save unexpected work gear replacement costs
- ✓ Save complaints and arguments on site
- ✓ Compliant and safer storage solution
- ✓ Double pole RCBO protected
- ✓ Fire rated polyethylene



User BYO padlock-no need to manage access

Plugs external to locker to allow inspection of electrical tags



PROTECT YOUR POWER TOOLS, BATTERIES, SITE RADIOS & OTHER CONSTRUCTION TOOLS

Specifications

Size	Weight	Locker Internal Dimensions	GPO Outlets	Material
W 1480 mm D 430 mm H 1370 mm	74 kg	Dimensions at the front of locker 580 mm[W] x 330 mm[H] x 370 mm[D]	10A double pole, twin GPO 6 X double GPO Double Pole RCBO protected	Super Tough, UV Stabilised & V2 Fire Rated Polyethylene

IP Rating – IP33 | Single 15A supply

Complies with AS/NZS 3190 and AS/NZS 3012 as a Portable Socket Outlet Assembly [PSOA]. Suitable for construction sites.

PATENT PENDING

POWERED HAND TRUCK PHT2-140

The ultimate materials handling lift & load solution

THE MAKINEX PHT2-140 is a universal materials handling solution that enables one person to safely lift and load small equipment or bulky goods weighing up to 140kg (308lb). It provides a quick and easy alternative to using a forklift or tailgate loader and can be used in workshops, warehouses, factories, depots, distribution companies and rental yards.

CHALLENGE ON THE JOB?

- Lifting heavy objects on/off vehicles
- Back injuries & fatigue from lifting
- Waiting for two-man lifts wastes time
- Keeping loading bays well organized
- Odd-shaped objects raise injury risk



Forklift Attachment

SOLUTIONS / FEATURES

- ✓ One person can safely lift 140kg alone
- ✓ Attachments for all types of objects
- ✓ Optional nose extension reach
- ✓ Optional rough-surface outdoor wheels
- ✓ Easy to use, no operator license req'd
- ✓ Folds flat for easy storage and moving



Hook Attachment


ATTACHMENTS & ACCESSORIES



1. Fork



2. Strap Frame



3. Sling



4. Glass Sucker



5. Nose Extension



5. Big Wheels Kit

SPECIFICATIONS

Dimensions without attachments	Weight (without attachments)	Power	Lift capacity	Lift height (with Hook attachment)
L 1925mm (6ft 3in) W 755mm (2ft 5in) H 265mm (10in)	44kg (97lb)	18V lithium-ion rechargeable	Up to 140kg (308lb)	300mm (1ft) up to 1900mm (6ft 2in)



//
**This piece of equipment is saving
us costs and preventing injuries.**
//

Darren Curmi, Branch Manager, Kennard's Hire, Alexandria



Folds flat for storage

TRACK DUMPERS

Lift, shift, transport, tip and dump

MAKINEX TRACK DUMPERS are versatile and compact, offering narrow access and easy maneuverability around work sites. Makinex has a complete range available from 400kg - 1200kg to suit all types of applications to efficiently lift, shift, transport, tip and dump materials.

CHALLENGE ON THE JOB?

- I need a small and compact dumper for narrow access sites
- I need it to be easy to manoeuvre on rough terrain

SOLUTIONS

- ✓ Full range of dumpers for every job from 400kg -1200kg
- ✓ 700mm wide to fit standard doorway, alley or tight access
- ✓ Rocking roller undercarriage creates stability in rough terrain
- ✓ Fully hydrostatic, with a low cost of ownership
- ✓ High lift bucket allowing operator to tip into skip bins and trucks

AVAILABLE MODELS

CORMIDI 40

Dimensions	L 1670mm x W 740mm x H 585mm
Bucket	L 1000mm x W 240mm
Weight	190kg
Load Capacity	400kg
Engine	GX160 Honda Petrol



CORMIDI 55

Dimensions	L 1670mm x W 710mm x H 1388mm
Bucket	L 950mm x W 700mm
Weight	547kg
Load Capacity	500kg
Hi Tip Option	1.54m
Engine	GX200 Honda Petrol



CORMIDI 60

Dimensions	L 1680mm x W 695mm x H 1155mm
Bucket	L 1000mm x W 680mm x H 400mm
Weight	Petrol 600kg Diesel 670kg
Load Capacity	600kg
Tipping Height	1.7m
Engine	GX270 Honda Petrol or 7hp Yanmar LA70 Diesel



CORMIDI 85

Dimensions	L 1926mm x W 810mm x H 1336mm
Bucket	L 1380mm x W 800mm x H 475mm
Weight	Petrol 645kg Diesel 670kg
Load Capacity	800kg
Tipping Height	1.45m
Engine	GX390 Honda Petrol or 10hp Yanmar L100N



CORMIDI 1200

Dimensions:	L 2280mm x W 865mm x H 1350mm
Bucket Weight:	Varies, depending on what bucket you select
Undercarriage	795kg
Load Capacity:	1200kg
Tipping Height for Hi-Tip Bucket:	1.9m
Engine:	Diesel Kubota D722 20hp TIER 4
C1200 has a variety of buckets available including 180 degree Swivel, Dumper Skip, High Tip and others.	





//
**We couldn't
 operate without
 the Cormidi. It's
 become an integral
 part of our team.**
//

Phil Gredig, Intelligent
 Construction Solutions



Track dumpers are ideal for narrow access situations.



SERVICING

CALL 1300 795 953
makinex.com.au/parts-service

Get your Makinex products serviced and kept in tip top condition.

Engine and hydraulic oils deteriorate from general use, heat, internal component wear, and outside contamination of dust and dirt.

Oil, air and fuel filters become blocked reducing efficiency and risking system contamination.

Tracks, sprockets, and drive train bearings need to be periodically checked and replaced.

AVOID:

- Unnecessary wear on your hydraulic system and engine
- Leaking hydraulic motor seals
- Reduced engine efficiency
- Untimely breakdowns

BOOK IN FOR:

- General tool maintenance & repairs
- Seals and pump maintenance
- Supply & fit out new Cormidi tracks



We tailor service & repairs to suit the requirements of your business. Our maintenance program(s) will ensure a lower cost of ownership and longevity of your machine.

**ASK US ABOUT OUR MAINTENANCE
PROGRAMS ON MINI-DUMPER RANGE**

PART CODE

JACKHAMMER TROLLEY JHT-U2

Makinex Tile Smasher Jackhammer Attachments

Tile Smasher Complete	Hilti	TSHC-HS-US-V2
Tile Smasher Complete	Short Shank AU	TSHC-SS-AU-V2
Tile Smasher Blade (only)		TSH-B
Hex Head Bolts		TSH-BS-V2
Hand Grips		MAK-UP-10
Brake Lever & Cable		JHT-99-63
Makinex Flippable Wide Chisel 75mm		WCAU-404

HOSE 2 GO H2GO

Spray Guns		H2G09
Hose 3m		H2G-05
Tap Adaptor		H2G-08
Screw on quick connect hose fittings		H2G07
Quick connect stop valve hose fitting		H2G-06
Strap Attachment		H2G-SA

DUAL PRESSURE WASHER DPW

DPW 4000

Rotary nozzle		DPW4-303-3
Wand nozzle with 15°, 25° & 40°		DPW4-308-1
10m Hose		DPW4-304

MIXING STATION MS-100

Buckets with lid		MS-04-00
Caster with brake 125mm		MS-01-06
Caster 125mm		MS-01-07
Mixer		MS-M-AU
Paddle		H25

VINYL FLOOR STRIPPER VS-125

Blades		MAK VS-B
Stiff Lever (Blade Thumb Screw)		FS-037

PETROL GENERATORS

Rubber feet		MAK-UP-20
Rubber Handle Grips		MAK-UP-07
Generator Adapter Plug 20A - 32A		PB-63-01-13
Machine Adapter Plug with breaker 32A - 20A		PB-63-01-14

POWERED HAND TRUCK PHT2-140

GLASS SUCKER		PHT2-GS-00
FORK ATTACHMENT		PHT2-FA-00
STRAP FRAME (SF)		PHT2-SF-00
SLING ATTACHMENT		PHT2-SA-00



Company Vision

Makinex seeks to make an impactful difference on the global construction & hire industry through the provision of truly unique and innovative Australian designed quality products.

MAKING INEFFICIENCIES EXTINCT



15 Waltham St
Artarmon NSW, 2064 Australia
P 1300 795 953 E sales@makinex.com.au
AUSTRALIA makinex.com.au
USA makinex.com



Scan this QR code to find out more