

TiOC 2.0: Your Effective Deterrent Against Intruders







VoiceCatcher Technology Longer pickup distance and less noise



Exceptional Image Quality Large F1.0 aperture lens and high-performance sensor




DisarmingConvenient operation and easy integration



Features
Smart Motion Detection (SMD 3.0) and Perimeter Protection

Overview

New illumination, audio and image features and technologies have been introduced with the new TiOC 2.0, delivering superior images and a better user experience.





Key Features





VoiceCatcher Technology Longer pickup distance and less noise



Exceptional Image Quality Large F1.0 aperture lens and high-performance sensor



One-touch Disarming Convenient operation and easy integration



Features
Smart Motion Detection (SMD

Smart Dual Illumination: For Full Colour Performance




- Smart Illumination: Has the ability to switch from IR Mode to white light when a target is detected. (Default)
- **2 IR Mode:** Enables only the IR illuminator to turn on for scenes where white light is not required. It also has the benefit of no light pollution.
- **3 White Light:** For events that require full colour images.



Smart Illumination Mode – Switch Illuminator using AI

Smart Illumination mode adopts a deep learning algorithm to detect targets



Smart Dual Illuminators – The Most Comprehensive Way for Illumination

Three different illuminations to meet all application scenarios.

Smart Illumination



Al algorithm, intelligently switches between colour event video and less light pollution.

IR Mode



IR illuminator through the whole process. Environmentally friendly, decreasing light pollution.


White Light



White illuminator through the whole process records full colour video and captures event details.

VoiceCatcher: Crisper Audio at Longer Ranges

Dahua's VoiceCatcher technology uses dual microphones to improve audio pickup while minimising background noise.




In our laboratory tests, TiOC 2.0's dual microphones significantly reduced the noise and increased the pickup distances by 7 metres compared to other similar products on the market.

Single Mic Sounds

Wind Noise Present


High noise leads to a degradation in sound quality.

Dual Mic Array Sounds



 VoiceCatcher now filters out the noise more effectively and delivers a purer audio signal.

Pickup Distance



The Dual Microphones now enable greater pickup distances.

Exceptional Image Quality: Enhanced, Brighter and Smoother 4K Image

- The larger F1.0 aperture now captures almost twice the amount of light compared to similar products on the market.
- The TiOC 2.0 delivers real-time video at 25-30 fps with AI enabled.



Outputs max. 4K (3840 \times 2160) 25–30 fps even when AI is enabled.




Real-time




Non Real-time

New Low-light Image Experience

Powered by Optical Path Compensation technology and by correcting the angle of refraction of light rays, TiOC 2.0 outputs brighter and clearer black and white images.



Visible light and IR light focal is unable to use the same plane.



Visible light and IR light in the same plane.






With OPC Technology



The details of the trees are clear and the edges of the image are bright.



TiOC 2.0 uses a large F1.0 aperture lens which vastly improves image quality.

IR Image with F1.6 aperture




IR Image with F1.0 aperture




Compared to the F1.6 aperture lens, the F1.0 aperture produces a sharper and brighter image.

One-touch: Arming/Disarming


The alarm can be armed or disarmed with the press of a button when connected to conventional alarm systems.





If you choose arming/disarming mode, the configuration related to the alarm will be hidden.

One-touch Disarming (Connected to DMSS) -






One-touch Disarming (By WEB/NVR)

Dahua's one-touch disarming function can be activated through an internet connection or via an NVR.







Disarming Enabled

Al Features

Al Features – SMD 3.0 –

SMD 3.0 is the latest version of the Smart Motion Detection feature which is now even better at filtering potential false alarms caused by animals, leaves and lights. With continuous improvement of AI capabilities, the detection range and accuracy have increased by up to **50%**.













Al Features – Perimeter Protection

By using deep learning algorithms, Dahua's Perimeter Protection technology accurately detects people and vehicles. The false alarms with tripwire intrusion can now also be reduced to less than 1%.



Accurate Detection

False alarm rate <1%



Target Classification

Focuses on people and vehicles







Quick Target Search

Target search efficiency up 98%







Remotely Monitor

Alarm push notifactions sending time <1s

Product Selection

TiOC 2.0 —



IPC-HFW 3849T1-AS-PV-S3
IPC-HFW 3549T1-AS-PV-S3



IPC-HDW3849H-AS-PV-**S3**IPC-HDW3549H-AS-PV-**S3**

- 8MP/5MP resolution
- Smart dual illuminators
- Red/blue light active deterrence
- Built-in mic and speaker
- Full colour monitoring with a 30m warm light range
- IR distance: max 30m
- SMD (Smart Motion Detection) 3.0
- Perimeter Protection
- 11 pre-recorded announcements or customised recordings

TiOC PTZ

SD6C3425XB-HNR-A-PV1



- 4MP resolution, 25 x optical zoom
- Smart dual illuminators
- Red/blue light active deterrence
- Built-in speaker
- Full colour monitoring: 50m warm light
- IR distance: 150m
- SMD (Smart Motion Detection) 3.0
- Face detection
- Perimeter Protection

Note: For smart illumination in Perimeter Protection mode, the TiOC PTZ's warm light will only activate when triggered by a target.

NVRs



NVR5000-I Series

- Decoding capability: 4 ch 8MP@ 30 fps, 16 ch 1080P@ 30 fps
- Up to 16 ch Perimeter Protection
- Up to 4 ch video stream face recognition
- 16 ch picture stream face recognition (with FD camera)
- Up to 24 face images/sec processing
- Up to 20 face databases with 100,000 face images in total
- 1-8 PoE ports supports ePoE and EoC



NVR4000-I Series

- Decoding capability: 2 ch 8MP@ 30 fps, 8 ch 1080P@ 30 fps
- Up to 4 ch Perimeter Protection
- Up to 2 ch video stream face recognition
- 8 ch picture stream face recognition (with FD camera)
- Up to 12 face image/sec processing
- Up to 10 face databases with 20,000 face images in total
- 1-8 PoE ports supports ePoE and EoC



NVR2000-I Series

- Decoding capability: 1 ch 8MP@ 30 fps, 4 ch 1080P@ 30 fps
- Up to 2 ch Perimeter Protection
- Up to 4 ch SMD or all channel SMD by camera
- Up to 1 ch video stream face recognition
- 8 ch picture stream face recognition (with FD)
- Up to 10 face databases with 5,000 face images in total

Application Scenarios

Public Areas



1 Description:

In areas where active deterrence is needed to keep areas clear, such as fire or emergency exits.

2 Application location:

- **Fire exits:** Once the exit or zone becomes blocked, the TiOC 2.0 active deterrent features will flash its red and blue lights. It will then activate its warning alarms, instructing the vehicle to leave the area.
- Emergency exits: The TiOC 2.0 can deliver custom warning messages to inform people for the purpose of the alarm, and how to proceed. The white light feature can also provide emergency lighting to direct people to the exit in low light conditions.

Advantages:

- Colour monitoring: For better event and target detection.
- Active deterrence: Customised sounds and red and blue lights to warn people not to stay in the restricted area.

Residential



Description:

In areas where full colour information can be captured and active deterrence features can be utilised to warn off intruders.

Application location:

- **Wall side:** The TiOC 2.0 camera can capture the event in full colour, while active deterrence features warn off the intruder simultaneously.
- **Garage door:** Various meta-data is acquired, such as the colour of the vehicle and its number plate details, while simultaneously offering lighting features for the parking area.

3 Advantages:

- Colourful monitoring: Produces full colour footage of events, capturing vivid details even at night.
- Active deterrence: Warns of potential intruders.
- **Two-way communication:** Ensures two way communication via the mobile application with its dual microphones for enhanced sound quality. There is no need for additional external microphones and speakers.



Driving Innovation to an AloT Future

*AloT is the convergence of Artificial Intelligence (Al) and the Internet of Things (IoT) where connected devices meet human interface. This is enabling unlimited possibilities through the integration of connected devices and security solutions.

* Design and specifications are subject to change without notice

Ver.1, Sept. 202



