

JUNE 2021

PRODUCT and PRICE GUIDE


Last Published: 6/1/2021



Nationwide Stainless Steel Fabrication




Hauppauge, NY



Denmark, SC



Kaufman, TX



Kaufman², TX




Dyer, TN



Reno, NV



Jackson, GA



Alpharetta, GA



DeKalb, MS




DeKalb², MS



Dawson Springs, KY

Customer Service Around The Country!

Now That's SMART FABRICATION™




LOOK AT WHAT WE'RE DOING

CUSTOM FABRICATION

- Installation of Buyout Equipment
- Buyout Equipment Can Be Pre-Wired
- Load Centers Added
- Food Shields
- Laminate & Custom Vinyl Wraps Designed In-House



Concealed Load Centers
for safety & easy access



Custom Electrical Chases
for buyout equipment



Wall Flashing in 16, 18 or
20 Ga. Stainless Steel &
polished to a satin finish

CREATE, ACCESSORIZE, UPSELL

Buildatable And Buildasink Are Simple And Easy-To-Use Website Tools That Allow You To Click And Choose Accessories For Either A Work Table Or Sink.

buildatable™.com
by ADVANCE TABCO®

buildasink™.com
by ADVANCE TABCO®

For Smart Fabrication™ Quotes

Email Smartfab@advancetabco.com or call our Estimating Department at 800-498-6634.

ONLINE SERVICES AVAILABLE AT www.advancetabco.com

ACCOUNT ACCESS - CREATE A CUSTOMER LOG-IN & FOLLOW THE COMPLETE PROCESS OF YOUR ORDERS

KEEP TRACK OF:

- Print Status
- Shipment Tracking Status
- Real-time Order Status
- Latest Sales Flyer
- Excess Inventory Lists

ALSO AVAILABLE ONLINE:

- Spec Sheets, CAD & Revit Drawings
- Installation Guides
- Product Support
- Photo & Video Library
- Literature Requests

YOU CAN ALSO FIND US ON AUTOQUOTES & KCL CATALOG



CUSTOMER SERVICE IS AVAILABLE TO ASSIST YOU! (8:30AM – 7:00PM EST)

TABLE OF CONTENTS

SINKS & SINK ACCESSORIES

Drop-In Sinks.....	3-5
Undermount Sinks.....	5
Hand Washing Sinks.....	6-11
Mobile Hand Sinks.....	53
Hand Sink Mods & Accessories	8, 11-13
Mop Sinks & Mop Sink Cabinets	14-15
Multi-Station: Wall Mounted	16-19
Multi-Station: Free-Standing	20-23
Faucets, Drains & P-Traps	8, 11, 13, 36
NSF Regaline Sinks.....	24-28
NSF Fabricated Sinks	30-33
Sink Mods & Accessories	33-36
Specialty Sinks	29
Mobile & Silver Soak	34
Budget Skullery Sinks	34
Budget Skullery Sink Accessories.....	34
Floor Troughs, Floor Drains & Water Receptacles	37
Sink Cabinets	53
Integral Sinks.....	65

TABLES & TABLE ACCESSORIES

Standard Work Tables.....	38-49
Enclosed Base Tables	50-52
Beverage Tables	52
Demo Tables.....	55
Tables with Sink	55
Corner Tables.....	55
Mixer Tables	56
Wall Mounted Tables.....	56
Equipment Stands.....	57
Filler Tables	57
Poly Top Tables.....	60
Wood Top Tables.....	58-59
Work Table Modifications & Accessories	61-68
Drawers & Accessories	66-67
Casters	68
Electrical Utility Chase.....	76

FOOD SHIELDS

Food Shields for Multi-Use.....	69
Food Shields with S/S Shelf.....	69-70
Food Shields with Glass Top	69, 71
Self Serve Food Shields (No Top).....	72
Stationary Food Shields	72
Portable Food Shields.....	72
Food Shield Accessories	72

LED Lighting.....	73
-------------------	----

STAINLESS STEEL SHELVING

Table Undershelving	68
Table Mounted Shelving	74-76, 79
Specialty Shelving	75-76, 78
Wall Mounted Shelving.....	77-78
Tubular Drainage Shelving.....	35
Ceiling Mounted Shelving	79
Shelving Accessories	79
Sorting Shelves For Dishtables	90

POT RACKS

Shelving with Pot Racks.....	79
Table Mounted	80
Leg Mounted	82
Ceiling Mounted	82
Wall Mounted	82

DISHTABLES

Soil Dishtables.....	84-85, 87
Clean Dishtables	86-87
3 Compartment Sink w/ Dishtable	88
Condensate Hoods	88
Vent Riser	88
Dishtable Modifications & Accessories	89-90

COUNTERTOPS

Stainless Steel Countertops.....	59
Integral Sinks.....	65

CABINETS & WALL FLASHING

Stainless Steel Dish Cabinets	52
Sink Cabinets	53
Wall Cabinets	54
Storage Cabinets	54
Chemical Cabinets.....	54
Stainless Steel Wall Flashing	78

Underbar Basics™

UNDERBAR EQUIPMENT

Underbar Drop-Ins

Drop-In Water Stations.....	92
Drop-In Bar Hand Sinks	92-93
Drop-In Ice Bins	92-93
Drop-In Countertop Drain Pans	93

Bar Drink Rails

Drink Rails	93
-------------------	----

Free-Standing Bar Sinks

Bar Hand Sinks	94
Bar Hand Sinks with Built-In Soap & Towel Dispensers.....	94

Bar Hand Sink Modifications & Accessories	96, 120
Bar Sinks	95
Bar Sink/Ice Bin Combos.....	95

Glass Rinsers

Glass Rinser	93
--------------------	----

Ice Bins

Drop-In Ice Bins	92-93
Free-Standing Ice Bins.....	95-97
Ice Bin with Bottle Storage	95
Portable Ice Bin	97
Ice Bin & Drainboard Combo.....	95
Pass-Thru Ice Bins	98
Beer Boxes	101
Ice Bin Mods & Accessories	92, 120

Pass-Thru Work Stations

Standard Pass-Thru Workstations	98
---------------------------------------	----

Bar Drainboards

Free Standing Bar Drainboards	99
Recessed Bar Drainboards.....	99
Beer Drainers	99
Frozen Drink Machine Stands.....	99
Drainboard with Blender Station	98
Drainboard Cabinets.....	102

Blender Stations

Blender Station with Dump Sinks.....	100
Double Step Blender Stations.....	100
Blender Station Mods & Accessories	100, 120, 122

Uni-Serv Speed Bars

Complete Speed Bar Unit.....	100
------------------------------	-----

Bar Storage Units

Liquor Bottle Displays	101
Glass Rack Storage Cabinets.....	102
Drainboard Cabinets.....	102
With Dump Sink & Waste Chute	102
Storage Unit Accessories & Modifications	102, 120, 122

Speed Rails

Stainless Steel Speed Rails	103
Black Plastic Speed Rails	103
Heavy Duty Speed Rails	103

Underbar Mods & Accessories

Underbar Mods & Accessories	120-122
Underbar Faucets	122

Continued on Page 2



WARNING: Equipment contained in this Price Guide may expose you to chemicals, including chromium & lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.



= PRODUCTS THROUGHOUT THE PRICE GUIDE WITH THIS ICON ARE SHIPPED VIA UPS

TABLE OF CONTENTS



UNDERBAR EQUIPMENT

Prestige Modular Bar Die Systems

Exclusive Bar Die System 104.105

Prestige Free-Standing Bar Sinks

Bar Hand Sinks 106-107

Bar Hand Sinks with Built-In

Soap & Towel Dispensers..... 106

Bar Hand Sinks with Cabinet Base ... 107

Bar Sink Mods

& Accessories108, 120, 122

Bar Sinks 109

Prestige Ice Bins

Free-Standing Ice Bins..... 110

Ice Bin & Bottle Storage 110

Beer Box..... 115

Pass-Thru Ice Bins 116

Prestige Pass-Thru Work Stations

Standard Pass-Thru Workstations 116

Overshelves For Pass-Thru

Workstations..... 112

Prestige Bar Drainboards

Free Standing Bar Drainboards 112

Recessed Bar Drainboards..... 112

Beer Drainers 112

Frozen Drink Machine Stands..... 112

Drainboard Fillers..... 111

With Blender Station..... 117

Drainboard Glass Rack Storage 118

Prestige Blender Stations

With Deep Drawn Sink 117

With Drainboard117

Blender Shelf 119

Prestige Uni-Serv Speed Bars

Complete Speed Bar Unit 115

Prestige Bar Storage Units

Point of Service Cabinet.....114

Drainboard Storage Cabinets113

Glass Rack Storage Cabinets..... 118

Liquor Bottle Displays 118

Trash Receptacles

Trash Receptacle Cabinets..... 114

Prestige Speed Rails

Stainless Steel Speed Rails 119

Hang-On Style Speed Rails 119

Under Bar Mods & Accessories

Soda Gun Holder for Prestige®

Pass-Thru Workstations 121

Prestige Mods & Accessories... 121-122

PORTABLE BARS

Stainless Steel Work Top 123

Stainless Steel Top, Back & Sides ... 123

Heavy Duty Bars

Heavy Duty Bars 123

With Stainless Steel Doors 123

Portable Bar with Laminates124

Portable Bar Mods & Accessories124

HOT/COLD FOOD UNITS

Hot Well Drop-In Units

Standard Drop-In Units 126

Slimline Drop-In Units..... 126

Hot Well Drop-In Accessories 126

Hot Well Food Tables

Electric Powered Hot Food Tables ... 127

Electric Powered Sealed Well Tables 128

Gas Powered Hot Food Tables 129

Gas Powered Wetbath Tables 130

Solid Top Food Tables

Solid Top Food Tables 131

Cold Well Drop-In Units

Ice-Cooled Drop-In Cold Pan Units .. 132

Refrigerated Drop-In Cold Pan Units .132

Cold Food Tables

Standard Ice-Cooled Tables 133

Mechanically Assisted

Cold Pans Tables..... 134

Heavy Duty Food Tables

Electric Sealed Hot Well Tables 135

Refrigerated Cold Well Tables 135

Ice-Cooled Tables 135

Everyday Buffet Tables

Electric Hot Well Buffets..... 136

Electric Sealed Hot Well Buffets..... 136

Ice Cooled Buffets..... 137

Solid Top Buffets..... 137

Mechanically Assisted

Cold Pan Buffets 138

Cash Register Stands 138

Silverware Stand..... 138

Everyday Buffet Accessories 139

Food Table Shelving & Parts

Hot/Cold Food Table Shelving..... 139

Food Shields for Hot/cold Tables140

Hot Food Table Parts

& Accessories 139-142

LED Lighting for Hot/Cold Tables 141

ALUMINUM RACKS & PANS

Aluminum Racks 143-143

Aluminum Bun Pans..... 148

Aluminum Rack Accessories 148

Mobile Racks & Carts

Aluminum Pan Trucks 149

Aluminum Dunnage Racks 149

Utility Carts 149

WIRE SHELVING

Wire Utility Carts..... 151

Chrome & Green Epoxy

Wire Shelving..... 150-151

Wall Mounted Shelving System..... 152

Wire Shelving Replacement Parts

& Accessories 152

WARRANTY

Warranty, Terms & Conditions 153



**= PRODUCTS THROUGHOUT THE
PRICE GUIDE WITH THIS ICON
ARE SHIPPED VIA UPS**



DROP-INS

Drop-In Sinks

Holes Punched 4" O.C. For Faucet Hole Revision Order **K-472 \$121** Cut-Out Size Requires 1-1/4" Radius Corners. Maximum Counter Thickness Is 2".

INCLUDES K-52 LEAD FREE COMPLIANT FAUCET & BASKET DRAIN. (DI-1-25 INCLUDES 2" DRAIN WITH STRAINER PLATE)
(To delete faucet, order K-52OMIT and deduct \$22)

All Sinks on this Page Ship Via UPS

ONE COMPARTMENT

Countertop Mounted, Self Rim Design

For Residential Finish & Packaging,
Add **K-350 \$360**



DI-1-5 \$536

10" x 14" x 5" Bowl
Overall: 13" x 19"
Cut-out: 12 1/4" x 18 1/4"
12 lbs. 2 cu. ft. 20 gauge



DI-1-10 \$670

10" x 14" x 10" Bowl
Overall: 13" x 19"
Cut-out: 12 1/4" x 18 1/4"
14 lbs. 2 cu. ft. 20 gauge



DI-1-25 \$664

Space Saver
9" x 9" x 5" Bowl
Overall: 12" x 14"
Cut-out: 11 1/4" x 13 1/4"
8 lbs. 2 cu. ft. 20 gauge



DI-1-1515 \$802

12 1/4" x 10 1/4" x 6" Bowl
Overall: 15" x 15"
Cut-out: 14 1/4" x 14 1/4"
Requires 1 1/2" Radius Corners
11 lbs. 2 cu. ft. 20 gauge



DI-1-35 \$602

14" x 10" x 5" Bowl
Overall: 17" x 15"
Cut-out: 16 1/4" x 14 1/4"
10 lbs. 2 cu. ft. 20 gauge



DI-1-168 \$860

16" x 14" x 8" Bowl
Overall: 19" x 19"
Cut-out: 18 1/4" x 18 1/4"
20 lbs. 3 cu. ft. 18 gauge



DI-1-208 \$919

20" x 16" x 8" Bowl
Overall: 23" x 21"
Cut-out: 22 1/4" x 20 1/4"
20 lbs. 3 cu. ft. 18 gauge



DI-1-2012 \$1055

20" x 16" x 12" Bowl
Overall: 23" x 21"
Cut-out: 22 1/4" x 20 1/4"
20 lbs. 6 cu. ft. 18 gauge



DI-1-5SP \$1546

6" Tapered Side Splash

Splash on Rear and Both Sides
10" x 14" x 5" Bowl
Overall: 13" x 19"
Cut-out: 12 1/4" x 18 1/4"
16 lbs. 2 cu. ft. 20 gauge



DI-1-10SP \$1661

6" Tapered Side Splash

Splash on Rear and Both Sides
10" x 14" x 10" Bowl
Overall: 13" x 19"
Cut-out: 12 1/4" x 18 1/4"
18 lbs. 2 cu. ft. 20 gauge



Splash on
All 3 Sides

DI-1-30 \$1006

2" Tapered Side Splash

14" x 10" x 5" Bowl
Overall: 16" x 15"
Cut-out: 15" x 14 1/4"
12 lbs. 2 cu. ft. 20 gauge



IMPROVED!
Stronger Acuator

Includes
water filler
faucet,
grating
& drain

DI-1-9 \$1050

Filler Station

9" x 9" x 3" Bowl
Overall: 12" x 14"
Cut-out: 11 1/4" x 13 1/4"
15 lbs. 2 cu. ft. 20 gauge

Optional 12" Tapered Side Splash Upgrade K-12SS \$457

Removable 8" Splash Wrap for Existing Drop-In Sinks \$812 ea.

Model #	Fits Drop-In Sink:
K-614A	DI-1-25 & DI-1-9
K-614B	DI-1-5 & DI-1-10
K-614C	DI-1-1515
K-614D	DI-1-30 & DI-1-35
K-614E	DI-1-168
K-614F	DI-1-208 & DI-1-2012
K-614G	DI-1-2812



**Protect Your
Surrounding Area!**

The Largest One Compartment Drop-In Sink in the Industry!

DI-1-2812 \$1799

28" x 20" x 12" Bowl
Overall: 31" x 25"
Cut-out: 30 1/4" x 24 1/4"
47 lbs. 7 cu. ft. 16 gauge



Supplied with K-53 Lead Free Compliant Faucet & Basket Drain
(To delete faucet, Order K-53OMIT and deduct \$22)

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info, visit www.p65warnings.ca.gov.

DROP-INS

Drop-In Sinks



= Ship Via UPS

Holes Punched 4" O.C. For Faucet Hole Revision Order **K-472 \$121**. Cut-Out Size Requires 1-1/4" Radius Corners.
Maximum Counter Thickness Is 2".

INCLUDES K-50 LEAD FREE COMPLIANT FAUCET & BASKET DRAIN (To delete faucet, order K-500MIT and deduct \$22)

TWO COMPARTMENT

Countertop Mounted, Self Rim Design



DI-2-10 \$1308

10" x 14" x 10" Bowl
Overall: 25 1/2" x 19"
Cut-out: 24 3/4" x 18 1/4"
26 lbs. 4 cu. ft. 20 gauge



DI-2-2012 \$2084

20" x 16" x 12" Bowl
Overall: 45 1/2" x 21"
Cut-out: 44 3/4" x 20 1/4"
42 lbs. 9 cu. ft. 18 gauge



DI-2-1410 \$1991

14" x 16" x 10" Bowl
Overall: 33 1/2" x 21"
Cut-out: 32 3/4" x 20 1/4"
35 lbs. 6 cu. ft. 18 gauge



DI-2-208 \$1629

20" x 16" x 8" Bowl
Overall: 45 1/2" x 21"
Cut-out: 44 3/4" x 20 1/4"
40 lbs. 6 cu. ft. 18 gauge

THREE COMPARTMENT

Countertop Mounted, Self Rim Design

DI-3-10 \$2003

10" x 14" x 10" Bowl
Overall: 38" x 19"
Cut-out: 37 1/4" x 18 1/4"
34 lbs. 5 cu. ft. 20 gauge



DI-3-1410 \$2683

16" x 14" x 10" Bowl
Overall: 50" x 21"
Cut-out: 49 1/4" x 20 1/4"
38 lbs. 8 cu. ft. 18 gauge



DI-3-1612 \$3022

16" x 20" x 12" Bowl
Overall: 56" x 25"
Cut-out: 55 1/4" x 24 1/4"
60 lbs. 12 cu. ft. 18 gauge

Includes a K-53 Faucet. To delete, order K-530MIT & deduct \$22

DID YOU KNOW? 2 & 3 Compartment Drop-In Sinks are N.S.F. Approved when only used in Mobile Food Carts and Kiosks.

FAUCETS & SPOUTS

Deck Mounted Faucets, Spouts & Mounting Clips

Drinking Bubbler

K-47 \$757



8" Swing Spout

K-50 \$257



Water Filler Faucet

K-54

8-1/4" High \$491
K-54A
12" High \$605

IMPROVED!
Stronger Actuator



Swing Spout Faucet & Spray

K-58 \$318



Mounting Clips Extended



For Countertops Over 7/8" & up to 2" Thick

Quantity supplied (4-Pack), varies based on drop-in sink ordered.

K-28 \$15

Deck Mounted Single Handle Faucet

K-48 \$530



3-1/2" Gooseneck

K-52 \$232



Large 8-1/2" Spout Gooseneck

K-55 \$448



EXTRA HEAVY DUTY Gooseneck

K-62 \$461



Upgrade

12" Swing Spout

K-53 \$448



Deck Mounted Faucet with Wrist Handles

K-56 \$338



6" Deck Mounted Extended Faucet with Wrist Handles

K-208 \$467



FAUCET REPAIR KITS*

For K-50, K-52, K-53, K-55, K-56

K-00B \$121

(2 Cartridges & 2 Handles Per Set)

*Can Only Be Used On Faucets Purchased After January 2016. For Older Faucets, Consult Customer Service.

For K-54 & K-54A Filler Faucet

K-02 \$100

Purchased from 2016 to 2019



K-02A \$100

Purchased before 2016 or after 2019



WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info, visit www.p65warnings.ca.gov.

SMART SERIES™

Countertop Mounted, Self Rim Design

Maximum Counter Thickness is 2" . 8" O.C. Faucet Holes: Unit punched with 1-1/4" Diameter for the hot & cold water supply lines. Center hole punched with 1" Diameter.
For Faucet Hole Revision Order **K-472 \$121**.

- 18 Gauge, Seamless Deep Drawn Self Rimming Stainless Steel Bowls.
- Bowls Are Sound Deadened.
- Flat Deck Allowing More Faucet Options.
- Units Feature Advance Tabco's Smart Finish.
- Faucet Optional

SINGLE BOWL DROP-IN SINKS

Model #	Price	O.A. Size L x W	Bowl Size L x W	Cut-Out Size (1 1/4" Radius Corners)	Wt.	Cu. Ft.
SS-1-1319-10	\$1061	13" x 19"	14" x 10" x 10"	12 1/4" x 18 1/4"	14 lbs.	2
SS-1-1715-7	1061	17" x 15"	14" x 10" x 7 1/2"	16 1/4" x 14 1/4"	12 lbs.	2
SS-1-1715-10	1181	17" x 15"	14" x 10" x 10"	16 1/4" x 14 1/4"	14 lbs.	3
SS-1-1919-7	1259	19" x 19"	16" x 14" x 7 1/2"	18 1/4" x 18 1/4"	16 lbs.	3
SS-1-1919-10	1330	19" x 19"	16" x 14" x 10"	18 1/4" x 18 1/4"	18 lbs.	4
SS-1-1919-12	1384	19" x 19"	16" x 14" x 12"	18 1/4" x 18 1/4"	20 lbs.	4
SS-1-2321-10	1496	23" x 21"	20" x 16" x 10"	22 1/4" x 20 1/4"	22 lbs.	6
SS-1-2321-12	1591	23" x 21"	20" x 16" x 12"	22 1/4" x 20 1/4"	24 lbs.	6

DOUBLE BOWL DROP-IN SINKS

SS-2-3321-10	1712	33 1/2" x 21"	14" x 16" x 10"	32 3/4" x 21 1/4"	35 lbs.	6
SS-2-3321-12	1866	33 1/2" x 21"	14" x 16" x 12"	32 3/4" x 21 1/4"	37 lbs.	9
SS-2-4521-10*	2009	45 1/2" x 21"	20" x 16" x 10"	44 3/4" x 21 1/4"	39 lbs.	9
SS-2-4521-12*	2195	45 1/2" x 21"	20" x 16" x 12"	44 3/4" x 21 1/4"	40 lbs.	10

SS-1-1715-7
Shown



SS-1-2321-10
Shown



SS-2-3321-10
Shown



For Faucets,
See Page 4.



LAUNDRY ROOM SINK



- 16 Gauge
- Three 4" O.C. Holes*
- Bowl Size: 24" x 18" x 14"***
- Overall Size: 27" x 23"
- Cutout: 26 1/4" x 20 1/4"

LS-2418-14RE \$2798

** Requires 30" Wide Countertop (Front to Back)

*Shown with Faucet Hole Revision **K-472 \$121**

STAINLESS STEEL SINK GRIDS

- Perforated Grid
- Raised Bottom
- Side Notches for Easy Removal

K-610 \$763

(Specify Bowl Size When Ordering)



UNDERMOUNTS

Undermount Bowls are suitable to be welded by others into stainless steel products. Multiple compartment assemblies available. Call for pricing.

- 3 1/2" Drain Opening
- 1-1/4" Outside Flange



2028A-12 Shown



CO-1014A-10RE Shown

Model #	Price	# Of Compartments	Gauge	Bowl Size LxWxD	Radius	O.D. Trim Size
1014B-05	\$384	1	20	10" x 14" x 5"	2"	12 1/2" x 16 1/2"
1014A-10	466	1	20	10" x 14" x 10"	2"	12 1/2" x 16 1/2"
1014A-10A	602	1	18	10" x 14" x 10"	2"	12 1/2" x 16 1/2"
CO-1014A-10RE*	849	1	18	10" x 14" x 10"	2"	12 1/2" x 16 1/2"
new 1014-210-BAD	1037	2	18	10" x 14" x 10"	2"	16 1/2" x 25"
new 1014-310-BAD	1628	3	18	10" x 14" x 10"	2"	16 1/2" x 37 1/2"
CO-1416A-10RE*	900	1	18	14" x 16" x 10"	3"	12 1/2" x 18 1/2"
new 1416-212-BAD	1725	2	18	14" x 16" x 12"	3"	18.5 x 33"
new 1416-312-BAD	2650	3	18	14" x 16" x 12"	3"	15 1/2 x 49 1/2"
1620A-10	746	1	18	16" x 20" x 10"	3"	18 1/2" x 22 1/2"
1620A-12	888	1	18	16" x 20" x 12"	3"	18 1/2" x 22 1/2"
1620A-14A	1099	1	14	16" x 20" x 14"	3"	18 1/2" x 22 1/2"
new 1620-212-BAD	1901	2	16	16" x 20" x 12"	3"	22 1/2" x 37"
new 1620-312-BAD	2914	3	16	16" x 20" x 12"	3"	22 1/2" x 55 1/2"
1824A-12	1557	1	18	18" x 24" x 12"	3"	20 1/2" x 26 1/2"
1824A-14A	1746	1	14	18" x 24" x 14"	3"	20 1/2" x 26 1/2"
2020A-12	994	1	18	20" x 20" x 12"	3"	22 1/2" x 22 1/2"
2020A-14	1073	1	18	20" x 20" x 14"	3"	22 1/2" x 22 1/2"
2028A-12	1647	1	16	20" x 28" x 12"	3"	22 1/2" x 30 1/2"
2028A-14A	1851	1	14	20" x 28" x 14"	3"	22 1/2" x 30 1/2"
2424A-14A	1938	1	14	24" x 24" x 14"	3"	26 1/2" x 26 1/2"

* Includes Residential Finish & Packaging. Add **K-350 \$360** for Other Models to Add Residential Finish & Packaging.

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.

HAND SINKS

Hand Washing Sinks

To delete faucet, order K-590MIT and deduct \$22



 = All Sinks On This Page Ship Via UPS



All Sinks on this Page

STANDARD UNITS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4" Unless Otherwise Specified
Includes K-59 Splash Mount Faucet, 3-1/2" Basket Drain & Wall Bracket (Unless Otherwise Specified)



7-PS-60 \$655

Standard Unit

13 lbs. 2 cu. ft. 20 gauge



7-PS-68 \$779

K-316 Splash Mount

Wrist Handle Faucet

13 lbs. 2 cu. ft. 20 gauge



7-PS-67 \$725

Lever Operated

15 lbs. 2 cu. ft. 20 gauge



7-PS-50 \$856

Lever Operated

with Overflow & P-Trap

15 lbs. 2 cu. ft. 20 gauge



7-PS-54 \$791

1 1/2" P-Trap

15 lbs. 2 cu. ft. 20 gauge



7-PS-20 \$683

K-22 Deck Mount Faucet

15 lbs. 3 cu. ft. 20 gauge

Overall Size:
17-1/4" x 17-1/4"

SIDE SPLASH UNITS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4" Unless Otherwise Specified
Includes 7-3/4" High Welded Side Splashes, K-59 Splash Mount Faucet, 3-1/2" Basket Drain & Wall Bracket (Unless Otherwise Specified)



7-PS-66R or L

\$1034

Right or Left Side Splash

13 lbs. 2 cu. ft. 20 gauge

Unit Shown:
7-PS-66R



7-PS-66

\$1114

Standard Unit

19 lbs. 2 cu. ft. 20 gauge



7-PS-66W

\$1198

K-316 Splash Mt. Faucet
w/ Wrist Handles

19 lbs. 2 cu. ft. 20 gauge



7-PS-40

\$1361

Lever Operated

With Overflow & P-Trap

20 lbs. 2 cu. ft. 20 gauge



7-PS-76

\$1738

Full Length Removable
Utility Tray

K-59 Splash Mt. Faucet

Lever Operated

With Overflow & P-Trap

12" High Welded Side Splashes

24 lbs. 2 cu. ft. 20 gauge



7-PS-87

\$2248

Towel & Soap Dispenser

K-316 Splash Mt. Faucet

with Wrist Handles

Lever Operated

With Overflow & P-Trap

34 lbs. 10 cu. ft. 20 gauge

DID YOU KNOW?

You Can Add Side Splashes To Any Hand Sink

See Page 12

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info, visit www.p65warnings.ca.gov.



7-PS-73 \$2184

7 3/4" High Side Splashes
Towel Dispenser

Deck Mt. Soap Dispenser

K-123 Splash Mt. Faucet

31 lbs. 5 cu. ft. 20 gauge



All Sinks on this Page



All Sinks On This Page Ship Via UPS

HAND SINKS

Hand Washing Sinks

SOAP & TOWEL DISPENSER UNITS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4"

Includes C-Fold Style Towel Dispenser, Liquid Soap Dispenser, K-59 Splash Mount Faucet, 3-1/2" Basket Drain & Wall Bracket (Unless Otherwise Specified)

To delete faucet, order K-590MIT and deduct \$22



7-PS-69 \$2418

Splash Mounted Faucet With Wrist Handles
Lever Operated With Overflow & P-Trap
Side Support Brackets
K-69 (T&S) Faucet
35 lbs. 6 cu. ft. 20 gauge



7-PS-79 \$1635

Standard Unit
32 lbs. 10 cu. ft. 20 gauge



7-PS-80 \$1791

Lever Operated With Overflow & P-Trap
32 lbs. 10 cu. ft. 20 gauge

ALL-IN-ONE UNIT



7-PS-85 \$1993

P-Trap & Skirt
35 lbs. 6 cu. ft. 20 gauge



7-PS-131 \$4052

All-In-One
Touchless Soap Dispenser
Towel Dispenser
7-3/4" High Side Splashes
K-175 Faucet
40 lbs. 10 cu. ft. 20 gauge

UPGRADE TO TOUCHLESS SOAP DISPENSER

Battery Powered (4 "AA" Batteries Required, Not Included)

Add **7-PS-104 \$315** Plus **7-PS-120MIT** (Deduct -\$45)

Excludes 7-PS-131



UNDERMOUNT TOWEL DISPENSER UNITS

7-PS-41 \$4838

A.D.A. Compliant Tapered Bowl Design
Hands Free Operated Faucet
Undermount Towel Dispenser
1-1/2" Drain w/ Flat-Top Strainer Plate
16 Gauge Skirt with Enclosed Bottom
For Storage w/ Removable Access Panel
43 lbs. 8 cu. ft. 18 gauge



Available with K-123 "D" Spout
Splash Mt. Wrist Handle Faucet

7-PS-46 \$3211

For More A.D.A. Compliant Sinks, please see page 10.



7-PS-65 \$1904

Undermount Towel Dispenser with Skirt
Deck Mounted Soap Dispenser
K-22 Deck Mounted Faucet
35 lbs. 10 cu. ft. 20 gauge

12" WIDE SPACE SAVER UNITS

Bowl Size: 9" x 9" x 5" • Overall Size: 16" x 12"

Includes 2" Drain With Flat Top Strainer & Wall Bracket



7-PS-22 \$844

K-22 Deck Mounted Faucet
12 lbs. 2 cu. ft. 20 gauge



7-PS-23 \$882

K-123 Splash Mounted Faucet
12 lbs. 2 cu. ft. 20 gauge



7-PS-53 \$2512

K-175 Splash Mt. Electronic Faucet
12 lbs. 2 cu. ft. 20 gauge



7-PS-56 \$1350

K-123 Splash Mounted Faucet
8" High Side Splashes
14 lbs. 2 cu. ft. 20 gauge

SOAP/TOWEL UNITS



7-PS-88 \$1771

Undermount Towel Dispenser
Deck Mt. Soap Dispenser
K-22 Deck Mt. Faucet
23 lbs. 10 cu. ft. 20 gauge



7-PS-83

7-PS-83 \$1656

Towel Dispenser
Deck Mt. Soap Dispenser
K-22 Deck Mt. Faucet
27 lbs. 5 cu. ft. 20 gauge

7-PS-89 \$3153

7 3/4" High Side Splashes
Towel Dispenser
Deck Mt. Soap Dispenser
K-175 Splash Mt. Electronic Faucet
40 lbs. 5 cu. ft. 20 gauge



7-PS-84

7-PS-84 \$1726

Towel Dispenser
Deck Mt. Soap Dispenser
K-123 Splash Mt. Faucet
27 lbs. 5 cu. ft. 20 gauge

7-PS-73 \$2184

7 3/4" High Side Splashes
Towel Dispenser
Deck Mt. Soap Dispenser
K-123 Splash Mt. Faucet
31 lbs. 5 cu. ft. 20 gauge



7-PS-73

HANDS-FREE

Hand Washing Sinks



All Sinks on this Page



All Sinks On This Page Ship Via UPS

HANDS-FREE ELECTRONIC OPERATED FAUCETS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4" Includes K-175 AC/DC Powered Electronic Operated Faucet

new

7-PS-131

\$4052

All-In-One

Touchless Soap Dispenser

Towel Dispenser

7-3/4" High Side Splashes

K-175 Faucet

40 lbs. 10 cu. ft. 20 gauge



7-PS-81
Shown

7-PS-51 \$2484

Equal to 7-PS-50 w/ K-175 Faucet
21 lbs. 2 cu. ft. 20 gauge

7-PS-81 \$3419

Equal to 7-PS-80 w/ K-175 Faucet
32 lbs. 10 cu. ft. 20 gauge

7-PS-52 \$3258

Equal to 7-PS-81. Excludes Lever Drain,
P-Trap and Overflow
31 lbs. 10 cu. ft. 20 gauge

Upgrade To Touchless Soap Dispenser,
Add **7-PS-104 \$315**
Plus **7-PS-120MIT** (Deduct **-\$45**)



7-PS-61 \$2285

Equal to 7-PS-60 w/ K-175 Faucet
19 lbs. 2 cu. ft. 20 gauge

7-PS-91 \$3300

Equal to 7-PS-90 w/ K-175 Faucet
41 lbs. 10 cu. ft. 20 gauge

KNEE VALVE OPERATED FAUCETS

Includes Single Knee Valve (With Built-In Mixing Valve), K-121 Splash Mt. Gooseneck Spout, Skirt, 3-1/2" Basket Drain (Otherwise Noted) & Wall Bracket



7-PS-62 \$1668

Standard Unit

Bowl Size: 10" x 14" x 5"
Overall : 15-1/4" x 17-1/4"
25 lbs. 2 cu. ft. 20 gauge



7-PS-30 \$1796

Large Bowl Size

Bowl Size: 16" (F/B) x 14" x 6"
Overall : 21-1/4" (F/B) x 17-1/4"
33 lbs. 8 cu. ft. 18 gauge



7-PS-59 \$2157

Side Splash Unit

Bowl Size: 10" x 14" x 5"
Overall : 15-1/4" x 17-1/4"
7-3/4" Side Splashes
31 lbs. 2 cu. ft. 20 gauge



7-PS-63 \$1668

Spacesaver

1-1/2" Basket Drain
Bowl Size: 9" x 9" x 5"
Overall : 12-1/4" x 16"
20 lbs. 8 cu. ft. 18 gauge



7-PS-58 \$2154

Spacesaver With Side Splashes

7-3/4" Side Splashes
1-1/2" Basket Drain
Bowl Size: 9" x 9" x 5"
Overall : 12-1/4" x 16"
26 lbs. 8 cu. ft. 18 gauge



7-PS-78 \$2081

Large Bowl Size

Bowl Size: 16" x 20" x 6"
Overall : 24-3/4" x 21-7/8"
40 lbs. 8 cu. ft. 18 gauge



7-PS-82 \$2285

Towel & Soap Dispenser

Bowl Size: 10" x 14" x 5"
Overall : 15-1/4" x 17-1/4"
38 lbs. 6 cu. ft. 20 gauge

Upgrade To Touchless Soap Dispenser,
Add **7-PS-104 \$315**
Plus **7-PS-120MIT** (Deduct **-\$45**)

You Can Put A Skirt On Any Handsink

(Excludes sinks with existing bases or skirts. Sinks Not Included)

7-PS-31 \$534

Fits Hand Sinks
with 10" x 14"
Bowl and Splash
Mounted Faucets

7-PS-31A \$578

Fits Hand Sinks
with 9" x 9"
Bowl Only

7-PS-31B \$600

Fits Hand Sinks
with 10" x 14"
Bowl and Deck
Mounted Faucets



DID YOU KNOW?

KNEE & PEDAL VALVE REPLACEMENT PARTS & FAUCETS

Foot Pedal Valve Replacement

Combo. H/C
Single Pedal

K-103 \$479

Foot Pedal with Retaining Pin Only

K-17 \$120



Knee Valve Replacement

Combo. H/C
Single Pedal

K-104 \$602

Knee Pedal with Retaining Pin Only

K-18 \$120



Foot Pedal Assembly w/Floor Bracket

7-PS-39 \$643



Knee Valve Assembly w/ Mounting Bracket

7-PS-32 \$767



Splash Mounted Gooseneck Spout

K-121 \$141

Replacement Check Valves

K-19 \$24 set of 2

Thermostatic Mixing Valve

K-425 \$428

Mixing Valve & Retainer

K-19A \$19

Replacement Bonnet for Pedal/Knee Valve

(K-103 & K-104, 7-PS-32 & 7-PS-39)
K-01 \$49





All Sinks on this Page



All Sinks On This Page Ship Via UPS

HANDS-FREE

Hand Washing Sinks

FOOT PEDAL VALVE UNITS

Includes Single Pedal Valve (With Built-In Mixing Valve), K-121 Splash Mt. Gooseneck Spout, 3-1/2" Basket Drain & Wall Bracket, Removable Panel for Plumbing Access



7-PS-90 \$1719

Standard Unit

Bowl Size:
10" x 14" x 5"
Overall :
17-1/4" x 15-1/4" x 42"
41 lbs. 10 cu. ft. 20 gauge



7-PS-96 \$2187

Side Splash Unit

7-3/4" High Side Splashes
Bowl Size:
10" x 14" x 5"
Overall :
17-1/4" x 15-1/4" x 42"
41 lbs. 10 cu. ft. 20 gauge



7-PS-18 \$1895

Large Bowl Size

Bowl Size:
16" (F/B) x 14" x 6"
Overall :
21-1/4" (F/B) x 17-1/4" x 42"
50 lbs. 11 cu. ft. 18 gauge



7-PS-86 \$2148

Extra Large Bowl Size

Bowl Size:
16" x 20" x 8"
Overall :
24-3/4" (F/B) x 21-7/8" x 41-1/2"
55 lbs. 16 cu. ft. 20 gauge



7-PS-99 \$3110

Towel & Soap Dispenser

Trash Receptacle
Bowl Size:
10" (F/B)x 14" x 5"
Overall :
17-1/4" (F/B) x 15-1/4" x 42"
59 lbs. 15 cu. ft. 20 gauge



7-PS-95 \$2498

Towel & Soap Dispenser

Bowl Size:
10" (F/B) x 14" x 5"
Overall :
17-1/4" (F/B) x 15-1/4" x 42"
54 lbs. 15 cu. ft. 20 gauge

Upgrade To Touchless Soap Dispenser,
Add 7-PS-104 \$315
Plus 7-PS-120MIT (Deduct -\$45)

DID YOU KNOW?

You Can Put a Pedestal Base On Any Hand Sink

(Excludes Sinks With Existing Bases Or Skirts. Sinks Not Included)



Basic Pedestal Base

7-PS-37 \$599

For 10" x 14" Bowls

7-PS-37B \$750

For 10" x 14" bowls and
Deck Mounted Faucets

7-PS-37C \$802

For 16" x 20" Bowls



With Foot Valve

7-PS-33 \$834

For 10" x 14" Bowls

7-PS-33B \$1052

For 10" x 14" Bowls and
Deck Mounted Faucets

7-PS-33C \$1136

For 16" x 20" Bowls



Add Trash Receptacle

7-PS-29 \$679

Use above model number with
any Pedestal Base Sink or
Stand-Alone Pedestal Base.

**Plastic Replacement
Handles 7-PS-38 \$41**

SECURITY UNITS

Bowl Size: 10" x 14" x 5" • Require Minimum Security Installations
Includes Heavy Duty Gooseneck Faucet, Concealed 3 1/2" Drain & Wall Bracket



7-PS-747 \$3378

Class 2 Upgrade

45 lbs. 10 cu. ft. 20 gauge

7-PS-727 \$4292

Class 1 Upgrade

Towel Dispenser
Provisions For Installation Of Soap
Dispenser (By Others)
65 lbs. 15 cu. ft. 20 gauge



WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.

HAND SINKS

Hand Washing Sinks

All Sinks On This Page
Ship Via UPS

NSF All Sinks on this Page

DID YOU KNOW?

You Can Add a K-175 or K-180 Electronic Faucet To Any Hand Sink \$1581
(May require faucet hole revision. See Page 11.)



CONCEALED HAND SINK DRAWER

Take Back Your Countertop Space!

- Easily Installs into Existing Advance Tabco Work Tables/Countertops or Integrates into Custom Fabrication
- Overall Size: 22 5/8" W x 19 7/8" L x 19 1/4" H"
- 10" x 14" x 5" Deep Sink Bowl
- Pre-Drilled Holes In Flanges For Easy Mounting
- Integral Drawer Slides For Smooth Operation
- "Safety Stop" Tab
- K-50 Swing Spout Faucet
- 1-1/2" Sink Drain with Strainer Plate
- Drainage Pan with 1-1/2" Drain & Strainer Plate (Drain Pipe & Fittings Included.)



7-PS-47 \$2730

70 lbs. 7 cu. ft.
18 gauge exterior
16 gauge interior



A.D.A. UNITS FOR THE PHYSICALLY CHALLENGED

Bowl Size: 16" x 14" x 5". Overall Size: 20" x 24" • Includes 1-1/2" Drain With Strainer Plate & Wall Bracket



7-PS-77-E \$4628

Tapered Bowl Design
Hands Free Operated Faucet
Deck Mount Soap Dispenser
16 Gauge Skirt with Enclosed Bottom
w/ Removable Access Panel
65 lbs. 8 cu. ft. 18 gauge

7-PS-77-W \$3001

Same As Above with
8" O.C. Wrist Handle Faucet



7-PS-41 \$4838

Tapered Bowl Design with Undermount Towel Dispenser
Hands Free Operated Faucet
Deck Mount Soap Dispenser
16 Gauge Skirt with Enclosed Bottom
w/ Removable Access Panel
65 lbs. 8 cu. ft. 18 gauge

7-PS-46 \$3211

Same As Above with
8" O.C. Wrist Handle Faucet



7-PS-25 \$2183

K-208 Deck Mounted Faucet
with Wrist Handles
Deck Mounted Soap Dispenser
Wall Support Brackets
25 lbs. 8 cu. ft. 18 gauge

7-PS-75 \$1696

Same As 7-PS-25 With
8" O.C. Faucet Holes Only
(Faucet Not Included)

7-PS-751 \$1696

Same As 7-PS-75 With
Single Hole (Faucet Not Included)

7-PS-26 \$4086

Same As 7-PS-25 With
K-180 Hands Free AC/DC
Operated Faucet
Deck Mounted Soap
Dispenser



COUNTERTOP INSTALLED HAND SINKS

- 4" High Side Splashes
- K-52 Deck Mounted Faucet
- Deck Mounted Soap Dispenser
- Built-In Towel Dispenser
- 3-1/2" Basket Drain



7-PS-42 \$2798

Bowl Size: 10" x 14" x 5"
Overall Size: 18-1/4" x 17-5/8"
30 lbs. 2 cu. ft. 20 gauge



7-PS-42A \$2798

Bowl Size: 9" x 9" x 5"
Overall Size: 17-3/8" x 13"
26 lbs. 2 cu. ft. 20 gauge

- 4" High Side Splashes
- Deck Mounted Gooseneck Spout
- Knee Operated Valve
- Deck Mounted Soap Dispenser
- Built-In Towel Dispenser
- 3-1/2" Basket Drain



7-PS-43 \$3239

Bowl Size: 10" x 14" x 5"
Overall Size: 18-1/4" x 17-5/8"
36 lbs. 2 cu. ft. 20 gauge



Knee Valve
Operated

For Factory Installation, Add TA-503 \$438. Can Be
Purchased Separately For In-Field Installation

LARGE SIZE SINK BOWLS

Includes K-59 Splash Mt. Gooseneck Faucet,
3-1/2" Basket Drain, Wall Bracket
w/ 2 Support Brackets



7-PS-45 \$1136

Bowl Size: 16" x 20" x 8"
Overall Size: 24 3/4" x " x 21 7/8"
31 lbs. 8 cu. ft. 18 gauge

7-PS-49 \$1062

Bowl Size: 14" x 16" x 8"
Overall Size: 19-1/4" x 19"
30 lbs. 8 cu. ft. 18 gauge



7-PS-55 \$1190

Gooseneck Faucet
w/ Eye Wash Attachment
15 lbs. 3 cu. ft. 20 gauge



7-PS-72 \$1215

H.A.C.C.P. Compliant
Slow Self-Closing Metering
Faucet with Mixing Valve
15 lbs. 3 cu. ft. 20 gauge

Overall Size:
17-1/4" x 17-1/4"



7-PS-64 \$1062

Splash Mounted
Gooseneck Faucet
Tubular Support Brackets
25 lbs. 2 cu. ft. 20 gauge

PATENTED
DESIGN



7-PS-44 \$2788

Body Activated Valve
K-121 Splash Mounted
Gooseneck Spout
28 lbs. 2 cu. ft. 18 gauge

Overall Size:
15-1/4" x 17-1/4"

SPECIAL PURPOSE UNITS

Bowl Size: 10" x 14" x 5" • Overall Size: 15 1/4" x 17 1/4" (Excludes 7-PS-72 & 7-PS-44)
Includes 3-1/2" Basket Drain & Wall Bracket



All Sinks on this Page



All Items On This Page Ship Via UPS

HAND SINKS

Hand Washing Sinks & Faucets

FAUCETS OMITTED

Bowl Size: 10" x 14" x 5". Overall Size: 15 1/4" x 17 1/4"



7-PS-70 \$597

Equal To 7-PS-60 Without Faucet



7-PS-71 \$657

Equal To 7-PS-70 With
Single Hole Punch



7-PS-20-NF \$652

Equal To 7-PS-20 Without Faucet



7-PS-66-NF \$1082

Equal To 7-PS-66 Without Faucet

HAND SINK FAUCETS & SPOUTS



**Extra Heavy Duty
Splash Mounted Faucet
K-69 \$466**

4" O.C.

Wrist Handles For K-69
K-416-TS-LU 352 set



**3-1/2" Splash
Mounted Faucet
K-59 \$232**

4" O.C.

**3-1/2" Splash
Mounted Faucet
with Wrist Handles**

K-316 \$356

4" O.C.

Wrist Handles
For Faucets
(Excludes K-69)

K-316-LU \$120 set



**3-1/2"
Gooseneck
Spouts**

**Deck Mount
K-120 \$237**



**Splash Mounted
K-121 \$141**

**Deck Mounted
Faucet**



K-22 \$210

4" O.C.

ELECTRONIC HANDS FREE FAUCETS



**Splash Mt.
K-175
\$1581**



**Deck Mt.
K-180
\$1581**

Powered
by AC or
Battery!

**Replacement
Control Module**

**K-09
\$714**



**Infra-Red Sensor
and Wire Assembly**

**K-14
\$118**



"D" SPOUT EXTENDED FAUCETS



**Deck Mt. 6"
Extended Spout
K-124 \$342**

4" O.C.



**Deck Mt. w/
Wrist Handles
K-208 \$467**

4" O.C.



**Splash Mt. 6"
Extended Spout
K-123 \$342**

4" O.C.



**Splash Mt. w/
Wrist Handles
K-206 \$446**

4" O.C.

SPECIALTY FAUCETS & ADAPTERS



**Slow-Released
Metered Faucet
K-190 \$576**



**Eye-Wash
Attachment
K-170 \$471**




**Hands-Free Wand
Spout Not Included
K-420 \$97 ea.**



**Low Flow
Aerator .5 GPM
K-08 \$27**

REPLACEMENT CARTRIDGES WITH HANDLES*

(Set of 2. Includes Cartridges and handles)



For Faucets: K-59, K-123, K-125, K-126, K-206 & K-316
K-00A \$108

For Faucets: K-1, K-11, K-50, K-51, K-52, K-53, K-56,
K-124, K-101, K-159, K-160, K-208 & K-240

K-00B \$108

*Can Only Be Used On Faucets Purchased After January 2016.
For Older Faucets, Consult Customer Service.

REPLACEMENT FAUCET SPOUTS

Model #	Spout Size/Style	For Faucet Model	Price
K-52SP	3-1/2" Swivel Gooseneck	K-52	\$56
K-55SP	8-1/2" Swivel Gooseneck	K-55	89
K-59SP	3-1/2" Swivel Gooseneck	K-59	56
K-208SP	6" Extended Swivel Gooseneck	K-208	63
K-175SP	4-1/2" Swivel Gooseneck	K-175/K-180	133
K-50SP	8" Swing Spout	K-50	62
K-53SP	12" Swing Spout	K-53	83

Faucet Hole Modifications

K-70	Punch for 8" O.C. Faucet Holes	\$126
K-70A	Punch for Single Hole Splash Mt. Faucet	\$126
K-71	Punch for Single Hole Deck Mt. Faucet	\$126

Faucet Not Included

MODS & ACCESSORIES

Hand Sink Modifications & Accessories

 = Ships Via UPS

WELDED SIDE SPLASHES FOR HAND SINKS

Factory Installed Only



7-3/4" Side Splash
Shown



Two 7-3/4" Welded
Side Splashes Shown



Two 12" Welded
Side Splashes Shown

Shown with
Optional
Utility Tray



Two 24" Welded Side
Splashes & Back Panel
Shown

7-3/4" HEIGHT SPLASH				12" HEIGHT SPLASH				24" HEIGHT SPLASH		
1 Side Splash		2 Side Splashes		1 Side Splash		2 Side Splashes		2 Side Splashes & Rear Panel*		
Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Description
7-PS-16	\$373	7-PS-17	\$475	7-PS-11	\$454	7-PS-15	\$511	7-PS-28	\$1155	Units w/ 10" x 14" Bowl & Splash Mount Faucet
7-PS-16A	373	7-PS-17A	486	7-PS-11A	454	7-PS-15A	511	7-PS-28A	1155	Units w/ 9" x 9" Bowls
7-PS-16B	396	7-PS-17B	522	7-PS-11B	488	7-PS-15B	545	7-PS-28B	1166	Units w/ 10" x 14" Bowl & Deck Mount Faucet
7-PS-16C	406	7-PS-17C	544	7-PS-11C	511	7-PS-15C	565	7-PS-28C	1234	Units w/ 16" x 20" Bowls
7-PS-16D	440	7-PS-17D	569	7-PS-11D	552	7-PS-15D	629	7-PS-28D	1260	For Handicapped Hand Sinks
7-PS-16E	401	7-PS-17E	532	7-PS-11E	542	7-PS-15E	616	7-PS-28E	1202	Units w/ 14" (F/B) x 16" Bowls
7-PS-16F	401	7-PS-17F	532	7-PS-11F	542	7-PS-15F	616	7-PS-28F	1213	Units w/ 16" (F/B) x 14" Bowls

*24" high splashes include a rear panel that matches the height of the side splashes.
Only available as 2 side design. Single side not offered. Includes rear mounting holes.

BOLT-ON SINGLE PANEL SPLASH FOR HAND SINKS

 All Bolt-On Splashes Ship Via UPS

7-3/4" & 12" Height Bolt-On Splash

(Priced Per Splash. Order 2 for Both Sides)



Includes Holes.
Hardware not
Included

7-3/4" HEIGHT SPLASH			12" HEIGHT SPLASH			Description
Model #	Price Ea.		Model #	Price Ea.		
7-PS-27	\$181		7-PS-13	\$234		Units w/ 10" x 14" Bowl & Splash Mount Faucet
7-PS-27A	181		7-PS-13A	234		Units w/ 9" x 9" Bowls
7-PS-27B	181		7-PS-13B	260		Units w/ 10" x 14" Bowl & Deck Mount Faucet
7-PS-27C	181		7-PS-13C	270		Units w/ 16" x 20" Bowls
7-PS-27D	206		7-PS-13D	250		For Handicapped Hand Sinks
7-PS-27E	230		7-PS-13E	248		Units w/ 14" (F/B) x 16" Bowls
7-PS-27F	230		7-PS-13F	248		Units w/ 16" (F/B) x 14" Bowls



7-PS-25 Shown
With Optional
Side Splashes.

Removable Utility Tray for Side Splashes

- 8" X 3" X 2 5/16" Tray.
- Tray Hem Allows To Hang From Any Standard Side Splash.
- Perforated For Water Drainage.

7-PS-48 \$310 



Side Mounting Wall Brackets

Includes 2 brackets. Used for
Added Strength & Support
(Add to price of sink)

7-PS-36 \$139 



Tubular Wall Supports



Set of 2 Supports

Model #	Price	Description
7-PS-24	\$448	Units w/ 10"x14" Bowl & Splash Mt. Faucet
7-PS-24B	448	Units w/ 10"x14" Bowl & Deck Mt. Faucet
7-PS-24C	525	Units with 16"x14" & 16"x20" Bowls

MODS & ACCESSORIES

Hand Sink Modifications & Accessories


 All items On This Page Ship Via UPS

Instant Hot Water

ON DEMAND

This unit allows for hand sinks to be installed in remote areas with just a cold water supply and available 30 amp electric power. There is no delay or wasted water while waiting for hot water to reach the faucet. Includes Heater & Plumbing Hardware.

7-PS-92 **\$2307**



Only 1 Single Supply Line Of Cold Water Is Required To Feed The Unit!

HANDSINK NOT INCLUDED

SOAP & TOWEL DISPENSERS



C-Fold Style Paper Towel & Soap Dispenser

Mounts On 17" Wide Hand Sinks Only.

7-PS-34 **\$1086**

Upgrade To Touchless Soap Dispenser, Add 7-PS-104 **\$315**
Plus 7-PS-120MIT (Deduct **-\$45**)



Wall Mounted Liquid Soap Dispenser

Mounting Hardware Included.

7-PS-12 **\$181**



Wall Mounted Touchless Liquid Soap Dispenser

Battery Powered (4 "AA" Batteries Required, Not Included).
Mounting Hardware Included.
Low Soap Indicator Window.
Low Battery Indicator Light.

7-PS-104 **\$315**



Wall Mounted Paper Towel Dispenser

Holds C-Fold Style Towels.

7-PS-35 **\$333**



Deck Mounted Liquid Soap Dispenser

K-12 **\$151**



Wall Mounted Stainless Steel Liquid Soap Dispenser

Mounting Hardware Included.

K-13 **\$412**

DRAINS, PARTS & P-TRAPS



1-1/2" IPS

3-1/2" Basket Drain Assembly

K-6 **\$46**



1-1/2" IPS

2" Drain Assembly w/ Strainer Plate

K-63 **\$38**



Drain Basket For K-6

K-310 **\$28**



Replacement Strainer Plates

for 3-1/2" Drain for 2" Drain
K-410 **\$25** K-411 **\$23**



1-1/2" IPS

Standard Chrome Plated P-Traps

22 Gauge
7-PS-14 **\$119**

17 Gauge
7-PS-10 **\$134**



Replacement Washers for 3-1/2" Drains

K-67F **\$14** (Set of 2)



K-26 **\$161** Lever Drain with P-Trap & Overflow

K-67 **\$161**
Lever Drain Without Overflow

REPLACEMENT PARTS FOR K-26 DRAIN



Model #	Description	Price
K-67A	Tail Piece with Overflow Branch Only	\$27
K-67B	Overflow Hose with 2 Spring Clips	17
K-67C	Plastic 90° Overflow Head & Body	14
K-67D	Lever Handle for K-26 Drain	15
K-67E	Plastic Stopper (Includes "O" Ring)	14

MOP SINKS

Floor Mop Sinks

FLOOR UNITS

Mounting Hardware Included

 = Ships Via UPS

CUSTOM SIZES AVAILABLE



9-OP-40DF Shown



Notched Out Front Allows Ease of Emptying Mop Bucket

Convert Mop Sink In Cabinet To Drop Front. Add K-281 \$845
(Not Offered On 9-Op-40 Or 9-Op-48 Or 6" Deep Mop Sinks)

new

Model #	Bowl Size	Overall Dimension	Price	Approx. Wt.	Approx. Cu.
STANDARD MOP SINKS 					
9-OP-20	16" x 20" x 6"	21" x 25"	\$1450	33 lbs.	4 
9-OP-28	20" x 28" x 6"	25" x 33"	1877	47 lbs.	7 
9-OP-40	16" x 20" x 12"	21" x 25"	1740	45 lbs.	6 
9-OP-48	20" x 28" x 12"	25" x 33"	2053	62 lbs.	9
LARGE MOP SINK BOWL					
9-OP-44	24" x 24" x 12"	29" x 29"	2574	70 lbs.	9
9-OP-33	24" x 36" x 12"	29" x 41"	3942	80 lbs.	9 
9-OP-34	24" x 24" x 12"	29" x 53"	4702	90 lbs.	9 
DROP-FRONT MOP SINKS					
9-OP-40DF	16" x 20" x 12"	18 1/2" x 25"	2743	85 lbs.	9
9-OP-48DF	20" x 28" x 12"	22 1/2" x 33"	3052	110 lbs.	15

Flush-Mount Floor Mop Sink

- Easy Mop Bucket Roll-In Design
- Standard Backsplash with Left & Right Splash, Left Splash or Right Splash Available
- 4" O.D. - 3" Long Plumbing Sleeve
- Front Anti-Splash Guard
- Removable Subway Grating
- Stainless Steel Strainer Basket with Handle

FT-2 \$61 ea.

Replacement Stainless Steel Strainer Basket with Handle for Flush-Mount Floor Mop Sinks



9-OP-24FM-SSRL Shown



K-610 Removable Stainless Steel Grid \$741



WITH STAINLESS STEEL GRATES			WITH FIBERGLASS GRATES			Bowl Size	Overall Dimension	Splash Locations	Approx. Cu.
Model #	Approx. Wt.	Price	Model #	Approx. Wt.	Price				
9-OP-24FM-SSRL	128 lbs.	\$4632	9-OP-24FM-FGRL	96 lbs.	\$4632	21 3/8" x 22 x 10"	21 3/8" x 24"	Back, Left & Right	14
9-OP-24FM-SSL	120 lbs.	4474	9-OP-24FM-FGL	88 lbs.	4474	21 3/8" x 22 x 10"	21 3/8" x 24"	Back & Left	14
9-OP-24FM-SSR	120 lbs.	4474	9-OP-24FM-FGR	88 lbs.	4474	21 3/8" x 22 x 10"	21 3/8" x 24"	Back & Right	14

16" HIGH SIDE & BACK SPLASHES FOR FLOOR MOP SINKS

16 Gauge, 300 Series Stainless Steel

Splashes on All 3 Sides

Model #	Fits Units:	Model #	Fits Units:	Price
K-298	9-OP-20 9-OP-40	K-298D	9-OP-40DF	\$683 
K-299	9-OP-28 9-OP-48	K-299D	9-OP-48DF	735 
K-300	9-OP-44	-	-	866 
K-303	9-OP-33 	-	-	919 
K-304	9-OP-34 	-	-	987 

Splash on Left or Right & Back

Model #	Fits Units:	Model #	Fits Units:	Price
K-288LorR	9-OP-20 9-OP-40	K-288LorRD	9-OP-40DF	\$525 
K-290LorR	9-OP-28 9-OP-48	K-290LorRD	9-OP-48DF	572 
K-291LorR	9-OP-44	-	-	620 
K-293LorR	9-OP-33 	-	-	651 
K-294LorR	9-OP-34 	-	-	698 

Height Above Finished Floor (A.F.F.)

9-OP-20/9-OP-28 = 26" High 9-OP-40/9-OP-40DF/9-OP-44/9-OP-48/ 9-OP-48DF = 32" High



Left & Right Splashes Shown



Wall Mounted Drainage Tray K-243 \$509

- Used with Floor Mounted Mop Sinks
- 16 Gauge, 300 Series Stainless Steel
- Includes 1/2" Drain & Plastic Hose
- 2" Tray Ht. with 6" Rear Splash (O.A.)
- 20" x 4" x 6". 13 lbs.



Hose & Hanger K-244 \$211



23" Mop Hanger K-242 \$230



4-OP-18

Fabricated Sink Bowl



8-OP-16

Deep Drawn Sink Bowl

STANDING SERVICE SINKS

Heavy Gauge Stainless Steel • 8" Bowl Depth • 8" High Backsplash • Stainless Steel Legs with Adjustable Bullet Feet
• 8-OP-16 Includes Stainless Steel Cross-Bracing • 8" O.C. Faucet Holes • 3-1/2" Basket Drain

Model #	Bowl Size	Overall Dimension	Price	Approx. Wt.	Approx. Cu.
8-OP-16	16" x 20" x 8"	25" x 23"	\$1600	50 lbs.	13 
4-OP-18	24" x 21" x 8"	24" x 25"	1092	50 lbs.	10

MOP SINKS

Mop Sink Cabinets

84" HIGH STAINLESS STEEL MOP SINK CABINETS

 = Ships Via UPS



Single Width

- Single Left-Hinged Door*
- 1 Fixed Stainless Steel Mid-Shelf
- Ventilation Slots
- 2 Mop Holders
- Open Back For Plumbing
- 16 Ga., Type 304 S/S Mop Sink & Drain

16" x 20" x 12" Bowl
Overall Size: 22-5/8" x 25" x 84"



Double Width

- Hinged Double Doors
- Opening For Mop Bucket To Roll In
- 4 Fixed Stainless Steel Mid-Shelves (3 In Storage Side, 1 Above Sink)
- Enclosed Back Panel
- Ventilation Slots
- 2 Mop Holders
- Open Back For Plumbing
- 16 Ga., Type 304 S/S Mop Sink & Drain

16" x 20" x 12" Bowl
Overall Size: 22-5/8" x 50-1/4" x 84"

9-OPC-84DR Shown

Model #	Cabinet Material	Price	Approx. Wt.	Approx. Cu.
9-OPC-84	18 Ga., 430 S/S	\$7188	238 lbs.	40
9-OPC-84-300	18 Ga., 300 S/S	8386	238 lbs.	40

*Optional Right-Hand Door Swing Available - Add CAB-R N/C

Convert Mop Sink In Cabinet To Drop Front. Add K-281 \$845



Model #	Cabinet Material	Price	Approx. Wt.	Approx. Cu.
9-OPC-84DR	18 Ga., 430 S/S	\$9825	390 lbs.	72
9-OPC-84DL	18 Ga., 430 S/S	9825	390 lbs.	72
9-OPC-84DR-300	18 Ga., 300 S/S	10303	390 lbs.	72
9-OPC-84DL-300	18 Ga., 300 S/S	10303	390 lbs.	72

R And L Indicates Mop Sink Location.

Stainless Steel Cabinet with Floor

Sink Not Included



- Overall Size: 22-5/8" x 25" x 84"
- Single Left-Hinged Door*
- Fixed Stainless Steel Mid-Shelves
- Enclosed Back Panel
- Ventilation Slots On Both Sides

	Model #	# of Fixed Shelves	Price	Approx. Wt.	Approx. Cu.
18 Ga.	CAB-1	1	\$5271	200 lbs.	40
430 S/S	CAB-4	4	6110	240 lbs.	40
18 Ga.	CAB-1-300	1	5751	200 lbs.	40
300 S/S	CAB-4-300	4	6708	240 lbs.	40

*Optional Right-Hand Door Swing Available - Add CAB-R N/C



CHEMICAL STORAGE CABINET

w/ 1 Fixed Stainless Steel Mid-Shelf



Vented Side Panels

WCH-15-24 Left Hinged Shown (Standard)

- Left-Hinged Door*
- Vented Side Panels
- Wall Mounting Hardware Not Included

WCH-15-24 \$4433

18 Gauge, 430 Stainless Steel

WCH-15-24-300 \$4912

18 Gauge, 300 Stainless Steel

*Optional Right-Hand Door Swing Available - Add CAB-R N/C

Overall Size: 15" x 24" x 32-1/2"

MOP SINK CABINET ACCESSORIES & MODIFICATIONS



Service Faucet For Mop Sinks
8" O.C.

K-240* \$921

*K-240 Does Not Meet Federal Lead Free Standards As It Is Not Intended For Potable Water.



Service Faucet Vacuum Breaker Repair Kit
K-03 \$128



Mop Sink Replacement Drain
K-16 \$177

Double Cabinet Doors

Convert Single Width Cabinet to Double Doors

K-84-CAB \$707

Add Rear Panel To Cabinet


K-94-BACK \$486
K-94-BACK-300 \$704

Add K-472 for 8" O.C. Faucet Holes
\$121 Per Hole



Additional Fixed Mid-Shelf
K-94-SHELF \$373 ea.
For 84" High Cabinets

WC-SHELF \$90 lin. ft.
For Wall Cabinets



Cabinet Door Lock With Keys
SU-27 \$292

Required For Each Hinged Door

S-Hook Mop Hanger
K-91 \$30 ea.



WARNING: Faucets on this page may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info, visit www.p65warnings.ca.gov.

MULTI-STATIONS

NSF Multi-Stations




= Ships Via UPS

14 GAUGE, 304 STAINLESS STEEL SINKS WITH TUBULAR SUPPORTS OR LEGS

8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee or Electronic Operated • 3 1/2" Basket Drain(s).

"-F" Series Splash Mount Models Include K-159 3-1/2" Goosenecks. "-F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks.



Faucets Included
On "-F" Models.



Hands-Free
Electronic Faucet



Knee Valve



FS-WM-40 Shown




FS-WM-40-F Shown



FS-WM-40EF Shown



FS-WM-40KV Shown



FS-WMD-40 Shown

L	NO FAUCETS INCLUDED				MANUAL FAUCETS INCLUDED				ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		# of Faucets
	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Splash Mount	Price	
40"	FS-WM-40 [†]	\$4296	FS-WMD-40 [†]	\$4610	FS-WM-40-F	\$4815	FS-WMD-40-F	\$5129	FS-WM-40EF	\$6742	FS-WM-40KV	\$5625	2
60"	FS-WM-60 [†]	4778	FS-WMD-60 [†]	5177	FS-WM-60-F	5558	FS-WMD-60-F	5975	FS-WM-60EF	8441	FS-WM-60KV	6766	3
80"	FS-WM-80 [†]	5416	FS-WMD-80 [†]	6047	FS-WM-80-F	6456	FS-WMD-80-F	7097	FS-WM-80EF	10301	FS-WM-80KV	8067	4
100"	FS-WM-100 [†]	5939	FS-WMD-100 [†]	6775	FS-WM-100-F	7240	FS-WMD-100-F	8083	FS-WM-100EF	12046	FS-WM-100KV	9255	5
120"	FS-WM-120 [†]	7489	FS-WMD-120 [†]	8432	FS-WM-120-F	9049	FS-WMD-120-F	9975	FS-WM-120EF	14817	FS-WM-120KV	11466	6



14 GAUGE, 304 STAINLESS STEEL A.D.A. SINKS WITH TUBULAR SUPPORTS

5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated • Rear 3 1/2" Basket Drain(s).

"-F" Series Splash Mount Models Include K-161-LU 6" Goosenecks. "-F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks.

L	NO FAUCETS INCLUDED				MANUAL FAUCETS INCLUDED				ELECTRONIC OPERATED FAUCETS		# of Faucets
	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	
40"	FS-WM-40-ADA [†]	\$4296	FS-WMD-40-ADA [†]	\$4610	FS-WM-40-ADA-F	\$4914	FS-WMD-40-ADA-F	\$5230	FS-WM-40EFADA	\$6612	2
60"	FS-WM-60-ADA [†]	4778	FS-WMD-60-ADA [†]	5177	FS-WM-60-ADA-F	5754	FS-WMD-60-ADA-F	6179	FS-WM-60EFADA	8299	3
80"	FS-WM-80-ADA [†]	5416	FS-WMD-80-ADA [†]	6047	FS-WM-80-ADA-F	6743	FS-WMD-80-ADA-F	7373	FS-WM-80EFADA	10138	4
100"	FS-WM-100-ADA [†]	5939	FS-WMD-100-ADA [†]	6775	FS-WM-100-ADA-F	7625	FS-WMD-100-ADA-F	8474	FS-WM-100EFADA	11868	5
120"	FS-WM-120-ADA [†]	7489	FS-WMD-120-ADA [†]	8432	FS-WM-120-ADA-F	9603	FS-WMD-120-ADA-F	10542	FS-WM-120EFADA	14695	6

[†]Add K-472 For Faucet Hole Revision **\$121**

16 GAUGE, 304 STAINLESS STEEL SINKS WITH TUBULAR SUPPORTS OR LEGS

8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee or Electronic Operated • 3 1/2" Basket Drain(s).

"-F" Series Splash Mount Models Include K-159 3-1/2" Goosenecks. "-F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks.

L	NO FAUCETS INCLUDED				MANUAL FAUCETS INCLUDED				ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		# of Faucets
	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Splash Mount	Price	
40"	FC-WM-40 [†]	\$3714	FC-WMD-40 [†]	\$4030	FC-WM-40-F	\$4235	FC-WMD-40-F	\$4515	FC-WM-40EF	\$6156	FC-WM-40KV	\$5040	2
60"	FC-WM-60 [†]	4193	FC-WMD-60 [†]	4610	FC-WM-60-F	4974	FC-WMD-60-F	5387	FC-WM-60EF	7857	FC-WM-60KV	6181	3
80"	FC-WM-80 [†]	4912	FC-WMD-80 [†]	5544	FC-WM-80-F	5952	FC-WMD-80-F	6585	FC-WM-80EF	9797	FC-WM-80KV	7564	4
100"	FC-WM-100 [†]	5511	FC-WMD-100 [†]	6353	FC-WM-100-F	6812	FC-WMD-100-F	7644	FC-WM-100EF	11617	FC-WM-100KV	8825	5
120"	FC-WM-120 [†]	6590	FC-WMD-120 [†]	7529	FC-WM-120-F	8151	FC-WMD-120-F	9098	FC-WM-120EF	13917	FC-WM-120KV	10567	6



16 GAUGE, 304 STAINLESS STEEL A.D.A. SINKS WITH TUBULAR SUPPORTS

• 5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated • Rear 3 1/2" Basket Drain(s).

"-F" Series Splash Mount Models Include K-161-LU 6" Goosenecks. "-F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks.

L	NO FAUCETS INCLUDED				MANUAL FAUCETS INCLUDED				ELECTRONIC OPERATED FAUCETS		# of Faucets
	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	
40"	FC-WM-40-ADA [†]	\$3714	FC-WMD-40-ADA [†]	\$4030	FC-WM-40-ADA-F	\$4387	FC-WMD-40-ADA-F	\$4704	FC-WM-40EFADA	\$6085	2
60"	FC-WM-60-ADA [†]	4193	FC-WMD-60-ADA [†]	4610	FC-WM-60-ADA-F	5191	FC-WMD-60-ADA-F	5670	FC-WM-60EFADA	7737	3
80"	FC-WM-80-ADA [†]	4912	FC-WMD-80-ADA [†]	5544	FC-WM-80-ADA-F	6164	FC-WMD-80-ADA-F	6825	FC-WM-80EFADA	9557	4
100"	FC-WM-100-ADA [†]	5511	FC-WMD-100-ADA [†]	6353	FC-WM-100-ADA-F	7254	FC-WMD-100-ADA-F	8106	FC-WM-100EFADA	11498	5
120"	FC-WM-120-ADA [†]	6590	FC-WMD-120-ADA [†]	7529	FC-WM-120-ADA-F	8706	FC-WMD-120-ADA-F	9650	FC-WM-120EFADA	13797	6

[†]Add K-472 For Faucet Hole Revision **\$121**



WARNING: Equipment that include faucets on this page may contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

SERVICE SINKS

NSF Service Sinks

14 GAUGE, 304 STAINLESS STEEL SERVICE SINKS WITH TUBULAR SUPPORTS OR LEGS

10" or 12" Bowl Depth • 8-1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee or Electronic Operated • 3 1/2" Basket Drain(s).

"-F" Series Splash Mount Models Include K-159 3-1/2" Gooseneck. "-F" Series Deck Mount Models Include K-134 8-1/2" Gooseneck.



NO FAUCET INCLUDED				MANUAL FAUCET INCLUDED				ELECTRONIC OPERATED FAUCET		KNEE OPERATED FAUCET		Bowl Depth	Overall Size L W	
Splash Mount	Price	Deck Mount		Splash Mount	Price	Deck Mount		Splash Mount	Price	Splash Mount	Price			
FS-WM-2219 [†]	\$2319	FS-WMD-2219 [†]	\$2625	FS-WM-2219-F	\$2497	FS-WMD-2219-F	\$2814	FS-WM-2219EF	\$3541	FS-WM-2219KV*	\$2982	10"	23"	23"
FS-WM-2721 [†]	2468	FS-WMD-2721 [†]	2898	FS-WM-2721-F	2638	FS-WMD-2721-F	3045	FS-WM-2721EF	3688	FS-WM-2721KV*	3130	12"	27"	21 1/2"
FS-WM-3119 [†]	2714	FS-WMD-3119 [†]	3035	FS-WM-3119-F	2903	FS-WMD-3119-F	3221	FS-WM-3119EF	4056	FS-WM-3119KV*	3444	12"	31"	23"

*Knee Valve Unit Has 8" Bowl Depth



14 GAUGE, 304 STAINLESS STEEL A.D.A. SERVICE SINKS WITH TUBULAR SUPPORTS

5" Bowl Depth • 8-1/2" High Backsplash • Stainless Steel Tubular Supports • 8" O.C. Faucet Holes on Manual Operated, Single Hole on Electronic Operated • 3 1/2" Basket Drain.

"-F" Series Splash Mount Models Include K-161-LU 6" Gooseneck. "-F" Series Deck Mount Models Include K-134 8-1/2" Gooseneck.

NO FAUCET INCLUDED				MANUAL FAUCET INCLUDED				ELECTRONIC OPERATED FAUCET		Bowl Depth	Overall Size L W	
Splash Mount	Price	Deck Mount		Splash Mount	Price	Deck Mount		Splash Mount	Price			
FS-WM-1-ADA [†]	\$3840	FS-WMD-1-ADA [†]	\$4158	FS-WM-1-ADA-F [†]	\$4012	FS-WMD-1-ADA-F [†]	\$4326	FS-WM-1-EFADA	\$5061	5"	40"	19-1/2"

[†]Add K-472 For Faucet Hole Revision \$121

16 GAUGE, 304 STAINLESS STEEL SERVICE SINKS WITH TUBULAR SUPPORTS OR LEGS

10" or 12" Bowl Depth • 8-1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee or Electronic Operated • 3 1/2" Basket Drain(s).

"-F" Series Splash Mount Models Include K-159 3-1/2" Gooseneck. "-F" Series Deck Mount Models Include K-134 8-1/2" Gooseneck.



NO FAUCET INCLUDED				MANUAL FAUCET INCLUDED				ELECTRONIC OPERATED FAUCET		KNEE OPERATED FAUCET		Bowl Depth	Overall Size L W	
Splash Mount	Price	Deck Mount		Splash Mount	Price	Deck Mount		Splash Mount	Price	Splash Mount	Price			
FC-WM-2219 [†]	\$2059	FC-WMD-2219 [†]	\$2378	FC-WM-2219-F	\$2361	FC-WMD-2219-F	\$2678	FC-WM-2219EF	\$3281	FC-WM-2219KV*	\$2724	10"	23"	23"
FC-WM-2721 [†]	2168	FC-WMD-2721 [†]	2594	FC-WM-2721-F	2471	FC-WMD-2721-F	2898	FC-WM-2721EF	3389	FC-WM-2721KV*	2831	12"	27"	21 1/2"
FC-WM-3119 [†]	2389	FC-WMD-3119 [†]	2709	FC-WM-3119-F	2720	FC-WMD-3119-F	3045	FC-WM-3119EF	3728	FC-WM-3119KV*	3114	12"	31"	23"

*Knee Valve Unit Has 8" Bowl Depth



16 GAUGE, 304 STAINLESS STEEL A.D.A. SERVICE SINKS WITH TUBULAR SUPPORTS

5" Bowl Depth • 8-1/2" High Backsplash • Stainless Steel Tubular Supports • 8" O.C. Faucet Holes on Manual Operated, Single Hole on Electronic Operated • 3 1/2" Basket Drain.

"-F" Series Splash Mount Models Include K-161-LU 6" Gooseneck. "-F" Series Deck Mount Models Include K-134 8-1/2" Gooseneck.

NO FAUCET INCLUDED				MANUAL FAUCET INCLUDED				ELECTRONIC OPERATED FAUCET		Bowl Depth	Overall Size L W	
Splash Mount	Price	Deck Mount		Splash Mount	Price	Deck Mount		Splash Mount	Price			
FC-WM-1-ADA [†]	\$3641	FC-WMD-1-ADA [†]	\$3959	FC-WM-1-ADA-F	\$4014	FC-WMD-1-ADA-F	\$4331	FC-WM-1-EFADA	\$4864	5"	40"	19 1/2"

[†]Add K-472 For Faucet Hole Revision \$121

MULTI-STATIONS

Square Corner Multi-Stations

 = Ships Via UPS

16 GAUGE, 304 STAINLESS STEEL MULTI-STATIONS WITH TUBULAR SUPPORTS OR LEGS

8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee or Electronic Operated • 3 1/2" Basket Drain(s).



L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price	Model #	Price			
23"	19-18-23 [†]	\$1865	19-18-23-F	\$2124	19-18-23EF	\$3155	19-18-23KV	\$2598	1	50 lbs.	10
40"	19-18-40 [†]	2997	19-18-40-F	3518	19-18-40EF	5439	19-18-40KV	4322	2	60 lbs.	15
60"	19-18-60 [†]	3541	19-18-60-F	4321	19-18-60EF	7205	19-18-60KV	5529	3	70 lbs.	18
80"	19-18-80 [†]	3948	19-18-80-F	4989	19-18-80EF	8834	19-18-80KV	6599	4	90 lbs.	22
100"	19-18-100 [†]	4493	19-18-100-F	5794	19-18-100EF	10600	19-18-100KV	7808	5	120 lbs.	30
120"	19-18-120 [†]	5620	19-18-120-F	7181	19-18-120EF	12947	19-18-120KV	9597	6	155 lbs.	36

[†]Add K-472 For Faucet Hole Revision \$121



16 GAUGE, 304 STAINLESS STEEL A.D.A. MULTI-STATIONS WITH TUBULAR SUPPORTS

5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated • Rear 3 1/2" Basket Drain(s)



K-161-LU 6" Gooseneck
Faucets Included
On "-F" Models



Hands-Free
Electronic Faucet

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price			
40"	19-18-40-ADA [†]	\$2997	19-18-40-ADA-F	\$3742	19-18-40EFADA	\$5439	2	60 lbs.	15
60"	19-18-60-ADA [†]	3541	19-18-60-ADA-F	4658	19-18-60EFADA	7205	3	70 lbs.	18
80"	19-18-80-ADA [†]	3948	19-18-80-ADA-F	5439	19-18-80EFADA	8834	4	100 lbs.	22
100"	19-18-100-ADA [†]	4493	19-18-100-ADA-F	6356	19-18-100EFADA	10600	5	130 lbs.	30
120"	19-18-120-ADA [†]	5620	19-18-120-ADA-F	7855	19-18-120EFADA	12947	6	165 lbs.	36

[†]Add K-472 For Faucet Hole Revision \$121

SERVICE SINKS

Square Corner Service Sinks

16 GAUGE, 304 STAINLESS STEEL SERVICE SINKS WITH TUBULAR SUPPORTS OR LEGS

12" Bowl Depth (Excludes Knee Valve Units*) • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee or Electronic Operated • 3 1/2" Basket Drain(s)



NO FAUCET INCLUDED		MANUAL FAUCET INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS					Cu. Ft.
Model #	Price	Model #	Price	Model #	Price	Model #	Price	L	W	Wt.	
WSS-14-21 [†]	\$1961	WSS-14-21-F	\$2222	WSS-14-21EF	\$3182	WSS-14-21KV*	\$2624	18"	17 1/2"	45 lbs.	8
WSS-16-25 [†]	2165	WSS-16-25-F	2426	WSS-16-25EF	3387	WSS-16-25KV*	2829	22"	19 1/2"	52 lbs.	10
WSS-16-31 [†]	2382	WSS-16-31-F	2668	WSS-16-31EF	3728	WSS-16-31KV*	3113	31"	19 1/2"	75 lbs.	14

*Add K-472 For Faucet Hole Revision \$121

*Knee Valve Unit Has 8" Bowl Depth



16 GAUGE, 304 STAINLESS STEEL A.D.A. SERVICE SINKS WITH TUBULAR SUPPORTS

5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Electronic Operated • Rear 3 1/2" Basket Drain



NO FAUCET INCLUDED		MANUAL FAUCET INCLUDED		ELECTRONIC OPERATED FAUCETS					Cu. Ft.
Model #	Price	Model #	Price	Model #	Price	L	W	Wt.	
19-18-1-ADA [†]	\$2995	19-18-1-ADA-F	\$3367	19-18-1-EFADA	\$4158	40"	19 1/2"	60 lbs.	15

*Add K-472 For Faucet Hole Revision \$121

MULTI-STATION HAND SINK ACCESSORIES & MODIFICATIONS



Model	Description	Price	Model	Description	Price
K-6	3 1/2" Drain (1 1/2" I.P.S.)	\$46 ea.	K-1118	H.D. 8" Splash Mounted Faucet	384 ea.
K-13	Stainless Steel Soap Dispenser	412 ea.	K-316-LU	Wrist Handles	120 pair
K-101	8" Swing Spout Splash Mt. Faucet	226 ea.	K-472	Faucet Hole Revision (Manual Faucet Operated Sinks Only)	132
K-121	Single Hole, Splash Mounted 3-1/2" Gooseneck Spout	141 ea.		Reduce rear splash on ADA multi-station hand sink or service sink to 5" tall (top of splash 39" AFF if installed at ADA working height, allows ADA compliant mirror (by others) to be mounted over sink)	N/C
K-134	H.D. Deck Mounted 8-1/2" Gooseneck Faucet (8" O.C.)	616 ea.	K-449		
K-159	H.D. Splash Mounted 3-1/2" Gooseneck Faucet (8" O.C.)	449 ea.	K-508	Special Sizing Charge (Larger Size Cut Down To Smaller Size)	N/C
K-161-LU	H.D. Splash Mounted 6" Gooseneck Faucet (8" O.C.) With Wrist Handles	500 ea.	TA-19	Adjustable Stainless Steel Flanged Bullet Foot	59 ea.
K-411	Strainer Plate for 3-1/2" Drain	23 ea.			

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info., visit www.p65warnings.ca.gov.

MULTI-STATIONS

NSF Multi-Stations



= Ships Via UPS

14 GA., 304 STAINLESS STEEL SINKS w/STAINLESS STEEL LEGS & FLANGED FEET

8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s).

"-F" Series Splash Mount Models Include K-159 3-1/2" Goosenecks. "-F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks.



FS-FM-40 Shown



FS-FM-40-F Shown




FS-FM-40EF Shown



FS-FM-40KV Shown



FS-FM-40FV Shown



FS-FMD-40 Shown

L	NO FAUCETS INCLUDED				MANUAL FAUCETS INCLUDED				ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS		# of Faucets
	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Splash Mount	Price	Splash Mount	Price	
40"	FS-FM-40 [†]	\$4732	FS-FMD-40 [†]	\$5051	FS-FM-40-F	\$5252	FS-FMD-40-F	\$5565	FS-FM-40EF	\$7179	FS-FM-40KV	\$6062	FS-FM-40FV	\$6392	2
60"	FS-FM-60 [†]	5321	FS-FMD-60 [†]	5744	FS-FM-60-F	6103	FS-FM-60-F	6526	FS-FM-60EF	8986	FS-FM-60KV	7104	FS-FM-60FV	7311	3
80"	FS-FM-80 [†]	6069	FS-FMD-80 [†]	6699	FS-FM-80-F	7110	FS-FMD-80-F	7749	FS-FM-80EF	10955	FS-FM-80KV	8459	FS-FM-80FV	8721	4
100"	FS-FM-100 [†]	6811	FS-FMD-100 [†]	7655	FS-FM-100-F	8112	FS-FMD-100-F	8951	FS-FM-100EF	12918	FS-FM-100KV	9864	FS-FM-100FV	10126	5
120"	FS-FM-120 [†]	8580	FS-FMD-120 [†]	9524	FS-FM-120-F	10141	FS-FMD-120-F	11088	FS-FM-120EF	15908	FS-FM-120KV	12138	FS-FM-120FV	12558	6

14 GA., 304 STAINLESS STEEL A.D.A. SINKS w/STAINLESS STEEL LEGS & FLANGED FEET

5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s).



"-F" Series Splash Mount Models Include K-161-LU 6" Goosenecks. "-F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks.

L	NO FAUCETS INCLUDED				MANUAL FAUCETS INCLUDED				ELECTRONIC OPERATED FAUCETS		# of Faucets
	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	
40"	FS-FM-40-ADA [†]	\$4732	FS-FMD-40-ADA [†]	\$5051	FS-FM-40-ADA-F	\$5255	FS-FMD-40-ADA-F	\$5576	FS-FM-40EFADA	\$6953	2
60"	FS-FM-60-ADA [†]	5321	FS-FMD-60-ADA [†]	5744	FS-FM-60-ADA-F	6189	FS-FMD-60-ADA-F	6615	FS-FM-60EFADA	8734	3
80"	FS-FM-80-ADA [†]	6069	FS-FMD-80-ADA [†]	6699	FS-FM-80-ADA-F	7286	FS-FMD-80-ADA-F	7917	FS-FM-80EFADA	11628	4
100"	FS-FM-100-ADA [†]	6811	FS-FMD-100-ADA [†]	7655	FS-FM-100-ADA-F	8386	FS-FMD-100-ADA-F	9240	FS-FM-100EFADA	12630	5
120"	FS-FM-120-ADA [†]	8580	FS-FMD-120-ADA [†]	9524	FS-FM-120-ADA-F	10507	FS-FMD-120-ADA-F	11545	FS-FM-120EFADA	15599	6

[†]Add K-472 For Faucet Hole Revision \$121

16 GA., 304 STAINLESS STEEL SINKS WITH STAINLESS STEEL LEGS & FLANGED FEET

8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s).

"-F" Series Splash Mount Models Include K-159 3-1/2" Goosenecks. "-F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks.

L	NO FAUCETS INCLUDED				MANUAL FAUCETS INCLUDED				ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS		# of Faucets
	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Splash Mount	Price	Splash Mount	Price	
40"	FC-FM-40 [†]	\$4151	FC-FMD-40 [†]	\$4468	FC-FM-40-F	\$4671	FC-FMD-40-F	\$4988	FC-FM-40EF	\$6593	FC-FM-40KV	\$5308	FC-FM-40FV	\$5476	2
60"	FC-FM-60 [†]	4738	FC-FM-60 [†]	5161	FC-FM-60-F	5518	FC-FMD-60-F	5943	FC-FM-60EF	8402	FC-FM-60KV	6380	FC-FM-60FV	6726	3
80"	FC-FM-80 [†]	5565	FC-FMD-80 [†]	6227	FC-FM-80-F	6607	FC-FMD-80-F	7214	FC-FM-80EF	10451	FC-FM-80KV	7749	FC-FM-80FV	8218	4
100"	FC-FM-100 [†]	6384	FC-FMD-100 [†]	7229	FC-FM-100-F	7685	FC-FMD-100-F	8531	FC-FM-100EF	12489	FC-FM-100KV	9001	FC-FM-100FV	9698	5
120"	FC-FM-120 [†]	7681	FC-FMD-120 [†]	8951	FC-FM-120-F	9242	FC-FMD-120-F	10196	FC-FM-120EF	15009	FC-FM-120KV	10718	FC-FM-120FV	11659	6

16 GA., 304 STAINLESS STEEL A.D.A. SINKS w/STAINLESS STEEL LEGS & FLANGED FEET

5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s).



"-F" Series Splash Mount Models Include K-161-LU 6" Goosenecks. "-F" Series Deck Mount Models Include K-134 8-1/2" Goosenecks.

L	NO FAUCETS INCLUDED				MANUAL FAUCETS INCLUDED				ELECTRONIC OPERATED FAUCETS		# of Faucets
	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	
40"	FC-FM-40-ADA [†]	\$4151	FC-FMD-40-ADA [†]	\$4468	FC-FM-40-ADA-F	\$4728	FC-FMD-40-ADA-F	\$5051	FC-FM-40EFADA	\$6426	2
60"	FC-FM-60-ADA [†]	4738	FC-FMD-60-ADA [†]	5161	FC-FM-60-ADA-F	5626	FC-FMD-60-ADA-F	6048	FC-FM-60EFADA	8172	3
80"	FC-FM-80-ADA [†]	5565	FC-FMD-80-ADA [†]	6227	FC-FM-80-ADA-F	6706	FC-FMD-80-ADA-F	7340	FC-FM-80EFADA	10101	4
100"	FC-FM-100-ADA [†]	6384	FC-FMD-100-ADA [†]	7229	FC-FM-100-ADA-F	8017	FC-FMD-100-ADA-F	8862	FC-FM-100EFADA	12260	5
120"	FC-FM-120-ADA [†]	7681	FC-FMD-120-ADA [†]	8951	FC-FM-120-ADA-F	9610	FC-FMD-120-ADA-F	10605	FC-FM-120EFADA	14701	6

[†]Add K-472 For Faucet Hole Revision \$121

SERVICE SINKS

NSF Service Sinks

14 GA., 304 STAINLESS STEEL SERVICE SINKS w/STAINLESS STEEL LEGS & FLANGED FEET

10" or 12" Bowl Depth • 8-1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated

• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing 3 1/2" Basket Drain(s)

"-F" Series Splash Mount Models Include K-159 3-1/2" Gooseneck. "-F" Series Deck Mount Models Include K-134 8-1/2" Gooseneck.



FS-FM-2219 Shown



FS-FM-2219-F Shown




FS-FM-2219EF Shown



FS-FM-2219KV Shown



FS-FM-2219FV Shown



FS-WMD-2219 Shown

NO FAUCET INCLUDED				MANUAL FAUCETS INCLUDED				ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS		Bowl Depth	Overall Size	
Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Splash Mount	Price	Splash Mount	Price		L	W
FS-FM-2219 [†]	\$2750	FS-FMD-2219 [†]	\$3066	FS-FM-2219-F	\$3051	FS-FMD-2219-F	\$3371	FS-FM-2219EF	\$3970	FS-FM-2219KV*	\$3413	FS-FM-2219FV	\$3750	10"	23"	23"
FS-FM-2721 [†]	2897	FS-FMD-2721 [†]	3318	FS-FM-2721-F	3199	FS-FMD-2721-F	3623	FS-FM-2721EF	4118	FS-FM-2721KV*	3560	FS-FM-2721FV	3898	12"	27"	21 1/2"
FS-FM-3119 [†]	3187	FS-FMD-3119 [†]	3502	FS-FM-3119-F	3520	FS-FMD-3119-F	3838	FS-FM-3119EF	4531	FS-FM-3119KV*	3917	FS-FM-3119FV	4287	12"	31"	23"

*Knee Valve Unit Has 8" Bowl Depth

14 GA., 304 STAINLESS STEEL A.D.A. SERVICE SINKS w/STAINLESS STEEL LEGS & FLANGED FEET



5" Bowl Depth • 8-1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Hole on Electronic Operated

• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s).

"-F" Series Splash Mount Models Include K-161-LU 6" Gooseneck. "-F" Series Deck Mount Models Include K-134 8-1/2" Gooseneck.

NO FAUCET INCLUDED				MANUAL FAUCET INCLUDED				ELECTRONIC OPERATED FAUCET		Bowl Depth	Overall Sizes	
Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price		L	W
FS-FM-1-ADA [†]	\$4182	FS-FMD-1-ADA [†]	\$4499	FS-FM-1-ADA-F	\$4555	FS-FMD-1-ADA-F	\$4872	FS-FM-1-EFADA	\$5402	5"	40"	19-1/2"

[†]Add K-472 For Faucet Hole Revision \$121

16 GA., 304 STAINLESS STEEL SERVICE SINKS w/STAINLESS STEEL LEGS & FLANGED FEET

10" or 12" Bowl Depth • 8-1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated

• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s).

Gooseneck Faucet Included On "-F" Series Sinks. Splash Mt. Models Include 3-1/2" Gooseneck, Deck Mt. Models Include 6" Gooseneck.



FC-FM-2219 Shown



FC-FM-2219-F Shown



FC-FM-2219EF Shown



FC-FM-2219KV Shown



FC-FM-2219FV Shown



Toe-Push Valve

NO FAUCET INCLUDED				MANUAL FAUCET INCLUDED				ELECTRONIC OPERATED FAUCET		KNEE OPERATED FAUCET		TOE-PUSH OPERATED FAUCETS		Bowl Depth	Overall Sizes	
Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Splash Mount	Price	Splash Mount	Price		L	W
FC-FM-2219 [†]	\$2490	FC-FMD-2219 [†]	\$2814	FC-FM-2219-F	\$2792	FC-FMD-2219-F	\$3108	FC-FM-2219EF	\$3711	FC-FM-2219KV*	\$3061	FC-FM-2219FV	\$3468	10"	23"	19 1/2"
FC-FM-2721 [†]	2599	FC-FMD-2721 [†]	3024	FC-FM-2721-F	2901	FC-FMD-2721-F	3218	FC-FM-2721EF	3819	FC-FM-2721KV*	3261	FC-FM-2721FV	3581	12"	27"	21 1/2"
FC-FM-3119 [†]	2858	FC-FMD-3119 [†]	3176	FC-FM-3119-F	3192	FC-FMD-3119-F	3518	FC-FM-3119EF	4200	FC-FM-3119KV*	3587	FC-FM-3119FV	3938	12"	31"	23"

*Knee Valve Unit Has 8" Bowl Depth

16 GA., 304 STAINLESS STEEL A.D.A. SERVICE SINKS w/STAINLESS STEEL LEGS & FLANGED FEET

5" Bowl Depth • 8-1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Hole on Electronic Operated

• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s).

"-F" Series Splash Mount Models Include K-161-LU 6" Gooseneck. "-F" Series Deck Mount Models Include K-134 8-1/2" Gooseneck.



NO FAUCET INCLUDED				MANUAL FAUCET INCLUDED				ELECTRONIC OPERATED FAUCET		Bowl Depth	Overall Sizes	
Splash Mount	Price	Deck Mount	Price	Splash Mount	Price	Deck Mount	Price	Model #	Price		L	W
FC-FM-1-ADA [†]	\$3984	FC-FMD-1-ADA [†]	\$4305	FC-FM-1-ADA-F	\$4356	FC-FMD-1-ADA-F	\$4725	FC-FM-1-EFADA	\$5205	5"	40"	19 1/2"

[†]Add K-472 For Faucet Hole Revision \$121

MULTI-STATIONS

Square Corner Multi-Stations

 = Ships Via UPS

16 GA., 304 STAINLESS STEEL MULTI-STATIONS W/STAINLESS STEEL LEGS & FLANGED FEET

8" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated

• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s)



19-FM-40 Shown



19-FM-40-F Shown



19-FM-40EF Shown



19-FM-40KV Shown



19-FM-40FV Shown



Toe-Push Valve

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price			
23"	19-FM-23 [†]	\$2294	19-FM-23-F	\$2555	19-FM-23EF	\$3586	19-FM-23KV	\$2935	19-FM-23FV	\$3027	1	50 lbs.	10
40"	19-FM-40 [†]	3434	19-FM-40-F	3953	19-FM-40EF	5875	19-FM-40KV	4590	19-FM-40FV	4759	2	60 lbs.	15
60"	19-FM-60 [†]	4085	19-FM-60-F	4866	19-FM-60EF	7749	19-FM-60KV	5728	19-FM-60FV	6073	3	70 lbs.	18
80"	19-FM-80 [†]	4492	19-FM-80-F	5532	19-FM-80EF	9487	19-FM-80KV	6786	19-FM-80FV	7253	4	90 lbs.	22
100"	19-FM-100 [†]	5364	19-FM-100-F	6665	19-FM-100EF	11471	19-FM-100KV	7982	19-FM-100FV	8680	5	120 lbs.	30
120"	19-FM-120 [†]	6711	19-FM-120-F	8272	19-FM-120EF	14039	19-FM-120KV	9748	19-FM-120FV	10689	6	155 lbs.	36

[†]Add K-472 For Faucet Hole Revision \$121

16 GAUGE, 304 STAINLESS STEEL A.D.A. MULTI-STATIONS WITH TUBULAR SUPPORTS



5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated or Single Holes on Electronic Faucet Operated

• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s)




19-FM-40-ADA Shown



19-FM-40-ADA-F Shown



19-FM-40-EFADA Shown



Hands-Free Electronic Faucet

L	NO FAUCETS INCLUDED		MANUAL FAUCETS INCLUDED		ELECTRONIC OPERATED FAUCETS		# of Faucets	Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price			
40"	19-FM-40-ADA [†]	\$3434	19-FM-40-ADA-F	\$4145	19-FM-40EFADA	\$5780	2	60 lbs.	15
60"	19-FM-60-ADA [†]	4085	19-FM-60-ADA-F	5203	19-FM-60EFADA	7592	3	70 lbs.	18
80"	19-FM-80-ADA [†]	4492	19-FM-80-ADA-F	6092	19-FM-80EFADA	9377	4	100 lbs.	22
100"	19-FM-100-ADA [†]	5364	19-FM-100-ADA-F	7228	19-FM-100EFADA	11361	5	130 lbs.	30
120"	19-FM-120-ADA [†]	6711	19-FM-120-ADA-F	8947	19-FM-120EFADA	13851	6	165 lbs.	36

[†]Add K-472 For Faucet Hole Revision \$121

SERVICE SINKS

Square Corner Service Sinks

16 GAUGE, 304 STAINLESS STEEL SERVICE SINKS w/STAINLESS STEEL LEGS & FLANGED FEET

12" Bowl Depth (Excludes Knee Valve Units*) • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Knee/Toe-Push or Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Side & Rear Cross-Bracing • 3 1/2" Basket Drain(s)



WSS-14-21-FM Shown



WSS-14-21-FM-F Shown



WSS-14-21EF-FM Shown



WSS-14-21KV-FM Shown



WSS-14-21FV-FM Shown



Toe-Push Valve

NO FAUCET INCLUDED		MANUAL FAUCET INCLUDED		ELECTRONIC OPERATED FAUCETS		KNEE OPERATED FAUCETS		TOE-PUSH OPERATED FAUCETS					
Model #	Price	Model #	Price	Model #	Price	Model #	Price	Model #	Price	L	W	Wt.	Cu. Ft.
WSS-14-21-FM†	\$2391	WSS-14-21-FM-F	\$2651	WSS-14-21EF-FM	\$3612	WSS-14-21KV-FM*	\$2961	WSS-14-21FV-FM	\$3054	18"	17-1/2"	45 lbs.	8
WSS-16-25-FM†	2596	WSS-16-25-FM-F	2856	WSS-16-25EF-FM	3817	WSS-16-25KV-FM*	3259	WSS-16-25FV-FM	3608	22"	19-1/2"	52 lbs.	10
WSS-16-31-FM†	2856	WSS-16-31-FM-F	3142	WSS-16-31EF-FM	4199	WSS-16-31KV-FM*	3586	WSS-16-31FV-FM	3969	31"	19-1/2"	58 lbs.	11

†Add K-472 For Faucet Hole Revision \$121

*Knee Valve Unit Has 8" Bowl Depth

16 GAUGE, 304 STAINLESS STEEL A.D.A. SERVICE SINKS WITH TUBULAR SUPPORTS



5" Bowl Depth • 8 1/2" High Backsplash • 8" O.C. Faucet Holes on Manual Operated, Single Holes on Electronic Operated
• Stainless Steel Flanged Feet • Wall Support Bracket • Rear Cross-Bracing • 3 1/2" Basket Drain(s)




19-FM-1-ADA Shown



19-FM-1-ADA-F Shown



19-FM-1-EFADA Shown



Hands-Free Electronic Faucet

NO FAUCET INCLUDED		MANUAL FAUCET INCLUDED		ELECTRONIC OPERATED FAUCET					
Model #	Price	Model #	Price	Model #	Price	L	W	Wt.	Cu. Ft.
19-FM-1-ADA†	\$3336	19-FM-1-ADA-F†	\$3638	19-FM-1-EFADA	\$4499	40"	19 1/2"	60 lbs.	15

†Add K-472 For Faucet Hole Revision \$121

MULTI-STATION HAND SINK ACCESSORIES & MODIFICATIONS



K-6



K-161-LU



K-134



K-159



K-316



K-101



TA-19

Model	Description	Price	Model	Description	Price
K-6	3 1/2" Drain (1 1/2" I.P.S.)	\$46 ea.	K-1118	Extra H.D. 8" Splash Mounted Faucet	366 ea.
K-13	Stainless Steel Soap Dispenser	412 ea.	K-316-LU	Wrist Handles	114 pair
K-101	8" Swing Spout Splash Mt. Faucet	226 ea.	K-472	Faucet Hole Revision (Manual Faucet Operated Sinks Only)	132
K-121	Single Hole, Splash Mounted 3-1/2" Gooseneck Spout	141 ea.		Reduce rear splash on ADA multi-station hand sink or service sink to 5" tall (top of splash 39" AFF if installed at ADA working height, allows ADA compliant mirror (by others) to be mounted over sink)	N/C
K-134	Deck Mounted 8-1/2" Gooseneck Faucet (8" O.C.)	616 ea.	K-449		N/C
K-159	Splash Mounted 3-1/2" Gooseneck Faucet (8" O.C.)	449 ea.	K-508	Special Sizing Charge (Larger Size Cut Down To Smaller Size)	N/C
K-161-LU	Splash Mounted 6" Gooseneck Faucet (8" O.C.) With Wrist Handles	500 ea.	TA-19	Adjustable Stainless Steel Flanged Bullet Foot	56 ea.
K-411	Strainer Plate for 3-1/2" Drain	23 ea.			

WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info., visit www.p65warnings.ca.gov.

REGALINE

Deep Drawn Sinks

ALL MODELS INCLUDE
STAINLESS STEEL LEGS
& BULLET FEET



Deep Drawn Bowls Are Seamless And
Drawn Out of a Single Sheet of Steel

Features and Benefits

- 3" Large Radius Corners
- Easy to Clean
- Satin Finish
- No Welded Seams



SPEC-LINE "94" Series

- 14 ga. 304 Stainless Steel
- Stainless Steel Adjustable Cross Bracing on Front & Rear; Welded On Sides
- 16 ga. 304 Stainless Steel Legs & Bullet Feet
- 11" Backsplash
- 14" Deep Sink Bowls

THE ONLY
14 GAUGE
Deep Drawn
SINK!

STANDARD "93" Series

- 16 ga. 304 Stainless Steel
- Stainless Steel Welded Side Cross Bracing
- Stainless Steel Legs and Bullet Feet
- 8" Backsplash
- 12" Deep Sink Bowls

SUPERSAVER "9" Series

- 18 ga. 304 Stainless Steel
- Stainless Steel Welded Side Cross Bracing
- Stainless Steel Legs and Bullet Feet
- 8" Backsplash
- 12" Deep Sink Bowls

ONE, TWO, THREE AND FOUR COMPARTMENTS with No Drainboards



94 Series Shown

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level		
Approx.			Approx.			Approx.		
Model #	Price	Wt. (lbs.)	Model #	Price	Wt. (lbs.)	Model #	Price	Cu. Ft.
94-1-24	\$3870	77	93-1-24	\$2515	62	9-1-24	\$2307	20
94-2-36	5021	109	93-2-36	3447	76	9-2-36	3159	20
94-3-54	6204	142	93-3-54	4364	107	9-3-54	4001	28
94-4-72	7933	225	93-4-72	5643	176	9-4-72	5179	44
94-21-20	4227	92	93-21-20	2741	80	9-21-20	2700	20
94-22-40	5513	116	93-22-40	3793	92	9-22-40	3478	23
94-23-60	7097	232	93-23-60	5028	188	9-23-60	4608	44
94-24-80	8920	285	93-24-80	6423	210	9-24-80	5907	56
94-61-18	4396	95	93-61-18	2947	84	9-61-18	2722	24
94-62-36	5639	165	93-62-36	3970	144	9-62-36	3667	26
94-63-54	7181	249	93-63-54	5167	203	9-63-54	4762	36
94-64-72	8950	312	93-64-72	6523	264	9-64-72	6025	56
94-41-24	4529	97	93-41-24	3176	85	9-41-24	2914	23
94-42-48	6553	174	93-42-48	4786	145	9-42-48	4389	31
94-43-72	8255	252	93-43-72	6266	213	9-43-72	5748	56
94-44-96	10261	347	93-44-96	8042	302	9-44-96	7369	74
94-81-20	4992	134	93-81-20	3305	94	9-81-20	3021	27
94-82-40	6569	176	93-82-40	4855	150	9-82-40	4449	45
94-83-60	8504	255	93-83-60	6481	225	9-83-60	5940	65
94-84-80	10852	345	93-84-80	8380	310	9-84-80	7672	78



REGALINE

Deep Drawn Sinks



ONE COMPARTMENT WITH TWO DRAINBOARDS

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

			14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level			Cu. Ft.
Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	
16" x 20"	54"	18"	94-1-24-18RL	\$4151	97	93-1-24-18RL	\$3611	82	9-1-24-18RL	\$3424	71	29
	66"	24"	94-1-24-24RL	4316	118	93-1-24-24RL	3726	95	9-1-24-24RL	3445	95	33
	90"	36"	94-1-24-36RL	4745	164	93-1-24-36RL	3997	134	9-1-24-36RL	3658	134	48
20" x 20"	58"	18"	94-21-20-18RL	4559	95	93-21-20-18RL	3955	78	9-21-20-18RL	3596	78	26
	70"	24"	94-21-20-24RL	4704	117	93-21-20-24RL	3990	92	9-21-20-24RL	3675	92	34
	94"	36"	94-21-20-36RL	5336	168	93-21-20-36RL	4237	147	9-21-20-36RL	4085	147	50
18" x 24"	56"	18"	94-61-18-18RL	4715	160	93-61-18-18RL	4128	138	9-61-18-18RL	3779	138	29
	68"	24"	94-61-18-24RL	4856	179	93-61-18-24RL	4163	150	9-61-18-24RL	3857	150	43
	92"	36"	94-61-18-36RL	5464	210	93-61-18-36RL	4404	180	9-61-18-36RL	4259	180	67
24" x 24"	74"	24"	94-41-24-24RL	5453	213	93-41-24-24RL	4846	185	9-41-24-24RL	4499	185	48
	98"	36"	94-41-24-36RL	6385	252	93-41-24-36RL	5037	210	9-41-24-36RL	4706	210	64
20" x 28"	58"	18"	94-81-20-18RL	5399	173	93-81-20-18RL	4890	150	9-81-20-18RL	4552	150	46
	70"	24"	94-81-20-24RL	5546	186	93-81-20-24RL	5037	165	9-81-20-24RL	4701	165	55
	94"	36"	94-81-20-36RL	6979	225	93-81-20-36RL	5190	195	9-81-20-36RL	4821	195	73

Weights and Cubes are approximate



ONE COMPARTMENT WITH ONE DRAINBOARD

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

			14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level			Cu. Ft.
Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	
16" x 20"	40"	18"	94-1-24-18RorL	\$3995	93	93-1-24-18RorL	\$3448	75	9-1-24-18RorL	\$3235	65	20
	46"	24"	94-1-24-24RorL	4064	98	93-1-24-24RorL	3490	80	9-1-24-24RorL	3267	73	24
	58"	36"	94-1-24-36RorL	4429	114	93-1-24-36RorL	3858	90	9-1-24-36RorL	3558	78	26
20" x 20"	44"	18"	94-21-20-18RorL	4387	98	93-21-20-18RorL	3821	80	9-21-20-18RorL	3469	71	20
	50"	24"	94-21-20-24RorL	4455	104	93-21-20-24RorL	3851	86	9-21-20-24RorL	3506	77	23
	62"	36"	94-21-20-36RorL	4991	127	93-21-20-36RorL	3962	107	9-21-20-36RorL	3588	91	31
18" x 24"	42"	18"	94-61-18-18RorL	4541	100	93-61-18-18RorL	3996	84	9-61-18-18RorL	3658	75	24
	48"	24"	94-61-18-24RorL	4614	106	93-61-18-24RorL	4026	92	9-61-18-24RorL	3689	84	27
	60"	36"	94-61-18-36RorL	5135	130	93-61-18-36RorL	4131	109	9-61-18-36RorL	3767	95	38
24" x 24"	54"	24"	94-41-24-24RorL	5206	126	93-41-24-24RorL	4632	105	9-41-24-24RorL	4227	92	28
	66"	36"	94-41-24-36RorL	6011	149	93-41-24-36RorL	4736	126	9-41-24-36RorL	4338	110	42
20" x 28"	44"	18"	94-81-20-18RorL	5095	139	93-81-20-18RorL	4668	116	9-81-20-18RorL	4283	107	36
	50"	24"	94-81-20-24RorL	5182	146	93-81-20-24RorL	4759	122	9-81-20-24RorL	4365	113	46
	62"	36"	94-81-20-36RorL	6542	170	93-81-20-36RorL	4848	142	9-81-20-36RorL	4472	133	54

Weights and Cubes are approximate

See pages 35 and 36 for faucets, accessories, and modifications.

REGALINE

Deep Drawn Sinks



TWO COMPARTMENTS WITH TWO DRAINBOARDS

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

			14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level				
Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Cu. Ft.	
16" x 20"	72"	18"	94-2-36-18RL	\$5586	141	93-2-36-18RL	\$4740	118	9-2-36-18RL	\$4323	100	40	
	85"	24"	94-2-36-24RL	5717	156	93-2-36-24RL	4827	130	9-2-36-24RL	4393	110	46	
	109"	36"	94-2-36-36RL	6322	212	93-2-36-36RL	5455	169	9-2-36-36RL	4911	144	58	
20" x 20"	81"	18"	94-22-40-18RL	6299	176	93-22-40-18RL	5359	147	9-22-40-18RL	4789	125	44	
	93"	24"	94-22-40-24RL	6404	220	93-22-40-24RL	5420	184	9-22-40-24RL	4829	162	50	
	117"	36"	94-22-40-36RL	7004	273	93-22-40-36RL	5751	237	9-22-40-36RL	5097	215	72	
18" x 24"	77"	18"	94-62-36-18RL	6404	247	93-62-36-18RL	5493	206	9-62-36-18RL	4942	181	50	
	89"	24"	94-62-36-24RL	6509	277	93-62-36-24RL	5549	241	9-62-36-24RL	4979	226	58	
	113"	36"	94-62-36-36RL	7085	341	93-62-36-36RL	5864	297	9-62-36-36RL	5234	271	96	
24" x 24"	101"	24"	94-42-48-24RL	7753	339	93-42-48-24RL	6861	295	9-42-48-24RL	6216	259	65	
	125"	36"	94-42-48-36RL	8325	391	93-42-48-36RL	7104	339	9-42-48-36RL	6967	314	96	
20" x 28"	81"	18"	94-82-40-18RL	7369	251	93-82-40-18RL	7160	219	9-82-40-18RL	6795	194	64	
	93"	24"	94-82-40-24RL	7699	294	93-82-40-24RL	7314	253	9-82-40-24RL	6946	228	73	
	117"	36"	94-82-40-36RL	8219	333	93-82-40-36RL	7461	287	9-82-40-36RL	7073	261	96	

Weights and Cubes are approximate



TWO COMPARTMENTS WITH ONE DRAINBOARD

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

			14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level				
Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Cu. Ft.	
16" x 20"	58"	18"	94-2-36-18RorL	\$5399	108	93-2-36-18RorL	\$4564	88	9-2-36-18RorL	\$4186	72	26	
	64"	24"	94-2-36-24RorL	5493	115	93-2-36-24RorL	4634	96	9-2-36-24RorL	4232	80	34	
	76"	36"	94-2-36-36RorL	5775	158	93-2-36-36RorL	4717	132	9-2-36-36RorL	4295	115	42	
20" x 20"	66"	18"	94-22-40-18RorL	6106	118	93-22-40-18RorL	5198	96	9-22-40-18RorL	4660	83	30	
	72"	24"	94-22-40-24RorL	6178	136	93-22-40-24RorL	5224	114	9-22-40-24RorL	4680	95	39	
	84"	36"	94-22-40-36RorL	6513	163	93-22-40-36RorL	5310	140	9-22-40-36RorL	4744	123	46	
18" x 24"	62"	18"	94-62-36-18RorL	6216	147	93-62-36-18RorL	5330	128	9-62-36-18RorL	4818	115	40	
	68"	24"	94-62-36-24RorL	6287	160	93-62-36-24RorL	5359	139	9-62-36-24RorL	4835	126	44	
	80"	36"	94-62-36-36RorL	6613	200	93-62-36-36RorL	5441	174	9-62-36-36RorL	4895	158	53	
24" x 24"	80"	24"	94-42-48-24RorL	7434	229	93-42-48-24RorL	6579	194	9-42-48-24RorL	6005	172	53	
	92"	36"	94-42-48-36RorL	7886	261	93-42-48-36RorL	7081	235	9-42-48-36RorL	6750	194	60	
20" x 28"	66"	18"	94-82-40-18RorL	7316	213	93-82-40-18RorL	7007	183	9-82-40-18RorL	6582	167	60	
	72"	24"	94-82-40-24RorL	7403	227	93-82-40-24RorL	7093	195	9-82-40-24RorL	6666	176	64	
	84"	36"	94-82-40-36RorL	7810	266	93-82-40-36RorL	7324	227	9-82-40-36RorL	6722	207	76	

Weights and Cubes are approximate

See pages 35 and 36 for faucets, accessories, and modifications.



REGALINE

Deep Drawn Sinks



THREE COMPARTMENTS WITH TWO DRAINBOARDS

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

			14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level			Cu. Ft.
Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	
16" x 20"	91"	18"	94-3-54-18RL	\$6622	230	93-3-54-18RL	\$5673	189	9-3-54-18RL	\$4382	182	49
	103"	24"	94-3-54-24RL	6762	248	93-3-54-24RL	5759	197	9-3-54-24RL	4455	190	55
	127"	36"	94-3-54-36RL	7414	275	93-3-54-36RL	6112	239	9-3-54-36RL	5759	208	96
20" x 20"	103"	18"	94-23-60-18RL	7802	248	93-23-60-18RL	6727	203	9-23-60-18RL	6034	198	59
	115"	24"	94-23-60-24RL	8030	276	93-23-60-24RL	6902	220	9-23-60-24RL	6181	195	65
	139"	36"	94-23-60-36RL	8661	408	93-23-60-36RL	7152	387	9-23-60-36RL	6380	364	89
18" x 24"	97"	18"	94-63-54-18RL	7862	323	93-63-54-18RL	6818	289	9-63-54-18RL	6148	226	62
	109"	24"	94-63-54-24RL	8087	334	93-63-54-24RL	6983	304	9-63-54-24RL	6294	233	85
	133"	36"	94-63-54-36RL	8694	418	93-63-54-36RL	7231	367	9-63-54-36RL	6479	325	96
24" x 24"	*127"	24"	94-43-72-24RL	9582	390	93-43-72-24RL	8635	331	9-43-72-24RL	7831	318	98
	*151"	36"	94-43-72-36RL	10280	448	93-43-72-36RL	8825	393	9-43-72-36RL	8346	345	110
20" x 28"	103"	18"	94-83-60-18RL	9696	358	93-83-60-18RL	8673	315	9-83-60-18RL	8262	277	83
	115"	24"	94-83-60-24RL	9836	394	93-83-60-24RL	8821	346	9-83-60-24RL	8403	305	95
	139"	36"	94-83-60-36RL	10574	451	93-83-60-36RL	9032	398	9-83-60-36RL	8548	350	109

* Requires Two Faucets

Weights and Cubes are approximate



THREE COMPARTMENTS WITH ONE DRAINBOARD

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

			14 Ga. 304 S/S 14" Water Level			16 Ga. 304 S/S 12" Water Level			18 Ga. 304 S/S 12" Water Level			Cu. Ft.
Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	
16" x 20"	77"	18"	94-3-54-18RorL	\$6465	214	93-3-54-18RorL	\$5521	173	9-3-54-18RorL	\$4235	167	42
	83"	24"	94-3-54-24RorL	6533	222	93-3-54-24RorL	5563	188	9-3-54-24RorL	4275	177	45
	95"	36"	94-3-54-36RorL	6904	243	93-3-54-36RorL	5935	220	9-3-54-36RorL	5353	190	51
20" x 20"	89"	18"	94-23-60-18RorL	7626	234	93-23-60-18RorL	6548	207	9-23-60-18RorL	5888	184	52
	95"	24"	94-23-60-24RorL	7677	245	93-23-60-24RorL	6576	205	9-23-60-24RorL	5907	193	55
	107"	36"	94-23-60-36RorL	8111	252	93-23-60-36RorL	6791	216	9-23-60-36RorL	5977	208	60
18" x 24"	83"	18"	94-63-54-18RorL	7694	296	93-63-54-18RorL	6640	271	9-63-54-18RorL	6005	255	54
	89"	24"	94-63-54-24RorL	7745	308	93-63-54-24RorL	6666	281	9-63-54-24RorL	6025	269	58
	101"	36"	94-63-54-36RorL	8163	318	93-63-54-36RorL	6881	300	9-63-54-36RorL	6088	287	65
24" x 24"	*107"	24"	94-43-72-24RorL	9339	342	93-43-72-24RorL	8383	312	9-43-72-24RorL	7660	298	68
	*119"	36"	94-43-72-36RorL	10093	365	93-43-72-36RorL	8454	339	9-43-72-36RorL	8129	320	96
20" x 28"	89"	18"	94-83-60-18RorL	9422	281	93-83-60-18RorL	8458	232	9-83-60-18RorL	8085	225	79
	95"	24"	94-83-60-24RorL	9505	296	93-83-60-24RorL	8542	273	9-83-60-24RorL	8165	268	86
	107"	36"	94-83-60-36RorL	9367	308	93-83-60-36RorL	8622	287	9-83-60-36RorL	8215	277	89

* Requires Two Faucets

Weights and Cubes are approximate

See pages 35 and 36 for faucets, accessories, and modifications.

REGALINE

Deep Drawn Sinks



FOUR COMPARTMENTS WITH TWO DRAINBOARDS

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

14 Ga. 304 S/S 14" Water Level	16 Ga. 304 S/S 12" Water Level	18 Ga. 304 S/S 12" Water Level
-----------------------------------	-----------------------------------	-----------------------------------

Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Cu. Ft.
16" x 20"	110"	18"	94-4-72-18RL	\$8292	210	93-4-72-18RL	\$7146	183	9-4-72-18RL	\$6629	175	58
	122"	24"	94-4-72-24RL	8446	275	93-4-72-24RL	7254	252	9-4-72-24RL	6718	241	64
	146"	36"	94-4-72-36RL	9064	313	93-4-72-36RL	7475	287	9-4-72-36RL	7114	274	86
20" x 20"	126"	18"	94-24-80-18RL	9674	293	93-24-80-18RL	8325	268	9-24-80-18RL	7475	259	87
	138"	24"	94-24-80-24RL	9771	312	93-24-80-24RL	8432	286	9-24-80-24RL	7541	275	95
	162"	36"	94-24-80-36RL	10473	351	93-24-80-36RL	8664	322	9-24-80-36RL	7933	308	111
18" x 24"	118"	18"	94-64-72-18RL	9678	358	93-64-72-18RL	8371	346	9-64-72-18RL	7544	336	82
	130"	24"	94-64-72-24RL	9772	372	93-64-72-24RL	8472	355	9-64-72-24RL	7613	344	90
	154"	36"	94-64-72-36RL	10452	409	93-64-72-36RL	8697	392	9-64-72-36RL	7992	378	106
24" x 24"	154"	24"	94-44-96-24RL	11545	395	93-44-96-24RL	10874	361	9-44-96-24RL	9630	348	106
	178"	36"	94-44-96-36RL	12376	431	93-44-96-36RL	11123	398	9-44-96-36RL	10470	382	122
20" x 28"	126"	18"	94-84-80-18RL	11736	382	93-84-80-18RL	11109	361	9-84-80-18RL	10487	350	97
	138"	24"	94-84-80-24RL	11885	402	93-84-80-24RL	11258	374	9-84-80-24RL	10635	361	106
	162"	36"	94-84-80-36RL	12768	442	93-84-80-36RL	11478	411	9-84-80-36RL	10760	395	124

ALL UNITS REQUIRE TWO FAUCETS

Weights and Cubes are approximate



FOUR COMPARTMENTS WITH ONE DRAINBOARD

Spec-Line 94 Series

Standard 93 Series

Super Saver 9 Series

14 Ga. 304 S/S 14" Water Level	16 Ga. 304 S/S 12" Water Level	18 Ga. 304 S/S 12" Water Level
-----------------------------------	-----------------------------------	-----------------------------------

Bowl Size	O.A. Length	DRBD. Size	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Model #	Price	Approx. Wt. (lbs.)	Cu. Ft.
16" x 20"	95"	18"	94-4-72-18RorL	\$7995	202	93-4-72-18RorL	\$6863	165	9-4-72-18RorL	\$6381	158	52
	101"	24"	94-4-72-24RorL	8067	216	93-4-72-24RorL	6909	186	9-4-72-24RorL	6410	175	54
	113"	36"	94-4-72-36RorL	8638	260	93-4-72-36RorL	7125	238	9-4-72-36RorL	6816	227	60
20" x 20"	111"	18"	94-24-80-18RorL	9441	299	93-24-80-18RorL	8159	241	9-24-80-18RorL	6786	229	61
	117"	24"	94-24-80-24RorL	9493	320	93-24-80-24RorL	8187	250	9-24-80-24RorL	7369	239	82
	129"	36"	94-24-80-36RorL	10055	341	93-24-80-36RorL	8297	267	9-24-80-36RorL	7460	250	90
18" x 24"	103"	18"	94-64-72-18RorL	9453	339	93-64-72-18RorL	8210	329	9-64-72-18RorL	7002	318	72
	109"	24"	94-64-72-24RorL	9505	351	93-64-72-24RorL	8239	338	9-64-72-24RorL	7443	329	76
	121"	36"	94-64-72-36RorL	10050	369	93-64-72-36RorL	8349	353	9-64-72-36RorL	7526	341	84
24" x 24"	133"	24"	94-44-96-24RorL	11229	354	93-44-96-24RorL	10638	336	9-44-96-24RorL	9423	327	92
	145"	36"	94-44-96-36RorL	11611	376	93-44-96-36RorL	10770	355	9-44-96-36RorL	10152	344	100
20" x 28"	111"	18"	94-84-80-18RorL	11463	348	93-84-80-18RorL	10891	329	9-84-80-18RorL	10280	317	87
	117"	24"	94-84-80-24RorL	11547	364	93-84-80-24RorL	10974	337	9-84-80-24RorL	10367	329	91
	129"	36"	94-84-80-36RorL	12284	382	93-84-80-36RorL	11061	355	9-84-80-36RorL	10411	347	100

ALL UNITS REQUIRE TWO FAUCETS

Weights and Cubes are approximate

See pages 35 and 36 for faucets, accessories, and modifications.



SPECIALTY SINKS

Corner Sinks

16 Gauge, 304 Stainless Steel

- Welded Cross-Bracing
- Stainless Steel Legs
- Stainless Steel Adjustable Bullet Feet



94-K3-11D Shown

REQUIRES
TWO FAUCETS

MINI
CORNER

OPTIONAL:

5/8" Thick Poly-Vance Cutting Boards Available
(See Grid For Proper Model)

Six Deep Drawn Combinations To Choose From!

Model #	Bowl Sizes	Wall Dim.	Drbd. Dim.	Approx. Price	Approx. Wt.	Approx. Cubes	Optional Poly-Vance Cutting Boards
94-K6-18D	1) 20" x 20" x 12" 2) 16" x 20" x 12"	61" x 61"	18"	\$7608	231 lbs.	71	K-2E \$295
94-K2-24D	3) 20" x 20" x 12"	71" x 71"	24"	7809	265 lbs.	99	K-2E 295
94-K4-24D	3) 24" x 24" x 12"	79" x 79"	24"	8328	338 lbs.	114	K-2F 295
94-K8-30D	1) 20" x 20" x 12" 2) 20" x 28" x 12"	86" x 86"	30"	8865	350 lbs.	131	K-2E 295
94-K3-11D	1) 14" x 14" x 12" 2) 14" x 16" x 12"	54" x 54"	17"	5213	215 lbs.	60	K-2H 295
94-K5-11D	1) 14" x 14" x 10" 2) 10" x 14" x 10"	42" x 42"	11"	5648	180 lbs.	37	K-2H 295

FABRICATED SPECIALTY SINKS

Convenience Store Sinks

Our Solution....to Your Limited Space Problem
In Six Feet or less... you can WASH, RINSE & SANITIZE

- 18 Gauge Stainless Steel
- Stainless Steel Legs
- Welded Cross Bracing
- Stainless Steel Adjustable Bullet Feet

All Sinks Feature
TWO Drainboards



Model #	Bowl Size	# of Comp.	Drbd. Size	O.A. Length	Price	Approx. Wt.	Approx. Cu.
K7-CS-21	10" x 14" x 10"	3	12"	58"	\$2786	85 lbs.	27
K7-CS-22	10" x 14" x 10"	3	18"	70"	2863	120 lbs.	39
K7-CS-29	14" x 16" x 12"	3	12"	70"	3051	138 lbs.	39
K7-CS-32	12" x 20" x 12"	3	12"	64"	3541	130 lbs.	35

Super Size Sinks 16 Gauge, 304 Stainless Steel

Model #	Bowl Size	# of Comp.	Drbd. Size	Overall Size L x W	Price	Approx. Wt.	Approx. Cu.
K7-3-1432-18RL*	14" x 32" x 12"	3	18"	78" x 36"	\$7417	290 lbs.	50
K7-3-2030-24RL	20" x 30" x 14"	3	24"	108" x 36"	10620	345 lbs.	78
K7-3-2430-24RL	24" x 30" x 14"	3	24"	120" x 36"	11041	380 lbs.	86
K7-3-3024-24RL	30" x 24" x 14"	3	24"	138" x 30"	11428	395 lbs.	84
K7-3-3030-24RL	30" x 30" x 14"	3	24"	138" x 36"	11970	420 lbs.	98

*12" Deep Bowls For 14 Gauge Units Add -14 At End Of Model Number & Add \$617 List.



- Fabricated Design
- 16 ga. 304 Series
- 14" Deep Bowls
- Tile Edge Splash
- Full Skirt Design
- Stainless Steel Legs
- Stainless Steel Adjustable Bullet Feet
- Space Saving - Reduced Overall Lengths

Meat & Platter Sink

16 Gauge, 304 Stainless Steel

- Two 18" Drainboards
- 91" x 35 1/2"

Bowl Sizes:

- 1 - 24" x 30" Bowl
- 2 - 15" x 32" Bowls

- 351 lbs. 59 Cu. Ft.



18-K5-56 \$11213

Heavy Duty Extra Long Faucet

Required Faucet For Meat & Platter Sink



- Splash Mount
- 18" Swing Spout
- 8" O.C.
- T&S Equivalent: 5f-8WLX18

K-211 \$562

Units Can Be Customized With Modifications & Accessories!
See Pages 35 & 36. Other Sizes Available. Call For Pricing.

FABRICATED

FC Series Fabricated Sinks

16 GAUGE FABRICATED SINKS

- 16 Ga. 304 Stainless Steel
- 14" Deep Bowls
- All Welded Super-Sturdy Cross-Bracing
- Tile Edge Splash
- Stainless Steel Legs
- Adjustable Stainless Steel Bullet Feet

SUPER STURDY
CROSS BRACING



ONE COMPARTMENT SINKS

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
16" x 20"	FC-1-1620	21"	26"	\$1242	49	12
	FC-1-1620-18RorL	36.5"	26"	1989	65	18
	FC-1-1620-18RL	52"	26"	2055	80	25
18" x 18"	FC-1-1818	23"	24"	1214	50	13
	FC-1-1818-18RorL	38.5"	24"	1932	60	22
	FC-1-1818-18RL	54"	24"	1967	72	24
	FC-1-1818-24RorL	45"	24"	2211	66	17
	FC-1-1818-24RL	66"	24"	2285	85	26
18" x 24"	FC-1-1824	23"	30"	1411	63	16
	FC-1-1824-18RorL	38.5"	30"	2141	130	25
	FC-1-1824-24RorL	45"	30"	2253	139	28
	FC-1-1824-18RL	54"	30"	2212	170	34
	FC-1-1824-24RL	66"	30"	2293	175	40
24" x 24"	FC-1-2424	29"	30"	1500	68	16
	FC-1-2424-18RorL	44.5"	30"	2276	95	28
	FC-1-2424-24RorL	50.5"	30"	2466	146	34
	FC-1-2424-18RL	60"	30"	2415	175	37
	FC-1-2424-24RL	72"	30"	2547	196	44
30" x 24"	FC-1-3024	35"	30"	2646	80	20
	FC-1-3024-24RorL	56.5"	30"	3249	180	41
	FC-1-3024-24RL	78"	30"	3555	225	50
36" x 24"	FC-1-3624	41"	30"	3101	200	26
	FC-1-3624-24RorL	62.5"	30"	3707	225	46
	FC-1-3624-24RL	84"	30"	5072	250	59
48" x 24"	FC-1-4824-24RL	96"	30"	5341	290	56

TWO COMPARTMENT SINKS

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
15" x 15"	FC-2-1515	35"	21"	\$2106	57	19
16" x 20"	FC-2-1620	37"	26"	2423	60	18
	FC-2-1620-18RorL	52.5"	26"	2838	62	25
	FC-2-1620-18RL	68"	26"	2919	101	32
18" x 18"	FC-2-1818	41"	24"	2281	66	23
	FC-2-1818-18RorL	56.5"	24"	2640	89	26
	FC-2-1818-18RL	72"	24"	2795	183	41
	FC-2-1818-24RL	84"	24"	3003	200	30
18" x 24"	FC-2-1824	41"	30"	2451	181	26
	FC-2-1824-18RorL	56.5"	30"	2784	185	37
	FC-2-1824-24RorL	62.5"	30"	3044	200	39
	FC-2-1824-18RL	72"	30"	3130	210	44
	FC-2-1824-24RL	84"	30"	3271	230	51
20" x 30"	FC-2-2030-18RorL	60.5"	30"	4620	195	42
	FC-2-2030-18RL	76"	30"	4715	250	47
	FC-2-2030-24RorL	66.5"	30"	4838	250	45
	FC-2-2030-24RL	88"	30"	4950	285	56
24" x 24"	FC-2-2424	53"	30"	2672	181	33
	FC-2-2424-18RorL	68.5"	30"	3275	233	42
	FC-2-2424-24RorL	74.5"	30"	3398	240	46
	FC-2-2424-18RL	84"	30"	3332	245	53
	FC-2-2424-24RL	96"	30"	3484	255	60

new

new

new

new

Additional Sizes Available.

See Modifications & Accessories on Pages 35 & 36

Fabricated Corner Sink

16 Gauge, 304 Stainless Steel


FC-K6-18D \$5481



- Welded Cross-Bracing
- S/S Legs & Bullet Feet
- Requires 2 Faucets (Not Included)
- 3 - 18" x 18" x 14" Bowls
- 2 - 18" x 18" Drainboards
- Wall Dimension: 57" x 57"
- 248 Lbs. 66 Cu. Ft.



SUPER STURDY
CROSS BRACING



FABRICATED

FC Series Fabricated Sinks

16 GAUGE FABRICATED SINKS

- 16 Ga. 304 Stainless Steel
- 14" Deep Bowls
- All Welded Super-Sturdy Cross-Bracing
- Tile Edge Splash
- Stainless Steel Legs
- Adjustable Stainless Steel Bullet Feet



THREE COMPARTMENT SINKS

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
15" x 15"	FC-3-1515	50"	21"	\$2407	85	25
	FC-3-1515-15RorL	62.5"	21"	2581	98	31
	FC-3-1515-15RL	75"	21"	2652	120	42
15" x 24"	FC-3-1524	50"	30"	2816	180	34
	FC-3-1524-24RorL	71.5"	30"	3331	210	58
	FC-3-1524-24RL	93"	30"	3885	255	52
16" x 20"	FC-3-1620	53"	26"	2928	120	25
	FC-3-1620-18RorL	68.5"	26"	3129	225	32
	FC-3-1620-18RL	84"	26"	3304	235	38
	FC-3-1620-24RL	96"	26"	3536	263	49
18" x 18"	FC-3-1818	59"	24"	2822	135	25
	FC-3-1818-18RorL	74.5"	24"	3000	235	31
	FC-3-1818-24RorL	80.5"	24"	3096	250	34
	FC-3-1818-18RL	90"	24"	3037	245	47
18" x 24"	FC-3-1818-24RL	102"	24"	3179	265	53
	FC-3-1824	59"	30"	2879	182	36
	FC-3-1824-18RorL	74.5"	30"	3396	220	61
	FC-3-1824-24RorL	80.5"	30"	3541	230	49
20" x 28"	FC-3-1824-18RL	90"	30"	3802	265	56
	FC-3-1824-24RL	102"	30"	3990	270	63
	†FC-3-2424	79"	30"	3187	243	47
	†FC-3-2424-18RorL	92.5"	30"	4153	260	56
24" x 24"	†FC-3-2424-24RorL	98.5"	30"	4330	281	67
	†FC-3-2424-18RL	108"	30"	4289	295	64
	†FC-3-2424-24RL	120"	30"	4419	315	68
20" x 30"	FC-3-2028-24RL	108"	34"	4907	310	62
	FC-3-2030-20RL	100"	36"	4456	318	58
	FC-3-2030-24RL	108"	36"	5188	330	64
	FC-3-2030-30RL	120"	36"	5515	345	70

† Requires Two Sets of Faucets

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
24" x 30"	†FC-3-2430	77"	36"	3792	225	38
	†FC-3-2430-24RorL	99"	36"	4414	310	59
	†FC-3-2430-24RL	120"	36"	6543	345	81
	†FC-3-2430-30RorL	105"	36"	5791	335	62
	†FC-3-2430-30RL	132"	36"	6740	370	86
	†FC-3-2430-36RorL	111"	36"	6007	360	66
30" x 24"	†FC-3-2430-36RL	144"	36"	6831	410	93
	†FC-3-3024	95"	30"	4417	225	38
	†FC-3-3024-24RorL	117"	30"	5770	325	59
	†FC-3-3024-24RL	138"	30"	6619	360	81
	†FC-3-3024-30RorL	123"	30"	6047	350	62
	†FC-3-3024-30RL	150"	30"	6849	395	86
30" x 30"	†FC-3-3024-36RorL	129"	30"	6171	390	66
	†FC-3-3024-36RL	162"	30"	7091	425	93
	†FC-3-3030	95"	36"	6048	250	43
	†FC-3-3030-24RL	138"	36"	10235	390	96
	†FC-3-3030-30RL	150"	36"	10701	435	104
	†FC-3-3030-36RL	162"	36"	11359	460	112

† Requires Two Sets of Faucets

FOUR COMPARTMENT SINKS

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
18" x 18"	FC-4-1818-18RL†	108"	24"	\$4866	280	51
18" x 24"	FC-4-1824-18RL†	108"	30"	5419	340	62
24" x 24"	FC-4-2424-24RL†	144"	30"	6366	355	80

† Requires Two Sets of Faucets

FABRICATED

Fabricated Sinks



SUPER STURDY
CROSS BRACING



SPEC-LINE 14 GAUGE FABRICATED SINKS

- 14 Ga. 304 Stainless Steel
- 14" Deep Bowls
- Tile Edge Splash
- Continuous Apron Design
- All Welded Super-Sturdy Cross-Bracing
- Stainless Steel Legs & Adjustable Stainless Steel Bullet Feet

Features and Benefits

- 3/4" Radius Corners
- Economical Savings
- Satin Finish



ONE COMPARTMENT SINKS

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
16" x 20"	FS-1-1620	21"	26"	\$2378	60	12
	FS-1-1620-18RorL	36.5	26"	2556	80	20
	FS-1-1620-18RL	52"	26"	2777	100	27
18" x 18"	FS-1-1818	23"	24"	2426	60	11
	FS-1-1818-18RorL	38.5	24"	2728	75	17
18" x 24"	FS-1-1824	23"	30"	2637	78	16
	FS-1-1824-18RorL	38.5	30"	3018	92	25
	FS-1-1824-24RorL	44.5	30"	3167	105	28
	FS-1-1824-18RL	54"	30"	3241	175	34
	FS-1-1824-24RL	66"	30"	3383	198	40
24" x 24"	FS-1-2424	29"	30"	3032	90	19
	FS-1-2424-18RorL	44.5	30"	3409	110	28
	FS-1-2424-24RorL	50.5	30"	3448	119	34
	FS-1-2424-18RL	60"	30"	3519	185	37
	FS-1-2424-24RL	72"	30"	4245	209	44
30" x 24"	FS-1-3024	35"	30"	3486	115	23
	FS-1-3024-24RorL	56.5	30"	4089	190	35
	FS-1-3024-24RL	78"	30"	4395	240	47
36" x 24"	FS-1-3624	41"	30"	3941	140	26
	FS-1-3624-24RorL	62.5	30"	4547	210	39
	FS-1-3624-24RL	84"	30"	5912	260	51
new 48" x 24"	FS-1-4824-24RL	96"	30"	6200	315	59




TWO COMPARTMENT SINKS

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
16" x 20"	FS-2-1620	37"	26"	\$3419	100	20
	FS-2-1620-18RorL	52.5	26"	3713	120	27
	FS-2-1620-18RL	68"	26"	3806	143	34
18" x 18"	FS-2-1818	41"	24"	3486	98	18
	FS-2-1818-18RorL	56.5	24"	3751	110	26
	FS-2-1818-18RL	72"	24"	3941	125	30
18" x 24"	FS-2-1824	41"	30"	3668	149	26
	FS-2-1824-18RorL	56.5	30"	4044	169	35
	FS-2-1824-24RorL	62.5	30"	4499	190	39
	FS-2-1824-18RL	72"	30"	4623	220	44
	FS-2-1824-24RL	84"	30"	5352	240	51
24" x 24"	FS-2-2424	53"	30"	4039	179	33
	FS-2-2424-18RorL	68.5	30"	4947	200	42
	FS-2-2424-24RorL	74.5	30"	5068	220	48
	FS-2-2424-18RL	84"	30"	5334	245	53
	FS-2-2424-24RL	96"	30"	5715	270	60
20" x 30"	FS-2-2030-18RorL	60.5	36"	5120	250	45
	FS-2-2030-18RL	76"	36"	5318	260	54
	FS-2-2030-24RorL	66.5	36"	5490	255	48
	FS-2-2030-24RL	88"	36"	5641	270	61
30" x 24"	FS-2-3024	65"	30"	5002	265	40
	FS-2-3024-24RorL	86.5	30"	5912	300	52
	FS-2-3024-24RL	108"	30"	6214	320	64

Additional Sizes Available.

See Modifications & Accessories on Pages 35 & 36

SUPER STURDY
CROSS BRACING



Fabricated Bowls are
Welded Together at the
Seams & Polished



THREE COMPARTMENT SINKS

Bowl Size	Model #	O.A. Length	O.A. Width	Price	Wt.	Cu.
16" x 20"	FS-3-1620	53"	26"	\$4802	140	27
	FS-3-1620-18RorL	68.5"	26"	5343	160	35
	FS-3-1620-18RL	84"	26"	5864	155	36
	FS-3-1620-24RL	96"	26"	6308	235	47
	FS-3-1620-36RL	120"	26"	6528	280	59
18" x 18"	FS-3-1818	59"	24"	5002	130	25
	FS-3-1818-18RorL	75"	24"	5458	150	31
	FS-3-1818-18RL	90"	24"	6063	170	52
18" x 24"	FS-3-1824	59"	30"	5184	158	36
	FS-3-1824-18RorL	74.5"	30"	5822	174	46
	FS-3-1824-24RorL	80.5"	30"	6002	187	49
	FS-3-1824-18RL	90"	30"	6656	310	54
	FS-3-1824-24RL	102"	30"	7122	375	61
24" x 24"	FS-3-2424†	77"	30"	5835	329	47
	FS-3-2424-18RorL†	92.5"	30"	6509	353	56
	FS-3-2424-24RorL†	98.5"	30"	6668	369	59
	FS-3-2424-18RL†	108"	30"	7351	382	64
	FS-3-2424-24RL†	120"	30"	7502	405	71

† Requires Two Sets of Faucets

FABRICATED

Fabricated Sinks

SPEC-LINE

14 GAUGE FABRICATED SINKS

- 14 Ga. 304 Stainless Steel
- 14" Deep Bowls
- Tile Edge Splash
- Continuous Apron Design
- All Welded Super-Sturdy Cross-Bracing
- Stainless Steel Legs & Adjustable Stainless Steel Bullet Feet

FC & FS Series Accessories

Optional Front Cross
Bracing For FS Sinks
FC-CB-1 **\$36 per foot**



Stainless Steel Leg
With Bullet Foot
K-475 **\$71 per leg**



Stainless Steel
Sink Covers

See Page 35



Removable 12"
Side Splashes For
FC & FS Series Sinks

Accommodates Left & right Sides



Model #	Price	Description
K-700	\$480	For FC & FS Series Sink Bowls: 10"x14", 14"x16", 15"x15", 16"x20"
K-700F-18	480	FC & FS Sink Bowls: 18"x18" Sink Bowls
K-700F-24	504	For FC & FS Series Sink Bowls: 15"x24", 18"x24", 24"x24" & 30"x24"
K-700F-30	497	For FC & FS Series Sink Bowls: 20"x30", 24"x30", 30"x30"



Popular Sink Faucets

8" Swing Spout Faucet

8" O.C.

K-1118 **\$384**

12" Swing Spout Faucet

8" O.C.

K-112 **\$426**



14" Swing Spout Faucet

8" O.C.

K-105 **\$504**



See Page 36 for Additional Faucets

BUDGET SINKS

Budget Line Scullery Sinks

 = Ship Via UPS

For Residential Finish & Packaging, Add K-350 \$360



4-1-24 Shown

- 18" & 21" Wide Sink Bowls Are 14" Deep
- 24" Wide Sink Bowls Are 13" Deep
- 3-1/2" Basket Drain
- 8" O.C. Faucet Holes On Splash

	Bowl Size	L	Wt.	Cu. Ft.	"400" Series (430 S/S)		"600" Series (300 S/S)	
					Model #	Price	Model #	Price
1 COMP.	18" x 18"	18"	44 lbs.	8	4-81-18	\$1082	6-81-18	\$1241
	21" x 18"	18"	47 lbs.	9	4-1-18	1100	6-1-18	1281
	21" x 24"	24"	53 lbs.	12	4-1-24	1120	6-1-24	1403
	21" x 36"	36"	66 lbs.	16	4-1-36	1281	6-1-36	1442
	24" x 24"	24"	54 lbs.	12	4-41-24	1360	6-41-24	1503
2 COMP.	24" x 36"	36"	69 lbs.	17	4-41-36	1455	6-41-36	1604
	21" x 36"	36"	73 lbs.	16	4-2-36	1583	6-2-36	1783
	21" x 48"	48"	86 lbs.	21	4-2-48	1724	6-2-48	1961
	21" x 60"	60"	98 lbs.	26	4-2-60	2185	6-2-60	2285
	24" x 48"	48"	88 lbs.	22	4-42-48	1904	6-42-48	2103
3 COMP.	24" x 60"	60"	108 lbs.	27	4-42-60	2306	6-42-60	2606
	21" x 36"	36"	78 lbs.	16	4-3-36	1703	6-3-36	1904
	21" x 48"	48"	91 lbs.	21	4-3-48	1846	6-3-48	2185
	21" x 54"	54"	98 lbs.	24	4-3-54	1922	6-3-54	2243
	** 21" x 72"	72"	115 lbs.	31	4-3-72	2486	6-3-72	2806
4 COMP.	24" x 60"	60"	108 lbs.	27	4-43-60	2405	6-43-60	2706
	** 24" x 72"	72"	118 lbs.	32	4-43-72	2567	6-43-72	2928
	** 21" x 48"	48"	95 lbs.	21	4-4-48	2045	6-4-48	2364
	** 21" x 60"	60"	113 lbs.	26	4-4-60	2606	6-4-60	2796
	** 21" x 72"	72"	120 lbs.	21	4-4-72	2806	6-4-72	3008

† Quick-Drain omitted in this size ** Requires Two Faucets



Drainboards

- Drainboards 36" & Larger Supplied With Legs
- Sides & End Of Drainboard Turned Up with 2" Hemmed Edges Along Top

Model #	Size	Approx. Wt.	Approx. Cu. Ft.	Price
N-5-818	18" x 18"	13 lbs.	1	\$410
N-5-18	21" x 18"	15 lbs.	1	440
N-5-24	21" x 24"	18 lbs.	1	510
N-5-30	21" x 30"	22 lbs.	2	575
N-5-36	21" x 36"	25 lbs.	2	921
N-5-48	21" x 48"	28 lbs.	3	1101
N-54-24	24" x 24"	20 lbs.	1	548
N-54-36	24" x 36"	25 lbs.	2	968
N-54-48	24" x 48"	30 lbs.	3	1147



3-1/2" Rear Deck Budget Sinks




4-1-24D Shown

- 14" Deep Bowls
- 4" Back Splash
- 3-1/2" Basket Drain
- 8" O.C. Faucet Holes On Deck



4-41-48D Shown



4" Back Splash

Bowl Size	L	Wt.	Cu. Ft.	"400" Series (430 S/S)		"600" Series (300 S/S)	
				Model #	Price	Model #	Price
21" x 18"	18"	47 lbs.	9	4-1-18D	\$1205	6-1-18D	\$1446
21" x 24"	24"	53 lbs.	12	4-1-24D	1238	6-1-24D	1486
24" x 24"	24"	54 lbs.	12	4-41-24D	1448	6-41-24D	1738
24" x 36"	36"	66 lbs.	17	4-41-36D	1514	6-41-36D	1817
24" x 48"	48"	79 lbs.	17	4-41-48D	2095	6-41-48D	2515



Heavy Duty Deck Mounted Service Faucets

Model #	Spout	Price
K-127	8"	\$452
K-128	12"	483
K-129	14"	504



K-127



K-128



K-129

Stainless Steel Sink Covers For One Compartment Budget Sinks

Model #	Size	Price
LSC-81	18" x 18"	\$459
LSC-24	21" x 24"	459
LSC-242	24" x 24"	459
LSC-36	24" x 36"	459



Stores Conveniently On Side Of Sink

MOBILE & SILVER SOAK SINKS




Mobile Sinks

34" Working Height

A Multi-Purpose Unit.

Move it where the ACTION is! A must for the large food preparation type installation.

Model #	Bowl Size	Price	Approx. Wt.
9-FMS-20	22" x 22" x 8"	\$4211	50 lbs.
9-FMS-12	22" x 22" x 12"	4613	50 lbs.



Optional Chute
9-SS-1 \$486



Optional Bumpers
9-SS-2 \$229

Silver Soak Sinks

20" Working Height

UNIVERSAL BOWL SIZE.

Accommodates 19 3/4" x 19 3/4" Dishwasher Baskets

Model #	Bowl Size	Price	Approx. Wt.
9-FSS-20	22" x 22" x 8"	\$4023	42 lbs.



Silver Soak Sinks with Detachable Chute

20" Working Height

Required for the Scullery operation that promotes clean sanitary flatware.


Model #	Bowl Size	Price	Approx. Wt.
9-FSC-20	22" x 22" x 8"	\$4412	50 lbs.

Shown with
Optional Bumpers



SINK MODS

Sink Modifications & Accessories




K-37
Anti-Siphon Vacuum
Breaker Holes



K-72
Leg-To-Wall
Brace



K-460A
Disposal Cone w/
Control Bracket &
Faucet Holes



K-461A
Install Collar
w/ Control Bracket

MODIFICATIONS

K-4	Support Bracket for Lever Waste Drain Handle	\$122 ea.
K-23	Sink Legs Welded To Undershelf Or Left-To-Right Cross Rails, Shipped Set Up & Crated. <i>(Top Is Not Welded To Legs)</i>	401 per sink
K-23A	Sink Legs Welded To Leg Gussets Under Sink Top & To Undershelf Or Left-To-Right Cross Rails, Shipped Set Up & Crated	506 per sink
K-24	Shell Crating	296
K-37	Anti-Siphon Vacuum Breaker Holes	121
K-57	Welded field Joint <i>(Welded in field by others)</i>	267 per sink
K-76	Paint on Sound Deadening	534
K-77	Splash Cutout (Pipe Chase)	189
K-106	Mirror Highlite Edge for Sink	415
K-440	Waste Trough with 2" deep removable basket	914
K-447	High Backsplash up to 18"	189 lin. ft.
K-448	High Backsplash up to 13"	152 lin. ft.
K-450	Extend Drainboard Length <i>(Drainboards over 36" Are Not Creased or Pitched.)</i>	385 lin. ft.
K-451	Drainboard Corner Turn	1342 ea.
K-452	Control Bracket 8" x 12"	267 ea.
K-452S	Splash Mounted Control Bracket 8" x 12"	303 ea.
K-453	Control Bracket 14" x 16"	287 ea.
K-453S	Splash Mounted Control Bracket 14" x 16"	335 ea.
K-454	Sidesplash	415 ea.
K-456	Scrap Block Installed	390
K-460	Installation of Disposal Cone with 8" x 12" Control Bracket, Faucet Holes <i>(Cone supplied by others)</i>	798 ea.

K-460A	Installation of Disposal Cone with 14" x 16" Control Bracket, Faucet Holes <i>(Cone supplied by others)</i>	\$848 ea.
K-461	Install Collar with 8" x 12" control bracket <i>(Collar by others)</i>	798
K-461A	Install Collar with 14" x 16" control bracket <i>(Collar by others)</i>	848
K-470	Modify Bowl Depth	173 ea.
K-472	Faucet Hole Revision	121 ea
K-473	Working Height Revision	101 ea
K-476	Punch for Over Flow Holes <i>(Holes Only. N/C when ordering K-15)</i>	55 ea.
K-479	Undershelf Under Drainboard	240 lin. ft.
K-480	Stainless Steel 12" Wide Shelf <i>(min. of 3 ft.)</i>	251 lin. ft.
K-480A	Stainless Steel 15" Wide Shelf <i>(min. of 3 ft.)</i>	360 lin. ft.
K-490	Provision for Pot Washer <i>(For "Wells-PW-106" only)</i>	968 ea.
K-491	Provision for Hatco Heater	190 ea.
K-495	Turn Down Backsplash <i>(Includes 2 Brackets. See K-397 Add'l Sets)</i>	166
K-498	Tubular Overshelf 12" wide (Min. 3 Ft.)	379 lin. ft.
K-499	Stainless Steel Pot Rack	300 lin. ft.
K-500	Stainless Steel Apron to Cover Sink Bowls	942 ea.
K-500A	17" Stainless Steel Apron to Cover Sink Bowls and Support Lever Drain Handles	1095 ea.
K-508	Special Sizing Charge (Larger size cut down to smaller size)	N/C ea.
K-508A	Special Modification Charge	254 ea.
K-510	Prepare Sink for Undercounter Dishwasher <i>(24" drainboard or larger)</i>	137 per sink
K-520	Poly Board/Stainless Steel Cover Holder	647 ea.
K-550	Stainless Steel Tubular Rack Storage	200 lin. ft.
K-ROD	Weld Support Rods For Poly Sink Cover In Corners Of Sink Bowl	483 ea.

ACCESSORIES

K-30	Faucet Wall Mounting Bracket	\$356 ea.
K-72	Leg To Wall Brace	312
K-350	Residential Finish & Packaging	378 ea.
K-397	Wall Bracket for Sink <i>(Includes 2 Brackets with K-495 Mod.)</i>	85 ea.
K-457	Replacement Rubber Scrap Block <i>(See K-456 for install cost)</i>	125 ea.
K-474	16 ga., '304' Series S/S Leg with S/S Foot	114 ea.
K-475	S/S Leg with S/S Foot	71 ea.
K-477	Replacement Leg Clamp for Adjustable Cross-Bracing	19 ea.
K-477C	Replacement Corner Leg Clamp for Adjustable Cross-Bracing	27 ea.
K-478	Stainless Steel Bullet Foot	28 ea.
K-488	Flanged S/S Bullet Foot	61 ea.
K-493	16 ga., '304' Series S/S Welded Leg Assembly with S/S Feet	381 ea.
K-494	S/S Welded Leg Assembly with S/S Feet	338 ea.
K-497	Galv. Welded Leg Assembly with Plastic Feet	227 ea.
K-497A	Galv. Individual Legs with Plastic Feet	82 set/4
K-496	Leg Assembly For Grease Interceptor w/ Adj. Cross-Bracing & S/S Feet <i>(For Grease Interceptors with 15" Ht. or less. Consult factory for larger Grease Interceptors)</i>	438 ea.
K-610	Perforated Stainless Steel Sink Grid <i>(Specify Bowl Size)</i>	763 ea.

SINK COVERS

Choose Model # & Add The Proper Letter In Place Of The Underscore (_).
Example: K-2A or FC-455H

Bowl Size	FOR DEEP DRAW BOWLS		FOR FABRICATED BOWLS	
	Poly Covers Model K-2_ \$295	S/S Covers Model K-455_ \$495	Poly Covers Model K-2_ \$295	S/S Covers Model FC-455_ \$495
10" x 14"	A	A	AF	A
12" x 20"	I	I	IF	I
14" x 14"	H	H	HF	H
14" x 16"	B	B	BF	B
15" x 15"	Not Available	Not Available	MF	M
15" x 24"	Not Available	Not Available	UF	U
16" x 20"	C	C	CF	C
18" x 18"	Not Available	Not Available	JF	J
18" x 24"	D	D	DF	D
20" x 20"	E	E	EF	E
20" x 24"	Not Available	Not Available	PF	P
20" x 28"	G	G	GF	G
20" x 30"	Not Available	Not Available	SF	S
24" x 30"	Not Available	Not Available	TF	T
24" x 24"	F	F	FF	F
24" x 36"	Not Available	Not Available	RF	R
30" x 30"	Not Available	Not Available	VF	V

Custom Covers Available. Consult Factory.

K-ROD Welded Support Rods for Poly Sink Covers in Corners of Sink Bowl (Replaces Standard Support Clips) **\$483 per bowl**

Model #	Size	Price
DT-6R-36	3"	\$1036
DT-6R-48	4"	1199
DT-6R-60	5"	1346
DT-6R-72	6"	1475

Tubular KD Wall Mounted Drainage Shelves

- Stainless Steel
- 15" Deep
- 1-5/8" Diameter Stainless Steel Tubing



FAUCETS & DRAINS

For Sinks & Dishtables

All Items On This Page
Ship Via UPS

PRERINSE FAUCETS Wall Bracket Included

**SPEC-LINE
HEAVY DUTY
Splash Mounted
Prerinse Faucet**
DTA-53 **\$907**

12" Add-A-Faucet for
DTA-53 Prerinse
Faucets
K-117 **\$355**



**Deck Mounted
Prerinse Faucet**
K-115 **\$1259**



**Splash Mounted
Prerinse Faucet**
K-116 **\$1259**



12" Add-A-Faucet for
K-115 & K-116
Prerinse
Faucets
K-117-TS **\$552**



**Replacement Hose
Handle Not Included**

K-113 **\$172**



**Replacement
Spray
Head &
Handle**
K-114 **\$195**



HEAVY DUTY FAUCETS

8" Swing Spout Faucet
8" O.C.
K-1118 **\$452**



12" Swing Spout Faucet
8" O.C.
K-112 **\$483**

14" Swing Spout Faucet
8" O.C.
K-105 **\$504**

16" Swing Spout Faucet
8" O.C.
K-119 **\$525**



18" Swing Spout Faucet
8" O.C.
K-211 **\$562**



Faucet Mounting Kit for
K-1, K-11, K-101, K-1105, K-119,
K-119, K-127, K-128, K-129, K-159,
K-161, K-1118, K-211 & DTA-53
K-06 **\$98 Set of 2**



**Extra Heavy Duty
T&S 14" Swing
Spout Faucet**
8" O.C.
K-111 **\$607**



**Wall Mounted
Service Faucet**

8" O.C.
K-240 **\$921**

*K-240 Does Not Meet Federal Lead Free
Standards As It Is Not Intended For Potable Water.



STANDARD DUTY FAUCETS

Model	Spout Length	Price
K-101	8"	\$215
K-1	12"	234
K-11	14"	274



WRIST HANDLES

For Standard Duty 8" O.C. Faucets

Fits K-1, K-11 & K-101

K-316-LU **\$120 set**



For Heavy Duty 8" O.C. Faucets

Fits K-105, K-112, K-119, K-127, K-128, K-129, K-134,
K-159, K-161, K-1118 & K-211

K-416-LU **\$197 set**



For Extra Heavy Duty 8" O.C. Faucets

Fits K-69, K-111, K-115, K-116 & K-117-TS

K-416-TS-LU **\$352 set**



**Replacement Cartridges
for K-1, K-11, K-101
& K-160**

K-00B

\$108 (Set of 2)



Repair Kit can only be used on
faucets purchased after 1/2016

Replacement Cartridges

Fits K-105, K-112, K-119, K-127,
K-128, K-129, K-159, K-161,
K-1118 & K-211

K-07 **\$184 (Set of 2)**



**Vacuum Breaker
Repair Kit For K-240**

K-03 **\$128**



**Faucet Wall
Mounting
Bracket**

K-30

\$356

For use when no backsplash is
available to mount faucet



Heavy Duty Replacement Spouts

Model	Spout Size/Style	Price
K-1118SP	8" Swing Spout	\$147
K-112SP	12" Swing Spout	158
K-105SP	14" Swing Spout	176
K-119SP	16" Swing Spout	184
K-211SP	18" Swing Spout	193

Standard Duty Replacement Spouts

K-101SP	8" Swing Spout	69
K-1SP	12" Swing Spout	83
K-11SP	14" Swing Spout	90

**Continuous Waste For
3 Compartment Sink**



K-351

\$355

1-1/2" Dia.
For Use with 2 & 3
Compartment Sinks

**Chrome
Plated
P-Trap**



**Heavy Gauge
(17 Gauge)**

7-PS-10 **\$134**

**Standard Gauge
(22 Gauge)**

7-PS-14 **\$119**

**Twist Handle
Operated Drain**




K-5 **\$278**

Twist Drain
Support Bracket
K-4 **\$128**

**Twist Handle Operated
Drain with Overflow**

K-15 **\$492**



Replacement Drains




Assembly

K-6 **\$46**



Basket

K-310 **\$28**



Strainer Plate for 3-1/2" Drain

K-410 **\$25**

**SPEC-LINE Twist Handle
Operated Drain**

K-40 **\$912**

**All
Stainless Steel**



**Replacement "O" Rings
for Twist Handle
Operated Drains**

For K-5 & K-15 Drains

K-05
\$19

Washer for
Twist Handle



WARNING: Equipment that includes a faucet may expose you to chemicals, including lead, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info., visit www.p65warnings.ca.gov.

*K-240 Service Faucet Does Not Meet Federal Lead Free Standards As It Is Not Intended For Potable Water.



FLOOR TROUGHS

Floor Troughs & Floor Drains

Consult Factory For Additional Sizes
Custom Sizes Available - Call For Pricing.

Ship Via UPS

- 14 Gauge 304 Stainless Steel
- Stainless Steel Or Fiberglass Grating
- Pitched Towards Waste
- Subway Grating Constructed From 3/16" X 1" Bars

- Grating Is Spaced 9/16" (Inside Clearance) Between Bars To Prevent Casters From Getting Trapped
- Includes 4" Od. - 3" Long Plumbing Sleeve
- Includes Stainless Steel Strainer Basket With Handle

Size W x L x D	With S/S Grate	Price	Approx. Weight	With Fiberglass Grate	Price	Approx. Weight
12" x 24" x 4"	FTG-1224	\$3085	46 lbs.	FFTG-1224	\$2977	34 lbs.
12" x 30" x 4"	FTG-1230	3179	56 lbs.	FFTG-1230	3064	37 lbs.
12" x 36" x 4"	FTG-1236	3278	66 lbs.	FFTG-1236	3151	40 lbs.
12" x 42" x 4"	FTG-1242	3490	76 lbs.	FFTG-1242	3343	43 lbs.
12" x 48" x 4"	FTG-1248	4051	86 lbs.	FFTG-1248	3852	46 lbs.
12" x 54" x 4"	FTG-1254	4396	96 lbs.	FFTG-1254	4166	49 lbs.
12" x 60" x 4"	FTG-1260	4858	106 lbs.	FFTG-1260	4583	52 lbs.
12" x 72" x 4"	FTG-1272	5584	116 lbs.	FFTG-1272	5245	55 lbs.
12" x 84" x 4"	FTG-1284	6557	126 lbs.	FFTG-1284	6127	81 lbs.
12" x 96" x 4"	FTG-1296*	6750	146 lbs.	FFTG-1296*	6303	90 lbs.
12" x 108" x 4"	FTG-12108*	7329	166 lbs.	FFTG-12108*	6828	99 lbs.
12" x 120" x 4"	FTG-12120*	8876	180 lbs.	FFTG-12120*	8227	108 lbs.
18" x 24" x 4"	FTG-1824	3469	62 lbs.	FFTG-1824	3326	43 lbs.
18" x 30" x 4"	FTG-1830	3662	74 lbs.	FFTG-1830	3503	47 lbs.
18" x 36" x 4"	FTG-1836	3858	86 lbs.	FFTG-1836	3676	54 lbs.
18" x 42" x 4"	FTG-1842	4128	98 lbs.	FFTG-1842	3925	61 lbs.
18" x 48" x 4"	FTG-1848	4583	110 lbs.	FFTG-1848	4335	69 lbs.
18" x 54" x 4"	FTG-1854	5164	122 lbs.	FFTG-1854	4863	76 lbs.
18" x 60" x 4"	FTG-1860	5662	134 lbs.	FFTG-1860	5311	83 lbs.
18" x 72" x 4"	FTG-1872	6198	146 lbs.	FFTG-1872	5800	90 lbs.
18" x 84" x 4"	FTG-1884	7524	165 lbs.	FFTG-1884	7002	111 lbs.
18" x 96" x 4"	FTG-1896*	7715	187 lbs.	FFTG-1896*	7176	125 lbs.
18" x 108" x 4"	FTG-18108*	8876	208 lbs.	FFTG-18108*	8227	138 lbs.
18" x 120" x 4"	FTG-18120*	10226	229 lbs.	FFTG-18120*	9454	150 lbs.
24" x 24" x 4"	FTG-2424	4202	69 lbs.	FFTG-2424	3460	52 lbs.
24" x 30" x 4"	FTG-2430	4375	81 lbs.	FFTG-2430	3764	59 lbs.
24" x 36" x 4"	FTG-2436	4989	104 lbs.	FFTG-2436	3852	68 lbs.
24" x 42" x 4"	FTG-2442	5252	118 lbs.	FFTG-2442	4158	75 lbs.
24" x 48" x 4"	FTG-2448	5776	131 lbs.	FFTG-2448	4375	83 lbs.
24" x 54" x 4"	FTG-2454	6303	145 lbs.	FFTG-2454	4901	95 lbs.
24" x 60" x 4"	FTG-2460	6479	162 lbs.	FFTG-2460	5427	102 lbs.
24" x 72" x 4"	FTG-2472	7531	195 lbs.	FFTG-2472	5951	119 lbs.
24" x 84" x 4"	FTG-2484	8227	218 lbs.	FFTG-2484	7090	137 lbs.
24" x 96" x 4"	FTG-2496*	9102	243 lbs.	FFTG-2496*	7266	153 lbs.
24" x 108" x 4"	FTG-24108*	10332	274 lbs.	FFTG-24108*	8401	168 lbs.
24" x 120" x 4"	FTG-24120*	11029	310 lbs.	FFTG-24120*	9627	188 lbs.

*Includes Two Drains

7.5" Wide Floor Water Receptacles (4" Depth)



- 14 Gauge 304 Stainless Steel
- Includes Stainless Steel Subway Grating constructed from 3/16" x 1" bars

Stainless Steel Grating	Size W x L x D	Price	Approx. Weight
FTG-724	7.5" x 24" x 4"	\$2205	44 lbs.
FTG-730	7.5" x 30" x 4"	2352	44 lbs.
FTG-736	7.5" x 36" x 4"	2493	63 lbs.
FTG-748	7.5" x 48" x 4"	2958	82 lbs.
FTG-760	7.5" x 60" x 4"	3194	101 lbs.
FTG-772	7.5" x 72" x 4"	3425	110 lbs.
FTG-784	7.5" x 84" x 4"	3659	119 lbs.
FTG-796	7.5" x 96" x 4"	3893	138 lbs.
FTG-7108	7.5" x 108" x 4"	4137	157 lbs.
FTG-7120	7.5" x 120" x 4"	4383	170 lbs.

12" Wide Floor Water Receptacles (2" Depth)



- 14 Gauge 304 Stainless Steel
- Includes Stainless Steel Subway Grating constructed from 3/16" x 1" bars

Stainless Steel Grating	Size W x L x D	Price	Approx. Weight
FRG-24	8" x 24" x 2"	\$2981	44 lbs.
FRG-36	8" x 36" x 2"	3399	63 lbs.
FRG-48	8" x 48" x 2"	3939	82 lbs.

12" Wide Floor Drain (4" Depth)

- 14 Gauge 304 Stainless Steel
- Includes Strainer Basket

FD-1 \$673

Optional Stainless Steel Grate



Stainless Steel Grating	Size W x L x D	Price	Approx. Weight
FDR-1212	12" x 12" x 4"	\$1544	26 lbs.

FLOOR TROUGH ACCESSORIES & MODIFICATIONS



Cut-Out View
of Anti-Splash

FT-1 \$113 lin. ft.

Optional Anti-Splash Guard
(Factory Installed)



FT-2 \$61 ea.

Replacement Stainless Steel
Strainer Basket with Handle

FT-3 \$123 lin. ft.

Modify Trough Depth
(2" to 6" Deep)

FT-4 \$258 per hole

Modify Drain Outlet Size
(Allow 2" to 8" Dia)

FT-5 \$131 lin. ft.

Grate Upgrade to A.D.A.

FT-6 No Charge

Modify Length of Trough
(Select Next Larger Size)

TABLES

Flat Top W/ Undershef

Stainless Steel TOP
Stainless Steel UNDERSHELF
Stainless Steel LEGS



Take Our Tables To
New Heights!


ADJUSTABLE TABLE HEIGHT UPGRADE

(Up to 6' tables only. Ships set up.)

- Add To Any Tubular Leg Style Table with Undershef
- Adjust Table Height From 31 1/2" - 40 1/2"
- Easy Turning, Non-Obstructive Fold Away Handle

TA-900
\$5211 ea.

Up to 40 1/2"
Max. Ht.
From Floor



VSS Series
Countertop Edge

Ship Via UPS



SS, MS, SAG Series
Bull Nose Edge

Spec-Line

Premium

Standard

Super Saver

14 Ga. 304 S/S

14 Ga. 304 S/S

16 Ga. 304 S/S


16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Shipping Weight	Cook Feet
2'	VSS-242	\$1794	SS-242	\$1199	MS-242	\$1111	SAG-242	\$1078	31 lbs.	3
30"	VSS-240	1930	SS-240	1330	MS-240	1227	SAG-240	1176	49 lbs.	4
3'	VSS-243	1996	SS-243	1402	MS-243	1297	SAG-243	1242	64 lbs.	5
4'	VSS-244	2055	SS-244	1463	MS-244	1346	SAG-244	1276	79 lbs.	6
5'	VSS-245	2190	SS-245	1593	MS-245	1458	SAG-245	1382	92 lbs.	8
6'	VSS-246	2323	SS-246	1726	MS-246	1577	SAG-246	1482	109 lbs.	9
7'	VSS-247	2872	SS-247	2367	MS-247	2170	SAG-247	1827	130 lbs.	11
8'	VSS-248	3038	SS-248	2537	MS-248	2322	SAG-248	1965	145 lbs.	12
9'	VSS-249	3570	SS-249	3260	MS-249	3112	SAG-249	2799	161 lbs.	14
10'	VSS-2410	3801	SS-2410	3489	MS-2410	3188	SAG-2410	3026	261 lbs.	26
11'	VSS-2411	4128	SS-2411	3740	MS-2411	3403	SAG-2411	3209	293 lbs.	29
12'	VSS-2412	4211	SS-2412	3821	MS-2412	3487	SAG-2412	3292	308 lbs.	32
2'	VSS-302	1930	SS-302	1330	MS-302	1227	SAG-302	1176	55 lbs.	4
30"	VSS-300	2009	SS-300	1412	MS-300	1304	SAG-300	1224	65 lbs.	5
3'	VSS-303	2078	SS-303	1484	MS-303	1368	SAG-303	1308	72 lbs.	6
4'	VSS-304	2163	SS-304	1573	MS-304	1440	SAG-304	1360	89 lbs.	8
5'	VSS-305	2325	SS-305	1729	MS-305	1588	SAG-305	1490	107 lbs.	9
6'	VSS-306	2577	SS-306	1810	MS-306	1633	SAG-306	1615	126 lbs.	11
7'	VSS-307	2969	SS-307	2357	MS-307	2158	SAG-307	1898	148 lbs.	13
8'	VSS-308	3091	SS-308	2609	MS-308	2450	SAG-308	2128	166 lbs.	15
9'	VSS-309	3914	SS-309	3528	MS-309	3213	SAG-309	3005	176 lbs.	17
10'	VSS-3010	4142	SS-3010	3757	MS-3010	3440	SAG-3010	3237	287 lbs.	32
11'	VSS-3011	4444	SS-3011	4065	MS-3011	3708	SAG-3011	3467	324 lbs.	35
12'	VSS-3012	4527	SS-3012	4150	MS-3012	3794	SAG-3012	3547	339 lbs.	37
2'	VSS-362	2438	SS-362	1710	MS-362	1604	SAG-362	1476	81 lbs.	7
3'	VSS-363	2476	SS-363	1746	MS-363	1643	SAG-363	1515	88 lbs.	7
4'	VSS-364	2526	SS-364	1794	MS-364	1696	SAG-364	1568	98 lbs.	9
5'	VSS-365	2714	SS-365	1982	MS-365	1864	SAG-365	1739	118 lbs.	11
6'	VSS-366	2912	SS-366	2162	MS-366	2034	SAG-366	1904	138 lbs.	13
7'	VSS-367	3555	SS-367	2931	MS-367	2768	SAG-367	2630	164 lbs.	16
8'	VSS-368	3777	SS-368	3146	MS-368	2964	SAG-368	2839	184 lbs.	18
9'	VSS-369	4599	SS-369	4199	MS-369	3927	SAG-369	3691	190 lbs.	20
10'	VSS-3610	4825	SS-3610	4426	MS-3610	4157	SAG-3610	3922	308 lbs.	38
11'	VSS-3611	5183	SS-3611	4793	MS-3611	4488	SAG-3611	4204	358 lbs.	41
12'	VSS-3612	5267	SS-3612	4870	MS-3612	4568	SAG-3612	4285	373 lbs.	45
4'	VSS-484	4623	SS-484	3589	NOT AVAILABLE				158 lbs.	12
5'	VSS-485	5003	SS-485	3965					184 lbs.	15
6'	VSS-486	5374	SS-486	4331					218 lbs.	17
7'	VSS-487	6895	SS-487	5860					260 lbs.	20
8'	VSS-488	7365	SS-488	6323					290 lbs.	23
9'	VSS-489	8537	SS-489	7434					322 lbs.	44
10'	VSS-4810	8682	SS-4810	7579					522 lbs.	49
11'	VSS-4811	8827	SS-4811	7724					601 lbs.	54
12'	VSS-4812	8974	SS-4812	7870					616 lbs.	58

Featuring as Standard: "THE PROVEN"
Original ADVANCE TABCO Adjustable
Undershelf with Die Cast Leg Clamp



VLG Series
Countertop Edge



GLG, MG, AG Series
Bull Nose Edge



TABLES

Flat Top W/ Undershelf

Stainless Steel TOP
Galvanized UNDERSHELF
Galvanized LEGS

Spec-Line

Premium

Standard

Super Saver

14 Ga. 304 S/S

14 Ga. 304 S/S

16 Ga. 304 S/S

16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

	Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price		
24" WIDE	2'	VLG-242	\$1440	GLG-242	\$860	MG-242	\$820	AG-242	\$765	31 lbs.	3
	30"	VLG-240	1540	GLG-240	949	MG-240	891	AG-240	833	49 lbs.	4
	3'	VLG-243	1609	GLG-243	1022	MG-243	961	AG-243	902	64 lbs.	5
	4'	VLG-244	1638	GLG-244	1036	MG-244	980	AG-244	921	79 lbs.	6
	5'	VLG-245	1729	GLG-245	1136	MG-245	1061	AG-245	971	92 lbs.	8
	6'	VLG-246	1839	GLG-246	1234	MG-246	1148	AG-246	1036	109 lbs.	9
	7'	VLG-247	2244	GLG-247	1680	MG-247	1646	AG-247	1324	130 lbs.	11
	8'	VLG-248	2372	GLG-248	1805	MG-248	1763	AG-248	1508	145 lbs.	12
	9'	VLG-249	2713	GLG-249	2247	MG-249	2108	AG-249	2019	161 lbs.	14
	10'	VLG-2410	2946	GLG-2410	2472	MG-2410	2339	AG-2410	2247	261 lbs.	26
	11'	VLG-2411	3185	GLG-2411	2637	MG-2411	2472	AG-2411	2255	293 lbs.	29
	12'	VLG-2412	3271	GLG-2412	2721	MG-2412	2555	AG-2412	2340	308 lbs.	32
30" WIDE	2'	VLG-302	1540	GLG-302	949	MG-302	891	AG-302	833	55 lbs.	4
	30"	VLG-300	1580	GLG-300	983	MG-300	924	AG-300	853	65 lbs.	5
	3'	VLG-303	1649	GLG-303	1051	MG-303	992	AG-303	923	72 lbs.	6
	4'	VLG-304	1692	GLG-304	1092	MG-304	1024	AG-304	940	89 lbs.	8
	5'	VLG-305	1814	GLG-305	1204	MG-305	1127	AG-305	1028	107 lbs.	9
	6'	VLG-306	1936	GLG-306	1319	MG-306	1234	AG-306	1111	125 lbs.	11
	7'	VLG-307	2343	GLG-307	1776	MG-307	1672	AG-307	1392	148 lbs.	13
	8'	VLG-308	2507	GLG-308	1938	MG-308	1818	AG-308	1613	166 lbs.	15
	9'	VLG-309	2969	GLG-309	2430	MG-309	2276	AG-309	2049	176 lbs.	17
	10'	VLG-3010	3196	GLG-3010	2652	MG-3010	2508	AG-3010	2280	287 lbs.	32
	11'	VLG-3011	3407	GLG-3011	2911	MG-3011	2676	AG-3011	2420	324 lbs.	35
	12'	VLG-3012	3492	GLG-3012	2934	MG-3012	2760	AG-3012	2507	339 lbs.	37
36" WIDE	2'	VLG-362	1946	GLG-362	1201	MG-362	1155	AG-362	1029	81 lbs.	7
	3'	VLG-363	1985	GLG-363	1235	MG-363	1193	AG-363	1088	88 lbs.	7
	4'	VLG-364	2036	GLG-364	1280	MG-364	1244	AG-364	1167	98 lbs.	9
	5'	VLG-365	2191	GLG-365	1440	MG-365	1395	AG-365	1318	118 lbs.	11
	6'	VLG-366	2339	GLG-366	1567	MG-366	1515	AG-366	1440	138 lbs.	13
	7'	VLG-367	2820	GLG-367	2117	MG-367	2064	AG-367	1983	164 lbs.	16
	8'	VLG-368	2956	GLG-368	2248	MG-368	2185	AG-368	2108	184 lbs.	18
	9'	VLG-369	3525	GLG-369	2932	MG-369	2851	AG-369	2596	190 lbs.	20
	10'	VLG-3610	3756	GLG-3610	3165	MG-3610	3079	AG-3610	2814	308 lbs.	38
	11'	VLG-3611	3999	GLG-3611	3431	MG-3611	3304	AG-3611	2995	358 lbs.	41
	12'	VLG-3612	4086	GLG-3612	3512	MG-3612	3382	AG-3612	3074	373 lbs.	45
48" WIDE	4'	VLG-484	4125	GLG-484	3093	NOT AVAILABLE				158 lbs.	12
	5'	VLG-485	4489	GLG-485	3460					184 lbs.	15
	6'	VLG-486	4785	GLG-486	3464					218 lbs.	17
	7'	VLG-487	6126	GLG-487	5094					260 lbs.	20
	8'	VLG-488	6431	GLG-488	5393					290 lbs.	23
	9'	VLG-489	7544	GLG-489	6446					322 lbs.	44
	10'	VLG-4810	7694	GLG-4810	6592					522 lbs.	49
	11'	VLG-4811	7839	GLG-4811	6739					601 lbs.	54
	12'	VLG-4812	7984	GLG-4812	6882					616 lbs.	58

TABLES

Flat Top W/ Open Base

Stainless Steel TOP
Stainless Steel LEGS



Take Our Tables To
New Heights!


ADJUSTABLE TABLE HEIGHT UPGRADE

(Up to 6' tables only. Ships set up.)

- Add To Any Tubular Leg Style Table with Undershelf
- Adjust Table Height From 31 1/2" - 40 1/2"
- Easy Turning, Non-Obstructive Fold Away Handle

TA-900
\$5211 ea.

Up to 40 1/2"
Max. Ht.
From Floor



TVSS Series
Countertop Edge



TSS, TMS, TSAG Series
Bullnose Edge

Spec-Line

Premium

Standard

Super Saver

14 Ga. 304 S/S

14 Ga. 304 S/S

16 Ga. 304 S/S

16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Weight	Feet
2'	 TVSS-242	\$1926	 TSS-242	\$1327	 TMS-242	\$1241	 TSAG-242	\$1204	25 lbs.	3
30"	 TVSS-240	2055	 TSS-240	1463	 TMS-240	1355	 TSAG-240	1305	42 lbs.	4
3'	 TVSS-243	2128	 TSS-243	1533	 TMS-243	1423	 TSAG-243	1372	53 lbs.	5
4'	 TVSS-244	2187	 TSS-244	1592	 TMS-244	1474	 TSAG-244	1406	64 lbs.	6
5'	 TVSS-245	2321	 TSS-245	1724	 TMS-245	1588	 TSAG-245	1503	74 lbs.	8
6'	 TVSS-246	2457	 TSS-246	1857	 TMS-246	1709	 TSAG-246	1610	85 lbs.	9
7'	 TVSS-247	2999	 TSS-247	2492	 TMS-247	2303	 TSAG-247	1958	103 lbs.	11
8'	 TVSS-248	3170	 TSS-248	2665	 TMS-248	2456	 TSAG-248	2093	114 lbs.	12
9'	 TVSS-249	3709	 TSS-249	3400	 TMS-249	3100	 TSAG-249	2932	130 lbs.	14
10'	 TVSS-2410	3939	 TSS-2410	3629	 TMS-2410	3326	 TSAG-2410	3165	227 lbs.	26
11'	 TVSS-2411	4263	 TSS-2411	3878	 TMS-2411	3545	 TSAG-2411	3346	251 lbs.	29
12'	 TVSS-2412	4349	 TSS-2412	3960	 TMS-2412	3626	 TSAG-2412	3427	266 lbs.	32
2'	 TVSS-302	1983	 TSS-302	1388	 TMS-302	1290	 TSAG-302	1248	47 lbs.	4
30"	 TVSS-300	2139	 TSS-300	1545	 TMS-300	1434	 TSAG-300	1365	52 lbs.	5
3'	 TVSS-303	2207	 TSS-303	1613	 TMS-303	1498	 TSAG-303	1439	59 lbs.	6
4'	 TVSS-304	2300	 TSS-304	1705	 TMS-304	1568	 TSAG-304	1492	72 lbs.	8
5'	 TVSS-305	2459	 TSS-305	1864	 TMS-305	1717	 TSAG-305	1619	85 lbs.	9
6'	 TVSS-306	2706	 TSS-306	2027	 TMS-306	1857	 TSAG-306	1746	93 lbs.	11
7'	 TVSS-307	3104	 TSS-307	2599	 TMS-307	2397	 TSAG-307	2028	113 lbs.	13
8'	 TVSS-308	3219	 TSS-308	2872	 TMS-308	2638	 TSAG-308	2255	126 lbs.	15
9'	 TVSS-309	4053	 TSS-309	3667	 TMS-309	3348	 TSAG-309	3145	150 lbs.	17
10'	 TVSS-3010	4278	 TSS-3010	3892	 TMS-3010	3577	 TSAG-3010	3376	261 lbs.	32
11'	 TVSS-3011	4584	 TSS-3011	4201	 TMS-3011	3843	 TSAG-3011	3603	268 lbs.	35
12'	 TVSS-3012	4665	 TSS-3012	4283	 TMS-3012	3925	 TSAG-3012	3682	283 lbs.	37
2'	 TVSS-362	2569	 TSS-362	1840	 TMS-362	1734	 TSAG-362	1604	70 lbs.	7
3'	 TVSS-363	2607	 TSS-363	1876	 TMS-363	1772	 TSAG-363	1646	75 lbs.	7
4'	 TVSS-364	2659	 TSS-364	1926	 TMS-364	1825	 TSAG-364	1703	82 lbs.	9
5'	 TVSS-365	2847	 TSS-365	2109	 TMS-365	1992	 TSAG-365	1868	96 lbs.	11
6'	 TVSS-366	3045	 TSS-366	2298	 TMS-366	2162	 TSAG-366	2034	108 lbs.	13
7'	 TVSS-367	3687	 TSS-367	3051	 TMS-367	2888	 TSAG-367	2764	127 lbs.	16
8'	 TVSS-368	3907	 TSS-368	3279	 TMS-368	3100	 TSAG-368	2963	140 lbs.	18
9'	 TVSS-369	4738	 TSS-369	4335	 TMS-369	4067	 TSAG-369	3828	165 lbs.	20
10'	 TVSS-3610	4962	 TSS-3610	4563	 TMS-3610	4295	 TSAG-3610	4058	261 lbs.	38
11'	 TVSS-3611	5319	 TSS-3611	4919	 TMS-3611	4623	 TSAG-3611	4345	290 lbs.	41
12'	 TVSS-3612	5401	 TSS-3612	5011	 TMS-3612	4711	 TSAG-3612	4426	305 lbs.	45
4'	 TVSS-484	4753	 TSS-484	3714	NOT AVAILABLE				128 lbs.	12
5'	 TVSS-485	5137	 TSS-485	4100					148 lbs.	15
6'	 TVSS-486	5498	 TSS-486	4460					170 lbs.	17
7'	 TVSS-487	7028	 TSS-487	5988					206 lbs.	20
8'	 TVSS-488	7490	 TSS-488	6455					228 lbs.	23
9'	 TVSS-489	8668	 TSS-489	7575					260 lbs.	44
10'	 TVSS-4810	8815	 TSS-4810	7720					454 lbs.	49
11'	TVSS-4811	8959	TSS-4811	7866					517 lbs.	54
12'	TVSS-4812	9107	TSS-4812	8012	532 lbs.	58				

TABLES

Flat Top W/ Open Base



TGLG, TMG, TAG Series
Bullnose Edge



TVLG Series
Countertop Edge



Stainless Steel TOP
Galvanized LEGS

Spec-Line

Premium

Standard

Super Saver

		14 Ga. 304 S/S		14 Ga. 304 S/S		16 Ga. 304 S/S		16 Ga. 430 S/S		Approx. Shipping Weight	Approx. Cubic Feet	
	Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price			
24" WIDE	2'	 TVLG-242	\$1568	 TGLG-242	\$986	 TMG-242	\$948	 TAG-242	\$895	25 lbs.	3	
	30"	 TVLG-240	1671	 TGLG-240	1080	 TMG-240	1024	 TAG-240	961	42 lbs.	4	
	3'	 TVLG-243	1736	 TGLG-243	1148	 TMG-243	1088	 TAG-243	1031	53 lbs.	5	
	4'	TVLG-244	1767	TGLG-244	1169	TMG-244	1103	TAG-244	1048	64 lbs.	6	
	5'	TVLG-245	1864	TGLG-245	1265	TMG-245	1188	TAG-245	1100	74 lbs.	8	
	6'	TVLG-246	1968	TGLG-246	1358	TMG-246	1276	TAG-246	1169	85 lbs.	9	
	7'	TVLG-247	2375	TGLG-247	1813	TMG-247	1776	TAG-247	1454	103 lbs.	11	
	8'	TVLG-248	2500	TGLG-248	1932	TMG-248	1894	TAG-248	1641	114 lbs.	12	
	9'	TVLG-249	2851	TGLG-249	2523	TMG-249	2244	TAG-249	2151	130 lbs.	14	
	10'	TVLG-2410	3079	TGLG-2410	2754	TMG-2410	2469	TAG-2410	2380	227 lbs.	26	
	11'	TVLG-2411	3322	TGLG-2411	2777	TMG-2411	2616	TAG-2411	2391	251 lbs.	29	
	12'	TVLG-2412	3404	TGLG-2412	2857	TMG-2412	2699	TAG-2412	2472	266 lbs.	32	
30" WIDE	2'	 TVLG-302	\$1590	 TGLG-302	1000	 TMG-302	951	 TAG-302	903	47 lbs.	4	
	30"	 TVLG-300	1710	 TGLG-300	1111	 TMG-300	1055	 TAG-300	985	52 lbs.	5	
	3'	TVLG-303	1777	TGLG-303	1182	TMG-303	1127	TAG-303	1053	59 lbs.	6	
	4'	TVLG-304	1821	TGLG-304	1226	TMG-304	1151	TAG-304	1071	72 lbs.	8	
	5'	TVLG-305	1945	TGLG-305	1339	TMG-305	1253	TAG-305	1158	85 lbs.	9	
	6'	TVLG-306	2070	TGLG-306	1450	TMG-306	1358	TAG-306	1241	93 lbs.	11	
	7'	TVLG-307	2475	TGLG-307	1904	TMG-307	1796	TAG-307	1518	113 lbs.	13	
	8'	TVLG-308	2639	TGLG-308	2072	TMG-308	1948	TAG-308	1743	126 lbs.	15	
	9'	TVLG-309	3107	TGLG-309	2559	TMG-309	2410	TAG-309	2191	150 lbs.	17	
	10'	TVLG-3010	3334	TGLG-3010	2794	TMG-3010	2638	TAG-3010	2420	261 lbs.	32	
	11'	TVLG-3011	3547	TGLG-3011	2984	TMG-3011	2813	TAG-3011	2554	268 lbs.	35	
	12'	TVLG-3012	3633	TGLG-3012	3069	TMG-3012	2894	TAG-3012	2637	283 lbs.	37	
36" WIDE	2'	 TVLG-362	2075	TGLG-362	1322	TMG-362	1280	TAG-362	1201	70 lbs.	7	
	3'	TVLG-363	2113	TGLG-363	1360	TMG-363	1320	TAG-363	1244	75 lbs.	7	
	4'	TVLG-364	2163	TGLG-364	1411	TMG-364	1373	TAG-364	1302	82 lbs.	9	
	5'	TVLG-365	2322	TGLG-365	1568	TMG-365	1524	TAG-365	1448	96 lbs.	11	
	6'	TVLG-366	2472	TGLG-366	1696	TMG-366	1646	TAG-366	1568	108 lbs.	13	
	7'	TVLG-367	2953	TGLG-367	2249	TMG-367	2190	TAG-367	2112	127 lbs.	16	
	8'	TVLG-368	3088	TGLG-368	2377	TMG-368	2311	TAG-368	2211	140 lbs.	18	
	9'	TVLG-369	3661	TGLG-369	3072	TMG-369	2988	TAG-369	2728	165 lbs.	20	
	10'	TVLG-3610	3890	TGLG-3610	3302	TMG-3610	3217	TAG-3610	2954	261 lbs.	38	
	11'	TVLG-3611	4142	TGLG-3611	3571	TMG-3611	3440	TAG-3611	3129	290 lbs.	41	
	12'	TVLG-3612	4225	TGLG-3612	3653	TMG-3612	3524	TAG-3612	3216	305 lbs.	45	
	48" WIDE	4'	TVLG-484	4233	TGLG-484	3220	NOT AVAILABLE					128 lbs.
5'		TVLG-485	4623	TGLG-485	3589	148 lbs.						15
6'		TVLG-486	5011	TGLG-486	3885	170 lbs.						17
7'		TVLG-487	6260	TGLG-487	5225	206 lbs.						20
8'		TVLG-488	6555	TGLG-488	5519	228 lbs.						23
9'		TVLG-489	7679	TGLG-489	6579	260 lbs.						44
10'		TVLG-4810	7826	TGLG-4810	6726	454 lbs.						49
11'		TVLG-4811	7974	TGLG-4811	6871	517 lbs.						54
	12'	TVLG-4812	8119	TGLG-4812	7018	532 lbs.	58					

TABLES

1-1/2" Rear Splash W/ Undershef

Stainless Steel TOP
Stainless Steel UNDERSHELF
Stainless Steel LEGS

Take Our Tables To New Heights!

ADJUSTABLE TABLE HEIGHT UPGRADE


(Up to 6' tables only. Ships set up.)

- Add To Any Tubular Leg Style Table with Undershef
- Adjust Table Height From 31 1/2" - 40 1/2"
- Easy Turning, Non-Obstructive Fold Away Handle

TA-900

\$5211 ea.

Up to 40 1/2"
Max. Ht.
From Floor



FSS, FMS, SFG Series
Bullnose Edge

NSF

Premium

Standard

Super Saver

14 Ga. 304 S/S

16 Ga. 304 S/S

16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

24” WIDE	2’	FSS-242 	\$1305	FMS-242 	\$1214	SFG-242 	\$1183	31 lbs.	3
	30”	FSS-240 	1439	FMS-240 	1325	SFG-240 	1277	49 lbs.	4
	3’	FSS-243 	1503	FMS-243 	1395	SFG-243 	1351	64 lbs.	5
	4’	FSS-244 	1567	FMS-244 	1446	SFG-244 	1384	79 lbs.	6
	5’	FSS-245	1703	FMS-245	1560	SFG-245	1482	92 lbs.	8
	6’	FSS-246	1833	FMS-246	1676	SFG-246	1583	109 lbs.	9
	7’	FSS-247	2470	FMS-247	2271	SFG-247	1931	130 lbs.	11
	8’	FSS-248	2638	FMS-248	2420	SFG-248	2072	145 lbs.	12
	9’	FSS-249	3368	FMS-249	3072	SFG-249	2912	161 lbs.	14
	10’	FSS-2410	3602	FMS-2410	3302	SFG-2410	3132	261 lbs.	26
	11’	FSS-2411	3849	FMS-2411	3511	SFG-2411	3316	293 lbs.	29
	12’	FSS-2412	3929	FMS-2412	3594	SFG-2412	3402	308 lbs.	32
30” WIDE	2’	FSS-302 	1358	FMS-302 	1266	SFG-302 	1227	55 lbs.	4
	30”	FSS-300 	1515	FMS-300 	1406	SFG-300 	1348	65 lbs.	5
	3’	FSS-303 	1583	FMS-303 	1477	SFG-303 	1411	72 lbs.	6
	4’	FSS-304 	1675	FMS-304 	1545	SFG-304 	1464	89 lbs.	8
	5’	FSS-305	1839	FMS-305	1688	SFG-305	1592	107 lbs.	9
	6’	FSS-306	2002	FMS-306	1833	SFG-306	1719	125 lbs.	11
	7’	FSS-307	2577	FMS-307	2369	SFG-307	2006	148 lbs.	13
	8’	FSS-308	2841	FMS-308	2616	SFG-308	2228	166 lbs.	15
	9’	FSS-309	3645	FMS-309	3323	SFG-309	3122	176 lbs.	17
	10’	FSS-3010	3867	FMS-3010	3548	SFG-3010	3346	287 lbs.	32
	11’	FSS-3011	4170	FMS-3011	3815	SFG-3011	3576	324 lbs.	35
	12’	FSS-3012	4259	FMS-3012	3898	SFG-3012	3656	339 lbs.	37
36” WIDE	 2’	FSS-362	1812	FMS-362	1715	SFG-362	1582	75 lbs.	7
	3’	FSS-363	1849	FMS-363	1749	SFG-363	1621	88 lbs.	7
	4’	FSS-364	1898	FMS-364	1796	SFG-364	1673	98 lbs.	9
	5’	FSS-365	2085	FMS-365	1968	SFG-365	1844	118 lbs.	11
	6’	FSS-366	2265	FMS-366	2139	SFG-366	2009	138 lbs.	13
	7’	FSS-367	3033	FMS-367	2872	SFG-367	2732	164 lbs.	16
	8’	FSS-368	3257	FMS-368	3070	SFG-368	2939	184 lbs.	18
	9’	FSS-369	4308	FMS-369	4034	SFG-369	3799	190 lbs.	20
	10’	FSS-3610	4534	FMS-3610	4263	SFG-3610	4032	223 lbs.	38
	11’	FSS-3611	4897	FMS-3611	4595	SFG-3611	4312	350 lbs.	41
	12’	FSS-3612	4983	FMS-3612	4680	SFG-3612	4400	365 lbs.	45

Units 8 ft. and larger furnished with 6 legs. **SPECIAL LENGTHS:** Select next largest size. Add **Model # TA-61 No Charge** (ex. SS-306 with TA-61 size to 66" long).



Adjustable Single and Double
Table Mounted Overshelves
See Pages 74.



For Adjustable Components
Featuring Pot racks & Overshelves
10", 12" 15" & 18"
See Page 80 & 81.





Featuring as Standard: "THE PROVEN"
Original ADVANCE TABCO Adjustable Undershef
with Die Cast Leg Clamp



FLG, FMG, FAG Series
Bullnose Edge

Stainless Steel TOP
Galvanized UNDERSHELF
Galvanized LEGS

TABLES

1-1/2" Rear Splash W/ Undershef



Premium

Standard

Super Saver


14 Ga. 304 S/S

16 Ga. 304 S/S

16 Ga. 430 S/S

	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Shipping Weight	Approx. Cubic Feet
24" WIDE	2'	FLG-242	\$961	FMG-242	\$923	FAG-242	\$866	31 lbs.	3
	30"	FLG-240	1055	FMG-240	992	FAG-240	938	49 lbs.	4
	3'	FLG-243	1127	FMG-243	1063	FAG-243	1002	64 lbs.	5
	4'	FLG-244	1145	FMG-244	1080	FAG-244	1016	79 lbs.	6
	5'	FLG-245	1240	FMG-245	1161	FAG-245	1077	92 lbs.	8
	6'	FLG-246	1330	FMG-246	1248	FAG-246	1145	109 lbs.	9
	7'	FLG-247	1786	FMG-247	1755	FAG-247	1431	130 lbs.	11
	8'	FLG-248	1905	FMG-248	1868	FAG-248	1615	145 lbs.	12
	9'	FLG-249	2361	FMG-249	2219	FAG-249	2124	161 lbs.	14
	10'	FLG-2410	2585	FMG-2410	2447	FAG-2410	2353	261 lbs.	26
	11'	FLG-2411	2752	FMG-2411	2585	FAG-2411	2411	293 lbs.	29
	12'	FLG-2412	2836	FMG-2412	2670	FAG-2412	2449	308 lbs.	32
30" WIDE	2'	FLG-302	980	FMG-302	926	FAG-302	879	55 lbs.	4
	30"	FLG-300	1083	FMG-300	1030	FAG-300	957	65 lbs.	5
	3'	FLG-303	1154	FMG-303	1096	FAG-303	1028	72 lbs.	6
	4'	FLG-304	1194	FMG-304	1125	FAG-304	1036	89 lbs.	8
	5'	FLG-305	1313	FMG-305	1234	FAG-305	1128	107 lbs.	9
	6'	FLG-306	1423	FMG-306	1330	FAG-306	1214	125 lbs.	11
	7'	FLG-307	1881	FMG-307	1772	FAG-307	1494	148 lbs.	13
	8'	FLG-308	2045	FMG-308	1923	FAG-308	1717	166 lbs.	15
	9'	FLG-309	2537	FMG-309	2381	FAG-309	2158	176 lbs.	17
	10'	FLG-3010	2763	FMG-3010	2616	FAG-3010	2389	287 lbs.	32
	11'	FLG-3011	2957	FMG-3011	2792	FAG-3011	2525	324 lbs.	35
	12'	FLG-3012	3041	FMG-3012	2872	FAG-3012	2615	339 lbs.	37
36" WIDE	2'	FLG-362	1301	FMG-362	1264	FAG-362	1190	75 lbs.	7
	3'	FLG-363	1339	FMG-363	1302	FAG-363	1224	88 lbs.	7
	4'	FLG-364	1389	FMG-364	1352	FAG-364	1272	98 lbs.	9
	5'	FLG-365	1545	FMG-365	1498	FAG-365	1416	118 lbs.	11
	6'	FLG-366	1672	FMG-366	1621	FAG-366	1545	138 lbs.	13
	7'	FLG-367	2225	FMG-367	2162	FAG-367	2086	164 lbs.	16
	8'	FLG-368	2350	FMG-368	2289	FAG-368	2208	184 lbs.	18
	9'	FLG-369	3043	FMG-369	2963	FAG-369	2705	190 lbs.	20
	10'	FLG-3610	3272	FMG-3610	3095	FAG-3610	2932	223 lbs.	38
	11'	FLG-3611	3546	FMG-3611	3409	FAG-3611	3103	350 lbs.	41
	12'	FLG-3612	3629	FMG-3612	3497	FAG-3612	3187	365 lbs.	45

SIDE SPLASH



TA-30 1 1/2" Side Splash **\$92 ea.**
TA-31 5" Side Splash **173 ea.**
TA-32 10 1/2" Side Splash **339 ea.**

K.D. ALUMINUM PAN RACK SLIDES

6 Slides - 2" Spacing
Mounted on Tables (min. length 3")

TA-44
\$676



Glass Rack Slides
3 Slides - 7 1/2" Spacing
TA-45 **\$617**

WORKTABLE CASTERS

When Used with Galvanized Legs

TA-25G-4 **\$414/set of 4**

TA-25G-6 **620/set of 6**

5" Swivels with rubber wheels
Each set with 2 brakes. Legs maintain 35-1/2" working height

TA-25B **\$203** For Brakes on all wheels for TA-25SG-4 or TA-25G-6

TA-25C X.H.D. Urethane wheels
\$36 each caster

See Page 68 For More Casters

3 TIER DRAWERS



Stainless Steel

TA-38
\$3890

20" x 20" x 5"
Drawer Inserts with Ball Bearing Slides

URN TROUGH



TA-64
\$164/lin.ft.

See pages 61-68 for Additional Accessories & Modifications

TABLES

1-1/2" Rear Splash W/ Open Base

Stainless Steel TOP
Stainless Steel LEGS



Take Our Tables To
New Heights!


ADJUSTABLE TABLE HEIGHT UPGRADE

(Up to 6' tables only. Ships set up.)

- Add To Any Tubular Leg Style Table with Undershell
- Adjust Table Height From 31 1/2" - 40 1/2"
- Easy Turning, Non-Obstructive Fold Away Handle

TA-900
\$5211 ea.

Up to 40 1/2"
Max. Ht.
From Floor



TFSS, TFMS, TSFG Series
Bullnose Edge

Premium

Standard

Super Saver

14 Ga. 304 S/S

16 Ga. 304 S/S

16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

	Length	Model #	Price	Model #	Price	Model #	Price	Shipping Weight	Gross Feet
24” WIDE	2'	 TFSS-242	\$1434	 TFMS-242	\$1348	 TSFG-242	\$1330	25 lbs.	3
	30"	 TFSS-240	1567	 TFMS-240	1458	 TSFG-240	1409	42 lbs.	4
	3'	 TFSS-243	1638	 TFMS-243	1528	 TSFG-243	1479	53 lbs.	5
	4'	TFSS-244	1696	TFMS-244	1577	TSFG-244	1506	64 lbs.	6
	5'	TFSS-245	1827	TFMS-245	1688	TSFG-245	1610	74 lbs.	8
	6'	TFSS-246	1964	TFMS-246	1807	TSFG-246	1715	85 lbs.	9
	7'	TFSS-247	2596	TFMS-247	2401	TSFG-247	2064	103 lbs.	11
	8'	TFSS-248	2770	TFMS-248	2556	TSFG-248	2197	114 lbs.	12
	9'	TFSS-249	3507	TFMS-249	3212	TSFG-249	3043	130 lbs.	14
	10'	TFSS-2410	3739	TFMS-2410	3434	TSFG-2410	3272	227 lbs.	26
	11'	TFSS-2411	3985	TFMS-2411	3651	TSFG-2411	3456	251 lbs.	29
	12'	TFSS-2412	4069	TFMS-2412	3735	TSFG-2412	3521	266 lbs.	32
30” WIDE	2'	 TFSS-302	1490	 TFMS-302	1395	 TSFG-302	1355	47 lbs.	4
	30"	 TFSS-300	1599	 TFMS-300	1535	 TSFG-300	1475	52 lbs.	5
	3'	 TFSS-303	1715	 TFMS-303	1607	 TSFG-303	1541	59 lbs.	6
	4'	TFSS-304	1805	TFMS-304	1673	TSFG-304	1593	72 lbs.	8
	5'	TFSS-305	1968	TFMS-305	1818	TSFG-305	1720	85 lbs.	9
	6'	TFSS-306	2130	TFMS-306	1896	TSFG-306	1849	93 lbs.	11
	7'	TFSS-307	2706	TFMS-307	2499	TSFG-307	2133	113 lbs.	13
	8'	TFSS-308	2964	TFMS-308	2739	TSFG-308	2357	126 lbs.	15
	9'	TFSS-309	3778	TFMS-309	3461	TSFG-309	3258	150 lbs.	17
	10'	TFSS-3010	3999	TFMS-3010	3686	TSFG-3010	3485	242 lbs.	32
	11'	TFSS-3011	4311	TFMS-3011	3948	TSFG-3011	3713	268 lbs.	35
	12'	TFSS-3012	4397	TFMS-3012	4035	TSFG-3012	3797	283 lbs.	37
36” WIDE	 2'	TFSS-362	1944	TFMS-362	1841	TSFG-362	1723	65 lbs.	7
	3'	TFSS-363	1979	TFMS-363	1878	TSFG-363	1755	70 lbs.	7
	4'	TFSS-364	2028	TFMS-364	1930	TSFG-364	1798	77 lbs.	9
	5'	TFSS-365	2212	TFMS-365	2094	TSFG-365	1970	91 lbs.	11
	6'	TFSS-366	2398	TFMS-366	2265	TSFG-366	2139	103 lbs.	13
	7'	TFSS-367	3165	TFMS-367	2999	TSFG-367	2869	122 lbs.	16
	8'	TFSS-368	3383	TFMS-368	3197	TSFG-368	3069	135 lbs.	18
	9'	TFSS-369	4446	TFMS-369	4169	TSFG-369	3940	160 lbs.	20
	10'	TFSS-3610	4673	TFMS-3610	4402	TSFG-3610	4166	253 lbs.	38
	11'	TFSS-3611	5034	TFMS-3611	4734	TSFG-3611	4454	282 lbs.	41
	12'	TFSS-3612	5119	TFMS-3612	4820	TSFG-3612	4534	297 lbs.	45

Units 8 ft. and larger furnished with 6 legs. SPECIAL LENGTHS: Select next largest size. Add **Model # TA-61 No Charge** (ex. SS-306 with TA-61 size to 66" long).

SELECTED SPEC-LINE UPGRADES

TA-3	Stainless Steel Hat Channel & Gusset	\$57 /lin. ft.
TA-94	16 ga. S/S 304 Undershelf. (any size)	57 /lin. ft.
TA-95	16 ga. S/S 304 Legs	133 /table
TA-23	Legs Welded to Undershelf or Cross-Rails, Shipped Set Up & Crated.	421 /table
TA-23A	Table Legs Welded To Leg Gussets & Undershelf or Cross-Bracing, Shipped Set Up & Crated.	531 /table

WORKTABLE CASTERS

Maintains the 35-1/2" Working Height

TA-25S-4	4 Casters for Work Tables (2 w/ Brakes)	\$414 /set of 4
TA-25S-6	6 Casters for Work Tables (2 w/ Brakes)	620 /set of 6
TA-25	4 Casters for Open Base Tables (2 w/ Brakes)	414 /set of 4
TA-25A	6 Casters for Open Base Tables (2 w/ Brakes)	620 /set of 6

See Page 68 for More Caster Options



TFLG, TFMG, TFAG Series
Bullnose Edge



TABLES

1-1/2" Rear Splash W/ Open Base

Stainless Steel TOP
Galvanized LEGS

Premium			Standard			Super Saver			Approx. Shipping Weight	Approx. Cubic Feet
14 Ga. 304 S/S			16 Ga. 304 S/S			16 Ga. 430 S/S				
	Length	Model #	Price	Model #	Price	Model #	Price			
24” WIDE	2’	 TFLG-242	\$1319	 TFMG-242	\$1053	 TFAG-242	\$994	25 lbs.	3	
	30”	 TFLG-240	1184	 TFMG-240	1125	 TFAG-240	1064	42 lbs.	4	
	3’	 TFLG-243	1253	 TFMG-243	1190	 TFAG-243	1134	53 lbs.	5	
	4’	TFLG-244	1274	TFMG-244	1208	TFAG-244	1151	64 lbs.	6	
	5’	TFLG-245	1363	TFMG-245	1290	TFAG-245	1203	74 lbs.	8	
	6’	TFLG-246	1463	TFMG-246	1384	TFAG-246	1274	85 lbs.	9	
	7’	TFLG-247	1918	TFMG-247	1881	TFAG-247	1559	103 lbs.	11	
	8’	TFLG-248	2036	TFMG-248	1996	TFAG-248	1746	114 lbs.	12	
	9’	TFLG-249	2492	TFMG-249	2359	TFAG-249	2265	130 lbs.	14	
	10’	TFLG-2410	2722	TFMG-2410	2583	TFAG-2410	2497	227 lbs.	26	
	11’	TFLG-2411	2884	TFMG-2411	2722	TFAG-2411	2597	251 lbs.	29	
	12’	TFLG-2412	2968	TFMG-2412	2801	TFAG-2412	2658	266 lbs.	32	
30” WIDE	2’	 TFLG-302	1103	 TFMG-302	1056	 TFAG-302	1010	47 lbs.	4	
	30”	 TFLG-300	1214	 TFMG-300	1159	 TFAG-300	1086	52 lbs.	5	
	3’	 TFLG-303	1280	 TFMG-303	1227	 TFAG-303	1158	59 lbs.	6	
	4’	TFLG-304	1324	TFMG-304	1252	TFAG-304	1169	72 lbs.	8	
	5’	TFLG-305	1440	TFMG-305	1358	TFAG-305	1262	85 lbs.	9	
	6’	TFLG-306	1556	TFMG-306	1463	TFAG-306	1348	93 lbs.	11	
	7’	TFLG-307	2009	TFMG-307	1903	TFAG-307	1622	113 lbs.	13	
	8’	TFLG-308	2172	TFMG-308	2052	TFAG-308	1848	126 lbs.	15	
	9’	TFLG-309	2670	TFMG-309	2523	TFAG-309	2302	150 lbs.	17	
	10’	TFLG-3010	2897	TFMG-3010	2754	TFAG-3010	2525	242 lbs.	32	
	11’	TFLG-3011	3095	TFMG-3011	2928	TFAG-3011	2669	268 lbs.	35	
	12’	TFLG-3012	3178	TFMG-3012	3007	TFAG-3012	2752	283 lbs.	37	
36” WIDE	 2’	TFLG-362	1455	TFMG-362	1384	TFAG-362	1316	65 lbs.	7	
	3’	TFLG-363	1481	TFMG-363	1425	TFAG-363	1352	70 lbs.	7	
	4’	TFLG-364	1515	TFMG-364	1481	TFAG-364	1402	77 lbs.	9	
	5’	TFLG-365	1673	TFMG-365	1628	TFAG-365	1553	91 lbs.	11	
	6’	TFLG-366	1796	TFMG-366	1755	TFAG-366	1673	103 lbs.	13	
	7’	TFLG-367	2354	TFMG-367	2298	TFAG-367	2218	122 lbs.	16	
	8’	TFLG-368	2479	TFMG-368	2417	TFAG-368	2340	135 lbs.	18	
	9’	TFLG-369	3233	TFMG-369	3100	TFAG-369	2838	160 lbs.	20	
	10’	TFLG-3610	3407	TFMG-3610	3326	TFAG-3610	3068	253 lbs.	38	
	11’	TFLG-3611	3680	TFMG-3611	3548	TFAG-3611	3241	282 lbs.	41	
	12’	TFLG-3612	3760	TFMG-3612	3634	TFAG-3612	3322	297 lbs.	45	

QUICK METRIC CONVERSION TABLE

CONVERT FROM

Inches
Meters
Meters
Centimeters
Millimeters
Cubic Inches

INTO

Cubic Feet
Inches
Feet
Inches
Inches
Gallons

MULTIPLY BY

L x W x H divided by 1728
39.37
3.28
0.3937
0.03937
L x W x H Divided By 231

TABLES

10" & 5" Rear Splash W/ Undershef

Stainless Steel TOP
Stainless Steel UNDERSHELF
Stainless Steel LEGS

Take Our Tables To
New Heights!


ADJUSTABLE TABLE HEIGHT UPGRADE

(Up to 6' tables only. Ships set up.)

- Add To Any Tubular Leg Style Table with Undershef
- Adjust Table Height From 31 1/2" - 40 1/2"
- Easy Turning, Non-Obstructive Fold Away Handle

TA-900
\$5211 ea.

Up to 40 1/2"
Max. Ht.
From Floor



VKS Series
10" Back Splash
Countertop Edge



KSS, KMS, SKG Series
5" Back Splash
Bullnose Edge



Spec-Line

Premium

Standard

Super Saver

14 Ga. 304 S/S

14 Ga. 304 S/S

16 Ga. 304 S/S


16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

	Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price		
24" WIDE	2'	VKS-242	\$2263	KSS-242	\$1548	KMS-242	\$1464	SKG-242	\$1391	50 lbs.	5
	30"	VKS-240	2398	KSS-240	1682	KMS-240	1580	SKG-240	1561	55 lbs.	6
	3'	VKS-243	2470	KSS-243	1756	KMS-243	1649	SKG-243	1629	66 lbs.	7
	4'	VKS-244	2533	KSS-244	1825	KMS-244	1709	SKG-244	1668	81 lbs.	9
	5'	VKS-245	2663	KSS-245	1965	KMS-245	1833	SKG-245	1767	95 lbs.	12
	6'	VKS-246	2795	KSS-246	2108	KMS-246	1964	SKG-246	1874	113 lbs.	14
	7'	VKS-247	3333	KSS-247	2706	KMS-247	2521	SKG-247	2218	135 lbs.	16
	8'	VKS-248	3502	KSS-248	2880	KMS-248	2683	SKG-248	2354	150 lbs.	18
	9'	VKS-249	4074	KSS-249	3668	KMS-249	3379	SKG-249	3212	165 lbs.	21
	10'	VKS-2410	4305	KSS-2410	3898	KMS-2410	3609	SKG-2410	3434	268 lbs.	28
	11'	VKS-2411	4626	KSS-2411	4166	KMS-2411	3844	SKG-2411	3625	301 lbs.	36
	12'	VKS-2412	4712	KSS-2412	4254	KMS-2412	3927	SKG-2412	3704	316 lbs.	39
30" WIDE	2'	VKS-302	2322	KSS-302	1599	KMS-302	1498	SKG-302	1506	56 lbs.	6
	30"	VKS-300	2478	KSS-300	1770	KMS-300	1652	SKG-300	1628	70 lbs.	7
	3'	VKS-303	2549	KSS-303	1836	KMS-303	1724	SKG-303	1699	77 lbs.	9
	4'	VKS-304	2637	KSS-304	1932	KMS-304	1798	SKG-304	1755	92 lbs.	11
	5'	VKS-305	2797	KSS-305	2103	KMS-305	1961	SKG-305	1878	111 lbs.	14
	6'	VKS-306	2957	KSS-306	2277	KMS-306	2113	SKG-306	1996	129 lbs.	17
	7'	VKS-307	3441	KSS-307	2807	KMS-307	2616	SKG-307	2197	153 lbs.	20
	8'	VKS-308	3702	KSS-308	3087	KMS-308	2872	SKG-308	2514	171 lbs.	22
	9'	VKS-309	4415	KSS-309	3940	KMS-309	3617	SKG-309	3419	289 lbs.	25
	10'	VKS-3010	4645	KSS-3010	4166	KMS-3010	3855	SKG-3010	3647	294 lbs.	40
	11'	VKS-3011	4946	KSS-3011	4490	KMS-3011	4142	SKG-3011	3878	331 lbs.	43
	12'	VKS-3012	5031	KSS-3012	4571	KMS-3012	4225	SKG-3012	3960	346 lbs.	47
36" WIDE	2'	VKS-362	2915	KSS-362	2187	KMS-362	2036	SKG-362	1863	86 lbs.	10
	3'	VKS-363	2952	KSS-363	2223	KMS-363	2070	SKG-363	1904	92 lbs.	10
	4'	VKS-364	3001	KSS-364	2271	KMS-364	2115	SKG-364	1958	101 lbs.	14
	5'	VKS-365	3193	KSS-365	2561	KMS-365	2389	SKG-365	2128	121 lbs.	17
	6'	VKS-366	3388	KSS-366	2751	KMS-366	2559	SKG-366	2298	142 lbs.	20
	7'	VKS-367	4032	KSS-367	3279	KMS-367	3047	SKG-367	3017	169 lbs.	23
	8'	VKS-368	4250	KSS-368	3510	KMS-368	3261	SKG-368	3224	189 lbs.	27
	9'	VKS-369	5089	KSS-369	4695	KMS-369	4322	SKG-369	4108	260 lbs.	30
	10'	VKS-3610	5321	KSS-3610	4921	KMS-3610	4550	SKG-3610	4335	315 lbs.	46
	11'	VKS-3611	5682	KSS-3611	5298	KMS-3611	4891	SKG-3611	4617	358 lbs.	51
	12'	VKS-3612	5768	KSS-3612	5385	KMS-3612	4975	SKG-3612	4703	373 lbs.	55

Units 8 ft. and larger furnished with 6 leg SPECIAL LENGTHS: Select next largest size. Add **Model # TA-61 No Charge** (ex. SS-306 with TA-61 size to 66" long).



PATENT
PENDING



Revolutionary SHD Series Drawer with Integral Drawer Slides

- Stainless Steel Front & Sides
- Self Closing Drawer with Noise Control
- Drawer "Safety Stop" Tab
- Removable Stainless Steel Insert
- Units can be Stacked to Create Tier Drawers

Model #	Insert Size	Price
SHD-2015	20" x 15" x 5"	\$1033
SHD-1520	15" x 20" x 5"	1033
SHD-2020	20" x 20" x 5"	1104

DELUXE SERIES

- Stainless Steel Front
- Ball Bearing Slides
- Removable Insert



Stainless Steel			Galvanized		
Model #	Insert Size	Price	Model #	Insert Size	Price
SS-2015	20" x 15" x 5"	\$566	GZ-2015	20" x 15" x 5"	\$402
SS-1520	15" x 20" x 5"	566	GZ-1520	15" x 20" x 5"	402
SS-2020	20" x 20" x 5"	613	GZ-2020	20" x 20" x 5"	439

See Pages 66-67 For More Drawer Details and More Drawer Options!



Featuring as Standard: "THE PROVEN"
Original ADVANCE TABCO Adjustable Undershef
with Die Cast Leg Clamp



TABLES

10" & 5" Rear Splash W/ Undershef

Stainless Steel TOP
Galvanized UNDERSHELF
Galvanized LEGS
Super Saver



VKG Series
10" Back Splash
Countertop Edge



KLG, KMG, KAG Series
5" Back Splash
Bullnose Edge

Spec-Line


Premium

Standard

Super Saver

		14 Ga. 304 S/S			14 Ga. 304 S/S			16 Ga. 304 S/S			16 Ga. 430 S/S			Approx. Shipping Weight	Approx. Cubic Feet
	Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price						
24" WIDE	2'	 VKG-242	\$1982	 KLG-242	\$1143	 KMG-242	\$1116	 KAG-242	\$1056				50 lbs.	5	
	30"	 VKG-240	2086	 KLG-240	1241	 KMG-240	1204	 KAG-240	1128				55 lbs.	6	
	3'	 VKG-243	2157	 KLG-243	1308	 KMG-243	1274	 KAG-243	1194				66 lbs.	7	
	4'	 VKG-244	2190	 KLG-244	1346	 KMG-244	1303	 KAG-244	1199				81 lbs.	9	
	5'	 VKG-245	2300	 KLG-245	1440	 KMG-245	1395	 KAG-245	1280				95 lbs.	12	
	6'	 VKG-246	2405	 KLG-246	1545	 KMG-246	1492	 KAG-246	1357				113 lbs.	14	
	7'	 VKG-247	2834	 KLG-247	1965	 KMG-247	1903	 KAG-247	1668				135 lbs.	16	
	8'	 VKG-248	2969	 KLG-248	2094	 KMG-248	2051	 KAG-248	1857				150 lbs.	18	
	9'	 VKG-249	3407	 KLG-249	2596	 KMG-249	2491	 KAG-249	2380				165 lbs.	21	
	10'	 VKG-2410	3636	 KLG-2410	2814	 KMG-2410	2721	 KAG-2410	2615				268 lbs.	28	
	11'	 VKG-2411	3906	 KLG-2411	2922	 KMG-2411	2880	 KAG-2411	2777				301 lbs.	36	
	12'	 VKG-2412	3985	 KLG-2412	3041	 KMG-2412	2961	 KAG-2412	2857				316 lbs.	39	
30" WIDE	2'	 VKG-302	2001	 KLG-302	1160	 KMG-302	1128	 KAG-302	1064				56 lbs.	6	
	30"	 VKG-300	2120	 KLG-300	1276	 KMG-300	1241	 KAG-300	1151				70 lbs.	7	
	3'	 VKG-303	2108	 KLG-303	1349	 KMG-303	1308	 KAG-303	1219				77 lbs.	9	
	4'	 VKG-304	2248	 KLG-304	1394	 KMG-304	1352	 KAG-304	1240				92 lbs.	11	
	5'	 VKG-305	2378	 KLG-305	1513	 KMG-305	1463	 KAG-305	1327				111 lbs.	14	
	6'	 VKG-306	2505	 KLG-306	1638	 KMG-306	1581	 KAG-306	1414				129 lbs.	17	
	7'	 VKG-307	2939	 KLG-307	2055	 KMG-307	1990	 KAG-307	1743				153 lbs.	20	
	8'	 VKG-308	3126	 KLG-308	2229	 KMG-308	2154	 KAG-308	1970				171 lbs.	22	
	9'	 VKG-309	3683	 KLG-309	2768	 KMG-309	2658	 KAG-309	2549				195 lbs.	25	
	10'	 VKG-3010	3911	 KLG-3010	2995	 KMG-3010	2884	 KAG-3010	2777				294 lbs.	40	
	11'	 VKG-3011	4142	 KLG-3011	3207	 KMG-3011	3079	 KAG-3011	2968				331 lbs.	43	
	12'	 VKG-3012	4225	 KLG-3012	3290	 KMG-3012	3165	 KAG-3012	3046				346 lbs.	47	
36" WIDE	 2'	 VKG-362	2518	 KLG-362	1665	 KMG-362	1616	 KAG-362	1508				86 lbs.	10	
	3'	 VKG-363	2561	 KLG-363	1703	 KMG-363	1643	 KAG-363	1560				92 lbs.	10	
	4'	 VKG-364	2619	 KLG-364	1755	 KMG-364	1680	 KAG-364	1613				101 lbs.	14	
	5'	 VKG-365	2784	 KLG-365	1926	 KMG-365	1864	 KAG-365	1749				121 lbs.	17	
	6'	 VKG-366	2938	 KLG-366	2064	 KMG-366	1991	 KAG-366	1853				142 lbs.	20	
	7'	 VKG-367	3456	 KLG-367	2417	 KMG-367	2331	 KAG-367	2190				169 lbs.	23	
	8'	 VKG-368	3596	 KLG-368	2713	 KMG-368	2624	 KAG-368	2468				189 lbs.	27	
	9'	 VKG-369	4277	 KLG-369	3347	 KMG-369	3216	 KAG-369	3110				260 lbs.	30	
	10'	 VKG-3610	4502	 KLG-3610	3576	 KMG-3610	3443	 KAG-3610	3341				315 lbs.	46	
	11'	 VKG-3611	4778	 KLG-3611	3821	 KMG-3611	3675	 KAG-3611	3555				358 lbs.	51	
	12'	 VKG-3612	4858	 KLG-3612	3906	 KMG-3612	3757	 KAG-3612	3637				373 lbs.	55	

SIDE SPLASH



TA-30 1 1/2" Side Splash **\$92 ea.**
TA-31 5" Side Splash **173 ea.**
TA-32 10 1/2" Side Splash **339 ea.**

K.D. ALUMINUM PAN RACK SLIDES

6 Slides - 2" Spacing
Mounted on Tables (min. length 3")

TA-44
\$676



Glass Rack Slides
3 Slides - 7 1/2" Spacing
TA-45 **\$617**

WORKTABLE CASTERS

When Used with Galvanized Legs

TA-25G-4 **\$414/set of 4**
TA-25G-6 **620/set of 6**

5" Swivels with rubber wheels
Each set with 2 brakes. Legs maintain 35-1/2" working height

TA-25B **\$203** For Brakes on all wheels for TA-25SG-4 or TA-25G-6

TA-25C X.H.D. Urethane wheels
\$36 each caster

See Page 68 For More Casters



3 TIER DRAWERS



Stainless Steel

TA-38
\$3890

20" x 20" x 5"
Drawer Inserts with Ball Bearing Slides

URN TROUGH



TA-64
\$164/lin.ft.

TABLES

10" & 5" Rear Splash W/ Open Base

Stainless Steel TOP
Stainless Steel LEGS



Take Our Tables To
New Heights!


ADJUSTABLE TABLE HEIGHT UPGRADE

(Up to 6' tables only. Ships set up.)

- Add To Any Tubular Leg Style Table with Undersshelf
- Adjust Table Height From 31 1/2" - 40 1/2"
- Easy Turning, Non-Obstructive Fold Away Handle

TA-900
\$5211 ea.

Up to 40 1/2"
Max. Ht.
From Floor



TVKS Series
10" Back Splash
Countertop Edge



TKSS, TKMS,
TSKG Series
5" Back Splash
Bullnose Edge

Spec-Line

Premium

Standard

Super Saver

14 Ga. 304 S/S

14 Ga. 304 S/S

16 Ga. 304 S/S

16 Ga. 430 S/S

Approx.
Shipping
Weight

Approx.
Cubic
Feet

Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price	Approx. Shipping Weight	Approx. Cubic Feet
24" WIDE	2' TVKS-242	\$2397	TKSS-242	\$1675	TKMS-242	\$1593	TSKG-242	\$1593	43 lbs.	5
	30" TVKS-240	2526	TKSS-240	1814	TKMS-240	1710	TSKG-240	1692	49 lbs.	6
	3' TVKS-243	2598	TKSS-243	1884	TKMS-243	1777	TSKG-243	1761	55 lbs.	7
	4' TVKS-244	2661	TKSS-244	1957	TKMS-244	1833	TSKG-244	1793	67 lbs.	9
	5' TVKS-245	2794	TKSS-245	2093	TKMS-245	1964	TSKG-245	1895	77 lbs.	12
	6' TVKS-246	2927	TKSS-246	2239	TKMS-246	2091	TSKG-246	2001	89 lbs.	14
	7' TVKS-247	3463	TKSS-247	2831	TKMS-247	2645	TSKG-247	2343	107 lbs.	16
	8' TVKS-248	3632	TKSS-248	3010	TKMS-248	2810	TSKG-248	2481	119 lbs.	18
	9' TVKS-249	4208	TKSS-249	3802	TKMS-249	3512	TSKG-249	3347	135 lbs.	21
	10' TVKS-2410	4439	TKSS-2410	4035	TKMS-2410	3744	TSKG-2410	3576	234 lbs.	28
	11' TVKS-2411	4770	TKSS-2411	4306	TKMS-2411	3984	TSKG-2411	3757	258 lbs.	36
	12' TVKS-2412	4848	TKSS-2412	4389	TKMS-2412	4065	TSKG-2412	3839	273 lbs.	39
30" WIDE	2' TVKS-302	2456	TKSS-302	1728	TKMS-302	1640	TSKG-302	1640	48 lbs.	6
	30" TVKS-300	2613	TKSS-300	1896	TKMS-300	1783	TSKG-300	1760	55 lbs.	7
	3' TVKS-303	2681	TKSS-303	1967	TKMS-303	1853	TSKG-303	1825	62 lbs.	9
	4' TVKS-304	2769	TKSS-304	2074	TKMS-304	1931	TSKG-304	1881	75 lbs.	11
	5' TVKS-305	2931	TKSS-305	2237	TKMS-305	2090	TSKG-305	2008	89 lbs.	14
	6' TVKS-306	3091	TKSS-306	2405	TKMS-306	2244	TSKG-306	2133	97 lbs.	17
	7' TVKS-307	3573	TKSS-307	2938	TKMS-307	2739	TSKG-307	2417	118 lbs.	20
	8' TVKS-308	3831	TKSS-308	3214	TKMS-308	2999	TSKG-308	2642	131 lbs.	22
	9' TVKS-309	4559	TKSS-309	4076	TKMS-309	3761	TSKG-309	3558	150 lbs.	25
	10' TVKS-3010	4781	TKSS-3010	4306	TKMS-3010	3986	TSKG-3010	3793	249 lbs.	40
	11' TVKS-3011	5085	TKSS-3011	4628	TKMS-3011	4278	TSKG-3011	4014	276 lbs.	43
	12' TVKS-3012	5168	TKSS-3012	4713	TKMS-3012	4363	TSKG-3012	4096	291 lbs.	47
36" WIDE	2' TVKS-362	3045	TKSS-362	2312	TKMS-362	2157	TSKG-362	1995	75 lbs.	10
	3' TVKS-363	3081	TKSS-363	2350	TKMS-363	2196	TSKG-363	2034	80 lbs.	10
	4' TVKS-364	3129	TKSS-364	2401	TKMS-364	2248	TSKG-364	2086	85 lbs.	14
	5' TVKS-365	3320	TKSS-365	2697	TKMS-365	2516	TSKG-365	2255	99 lbs.	17
	6' TVKS-366	3514	TKSS-366	2882	TKMS-366	2695	TSKG-366	2419	112 lbs.	20
	7' TVKS-367	4161	TKSS-367	3411	TKMS-367	3179	TSKG-367	3144	131 lbs.	23
	8' TVKS-368	4382	TKSS-368	3641	TKMS-368	3394	TSKG-368	3356	145 lbs.	27
	9' TVKS-369	5227	TKSS-369	4827	TKMS-369	4459	TSKG-369	4239	165 lbs.	30
	10' TVKS-3610	5461	TKSS-3610	5054	TKMS-3610	4689	TSKG-3610	4469	268 lbs.	46
	11' TVKS-3611	5821	TKSS-3611	5439	TKMS-3611	5032	TSKG-3611	4754	298 lbs.	51
	12' TVKS-3612	5901	TKSS-3612	5517	TKMS-3612	5114	TSKG-3612	4838	313 lbs.	55

Units 8 ft. and larger furnished with 6 legs. SPECIAL LENGTHS: Select next largest size. Add **Model # TA-61 No Charge** (ex. SS-306 with TA-61 size to 66" long).

SELECTED SPEC-LINE UPGRADES

TA-3	Stainless Steel Hat Channel & Gusset	\$57 /lin. ft.
TA-94	16 ga. S/S 304 Undersshelf. (any size)	57 /lin. ft.
TA-95	16 ga. S/S 304 Legs	133 /table
TA-23	Legs Welded to Underself or Cross-Rails, Shipped Set Up & Crated.	421 /table
TA-23A	Table Legs Welded To Leg Gussets & Undersshelf or Cross-Bracing, Shipped Set Up & Crated.	531 /table

WORKTABLE CASTERS

Maintains the 35-1/2" Working Height

TA-25S-4	4 Casters for Work Tables (2 w/ Brakes)	\$414 /set of 4
TA-25S-6	6 Casters for Work Tables (2 w/ Brakes)	620 /set of 6
TA-25	4 Casters for Open Base Tables (2 w/ Brakes)	414 /set of 4
TA-25A	6 Casters for Open Base Tables (2 w/ Brakes)	620 /set of 6

See Page 68 for More Caster Options



TVKG Series
10" Back Splash
Countertop Edge



TKLG, TKMG, TKAG Series
5" Back Splash
Bullnose Edge

TABLES

10" & 5" Rear Splash W/ Open Base



Stainless Steel TOP
Galvanized LEGS

		Spec-Line		Premium		Standard		Super Saver			
		14 Ga. 304 S/S		14 Ga. 304 S/S		16 Ga. 304 S/S		16 Ga. 430 S/S		Approx. Shipping Weight	Approx. Cubic Feet
	Length	Model #	Price	Model #	Price	Model #	Price	Model #	Price		
24" WIDE	2'	 TVKG-242	\$2109	 TKLG-242	\$1272	 TKMG-242	\$1242	 TKAG-242	\$1187	43 lbs.	5
	30"	 TVKG-240	2218	 TKLG-240	1365	 TKMG-240	1339	 TKAG-240	1262	49 lbs.	6
	3'	 TVKG-243	2287	 TKLG-243	1439	 TKMG-243	1406	 TKAG-243	1325	55 lbs.	7
	4'	TVKG-244	2321	TKLG-244	1474	TKMG-244	1431	TKAG-244	1358	67 lbs.	9
	5'	TVKG-245	2420	TKLG-245	1568	TKMG-245	1524	TKAG-245	1412	77 lbs.	12
	6'	TVKG-246	2537	TKLG-246	1673	TKMG-246	1621	TKAG-246	1489	89 lbs.	14
	7'	TVKG-247	2961	TKLG-247	2093	TKMG-247	2029	TKAG-247	1793	107 lbs.	16
	8'	TVKG-248	3104	TKLG-248	2228	TKMG-248	2158	TKAG-248	1990	119 lbs.	18
	9'	TVKG-249	3548	TKLG-249	2728	TKMG-249	2630	TKAG-249	2522	135 lbs.	21
	10'	TVKG-2410	3771	TKLG-2410	2954	TKMG-2410	2857	TKAG-2410	2752	234 lbs.	28
	11'	TVKG-2411	4039	TKLG-2411	3128	TKMG-2411	3020	TKAG-2411	2914	258 lbs.	36
	12'	TVKG-2412	4121	TKLG-2412	3211	TKMG-2412	3102	TKAG-2412	2995	273 lbs.	39
30" WIDE	2'	 TVKG-302	2129	 TKLG-302	1286	 TKMG-302	1262	 TKAG-302	1193	48 lbs.	6
	30"	 TVKG-300	2250	 TKLG-300	1406	 TKMG-300	1365	 TKAG-300	1277	55 lbs.	7
	3'	TVKG-303	2321	TKLG-303	1477	TKMG-303	1439	TKAG-303	1351	62 lbs.	9
	4'	TVKG-304	2377	TKLG-304	1523	TKMG-304	1481	TKAG-304	1363	75 lbs.	11
	5'	TVKG-305	2505	TKLG-305	1643	TKMG-305	1592	TKAG-305	1460	89 lbs.	14
	6'	TVKG-306	2638	TKLG-306	1767	TKMG-306	1712	TKAG-306	1549	97 lbs.	17
	7'	TVKG-307	3069	TKLG-307	2187	TKMG-307	2115	TKAG-307	1875	118 lbs.	20
	8'	TVKG-308	3257	TKLG-308	2357	TKMG-308	2286	TKAG-308	2100	131 lbs.	22
	9'	TVKG-309	3824	TKLG-309	2902	TKMG-309	2798	TKAG-309	2688	150 lbs.	25
	10'	TVKG-3010	4049	TKLG-3010	3129	TKMG-3010	3025	TKAG-3010	2914	249 lbs.	40
	11'	TVKG-3011	4278	TKLG-3011	3344	TKMG-3011	3217	TKAG-3011	3103	276 lbs.	43
	12'	TVKG-3012	4363	TKLG-3012	3425	TKMG-3012	3302	TKAG-3012	3187	291 lbs.	47
36" WIDE	2	 TVKG-362	2666	TKLG-362	1719	TKMG-362	1675	TKAG-362	1655	75 lbs.	10
	3'	TVKG-363	2697	TKLG-363	1757	TKMG-363	1709	TKAG-363	1693	80 lbs.	10
	4'	TVKG-364	2741	TKLG-364	1807	TKMG-364	1757	TKAG-364	1743	85 lbs.	14
	5'	TVKG-365	2910	TKLG-365	2053	TKMG-365	1992	TKAG-365	1878	99 lbs.	17
	6'	TVKG-366	3068	TKLG-366	2190	TKMG-366	2117	TKAG-366	1983	112 lbs.	20
	7'	TVKG-367	3584	TKLG-367	2549	TKMG-367	2469	TKAG-367	2321	131 lbs.	23
	8'	TVKG-368	3726	TKLG-368	2843	TKMG-368	2751	TKAG-368	2586	145 lbs.	27
	9'	TVKG-369	4410	TKLG-369	3487	TKMG-369	3354	TKAG-369	3251	165 lbs.	30
	10'	TVKG-3610	4637	TKLG-3610	3713	TKMG-3610	3584	TKAG-3610	3473	268 lbs.	46
	11'	TVKG-3611	4912	TKLG-3611	3960	TKMG-3611	3813	TKAG-3611	3696	298 lbs.	51
	12'	TVKG-3612	4992	TKLG-3612	4039	TKMG-3612	3892	TKAG-3612	3772	313 lbs.	55

Put a Sink in Your Table!



SINGLE & DOUBLE
BOWLS AVAILABLE

For Integral Sinks
See Page 65

POLY-VANCE 5/8" THICK CUTTING BOARDS

Model #	Description	Price
K-2A	Cutting Board For 10"x14" Bowls	\$295 ea.
K-2B	Cutting Board For 14"x16" Bowls	295 ea.
K-2C	Cutting Board For 16"x20" Bowls	295 ea.
K-2D	Cutting Board For 18"x24" Bowls	295 ea.
K-2E	Cutting Board For 20"x20" Bowls	295 ea.
K-2F	Cutting Board For 24"x24" Bowls	295 ea.
K-2J	Cutting Board For 18"x18" Bowls	295 ea.
K-2K	Cutting Board For 30"x24" Bowls	295 ea.

For Faucets & Accessories - See Page 35-36

TABLES

Enclosed Base Tables

FLAT TOP UNITS

**14 GAUGE
TOP**



Open Base



**Heavy Duty
Bolt-On Style Legs**
On All Enclosed
Base Tables!



Sliding Doors



Hinged Doors



***Please add "M" after model number when
adding Fixed Mid Shelf & refer to prices below**

w/ Fixed Mid-Shelf						# of				w/ Fixed Mid-Shelf				# of				w/ Fixed Mid-Shelf				Approx.
L		Model #		(Add "M")		Model #		Doors		(Add "M")		Model #		Doors		(Add "M")				Cubic Feet		
24" WIDE	3'	EB-SS-243	\$2852	M	\$3405	NOT AVAILABLE						HB-SS-243	2	\$4500	M	\$5055			30			
	4'	EB-SS-244	2959	M	3508	CB-SS-244	2	\$4072	M	\$4624	HB-SS-244	2	4717	M	5266			38				
	5'	EB-SS-245	3168	M	3783	CB-SS-245	2	4375	M	4995	HB-SS-245	2	5028	M	5644			47				
	6'	EB-SS-246	3377	M	4072	CB-SS-246	2	4691	M	5388	HB-SS-246	4	5334	M	6028			56				
	7'	EB-SS-247	3676	M	4449	CB-SS-247	4	5363	M	6138	HB-SS-247	4	6003	M	6779			66				
	8'	EB-SS-248	3863	M	4696	CB-SS-248	4	5795	M	6633	HB-SS-248	4	6442	M	7277			74				
	9'	EB-SS-249	4377	M	5349	CB-SS-249	4	6495	M	7469	HB-SS-249	4	7143	M	8117			83				
	10'	EB-SS-2410	4578	M	5547	CB-SS-2410	4	6698	M	7664	HB-SS-2410	4	7341	M	8312			92				
12'	EB-SS-2412	6325	M	7097	CB-SS-2412	4	8199	M	9328	HB-SS-2412	6	9917	M	11149			109					
30" WIDE	3'	EB-SS-303	3007	M	3637	NOT AVAILABLE						HB-SS-303	2	4657	M	5229			35			
	4'	EB-SS-304	3114	M	3746	CB-SS-304	2	4226	M	4856	HB-SS-304	2	4865	M	5497			45				
	5'	EB-SS-305	3348	M	4072	CB-SS-305	2	4560	M	5282	HB-SS-305	2	5211	M	5934			55				
	6'	EB-SS-306	3588	M	4389	CB-SS-306	2	4899	M	5702	HB-SS-306	4	5548	M	6349			66				
	7'	EB-SS-307	3833	M	4724	CB-SS-307	4	5511	M	6406	HB-SS-307	4	6158	M	7051			76				
	8'	EB-SS-308	4233	M	5228	CB-SS-308	4	6035	M	7033	HB-SS-308	4	6680	M	7677			87				
	9'	EB-SS-309	4667	M	5829	CB-SS-309	4	6781	M	7946	HB-SS-309	4	7431	M	8601			97				
	10'	EB-SS-3010	4864	M	6027	CB-SS-3010	4	6979	M	8143	HB-SS-3010	4	7629	M	8800			107				
12'	EB-SS-3012	6705	M	7474	CB-SS-3012	4	9074	M	10494	HB-SS-3012	6	10438	M	11667			128					
36" WIDE	3'	EB-SS-363	3222	M	3922	NOT AVAILABLE						HB-SS-363	2	4990	M	5685			41			
	4'	EB-SS-364	3326	M	4026	CB-SS-364	2	4508	M	5209	HB-SS-364	2	5202	M	5897			53				
	5'	EB-SS-365	3577	M	4390	CB-SS-365	2	4868	M	5684	HB-SS-365	2	5563	M	6379			65				
	6'	EB-SS-366	3998	M	4921	CB-SS-366	2	5232	M	6152	HB-SS-366	4	5926	M	6847			77				
	7'	EB-SS-367	4091	M	5127	CB-SS-367	4	5888	M	6927	HB-SS-367	4	6577	M	7620			90				
	8'	EB-SS-368	4521	M	5607	CB-SS-368	4	6451	M	7538	HB-SS-368	4	7135	M	8222			102				
	9'	EB-SS-369	4999	M	6360	CB-SS-369	4	7259	M	8621	HB-SS-369	4	7953	M	9310			114				
	10'	EB-SS-3610	5200	M	6561	CB-SS-3610	4	7454	M	8819	HB-SS-3610	4	8151	M	9512			126				
12'	EB-SS-3612	6838	M	8049	CB-SS-3612	4	9625	M	11169	HB-SS-3612	6	11305	M	12675			151					

1-1/2" BACKSPLASH UNITS

Open Base

Sliding Doors

Hinged Doors

			w/ Fixed Mid-Shelf				# of	w/ Fixed Mid-Shelf				# of	w/ Fixed Mid-Shelf			Approx.	
	L	Model #			(Add "M")	Model #	Doors			(Add "M")	Model #	Doors			(Add "M")	Cubic Feet	
24" WIDE	3'	EF-SS-243	\$2852	M	\$3405	NOT AVAILABLE						HF-SS-243	2	\$4500	M	\$5055	30
	4'	EF-SS-244	2959	M	3508	CF-SS-244	2	\$4072	M	\$4624	HF-SS-244	2	4717	M	5266	38	
	5'	EF-SS-245	3168	M	3783	CF-SS-245	2	4375	M	4995	HF-SS-245	2	5028	M	5644	47	
	6'	EF-SS-246	3377	M	4072	CF-SS-246	2	4691	M	5388	HF-SS-246	4	5334	M	6028	56	
	7'	EF-SS-247	3676	M	4449	CF-SS-247	4	5363	M	6138	HF-SS-247	4	6003	M	6779	66	
	8'	EF-SS-248	3863	M	4696	CF-SS-248	4	5795	M	6633	HF-SS-248	4	6442	M	7277	74	
	9'	EF-SS-249	4377	M	5349	CF-SS-249	4	6495	M	7469	HF-SS-249	4	7143	M	8117	83	
	10'	EF-SS-2410	4578	M	5547	CF-SS-2410	4	6698	M	7664	HF-SS-2410	4	7341	M	8312	92	
	12'	EF-SS-2412	6325	M	7097	CF-SS-2412	4	8199	M	9328	HF-SS-2412	6	9917	M	11149	109	
30" WIDE	3'	EF-SS-303	3007	M	3637	NOT AVAILABLE						HF-SS-303	2	4657	M	5285	35
	4'	EF-SS-304	3114	M	3746	CF-SS-304	2	4226	M	4856	HF-SS-304	2	4865	M	5497	45	
	5'	EF-SS-305	3348	M	4072	CF-SS-305	2	4560	M	5282	HF-SS-305	2	5211	M	5934	55	
	6'	EF-SS-306	3586	M	4389	CF-SS-306	2	4899	M	5702	HF-SS-306	4	5548	M	6349	66	
	7'	EF-SS-307	3833	M	4724	CF-SS-307	4	5511	M	6406	HF-SS-307	4	6158	M	7051	76	
	8'	EF-SS-308	4233	M	5228	CF-SS-308	4	6035	M	7033	HF-SS-308	4	6680	M	7677	87	
	9'	EF-SS-309	4667	M	5829	CF-SS-309	4	6781	M	7946	HF-SS-309	4	7431	M	8594	97	
	10'	EF-SS-3010	4864	M	6027	CF-SS-3010	4	6979	M	8143	HF-SS-3010	4	7629	M	8794	107	
	12'	EF-SS-3012	6705	M	7474	CF-SS-3012	4	9074	M	10494	HF-SS-3012	6	10438	M	11667	128	

(Approx. Shipping Weight Is 50 Lbs. Per Lineal Foot)

For Enclosed Base Tables Over 12' Add:

TA-65	Open Base Units	\$499 /lin. ft.
TA-66	Sliding Door Units	727 /lin. ft.
TA-67	Hinged Door Units	770 /lin. ft.

TA-36D \$126 ea.
Hinged Door
Repair Kit



FOR 36" WIDE 1-1/2" SPLASH UNITS: Use 36" Flat Top Price
and Replace "B" with "F" (Example: EB-SS-364 would change to read EF-SS-364)

*Please add "M" after model number when adding Fixed Mid Shelf & refer to prices below

5" BACKSPLASH UNITS

14 GAUGE
TOP



Open Base



Heavy Duty
Bolt-On Style Legs
On All Enclosed
Base Tables!



TABLES

Enclosed Base Tables



Sliding Doors



Hinged Doors

w/ Fixed Mid-Shelf						# of		w/ Fixed Mid-Shelf		# of		w/ Fixed Mid-Shelf		Approx.			
L	Model #	(Add "M")				Model #	Doors		(Add "M")		Model #	Doors		(Add "M")		Cubic Feet	
24" WIDE	3'	EK-SS-243	\$2942	M	\$3438	NOT AVAILABLE						HK-SS-243	2	\$4595	M	\$5149	30
	4'	EK-SS-244	3049	M	3542	CK-SS-244	2	\$4160	M	\$4717	HK-SS-244	2	4808	M	5359	38	
	5'	EK-SS-245	3263	M	3823	CK-SS-245	2	4476	M	5097	HK-SS-245	2	5119	M	5747	47	
	6'	EK-SS-246	3482	M	4118	CK-SS-246	2	4801	M	5541	HK-SS-246	4	5443	M	6143	56	
	7'	EK-SS-247	3791	M	4424	CK-SS-247	4	5474	M	6253	HK-SS-247	4	6120	M	6903	66	
	8'	EK-SS-248	3985	M	4755	CK-SS-248	4	5913	M	6748	HK-SS-248	4	6566	M	7400	74	
	9'	EK-SS-249	4518	M	5426	CK-SS-249	4	6635	M	7601	HK-SS-249	4	7279	M	8251	83	
	10'	EK-SS-2410	4719	M	5623	CK-SS-2410	4	6833	M	7803	HK-SS-2410	4	7478	M	8450	92	
	12'	EK-SS-2412	6479	M	7471	CK-SS-2412	4	8931	M	10012	HK-SS-2412	6	10112	M	11306	109	
30" WIDE	3'	EK-SS-303	3196	M	3729	NOT AVAILABLE						HK-SS-303	2	4745	M	5378	35
	4'	EK-SS-304	3308	M	3834	CK-SS-304	2	4314	M	4943	HK-SS-304	2	4961	M	5592	45	
	5'	EK-SS-305	3478	M	4202	CK-SS-305	2	4661	M	5387	HK-SS-305	2	5306	M	6032	55	
	6'	EK-SS-306	3632	M	4435	CK-SS-306	2	5006	M	5812	HK-SS-306	4	5651	M	6455	66	
	7'	EK-SS-307	3943	M	4841	CK-SS-307	4	5627	M	6517	HK-SS-307	4	6278	M	8202	76	
	8'	EK-SS-308	4355	M	5348	CK-SS-308	4	6155	M	7151	HK-SS-308	4	7206	M	8255	87	
	9'	EK-SS-309	4802	M	6029	CK-SS-309	4	6921	M	8090	HK-SS-309	4	7568	M	8729	97	
	10'	EK-SS-3010	5005	M	6158	CK-SS-3010	4	7122	M	8285	HK-SS-3010	4	7765	M	9088	107	
	12'	EK-SS-3012	6836	M	7828	CK-SS-3012	4	9537	M	10808	HK-SS-3012	6	10939	M	12136	128	
36" WIDE	3'	EK-SS-363	3316	M	4009	NOT AVAILABLE						HK-SS-363	2	5080	M	5777	41
	4'	EK-SS-364	3422	M	4116	CK-SS-364	2	4603	M	5299	HK-SS-364	2	5295	M	5989	53	
	5'	EK-SS-365	3658	M	4548	CK-SS-365	2	4978	M	5787	HK-SS-365	2	5663	M	6475	65	
	6'	EK-SS-366	4097	M	5025	CK-SS-366	2	5343	M	6264	HK-SS-366	4	6033	M	6949	77	
	7'	EK-SS-367	4211	M	5242	CK-SS-367	4	6006	M	7046	HK-SS-367	4	6701	M	7735	90	
	8'	EK-SS-368	4646	M	5733	CK-SS-368	4	6573	M	7659	HK-SS-368	4	7695	M	8785	102	
	9'	EK-SS-369	5564	M	6442	CK-SS-369	4	7401	M	8762	HK-SS-369	4	8033	M	9390	114	
	10'	EK-SS-3610	6028	M	6638	CK-SS-3610	4	7538	M	8898	HK-SS-3610	4	8229	M	9587	126	
	12'	EK-SS-3612	7105	M	8416	CK-SS-3612	4	10224	M	11513	HK-SS-3612	6	11651	M	12914	151	

(Approx. shipping weight is 75 lbs. per lineal foot)

We Recommend a Welded Field Joint For Units Over 12' TA-57 \$257 ea.

(Units over 14' require a Welded or Bolted Field Joint)

SVU
SPECIAL VALUE UNITS



- 16 Gauge, 304 Stainless Steel Top
- 18 Gauge, 430 Stainless Steel Body
- 1-58" Rolled Rim On front
- 1-5/8" Square Sides
- Fixed Mid Shelf
- Stainless Steel Legs & Bullet Feet

16 GAUGE
TOP



		FLAT TOP				5" BACK SPLASH				Approx. Cubic Feet
	L	SLIDING DOORS	List Price	HINGED DOORS	List Price	SLIDING DOORS	List Price	HINGED DOORS	List Price	
24" WIDE	36"	N/A		EHB-SS-243M	\$4564	N/A		EHK-SS-243M	\$4660	30
	48"	ECB-SS-244M	\$4130	EHB-SS-244M	4784	ECK-SS-244M	\$4218	EHK-SS-244M	4875	38
	60"	ECB-SS-245M	4436	EHB-SS-245M	5099	ECK-SS-245M	4540	EHK-SS-245M	5192	47
	72"	ECB-SS-246M	4758	EHB-SS-246M	5410	ECK-SS-246M	4870	EHK-SS-246M	5519	56
	84"	ECB-SS-247M	5439	EHB-SS-247M	6088	ECK-SS-247M	5551	EHK-SS-247M	6208	66
	96"	ECB-SS-248M	5878	EHB-SS-248M	6532	ECK-SS-248M	5997	EHK-SS-248M	6660	74
	108"	ECB-SS-249M	6587	EHB-SS-249M	7244	ECK-SS-249M	6730	EHK-SS-249M	7382	83
	120"	ECB-SS-2410M	6792	EHB-SS-2410M	7444	ECK-SS-2410M	6930	EHK-SS-2410M	7584	92
30" WIDE	36"	N/A		EHB-SS-303M	\$4722	N/A		EHK-SS-303M	\$4813	35
	48"	ECB-SS-304M	\$4286	EHB-SS-304M	4935	ECK-SS-304M	\$4377	EHK-SS-304M	5031	45
	60"	ECB-SS-305M	4626	EHB-SS-305M	5286	ECK-SS-305M	4727	EHK-SS-305M	5382	55
	72"	ECB-SS-306M	4969	EHB-SS-306M	5626	ECK-SS-306M	5078	EHK-SS-306M	5732	66
	84"	ECB-SS-307M	5590	EHB-SS-307M	6247	ECK-SS-307M	5706	EHK-SS-307M	6366	76
	96"	ECB-SS-308M	6122	EHB-SS-308M	6774	ECK-SS-308M	6242	EHK-SS-308M	7309	87
	108"	ECB-SS-309M	6878	EHB-SS-309M	7538	ECK-SS-309M	7018	EHK-SS-309M	7675	97
	120"	ECB-SS-3010M	7078	EHB-SS-3010M	7738	ECK-SS-3010M	7223	EHK-SS-3010M	7875	107

TABLES

Enclosed Base Tables

30" Wide Units!

Featuring SHD Series NSF Drawers



Hinged Doors




Sliding Doors



ADJUSTABLE MID SHELF FOR ENCLOSED BASE TABLES

TA-116 \$840 Per Section

Add To Price of Enclosed Base Table with Fixed Mid Shelf (M)
On Page 50 & 51.
(Shelves Over 36" In Length Require Multiple Sections With
Center Partition. For Partial Shelves Add to Price
of Shelf on Page 68.)



ENCLOSED BASE TABLES WITH DRAWERS

Length	w/ Hinged Door		w/ Sliding Doors		# of Drawers	# of Doors	Weight	Cubic Feet
	Model #	Price	Model #	Price				
60"	HDRC-305	\$7664	SDRC-305	\$7543	2	2	300 lbs.	55
72"	HDRC-306	8176	SDRC-306	8043	2	4	360 lbs.	66
84"	HDRC-307	9829	SDRC-307	9731	3	4	420 lbs.	76
96"	HDRC-308	10010	SDRC-308	9832	3	4	540 lbs.	87
120"	HDRC-3010	12653	SDRC-3010	12552	4	4	600 lbs.	107

MODIFICATIONS & ACCESSORIES

TA-105	Modified to 24" Width	\$306 /table	TA-14	Drawer Lock	\$134 ea.
TA-110	Modified to 36" Width	58 /lin. ft.	TA-46	Door Lock	300 ea.



Model #	Option	Price
TA-100F	Bullnose Front Top Edge	\$112
TA-101	Rear Tray Lock	92 /lin. ft.
TA-61	Special Sizing Charge (From Next Larger Size)	N/C

DISH CABINETS




Length	15" WIDE				18" WIDE			
	Model #	Weight	Cu. Ft.	Price	Model #	Weight	Cu. Ft.	Price
48"	DC-154	155 lbs.	21	\$2964	DC-184	170 lbs.	25	\$3165
60"	DC-155	195 lbs.	27	3169	DC-185	205 lbs.	31	3422
72"	DC-156	225 lbs.	32	3524	DC-186	245 lbs.	36	4191
84"	DC-157	265 lbs.	37	3673	DC-187	275 lbs.	41	4523
96"	DC-158	295 lbs.	42	3945	DC-188	315 lbs.	46	4865
120"	DC-1510	360 lbs.	52	4843	DC-1810	385 lbs.	56	5504
144"	DC-1512	400 lbs.	62	4986	DC-1812	425 lbs.	66	5652

30" Wide Units!



TA-56
5" NSF Splash
Available



Model BEV-30-48L
Shown

BEVERAGE TABLES

Length	Model #	Price	Weight	Cu. Ft.
4'	BEV-30-48LorR*	\$6629	230 lbs.	37
5'	BEV-30-60LorR*	7038	250 lbs.	45
6'	BEV-30-72LorR*	7482	270 lbs.	54
7'	BEV-30-84LorR*	8567	290 lbs.	63
8'	BEV-30-96LorR*	9109	330 lbs.	71
9'	BEV-30-108LorR*	13678	360 lbs.	76
10'	BEV-30-120LorR*	13728	380 lbs.	88
12'	BEV-30-144LorR*	13899	430 lbs.	96

Specify Sink Left Or Right End:

*Please Designate Left Or Right Sink Location By Using L Or R
After Model Number When Ordering.

Sink Size 14" x 16" x 12"

Call For Installation of Buyout Equipment!

**Customize Your Own Beverage Table
with Additional Accessories on Pages 61-68**

TA-45 Optional Glass Rack Slide **\$617**

SINK CABINETS

Sink Cabinets

SELF-CONTAINED MOBILE HAND SINKS



Bring The Sink On Location When Hand Washing Is Needed!

- 16 Ga., 304 Stainless Steel Top.
- K-52 Deck Mt. Gooseneck Faucet.
- Door Latch.
- 4" Plate Casters - 2 with Brakes.
- Hinged Door.
- Operates on a 120 Volt/15 Amp Circuit.
- 2-1/2 Gallon Electric Hot Water Heater (See Models Below).
- 6 Ft. Power Cord.
- Removable Plastic Container(s) for Fresh Water.
- Removable Plastic Container(s) for Waste Water.



SHK-MSC-26C Shown

w/ Cold Water Supply Only				w/ Hot & Cold Water Supply				Size L x W	Sink Bowl	Capacity (Gal.) Fresh/Waste
Model #	Dry Weight	Cu. Ft.	Price	Model #	Dry Weight	Cu. Ft.	Price			
SHK-MSC-26C	165 lbs.	21	\$7034	SHK-MSC-26CH	175 lbs.	21	\$7467	26" x 26"	10" x 14" x 5"	5/7
SHK-MSC-31C	185 lbs.	25	7280	SHK-MSC-31CH	195 lbs.	25	7903	31" x 26"	10" x 14" x 5"	10/14

SELF-CONTAINED MOBILE HAND SINK ACCESSORIES & MODIFICATIONS



TA-MSC-1 Shown



TA-MSC-ES1 Shown

TA-MSC-1	Bolt-on Towel/Manual Soap Dispenser w/ Drip Tray for 26" Unit	\$715
TA-MSC-2	Bolt-on Towel/Manual Soap Dispenser w/ Drip Tray for 31" Unit	950
TA-MSC-ES1	Bolt-on Towel/Touchless Soap Dispenser w/ Drip Tray for 26" Unit	925
TA-MSC-ES2	Bolt-on Towel/Touchless Soap Dispenser w/ Drip Tray for 31" Unit	1181
TA-MSC-PC	10 ft. Power Cord	256
TA-46	Door Lock	300
K-12	Deck Mounted Soap Dispenser	151
K-316-LU	Wrist Handles For Faucet	120

CORNER SINK CABINET



- Furnished With A 5" Splash With A 1" Return.
- SHK-2441 Designed To Line Up With "HK" 5" Rear Splash Enclosed Base Tables To Create Functional Work Area.
- Door Is A Double Panel Design.
- Utility Access Clearance Provided For Ease Of Plumbing Installation.
- Includes Sink With K-124 6" Extended Spout Faucet & Drain.
- Mitered Front Permits Easy Access To Sink Bowl & Faucet.



SHK-2441 Shown with Enclosed Base Line-Up.
For Enclosed Base Table Options, See Pages 61-65.

Model #	Size L x W	Sink Bowl	Weight	Cu. Ft.	Price
SHK-1735	17" x 35"	14" x 10" x 10"	215 lbs.	38	\$5444
SHK-2441	24" x 41"	16" x 20" x 12"	250 lbs.	50	5991

STAND
ALONE
UNIT

STANDARD SINK CABINET



- 5" Splash With A 1" Return On The Rear Side.
- Includes Sink And K-124 6" Extended Faucet & Drain.
- Hinged Door.

Model #	Size L x W	Sink Bowl	Dry Weight	Cu. Ft.	Price
SHK-302	24" x 30"	10" x 14" x 10"	150 lbs.	30	\$4765
Space Saver Sink Cabinet					
SHK-180	18" x 30"	10" x 14" x 10"	125 lbs.	30	4358



Add a 5" SIDE SPLASH
TA-31 \$173 ea.

WALL CABINETS

15" WIDE STAINLESS STEEL WALL CABINETS



18 Gauge, 430 Stainless Steel

Includes Fixed Mid-Shelf

SLIDING
DOOR



OPEN
UNIT



HINGED
DOORS



Size L x W x H	W/ SLIDING DOORS				OPEN UNIT			W/ HINGED DOORS				Approx. Cu. Ft.
	Model #	Price	Doors	Approx. Weight	Model #	Price	Approx. Weight	Model #	Price	Doors	Approx. Weight	
36" x 15" x 32-1/2"	NOT AVAILABLE				WCO-15-36	\$3567	95 lbs.	WCH-15-36	\$5257	2	120 lbs.	17
48" x 15" x 32-1/2"	WCS-15-48	\$5351	2	155 lbs.	WCO-15-48	4109	120 lbs.	WCH-15-48	5695	2	150 lbs.	21
60" x 15" x 32-1/2"	WCS-15-60	6186	2	185 lbs.	WCO-15-60	4486	145 lbs.	WCH-15-60	6521	2	180 lbs.	26
72" x 15" x 32-1/2"	WCS-15-72	6718	2	220 lbs.	WCO-15-72	5423	180 lbs.	WCH-15-72	6680	4	240 lbs.	31
96" x 15" x 32-1/2"	WCS-15-96	8442	4	295 lbs.	WCO-15-96	5815	240 lbs.	WCH-15-96	7554	4	320 lbs.	41

STORAGE CABINETS



84" High Storage Cabinet w/ 4 Fixed Mid-Shelves

- Single Left-Hinged Door*
- 4 Fixed Stainless Steel Mid-Shelves
- Enclosed Back Panel
- Ventilation Slots

Overall Size: 25"L x 22-5/8"W x 84"H

CAB-4 \$6110

18 Gauge, 430 Stainless Steel

CAB-4-300 \$6708

18 Gauge, 300 Stainless Steel



Vented
Side Panels



WCH-15-24 Left Hinged
Shown (Standard)

Wall Mounted Chemical Storage Cabinet w/ 1 Fixed Mid-Shelf

- Left-Hinged Door*
- Vented Side Panels
- Mounting Hardware Not Included

Overall Size: 24"L x 15"W x 32-1/2"H

WCH-15-24 \$4433

18 Gauge, 430 Stainless Steel

WCH-15-24-300 \$4912

18 Gauge, 300 Stainless Steel

*Optional Right-Hand Door Swing Available - Add CAB-R N/C

CABINET ACCESSORIES & MODIFICATIONS



Adjustable Mid-Shelf

TA-115 \$139 per lin. ft.

Add to Price of 84" High Storage
Cabinets or Wall Cabinets




Additional Fixed Mid-Shelf

WC-SHELF \$90 per lin. ft.

For WCS, WCO, WCH Series
Wall Cabinets

K-94-SHELF \$373 ea.

For 84" High Storage Cabinet



Cabinet Door Lock

SU-27 \$292

One Per Hinged Door or
Pair of Sliding Doors

SPECIALTY TABLES

Specialty Tables

DEMO TABLE

Countertop Edge
Mirror Tilts to
Desired Position



Model #	Table Size	Mirror Size	Wt.	Cu.	Price
VSS-DT-365	36" x 60"	24" x 48"	275 lbs.	18	\$8057
VSS-DT-366	36" x 72"	24" x 60"	305 lbs.	23	9486

CEILING MOUNTED DEMO MIRROR

- 16 ga. type 304 Stainless Steel
- 1 5/8" Tubing - 4' Posts
- 14 ga. Rainbow Uprights For Added Support
- Glass Mirror



Model #	Mirror Size	Wt.	Cu.	Price
MI-48	24" x 48"	91 lbs.	7	\$4528
MI-60	24" x 60"	115 lbs.	8	5313


Mirror Tilts to
Desired Position

PRINT REQUIRED

CORNER TABLES 14 Gauge, 304 Stainless Steel

5" Rear Splash (1" Return)

Length	24" WIDE		30" WIDE		Wt.	Cu. Ft.
	Model #	Price	Model #	Price		
5'	KTMS-245	\$6871	KTMS-305	\$7013	280 lbs.	30
6'	KTMS-246	7013	KTMS-306	7152	300 lbs.	35
7'	KTMS-247	7152	KTMS-307	7292	320 lbs.	40
8'	KTMS-248	7292	KTMS-308	7431	345 lbs.	45
9'	KTMS-249	7431	KTMS-309	7573	375 lbs.	50
10'	KTMS-2410	7573	KTMS-3010	7714	400 lbs.	55
11'	KTMS-2411	7714	KTMS-3011	7853	425 lbs.	60
12'	KTMS-2412	7994	KTMS-3012	8134	450 lbs.	65



Specify Wall Location & Dimension.
5ft. Length is Standard on One Side.

(Length can be modified, but not to
exceed 7 ft. on one wall dimension)

TA-57 \$257 Prepare Welded Field Joint

Accessories

KT-100	36" Width On Corner Tables
KT-101	Additional Length in Excess of 5'
KT-102	Special Sizing Charge

\$144 /lin. ft.
170 /lin. ft.
N/C

KT-103	Stainless Steel Undershelf	\$61 /lin. ft.
KT-104	Stainless Steel Cabinet Base	366 /lin. ft.

(Top Is Shipped Separately For Ease In Installation)

WORK TABLE WITH PREP SINK & FAUCET



- 16 ga., 304 Stainless Steel Top
- 5" Rear Splash
- 16" x 20" x 12" Sink Bowl
- Stainless Steel Adjustable Undershelf
- 4 O.C. Deck Mounted Faucet & Basket Drain Included
- Stainless Steel Legs & Bullet Feet

Size	Model #	Sink Location	Price
30" x 48"	KMS-11B-304L	Left	\$3674
30" x 48"	KMS-11B-304R	Right	\$3674
30" x 60"	KMS-11B-305L	Left	3849
30" x 60"	KMS-11B-305R	Right	3849
30" x 72"	KMS-11B-306L	Left	3978
30" x 72"	KMS-11B-306R	Right	3978

**CHOOSE
LEFT OR RIGHT
SINK POSITION**

PREP TABLE WITH COUNTERTOP EDGE



- 10" Rear Splash
- Includes 1 - 16" x 20" x 8" & 1 - 16" x 20" x 4" Integrally Welded Stainless Steel Sinks
- 21" x 18" x 5/8" Poly-Vance Cutting Board
- Stainless Steel Die-Formed Drawer
- Includes K-55 4" O.C. Gooseneck Faucet.

Model #	Size	Weight	Cu. Ft.	Price
DL-30-72	30" x 72"	155 lbs.	36	\$6166
DL-30-96	30" x 96"	198 lbs.	47	6879

See Page 65 For Additional Integral Sink Sizes

MIXER TABLES

Mixer Tables



Ship Via UPS

MIXER TABLE WITH UTENSIL RACK

24" Work Height to Top of Table (Utensil Rack Has Height of 78")

Size	Stainless Steel Base		Galvanized Base		Wt.	Cu. Ft.
24" x 24"	MX-SS-242	\$2004	MX-GL-242	\$1738	53 lbs.	3
24" x 30"	MX-SS-302	2075	MX-GL-302	1776	63 lbs.	4
30" x 30"	MX-SS-300	2227	MX-GL-300	1898	70 lbs.	5
30" x 36"	MX-SS-303	2258	MX-GL-303	1924	77 lbs.	6
36" x 36"	MX-SS-363	2319	MX-GL-363	1986	81 lbs.	7

MX-SS-242
Shown
Mixer Not Included



MIXER TABLE WITH UNDERSHELF

24" Work Height

Size	Stainless Steel Base		Galvanized Base		Wt.	Cu. Ft.
24" x 24"	MT-SS-242	\$1200	MT-GL-242	\$987	45 lbs.	3
24" x 30"	MT-SS-302	1261	MT-GL-302	1030	50 lbs.	4
30" x 30"	MT-SS-300	1429	MT-GL-300	1148	55 lbs.	5
30" x 36"	MT-SS-303	1451	MT-GL-303	1180	68 lbs.	6
36" x 36"	MT-SS-363	1521	MT-GL-363	1233	71 lbs.	7

MT-SS-242
Shown



BUDGET MIXER TABLES

24" Work Height

Size	Stainless Steel Base		Galvanized Base		Wt.	Cu. Ft.
24" x 24"	SAG-MT-242	\$1085	AG-MT-242	\$881	38 lbs.	3
24" x 30"	SAG-MT-302	1139	AG-MT-302	904	41 lbs.	4
30" x 30"	SAG-MT-300	1163	AG-MT-300	923	52 lbs.	5
30" x 36"	SAG-MT-303	1240	AG-MT-303	969	58 lbs.	6
36" x 36"	SAG-MT-363	1309	AG-MT-363	1035	64 lbs.	7

AG-MT-242
Shown



MOBILE MIXER TABLES WITH TRAY SLIDES & CASTERS

28" Work Height. Tray Slides Have 2" Spacing

Size	Stainless Steel Base		Galvanized Base		Wt.	Cu. Ft.
30" x 30"	MT-MS-300	\$2112	MT-MG-300	\$1833	85 lbs.	9
30" x 36"	MT-MS-303	2138	MT-MG-303	1865	95 lbs.	10

MT-MG-300
Shown



MIXER EQUIPMENT TABLE

28" Work Height

Size	Model #	Price	Wt.	Cu. Ft.
24" x 30"	AG-MP-30	\$1796	65 lbs.	4

Add 15" x 20" Drawer SS-1520 \$566

Shown with
Optional Drawer



CASTERS

MAINTAINS 24" WORKING HEIGHT

5" Swivels Each Set with 2 Brakes

For Use with
Stainless Steel Legs

TA-25ES \$414 set/4

For Use with
Galvanized Legs

TA-25EG \$414 set/4

WALL MOUNTED TABLES

Must Be Installed In Cinder Block Wall
Or Equal For Necessary Support



- Rolled Rim
- 1 1/2" Backsplash

	Length	Model #	Price
24" WIDE	30"	FSS-W-240	\$1525
	24"	FSS-W-242	1384
	36"	FSS-W-243	1525
	48"	FSS-W-244	1653
	60"	FSS-W-245	1805
	72"	FSS-W-246	1945
	84"	FSS-W-247	2620
	96"	FSS-W-248	2798

	Length	Model #	Price
30" WIDE	30"	FSS-W-300	\$1604
	24"	FSS-W-302	1440
	36"	FSS-W-303	1651
	48"	FSS-W-304	1773
	60"	FSS-W-305	1949
	72"	FSS-W-306	2120
	84"	FSS-W-307	2728
	96"	FSS-W-308	3010



Ship Via UPS

STANDS

Equipment Stands

EQUIPMENT STANDS WITH UNDERSHELF



24" Working Height • 14 Ga. Type 304 Series • Up to 1000 lb. Load Capacity



Optional
Heavy Duty Casters

TA-255 Set of 4 **\$566**

TA-256 Set of 6 **750**

Each set supplied with
2 Brakes

Length	Stainless Steel				Galvanized				Wt.	Cu. Ft.
	24" WIDE	Price	30" WIDE	Price	24" WIDE	Price	30" WIDE	Price		
2'	ES-242	\$1286	ES-302	\$1345	EG-242	\$1127	EG-302	\$1153	43 lbs.	4
3'	ES-243	1427	ES-303	1508	EG-243	1243	EG-303	1288	56 lbs.	6
4'	ES-244	1563	ES-304	1677	EG-244	1397	EG-304	1434	74 lbs.	8
5'	ES-245	1705	ES-305	1851	EG-245	1477	EG-305	1579	84 lbs.	9
6'	ES-246	1845	ES-306	2015	EG-246	1594	EG-306	1720	102 lbs.	11
7'	ES-247	2302	ES-307	3090	EG-247	1953	EG-307	2683	120 lbs.	13
8'	ES-248	2353	ES-308	3143	EG-248	2003	EG-308	2736	135 lbs.	15

For 36" Wide Equipment Stands Add TA-59 **291** per table



EQUIPMENT STANDS WITH UNDERSHELF & CASTERS

24" Working Height • 14 Ga. Type 304 Stainless Steel • Up to 1000 lb. Load Capacity



Includes Four Heavy Duty
TA-255 5" Swivel Casters,
Two with Brakes

Length	30" WIDE	Price	Wt.	Cu. Ft.
2'	ES-302C	\$1870	51 lbs.	4
3'	ES-303C	2030	68 lbs.	6
4'	ES-304C	2195	85 lbs.	8
5'	ES-305C	2363	102 lbs.	9
6'	ES-306C	2522	119 lbs.	11



Wood Top Cutting Board
w/ Plate Shelf*

*Must Order Cutting Board When
Ordering Plate Shelf



Stainless Steel
Cutting Surface

Optional Equipment Stand Accessories

L	Adj. S/S Cutting Surface		Adj. Wood Cutting Board		Adj. S/S Plate Shelf		Wt.	Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price		
2'	TA-812	\$479	TA-922	\$511	TA-962	\$494	28 lbs.	1
3'	TA-813	715	TA-923	578	TA-963	559	30 lbs.	2
4'	TA-814	957	TA-924	648	TA-964	616	34 lbs.	3
5'	TA-815	1193	TA-925	717	TA-965	684	37 lbs.	3
6'	TA-816	1435	TA-926	790	TA-966	747	40 lbs.	4
7'	TA-817	1674	TA-927	928	TA-967	929	56 lbs.	5
8'	TA-818	1915	TA-928	1062	TA-968	1082	64 lbs.	5

EQUIPMENT FILLER TABLES



- Heavy Gauge Stainless Steel
- Stainless Steel Legs
- 1-1/2" Backsplash
- Stainless Steel Adjustable Bullet Feet



Open Base

Size	Model #	Price	Wt.	Cu. Ft.
12" x 24"	TFMS-122	\$921	22 lbs.	2
12" x 30"	TFMS-120	996	31 lbs.	2
12" x 36"	TFMS-123	1062	39 lbs.	2
15" x 24"	TFMS-152	1012	25 lbs.	2
15" x 30"	TFMS-150	1104	33 lbs.	2
15" x 36"	TFMS-153	1167	41 lbs.	3
18" x 24"	TFMS-182	1020	27 lbs.	2
18" x 30"	TFMS-180	1116	35 lbs.	3
18" x 36"	TFMS-183	1153	43 lbs.	3



All Filler Tables Must Be Placed Between
2 Other Pieces Of Equipment For Stability.

w/ Adjustable Stainless Steel Undershelf

Size	Model #	Price	Wt.	Cu. Ft.
15" x 24"	TFMSU-152	\$1064	28 lbs.	2
15" x 30"	TFMSU-150	1129	36 lbs.	2
15" x 36"	TFMSU-153	1221	41 lbs.	3
18" x 24"	TFMSU-182	1094	38 lbs.	2
18" x 30"	TFMSU-180	1161	41 lbs.	3
18" x 36"	TFMSU-183	1249	52 lbs.	3



WOOD TOPS

Wood Top Bakers Tables

FLAT TOP - OPEN BASE STYLE



All Wood Top Bakers Tables
On Page 58 & 59 Feature
1-3/4" Thick Wood Top



= Ship Via UPS

Stainless Steel Base

L	24" WIDE	Price	Wt. (lbs.)	Cu. Ft.	30" WIDE	Price	Wt. (lbs.)	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
4'	TH2S-244	\$1226	80	6	TH2S-304	\$1405	100	7	TH2S-364	\$1868	115	8
5'	TH2S-245	1373	95	7	TH2S-305	1600	120	9	TH2S-365	2130	135	11
6'	TH2S-246	1529	115	9	TH2S-306	1794	140	11	TH2S-366	2397	155	13
7'	TH2S-247	1881	135	10	TH2S-307	2251	155	12	TH2S-367	2999	180	15
8'	TH2S-248	1909	155	12	TH2S-308	2508	185	14	TH2S-368	3260	215	17



Galvanized Base

L	24" WIDE	Price	Wt. (lbs.)	Cu. Ft.	30" WIDE	Price	Wt. (lbs.)	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
4'	TH2G-244	\$964	80	6	TH2G-304	\$1077	100	7	TH2G-364	\$1288	115	8
5'	TH2G-245	1065	95	7	TH2G-305	1215	120	9	TH2G-365	1435	135	11
6'	TH2G-246	1167	115	9	TH2G-306	1347	140	11	TH2G-366	1572	155	13
7'	TH2G-247	1421	135	10	TH2G-307	1680	155	12	TH2G-367	2064	180	15
8'	TH2G-248	1673	155	12	TH2G-308	1941	185	14	TH2G-368	2092	215	17

FLAT TOP - WITH ADJUSTABLE UNDERSHELF

Stainless Steel Base

L	24" WIDE	Price	Wt. (lbs.)	Cu. Ft.	30" WIDE	Price	Wt. (lbs.)	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
3'	H2S-243	\$1226	75	4	H2S-303	\$1399	90	5	H2S-363	\$1846	105	6
4'	H2S-244	1304	95	6	H2S-304	1481	115	7	H2S-364	1920	135	8
5'	H2S-245	1481	110	7	H2S-305	1694	140	9	H2S-365	2208	160	11
6'	H2S-246	1653	130	9	H2S-306	1915	160	11	H2S-366	2487	185	13
7'	H2S-247	2052	150	10	H2S-307	2412	185	12	H2S-367	3137	215	15
8'	H2S-248	2310	180	12	H2S-308	2668	215	14	H2S-368	3397	255	17



Galvanized Base

L	24" WIDE	Price	Wt. (lbs.)	Cu. Ft.	30" WIDE	Price	Wt. (lbs.)	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
3'	H2G-243	\$1007	75	4	H2G-303	\$1119	90	5	H2G-363	\$1331	105	6
4'	H2G-244	1083	95	6	H2G-304	1194	115	7	H2G-364	1410	135	8
5'	H2G-245	1217	110	7	H2G-305	1357	140	9	H2G-365	1583	160	11
6'	H2G-246	1350	130	9	H2G-306	1518	160	11	H2G-366	1756	185	13
7'	H2G-247	1656	150	10	H2G-307	1920	185	12	H2G-367	2155	215	15
8'	H2G-248	1913	180	12	H2G-308	2179	215	14	H2G-368	2412	255	17

COVED TOP W/ 4" SPLASH - OPEN BASE STYLE

Stainless Steel Base

Length	30" WIDE	Price	Wt.	Cu. Ft.	36" WIDE	Price	Wt.	Cu. Ft.
4'	TBS-304	\$2753	120	12	TBS-364	\$3619	120	14
5'	TBS-305	2938	150	15	TBS-365	3873	150	18
6'	TBS-306	3447	180	18	TBS-366	4419	180	21
7'	TBS-307	4181	210	21	TBS-367	5516	210	24
8'	TBS-308	4433	240	24	TBS-368	5772	240	28

Galvanized Base

Length	30" WIDE	Price	Wt.	Cu. Ft.	36" WIDE	Price	Wt.	Cu. Ft.
4'	TBG-304	\$2090	120	12	TBG-364	\$2753	120	14
5'	TBG-305	2237	150	15	TBG-365	2962	150	18
6'	TBG-306	2687	180	18	TBG-366	3548	180	21
7'	TBG-307	3429	210	21	TBG-367	4538	210	24
8'	TBG-308	3683	240	24	TBG-368	4794	240	28

Features Coved Risers &
Allow For Easy Cleaning



For Special Sizes & Configurations Of
Wood Top Tables, Consult Factory.

For Additional Accessories & Modifications
See Page 61 - 68 for Details



Coved Risers &
Allow For Easy Cleaning!



WOOD TOPS

Wood Top Tables

COVED TOP W/ 4" SPLASH & ADJUSTABLE UNDERSHELF



Stainless Steel Base

L	30" WIDE	Price	Wt.	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
4'	BS-304	\$2878	160	15	BS-364	\$3744	190	17
5'	BS-305	3095	185	18	BS-365	4030	220	21
6'	BS-306	3541	225	21	BS-366	4680	265	25
7'	BS-307	4426	240	25	BS-367	5768	290	29
8'	BS-308	4680	275	28	BS-368	6022	350	33

Galvanized Base

L	30" WIDE	Price	Wt.	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
4'	BG-304	\$2213	160	15	BG-364	\$2878	190	17
5'	BG-305	2393	185	18	BG-365	3110	220	21
6'	BG-306	2875	225	21	BG-366	3742	265	25
7'	BG-307	3678	240	25	BG-367	4786	290	29
8'	BG-308	3934	275	28	BG-368	5043	350	33

COVED TOP W/ 4" SPLASH & 3-TIER DRAWERS



BST-306L Shown

Stainless Steel Base

L	30" WIDE	Price	Wt.	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
4'	BST-304LorR	\$4587	365	46	BST-364LorR	\$6046	390	54
5'	BST-305LorR	4885	400	56	BST-365LorR	6347	430	66
6'	BST-306LorR	5264	440	67	BST-366LorR	6845	475	78
7'	BST-307LorR	5587	465	77	BST-367LorR	7753	505	91
8'	BST-308LorR	5840	500	87	BST-368LorR	8027	560	103

Galvanized Base

L	30" WIDE	Price	Wt.	Cu. Ft.	36" WIDE	Price	Wt. (lbs.)	Cu. Ft.
4'	BGT-304LorR	\$3974	365	46	BGT-364LorR	\$5198	390	54
5'	BGT-305LorR	4122	400	56	BGT-365LorR	5363	430	66
6'	BGT-306LorR	4605	440	67	BGT-366LorR	5924	475	78
7'	BGT-307LorR	5395	465	77	BGT-367LorR	6853	505	91
8'	BGT-308LorR	5651	500	87	BGT-368LorR	7176	560	103

COUNTERTOPS



- 16 Gauge Type 304 S/S
- Stud Welded Hat Channel
- #4 Satin Finish
- Sound Deadening
- No-Drip "Mirror Hi-Lite Polish" Edge

Countertop Shown
with Optional Side Splash
& Sink Bowl



Size	Flat Top	Price	Approx. Wt.	Approx. Cu. Ft.	5" Backsplash	Price	Approx. Wt.	Approx. Cu. Ft.	10" Backsplash	Price	Approx. Wt.	Approx. Cu. Ft.
25" x 30"	VCTC-240	\$1229	28 lbs.	4	VCTF-240	\$1380	28 lbs.	4	VKCT-240	\$1535	28 lbs.	4
25" x 36"	VCTC-243	1229	39 lbs.	5	VCTF-243	1380	39 lbs.	5	VKCT-243	1535	39 lbs.	5
25" x 48"	VCTC-244	1357	49 lbs.	6	VCTF-244	1515	49 lbs.	6	VKCT-244	1688	49 lbs.	6
25" x 60"	VCTC-245	1492	58 lbs.	8	VCTF-245	1650	58 lbs.	8	VKCT-245	1835	58 lbs.	8
25" x 72"	VCTC-246	1621	68 lbs.	9	VCTF-246	1791	68 lbs.	9	VKCT-246	1990	68 lbs.	9
25" x 84"	VCTC-247	2006	85 lbs.	11	VCTF-247	2147	85 lbs.	11	VKCT-247	2387	85 lbs.	11
25" x 96"	VCTC-248	2151	95 lbs.	12	VCTF-248	2301	95 lbs.	12	VKCT-248	2550	95 lbs.	12
25" x 120"	VCTC-2410	2944	201 lbs.	26	VCTF-2410	3137	201 lbs.	26	VKCT-2410	3484	201 lbs.	26
30" x 30"	VCTC-300	1320	38 lbs.	5	VCTF-300	1450	38 lbs.	5	VKCT-300	1612	38 lbs.	5
30" x 36"	VCTC-303	1320	45 lbs.	6	VCTF-303	1450	45 lbs.	6	VKCT-303	1612	45 lbs.	6
30" x 48"	VCTC-304	1463	57 lbs.	8	VCTF-304	1614	57 lbs.	8	VKCT-304	1805	57 lbs.	8
30" x 60"	VCTC-305	1629	69 lbs.	9	VCTF-305	1785	69 lbs.	9	VKCT-305	1983	69 lbs.	9
30" x 72"	VCTC-306	1835	76 lbs.	11	VCTF-306	1948	76 lbs.	11	VKCT-306	2165	76 lbs.	11
30" x 84"	VCTC-307	2114	95 lbs.	13	VCTF-307	2249	95 lbs.	13	VKCT-307	2501	95 lbs.	13
30" x 96"	VCTC-308	2288	107 lbs.	15	VCTF-308	2305	107 lbs.	15	VKCT-308	2763	107 lbs.	15
30" x 120"	VCTC-3010	3287	235 lbs.	32	VCTF-3010	3361	235 lbs.	32	VKCT-3010	3742	235 lbs.	32

POLY TOPS

Poly Top Bakers Tables



FLAT TOP Tubular Base



Length	24" WIDE	Price	30" WIDE	Price	Wt.	Cu. Ft.
4'	TSPT-244	\$1566	TSPT-304	\$1696	77 lbs.	8
5'	TSPT-245	1715	TSPT-305	1835	89 lbs.	9
6'	TSPT-246	2290	TSPT-306	2427	117 lbs.	11
7'	TSPT-247	2553	TSPT-307	2792	130 lbs.	13
8'	TSPT-248	2814	TSPT-308	2918	141 lbs.	15
9'	TSPT-249	2974	TSPT-309	3137	180 lbs.	17
10'	TSPT-2410	3216	TSPT-3010	3303	201 lbs.	19

With Underself



Length	24" WIDE	Price	30" WIDE	Price	Wt.	Cu. Ft.
4'	SPT-244	\$1679	SPT-304	\$1794	89 lbs.	8
5'	SPT-245	1825	SPT-305	1945	102 lbs.	9
6'	SPT-246	2381	SPT-306	2550	125 lbs.	11
7'	SPT-247	2661	SPT-307	2892	141 lbs.	13
8'	SPT-248	2914	SPT-308	3141	168 lbs.	15
9'	SPT-249	3084	SPT-309	3247	196 lbs.	16
10'	SPT-2410	3326	SPT-3010	3413	230 lbs.	17

6" BACKSPLASH Tubular Base



Length	24" WIDE	Price	30" WIDE	Price	Wt.	Cu. Ft.
4'	TSPS-244	\$1571	TSPS-304	\$1679	87 lbs.	12
5'	TSPS-245	1733	TSPS-305	1851	101 lbs.	15
6'	TSPS-246	2311	TSPS-306	2469	131 lbs.	18
7'	TSPS-247	2649	TSPS-307	2869	145 lbs.	21
8'	TSPS-248	2888	TSPS-308	3104	160 lbs.	24
9'	TSPS-249	3052	TSPS-309	3258	210 lbs.	16
10'	TSPS-2410	3241	TSPS-3010	3334	235 lbs.	17

With Underself



Length	24" WIDE	Price	30" WIDE	Price	Wt.	Cu. Ft.
4'	SPS-244	\$1785	SPS-304	\$1902	99 lbs.	12
5'	SPS-245	2029	SPS-305	2073	113 lbs.	15
6'	SPS-246	2629	SPS-306	2684	143 lbs.	18
7'	SPS-247	2984	SPS-307	3085	167 lbs.	21
8'	SPS-248	3228	SPS-308	3284	175 lbs.	24
9'	SPS-249	3278	SPS-309	3474	225 lbs.	25
10'	SPS-2410	3461	SPS-3010	3554	242 lbs.	28

ACCESSORIES

TA-41	Replacement Poly-Vance 5/8" Cutting Board	\$93 /sq. ft.
TA-63	Removable Shelving (In Addition To Standard Shelf)	395 /table
TA-82	Scrap Chute	251 ea.
SHD-2020	Enclosed Drawers - See Page 66 For Details	1104 ea.



TA-84C Shown

KNIFE RACKS

TA-84A	Rolled Rim Type	\$366
TA-84B	Poly Table Type	366
TA-84C	Square Edge Type	366




17 Years in a Row!

TABLE MODS

Smart Table Modifications

TOP MODIFICATIONS




TA-56
5" NSF Partition



TA-523
Drop-In Urn Trough



CDR-5
Condiment Holder



TA-84
Pass-Thru



TA-108
Grommet For Cords

CDR-5	Condiment Holder (Accommodates 5 Bins)	\$823
TA-1	Notch Backsplash For Roll Up Door w/ Pass-Thru	149
TA-3	Stainless Steel Hat Channel & Gusset Upgrade	54 /lin. ft.
TA-7	10" Partial Splash	80 /lin. ft.
TA-8	Column Notch in Rear Splash (Includes Splash)	727 ea.
TA-10	5" Partial Splash	67 /lin. ft.
TA-12	Countertop Edge	668 /table
TA-22	Square Edge Table	N/C
TA-28	Cut-Out For Cold Well. Includes Louvered Doors	1545 /cut out
TA-29	16 Ga. 304 Rear Splash Capping Strip w/Adhesive Backing	66 /lin. ft.
TA-30	1-1/2" Side Splash	92 ea.
TA-30A	1-1/2" Turn Up For Table Tops	42 /lin. ft.
TA-31	5" Side Splash	173 ea.
TA-32	10" Side Splash	339 ea.
TA-34	Top Cut-Out for Drop-In Style Units	254 /cut out
TA-34A	Top Cut-Out for Undermount Well	448 /cut out
TA-35	Splash Cut-Out	194 /cut out
TA-41	Poly-Vance 5/8" Cutting Board	98 /sq. ft.
TA-56	5" NSF Partition	465
TA-56A	18" NSF Partition	670
TA-57	Prepare Welded Field Joint (Welded in field by others)	257 ea.
TA-57A	Bolted Field Joint (Bolted in field by others)	543 ea.
TA-57B	Hairline Bolted Field Joint	728 ea.
TA-58	Stepdown to 24" Working Height	1148 ea.
TA-64	Urn Trough (Factory installation only)	156 /lin. ft.
TA-75	Mitered Edge	744 ea.
TA-76	Paint on Sound Deadening	534 /table
TA-79	Flour Trough (Factory installation only)	196 /lin. ft.
TA-82	Scrap Chute (6" dia. opening)	251
TA-84	Simple Pass-Thru	659 /lin. ft.
TA-87	Enclosed Rear Splash	92 /lin. ft.
TA-91	Poly Retaining Clips Includes TA-22 (S/S top table)	461 /table
TA-93	Wall Brackets (Includes 2. For 5" & 10 1/2" splash only)	80 /table



TA-96A	Can Opener Provision for Openers with Bolt-on Base (Customer to provide location)	\$221 ea.
TA-96B	Can Opener Surface Mount Provision with 4" S/S Tube for Openers w/o Base (Customer to provide location)	555 ea.
TA-96C	Can Opener Spacer Plate Provision for Use on Tables With Countertop Edge & Can Opener Base (Customer to provide location)	342 ea.
TA-100	Bull Nose All Sides of Worktable	N/C
TA-101	Rear Tray Lock	92 /lin. ft.
TA-106	Mirror HI-LITE Edge	415 /table
TA-107	Vacuum Breaker Holes on Tables (Includes Back-splash with 2" Return)	380
TA-108	2" Hole with Grommet for Appliance Cord	137 ea.
TA-112	Hubble Outlet	591 ea.
TA-113	Notch Top for Buyout Unit	854 ea.
TA-366A	Heavy Duty Understructure Top	335 /table
TA-502	Install Advance Tabco Drop-In Hand Sinks or Hot Food Unit In Work Table Top (Hot Food Unit Requires TA-34 Top Cut-Out & TA-27 Control Panel. Does not include wiring. Consult factory)	554 ea.
TA-503	Install Advance Tabco 7-PS-42/7-PS-43 Hand Sinks for Countertops (Includes Cut-Out)	438 ea.
TA-521	Drop-In urn Trough 1'	155 ea.
TA-522	Drop-In urn Trough 2'	308 ea.
TA-523	Drop-In urn Trough 3'	463 ea.
TA-524	Drop-In urn Trough 4'	618 ea.
TA-525	Drop-In urn Trough 5'	638 ea.
TA-526	Drop-In urn Trough 6'	676 ea.
TA-527	Drop-In urn Trough 7'	716 ea.
TA-528	Drop-In urn Trough 8'	737 ea.
TA-529	Drop-In urn Trough 9'	782 ea.
TA-550	Install Customer Supplied Buyout Items (Does not include wiring. Consult factory)	Call for Price
TA-551	Installation of Customer Supplied Hot Food Wells. (Requires TA-34 Top Cut-Out & TA-27 Control Panel. Does not include wiring. Consult factory)	825 ea.

TABLE MODS

Smart Table Modifications

Call For Installation of Buyout Equipment!

BASE MODIFICATIONS



TA-39	Louvered Hinged Doors	
TA-4	Removable Access Panel	\$187 /lin. ft.
TA-4A	Louvered Panel	504 /lin. ft.
TA-5	Curb Mounting Provision	210 ea.
TA-15	Provision for Built In Drawer Warmer	404 ea.
TA-23	Legs Welded to Undershelf or Cross-Rails, Shipped Set Up & Crated.	401 /table
TA-23A	Table Legs Welded To Leg Gussets & Undershelf or Cross-Bracing, Shipped Set Up & Crated. 	506 /table
TA-24	Shell Crating	296 /table
TA-27	Control Panel (Must add TA-34A)	291 /lin. ft.
TA-36-HINGED	Hinged 30" Stainless Steel Door	463 /door
TA-36-SLIDING	Sliding 30" Stainless Steel Door	463 /door
TA-36B	1/2 Height Stainless Steel Hinge Doors	470 set/2
TA-36C	Hinged door with Trash Flap	649 /ea.
TA-37	Stainless Enclosed Base	668 /lin. ft.
TA-39	24" Louvered Hinged Doors	668 /door
TA-40	Remove Undershelf in Cabinet Base For Slide in Buyout	N/C
TA-42-24	Interior Partition (2.5"x24")	214 ea.
TA-42-30	Interior Partition (2.5"x30")	214 ea.
TA-42-36	Interior Partition (2.5"x36")	214 ea.
TA-43	Filler Panel (3"x30" with Flanged Feet)	456 ea.
TA-44	K.D. Aluminum Pan Rack Slides (6 slides. Table min. lgth. 30")	644
TA-45	K.D. Aluminum Glass Rack Slides (3 slides. Table min. lgth. 3 feet)	588

TA-900	Adjustable Table Height	
TA-46	Door Locks	\$286 ea.
TA-48	12"x12" Cut-Out in Back Panel/Undershelf for Plumbing	240
TA-54	Removable Kick Plate	155 /lin. ft.
TA-55	Remove Back Panel (on Enclosed Base)	N/C
TA-63	Removable Shelving (In addition to standard shelf & table width)	395 /table.
TA-70	S/S Tubular Tray Divider (12" sections)	737 ea.
TA-73	Tubular Tray Slide w/Dropdown (Stationary Tray Slide Available. Factory installation only)	268 /lin. ft.
TA-74	Solid Tray Slide	368 /lin. ft.
TA-92	12" Apron (in front of sink)	169 /lin. ft.
TA-92A	17" Stainless Steel Apron to Cover Sink Bowls and Support Lever Drain Handles	254 /lin. ft.
TA-116	Adjustable Enclosed Base Cabinet Mid Shelf- Add to Price of Enclosed Base Table with Fixed Mid Shelf (M) on Page 50 or 51. Shelves Over 36" In Length Require Multiple Sections With Center Partition. For Partial Shelves Add To Price Of Shelf On Page 68.	800 ea.
TA-130	Cutlery Dispenser Holder (Undercounter Mounted)	226 /lin. ft.
TA-135	Plate Shelf (Undercounter Mounted)	270 /lin. ft.
TA-205	Connect Cafeteria Items (Per Joint Between 2 Tables. Requires Casters)	539 /set
TA-900	Upgrade Table To Be Height Adjustable In Field (Up to 6' Only. Unit Ships Set Up)	5211 ea.

ELECTRICAL & DATA PORT OUTLETS



TA-62
Duplex
Outlet




TA-62A
GFI Duplex
Outlet



TA-62D
GFI
Doghouse
Outlet



TA-62F
Empty
Junction
Box



TA-112
Hubble
Outlet

TA-62A	GFI Duplex Outlet & Cover Plate in a VKS or KSS (1" Deep) Splash. NEMA 5-20R	\$442 ea.
TA-62C	GFI Duplex Outlet & Cover Plate Below Shelf Top. NEMA 5-20R	481 ea.
TA-62D	GFI Duplex Outlet & Cover Plate in a Doghouse. NEMA 5-20R	511 ea.


TA-62E	Upgrade Outlet to a NEMA 6-20R or Equiv.	\$338 ea.
TA-62F	Junction Box (empty) Below Table Top. Includes 1 Gang Size, Stainless Steel Face Plate	233 ea.
TA-112	Hubble Outlet	621 ea.
TA-622	CAT-6 Data Port Connection Provided (unless otherwise specified. Cable Not Included)	457 ea.

Email in your specifications to smartfab@advancetabco.com

MORE TABLE MODS

Smart Table Modifications

OVERSHELF & POT RACK MODIFICATIONS



TA-9A
1" Turn Up




TA-22A
Square Edge



TA-71
Heat Lamp Mounting Provision



TA-100A
Bull Nose



TA-102
24" x 24" Extension

TA-9A	Partial 1" Turn-Up for all Table Mt. Shelves	\$44 /lin. ft.
TA-22A	Square Edge on Overshelf	103
TA-26-10	Welded Wall Shelf Brackets for 10" Wide Shelf	256 /shelf
TA-26-12	Welded Wall Shelf Brackets for 12" Wide Shelf	256 /shelf
TA-26-15	Welded Wall Shelf Brackets for 15" Wide Shelf	256 /shelf
TA-26-18	Welded Wall Shelf Brackets for 18" Wide Shelf	256 /shelf
TA-47	Shelf Mounting Bracket for Existing Table	93 /shelf
TA-49	Wall Shelf 2" Offset	181 /shelf
TA-60	Special Sizing Charge for Shelves (Must Order Larger Unit to be Cut Down to Smaller Size)	N/C
TA-71	Heat Lamp Mounting Provision (Heat Lamp Installed By Others)	163 ea.
TA-71A	Heat Lamp Remote Control Bracket	320 ea.
TA-78	Additional Lin. Ft. Past 12' For Table Mt. Shelf (For ODS, OTS, TS, DS & WS Shelving only)	181 /lin. ft.
TA-77	Check Minder Shelf Provision (Factory install only)	59 /lin. ft.
TA-83	Spice Bins	236 ea.

TA-84A	Knife Rack for Rolled Rim Tables	\$366 ea.
TA-84B	Knife Rack for Poly Top Tables	366 ea.
TA-84C	Knife Rack for Square Edge Tables	366 ea.
TA-86	Stainless Steel Pot Hooks	25 ea.
TA-89	Double Sided Plated Pot Hooks (Package of 4)	65 /pack
TA-89A	Single Sided Plated Pot Hooks (Package of 4)	60 /pack
TA-98	Stainless Steel Flat Bar in lieu of Chain	296 ea.
TA-99	16 Ga. S/S 304 Upgrade for Wall & Over Shelves	26 /lin. ft.
TA-100A	Bull Nose All Sides of Shelf	103
TA-100R	Bull Nose Three Sides of Shelf w/ Rear Turn Up	118
TA-102	24" x 24" Extension for Microwave or Computer Shelf (Add to OTS and ODS Shelves. See page 68)	426 ea.
TA-103	24" Wide PT Shelf (36" Min Length. Mid mt only. See Pg. 73. Add to 18" Wide Shelf)	127 /lin. ft.
TA-104	Additional Length Over 12' (Add to 18" Shelf. (PA & CU Shelving Only. Max. Length is 14' as Single Piece)	274 /lin. ft.

UNDERSHELF MODIFICATIONS

TA-9	1-1/2" Turn-Up for Undershelves	\$42 /lin. ft.
TA-17	Upgrade Underself to a Marine Edge (Must add TA-23)	461 ea.
TA-48	12"x12" Cut-Out in Back Panel/Underself for Plumbing	240

TA-94	Upgrade 16 Ga. 304 S/S Underself	\$54 /lin. ft.
TA-94A	Upgrade 14 Ga. 304 S/S Underself	68 /lin. ft.
TA-366	Reinforced Understructure For Undershelves	335 /table

SIZE MODIFICATIONS

TA-33	Special Working Height	\$101
TA-33C	Special Working Height For Enclosed Base Tables Up To 39" (For Heights Over 39", Contact Factory).	254 ea.
TA-59	36" Wide Equipment Stand	291 ea.
TA-6	Extra Length for Standard Tables Over 12' (Tables Over 14' Require Field Joint TA-57)	385 /lin. ft.
TA-61	Special Sizing Charge (Larger Unit Cut Down to Smaller Size)	N/C

TA-61A	Special Modification Charge	\$254
TA-65	Enclosed Base Units Over 12' (Open Base Table)	499 /lin. ft.
TA-66	Enclosed Base Units Over 12' (Sliding Door Units)	727 /lin. ft.
TA-67	Enclosed Base Units Over 12' (Hinged Door Units)	770 /lin. ft.
TA-105	Modify Enclosed Base Table w/ Drawers to 24" Width	306 /table
TA-110	Modify Enclosed Base Table w/ Drawers to 36" Width	58 /lin. ft.

LEG MODIFICATIONS

TA-16	Galvanized Leg w/ Plastic Bullet Foot (34 1/2" Total Length)	\$61 ea.
TA-16-4	Galvanized Legs w/ Plastic Bullet Feet (34 1/2" Total Length)	244 set/4
TA-16-6	Galvanized Legs w/ Plastic Bullet Feet (34 1/2" Total Length)	365 set/6
TA-19	Flanged Stainless Steel Bullet Feet (34 1/2" Total Length)	59 ea.
TA-20	Stainless Steel Leg w/ S/S Bullet Foot (34 1/2" Total Length)	70 ea.
TA-20-4	Stainless Steel Legs w/ S/S Bullet Feet (34 1/2" Total Length)	281 set/4

TA-20-6	Stainless Steel Legs w/ S/S Bullet Feet (34 1/2" Total Length)	\$422 set/6
TA-21	Stainless Steel Bullet Foot	27 ea.
TA-68	Relocate rear cross rail to center (for chairs/stools on both sides of table. For Open Base Tables Only)	111 ea.
TA-72	Leg to Wall Brace (Set per table)	312 /table
TA-95	Upgrade 16 Ga. 304 S/S Legs Only	133 /table

TABLE ACCESSORIES

Smart Table Accessories

Faucets Included Meet
Federal Lead Free Standards



COUNTERTOP INSTALLED HAND SINKS

- 4" Side Splashes
- K-52 Lead Free Compliant Deck Mounted Faucet
- Undermount Towel Dispenser
- 3-1/2" Basket Drain



7-PS-42 \$2798

Bowl Size: 10" x 14" x 5"
Overall Size: 18-1/4" x 17-5/8"
30 lbs. 2 cu. ft. 20 gauge

- 4" Side Splashes
- Deck Mounted Lead Free Compliant Gooseneck Spout
- Undermount Towel Dispenser
- Knee Operated Valve
- 3-1/2" Basket Drain



7-PS-42A \$2798

Bowl Size: 9" x 9" x 5"
Overall Size: 17-5/8" x 13"
30 lbs. 2 cu. ft. 20 gauge

7-PS-43 \$3239

Bowl Size: 10" x 14" x 5"
Overall Size: 18-1/4" x 17-5/8"
36 lbs. 2 cu. ft. 20 gauge



7-PS-43 Shown in Table

For Factory Installation Add TA-503 \$438

Can Be Purchased Separately For In-Field Installation

DROP-IN HAND SINKS & WATER STATIONS

For Custom Cut-Out Add TA-34 \$254

For Factory Installation Add TA-502 \$554

IMPROVED!
Stronger Actuator



DI-1-5SP \$1546

6" Tapered Side Splash

Splash on Rear and Both Sides
10" x 14" x 5" Bowl
Overall: 13" x 19"
Cut-out: 12 1/4" x 18 1/4"
16 lbs. 2 cu. ft. 20 gauge



DI-1-10SP \$1661

6" Tapered Side Splash

Splash on Rear and Both Sides
10" x 14" x 10" Bowl
Overall: 13" x 19"
Cut-out: 12 1/4" x 18 1/4"
18 lbs. 2 cu. ft. 20 gauge



DI-1-9 \$1050

Removable Electro-Polished
Stainless Steel Grill
1 1/2" IPS Basket Drain
Overall: 12" x 14"
Cut-Out Size: 11 1/4" x 13 1/4"
15 lbs. 3 cu. Ft.


Water Stations with Ice Bins

Includes K-54 8-1/4" Filler Faucet With "Push-Back" Acrylic Lever Arm (Excludes D-24-SIBL)

IMPROVED!
Stronger Actuator



IMPROVED!
Stronger Actuator



Includes Sliding
Stainless Steel Cover

Ice Bin Inside Dim.:
8" x 13 1/2" x 10 13/16"
Ice Capacity: 23 lbs.



Ice Bin Inside Dim.:
13 1/2" x 18 3/4" x 10 13/16"
Ice Capacity: 50 lbs.



D-24-WSIBL \$1329

Removable Grate Covers Drip Pan
13" Deep Insulated Ice Bin w/ S/S Steel Cover
1" IPS Drain
Outside Dim. 21" x 18"
Cut-Out Size: 20 5/8" x 15 1/4"
30 lbs. 5 cu. Ft.

D-24-WSIBL2 \$1596

Removable Grate Covers Drip Pan
13" Deep Insulated Ice Bin w/ S/S Steel Cover
1" IPS Drain
Outside Dim.: 18" x 21"
Cut-Out Size: 15 1/4" x 20 5/8"
47 lbs. 5 cu. Ft.



Upgrade to a 12" Filler Faucet

Use K-54OMIT, Deduct -\$385 and Add K-54A \$605

(K-54OMIT MUST be ordered with K-54A to receive upgrade)

D-24-SIBL \$1424

K-51 Deck Mounted Faucet
Insulated Ice Bin w/ S/S Cover
1" IPS Drain In Ice Bin
Outside Dim.: 21" x 18"
Cut-Out Size: 20 5/8" x 15 1/4"
Factory Installed Only
20 Gauge Galvanized Steel
30 lbs. 5 cu. Ft.

Hand Sink Size:
9 1/2" x 11 1/2" x 6"

Ice Bin Inside Dim.:
8" x 13 1/2" x 10 13/16"

Ice Capacity: 23 lbs.

INTEGRAL SINKS

Integral Sinks

WELDED SINKS INTO TABLE TOP

Includes Lead Free Compliant Faucet & K-6 Basket Drain(s)



Flat Top, 1", 1-1/2" & 5 Backsplash Include Deck Mount Faucet

- Single Sink Bowl provided with K-50 Swing Spout Faucet
- Double Sink Bowls provided with K-53 Swing Spout Faucet

10" Backsplash Include Splash Mount Faucet

- Single & Double Sink Bowls provided with K-1 Swing Spout Faucet

Splash Mount Faucet Available On 5" Backsplash - Add TA-11Z \$44/lin. ft.



Size	Single Bowl		Double Bowl	
	A	B	Model#	Price
10" x 14" x 5"			TA-11Q	\$1142
10" x 14" x 10"			TA-11F	1230
14" x 16" x 12"			TA-11J	1294
16" x 20" x 8"			TA-11A**	1286
16" x 20" x 12"			TA-11B**	1437
16" x 20" x 14"			TA-11V**	1671
18" x 18" x 14"			TA-11N	1465
18" x 24" x 14"			TA-11L	1483
20" x 20" x 8"			TA-11C*	1357
20" x 20" x 12"			TA-11D*	1544
20" x 20" x 14"			TA-11W*	1803
20" x 24" x 14"			TA-11P	1574
20" x 30" x 14"			TA-11S*	1717
24" x 24" x 14"			TA-11E*	1618
24" x 30" x 14"			TA-11T*	1767
24" x 36" x 14"			TA-11R*	1825
28" x 20" x 12"			TA-11G*	1806
			TA-11Q-2†	\$2087
			TA-11F-2†	2352
			TA-11J-2	2420
			TA-11A-2**	2391
			TA-11B-2**	2639
			TA-11V-2**	2834
			TA-11N-2	2643
			TA-11L-2	2665
			TA-11C-2*	2624
			TA-11D-2*	2777
			TA-11W-2*	2966
			TA-11P-2	2827
			TA-11S-2*	3200
			TA-11E-2*	3041
			TA-11T-2*	3367
			TA-11R-2*	3418
			TA-11G-2*	3267




* Only Installed In Tables 30" Wide or Wider


** Bowls Are Turned with 16" Front to Back on 24" Wide Tables

† K-50 Swing Spout Faucet (Double Bowl)


FLAT TOP, 1" or 1-1/2" REAR SPLASH



5" REAR SPLASH with 1" RETURN



10" REAR SPLASH with 2" RETURN



Modifications



TA-56 \$465
5" NSF Partition



TA-92 \$169
Add 12" Apron
In Front Of Sink



Faucets & Accessories

K-2B	Poly-Vance Sink Cutting Board for 14" x 16" Bowls	\$295 ea.
K-2C	Poly-Vance Sink Cutting Board for 16" x 20" Bowls	295 ea.
K-2D	Poly-Vance Sink Cutting Board for 18" x 24" Bowls	295 ea.
K-2E	Poly-Vance Sink Cutting Board for 20" x 20" Bowls	295 ea.
K-2F	Poly-Vance Sink Cutting Board for 24" x 24" Bowls	295 ea.
K-2J	Poly-Vance Sink Cutting Board for 18" x 18" Bowls	295 ea.
K-4	Lever Drain Bracket	128
K-5	Lever Drain	278
K-12	Deck Mounted Soap Dispenser	151
K-15	Lever Drain With Overflow	492
K-50	8" Deck Mounted 4" O.C. Swing Spout Faucet	257
K-50OMIT	Omit Swing Spout	-22
K-52	3 1/2" Spout Deck Mounted 4" O.C. Gooseneck Faucet	232
K-52OMIT	Omit Swing Spout Gooseneck Faucet	-22
K-53	12" Deck Mounted 4" O.C. Swing Spout Faucet	448
K-54	8-1/4" Water Filler Faucet	491

K-54A	12" Water Filler Faucet	\$605
K-55	8 1/2" Spout 4" O.C. Deck Mounted Gooseneck Faucet	448
K-60	4" O.C. Splash Mounted Gooseneck Faucet	582
K-62	X.H.D. 4" O.C. Deck Mounted Gooseneck Faucet	461
K-105	14" Splash Mounted 8" O.C. Faucet	504
K-112	Extra Heavy Duty 12" Splash Mounted Faucets	426
K-316-LU	Wrist Handles For Splash Mounted Faucets	120
K-350	Residential Finish & Packaging	360
K-452	6" x 9" Control Bracket	267
K-453	14" x 16" Control Bracket	287
K-460	Installation Of Disposal Cone w/ 6" x 9" Control Bracket	798
K-461	Installation Of Collar w/ 6" x 9" Control Bracket	798
K-470	14" Deep Bowls	173
K-472	Faucet Hole Revision	121
DTA-100	Prerinse Basket for 20" x 20" Bowls	648
DTA-125	Prerinse Basket for 16" x 20" Bowls	565

DRAWERS

Integral Drawer Slides

Ship Via UPS




**PATENT
PENDING**

Shown With
3 Tier Drawer Set Up

- Stainless Steel Front & Sides
- Self Closing Drawer with Noise Control
- Drawer "Safety Stop" Tab
- Removable Stainless Steel Insert

- Units Can Be Stacked to Create Multiple Tier Drawers
- Hardware Included
- NSF Approved

**Drawers Stack With Ease
To Create Tier Drawers!
Easily Installs In Field**



Features a
"Safety Stop" Tab



NSF

Insert Size

SHD-2015	20" x 15" x 5" Overall Dim. 24 5/8" x 17 1/2"	\$1033	
SHD-1520	15" x 20" x 5" Overall Dim. 17 1/2" x 24 5/8"	\$1033	
SHD-2020	20" x 20" x 5" Overall Dim. 24 5/8" x 22 11/16"	\$1104	

TA-2	Concealed Side Panel For 20" x 15" Drawer	\$41 ea.
	(Add Additional Cost to TA-SHD-1, 2, or 3 Price)	
TA-13	Padlockable Drawer Lock	286
TA-14SHD	Drawer Lock For SHD Drawers	150
TA-97SHD	Poly Board Storage Brackets For SHD Drawers	315
TA-41SHD	5/8" Thick Poly Cutting Board For SHD Drawers	153 ea.

Optional Concealed Side Panels FOR 20" x 20" DRAWERS (1 Needed For Each Side)



1 Drawer:
TA-SHD-1
\$161



2 Drawers:
TA-SHD-2 **\$202**
each side



3 Drawers:
TA-SHD-3
\$242



TA-97SHD 315
Poly Board Storage Bracket
(Installs In Field. Hardware Included)



**Rear View of Multiple Stacked
Drawers. Seams Exposed**

DELUXE SERIES DRAWERS

- Stainless Steel Front
- Ball Bearing Slides
- Removable Insert



	All Stainless Steel		All Stainless Steel with Keyed Lock		Galvanized Body	
Insert Size	Model #	Price	Model #	Price	Model #	Price
20" x 15" x 5"	SS-2015	\$566	SS-2015-DL	\$700	GZ-2116	\$402
15" x 20" x 5"	SS-1520	566	SS-1520-DL	700	GZ-1596	402
20" x 20" x 5"	SS-2020	613	SS-2020-DL	748	GZ-2121	439

BUDGET SERIES DRAWERS

- Friction Slides
- Die Formed Handle



	All Stainless Steel		Galvanized Body	
Insert Size	Model #	Price	Model #	Price
20" x 15" x 5"	FS-2015	\$249	FG-2015	\$167
15" x 20" x 5"	FS-1520	249	FG-1520	167
20" x 20" x 5"	FS-2020	285	FG-2020	183

Deluxe and Budget Drawer Accessories

Padlockable Drawer Lock

(Does not include lock. Fits padlocks up to 3/8" Dia. lock shaft)

TA-13 **\$272**

Keyed Drawer Lock (GZ Series)

TA-14 **134**

Drawer Adapter/Non Catalog Tables

(specify table width)

TA-90 **65**

Replacement Drawer Slides (FS & FG Series)

TA-SL-15 **144**

Replacement Drawer Slides (SS & GZ Series)

TA-SL-20 **156**



TA-14 Drawer Lock

CONCEALED HAND SINK DRAWER

Take Back Your Countertop Space!

- Easily Installs into Existing Advance Tabco Work Tables/Countertops or Integrates into Custom Fabrication
- Overall Size: 22 5/8" W x 19 7/8" L x 19 1/4" H"
- 10" x 14" x 5" Deep Sink Bowl
- Pre-Drilled Holes In Flanges For Easy Mounting
- Integral Drawer Slides For Smooth Operation
- "Safety Stop" Tab
- K-50 Swing Spout Faucet
- 1-1/2" Sink Drain with Strainer Plate
- Drainage Pan with 1-1/2" Drain & Strainer Plate (Drain Pipe & Fittings Included.)

7-PS-47 \$2730

70 lbs. 7 cu. ft. 18 gauge



K-50 Faucet



**Drawer
Safety Stop Tab**

NSF

DRAWERS

Integral Drawer Slides

MOBILE DRAWER CABINETS

- Stainless Steel Top Features Countertop Edge
- 5" Swivel Plate Casters (2 with Brakes)
- Available with Three or Four Tier Drawers

Model #	Overall Size L x W x H	# Of Drawers	Drawer Size	Price
MDC-2020	25 1/4" x 25 3/4" x 29 1/2"	3	20" x 20" x 5"	\$4258
MDC-4-2020	25 1/4" x 25 3/4" x 29 1/2"	4	20" x 20" x 5"	5187
MDC-2015	25 1/4" x 21 3/4" x 29 1/2"	3	20" x 15" x 5"	4119
MDC-4-2015	25 1/4" x 21 3/4" x 29 1/2"	4	20" x 15" x 5"	5026



FACTORY INSTALLED "SHD SERIES" TIER DRAWERS

3 or 4 Tiers Available
Factory Installation Only


Model #	# Of Tiers	Inset Size	Price
TA-38	3 Tiers	20" x 20" x 5"	\$3890
TA-384	4 Tiers	20" x 20" x 5"	4702



TA-38 SHOWN

For Tier Drawers on 24" Tables,
Add TA-380 **\$153** (Drawers will be 20" x 15" x 5")

**New 4 Tier Unit Offers More Storage,
Same Height as 3 Tier Units!**



ADT-3-2020 SERIES SHOWN
(Table Not Included)

**SHIPPED
FULLY
ASSEMBLED!**



ADD-A-TIER DRAWERS

**Fits Under 24", 30" and 36" Wide
Open Base Work Tables!**

Features:

- Units Come Fully Assembled!
- Includes 2 or 3 **SHD-2020 Series Drawers** Stacked with 2 **TA-SHD Series Concealed Side Panels** (See Photos).
- Hangs From Underside of Open Base Table with Included Hardware.

(See Page 60 for SHD Series Drawer Details)

Includes 2 Concealed Side Panels



2 Drawer Concealed Panel
Model ADT-2-2020 Shown



3 Drawer Concealed Panel
Model ADT-3-2020 Shown



Rear View of Stacked Drawers
Drawer Seams Exposed

Model #	Overall Size L x W x H	# Of Drawers	Drawer Size	Price
ADT-2-2020	23" x 23" x 14"	2	20" x 20" x 5"	\$2592
ADT-3-2020	23" x 23" x 21"	3	20" x 20" x 5"	3762
ADT-3-2015	23" x 18" x 21"	3	20" x 15" x 5"	3555

CASTERS

Casters

All Casters Ship Via UPS

WORK TABLE CASTERS



Standard Casters

Legs Cut To Maintains Standard 35-1/2" Working Height

200 lbs. Load Capacity Per Caster

When Used w/ Stainless Steel Legs

TA-25S-4 **\$414/set of 4** (Two with Brakes)

TA-25S-6 **\$620/set of 6** (Two with Brakes)

When Used w/ Galvanized Legs

\$414/set of 4 (Two with Brakes)

TA-25G-6 **\$620/set of 6** (Two with Brakes)

Castors For Special Height Tables (TA-33) and Open Base Tables (T Series)

TA-25 **\$414/set of 4**
(Two with Brakes)

TA-25A **\$620/set of 6**
(Two with Brakes)

200 lbs. Load Capacity Per Caster



Single Replacement Casters

Available With Or Without Brake (Legs Not Included)

200 lbs. Load Capacity Per Caster

TA-25R **\$82 ea.**
(No Brake)

TA-25RB **\$100 ea.**
(With Brake)

Optional Standard Caster Upgrades:

TA-25B **\$203/set**

For brakes on all wheels (Standard Casters) - Add price to the following models: TA-25, TA-25A, TA-25S-4, TA-25S-6, TA-25G-4, TA-25G-6

TA-25C **\$36/Per Caster**

Upgrade Standard Caster with Heavy Duty Urethane Wheels (Per Caster)

EQUIPMENT STAND CASTERS



Standard Casters

5" Urethane Wheels.
Maintains the Standard 24" Working Height

200 lbs. Load Capacity Per Caster

w/ Stainless Steel Legs

TA-25ES **\$414/set of 4** (Two with Brakes)

w/ Galvanized Legs

TA-25EG **\$414/set of 4** (Two with Brakes)

HEAVY DUTY Casters

5" Urethane Wheels

400 lbs. Load Capacity Per Caster

TA-255 **\$566** Super Heavy Duty
Set of 4 (Two with Brakes)

TA-256 **750** Super Heavy Duty
Set of 6 (Two with Brakes)



Enclosed Base Table Casters Easy Bolt-On Style



TA-255P **\$668** Set of 4 (Two with Brakes)

TA-255AP **\$974** Set of 6 (Two with Brakes)

300 lbs. Load Capacity Per Caster

For brakes on all wheels (Enclosed Base Casters) -
Add price to models: TA-255P or TA-255AP

TA-255PB **\$320**

Optional Equipment Stand Caster Upgrade:

TA-255B **\$277** For brakes on all wheels (Equipment Casters) - Add price to any of the following models:
TA-255, TA-256, TA-25ES, TA-25EG

MID-SHELF & UNDERSHELVES



Shelf Capacity
20 lbs./sq. ft.



Stainless Steel

Galvanized

Length	24" Wide	Price	30" Wide	Price	36" Wide	Price	24" Wide	Price	30" Wide	Price	36" Wide	Price
2'	US-24-24	\$338	US-30-24	\$383	NOT AVAILABLE		UG-24-24	\$193	UG-30-24	\$229	NOT AVAILABLE	
30"	US-24-30	383	US-30-30	422	US-36-30	\$485	UG-24-30	229	UG-30-30	234	UG-36-30	\$239
3'	US-24-36	399	US-30-36	485	US-36-36	583	UG-24-36	242	UG-30-36	239	UG-36-36	246
4'	US-24-48	450	US-30-48	547	US-36-48	622	UG-24-48	248	UG-30-48	255	UG-36-48	257
5'	US-24-60	520	US-30-60	592	US-36-60	701	UG-24-60	255	UG-30-60	264	UG-36-60	278
6'	US-24-72	587	US-30-72	673	US-36-72	827	UG-24-72	257	UG-30-72	278	UG-36-72	284
7'	US-24-84	667	US-30-84	723	US-36-84	874	UG-24-84	264	UG-30-84	284	UG-36-84	295
8'	US-24-96	723	US-30-96	824	US-36-96	952	UG-24-96	278	UG-30-96	289	UG-36-96	320
9'	US-24-108	753	US-30-108	944	US-36-108	1136	UG-24-108	289	UG-30-108	332	UG-36-108	344
10'	US-24-120	792	US-30-120	983	US-36-120	1175	UG-24-120	313	UG-30-120	354	UG-36-120	365
11'	US-24-132	986	US-30-132	1161	US-36-132	1296	UG-24-132	348	UG-30-132	381	UG-36-132	393
12'	US-24-144	1014	US-30-144	1199	US-36-144	1367	UG-24-144	390	UG-30-144	424	UG-36-144	436

TA-94 **\$54 lin. ft.**
16 ga. S/S 304 Series Upgrade for any shelf

TA-9 **\$42 lin. ft.**
1-1/2" Turn-Up for Undershelves

sleek Shields™

FOOD SHIELDS Food Shields

PATENT PENDING

MULTI-USE FOOD SHIELDS

Quickly Converts From Cafeteria Style To Self-Serve Style



With Stainless Steel Shelf

18" Standard Shelf Height (Top of Table to Top of Shelf). 24" Wide Shelving Also Available



DSG-12S-48 Glass Positioned For Self-Serve Style

DSG-12S-48 Glass Positioned For Cafeteria Style

- Bottom front glass locks in place at 3 fixed positions
- Entire glass front rotates for easy cleaning
- Stainless Steel 1" diameter Posts.
- Includes Two 18" Wide Glass Side Panels
- 1/4" Thick Heat-Tempered Glass Side Panels
- 3/8" Thick Heat-Tempered Glass Fronts
- Stainless Steel Top Shelf (DSG "S" Series)
- 3/8" Glass Top Shelf (DSG "G" Series)

[†]Requires a Single Pair of Center Legs (Factory Print Included)

^{††}Requires Two Pair of Center Legs (Factory Print Included)

12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Cubes
DSG-12S-36	\$4585	131 lbs.	DSG-15S-36	\$5141	133 lbs.	DSG-18S-36	\$5361	136 lbs.	14
DSG-12S-48	4743	166 lbs.	DSG-15S-48	5257	169 lbs.	DSG-18S-48	5476	173 lbs.	18
DSG-12S-60	5395	191 lbs.	DSG-15S-60	5648	196 lbs.	DSG-18S-60	5867	199 lbs.	22
DSG-12S-72	5609	237 lbs.	DSG-15S-72	5935	245 lbs.	DSG-18S-72	6291	250 lbs.	26
DSG-12S-84 [†]	5804	276 lbs.	DSG-15S-84 [†]	6202	279 lbs.	DSG-18S-84 [†]	6424	286 lbs.	30
DSG-12S-96 [†]	6304	312 lbs.	DSG-15S-96 [†]	6633	314 lbs.	DSG-18S-96 [†]	6851	323 lbs.	34
DSG-12S-108 [†]	6486	346 lbs.	DSG-15S-108 [†]	6984	353 lbs.	DSG-18S-108 [†]	7204	359 lbs.	38
DSG-12S-120 [†]	6674	382 lbs.	DSG-15S-120 [†]	7197	389 lbs.	DSG-18S-120 [†]	7403	397 lbs.	42
DSG-12S-132 [†]	6840	420 lbs.	DSG-15S-132 [†]	7359	428 lbs.	DSG-18S-132 [†]	7580	437 lbs.	46
DSG-12S-144 ^{††}	7159	455 lbs.	DSG-15S-144 ^{††}	7500	465 lbs.	DSG-18S-144 ^{††}	7720	473 lbs.	50



Bottom Glass Flips All The Way Up To Become A Self-Serve Unit



Bottom Glass Can be Used As a Shelf



Easy To Use Mechanism For Changing Front Glass Positions



Entire Glass Shield Rotates For Easy Cleaning

With 3/8" Glass Top

18" Standard Shelf Height (Top of Table to Top of Glass Shelf)



DSG-12G-72 Glass Positioned For Self-Serve Style

DSG-12G-72 Glass Positioned For Cafeteria Style

12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Cubes
DSG-12G-36	\$5466	139 lbs.	DSG-15G-36	\$6066	143 lbs.	DSG-18G-36	\$6506	147 lbs.	18
DSG-12G-48	5623	179 lbs.	DSG-15G-48	6180	182 lbs.	DSG-18G-48	6621	187 lbs.	23
DSG-12G-60	6275	228 lbs.	DSG-15G-60	6572	235 lbs.	DSG-18G-60	7002	242 lbs.	29
DSG-12G-72	6491	279 lbs.	DSG-15G-72	6860	266 lbs.	DSG-18G-72	7302	275 lbs.	34
DSG-12G-84 [†]	6689	298 lbs.	DSG-15G-84 [†]	7128	305 lbs.	DSG-18G-84 [†]	7567	316 lbs.	39
DSG-12G-96 [†]	7185	330 lbs.	DSG-15G-96 [†]	7556	346 lbs.	DSG-18G-96 [†]	7997	357 lbs.	44
DSG-12G-108 [†]	7366	373 lbs.	DSG-15G-108 [†]	7909	383 lbs.	DSG-18G-108 [†]	8349	397 lbs.	49
DSG-12G-120 [†]	7555	412 lbs.	DSG-15G-120 [†]	8107	424 lbs.	DSG-18G-120 [†]	8548	439 lbs.	55
DSG-12G-132 [†]	7720	453 lbs.	DSG-15G-132 [†]	8285	467 lbs.	DSG-18G-132 [†]	8724	483 lbs.	60
DSG-12G-144 ^{††}	8039	495 lbs.	DSG-15G-144 ^{††}	8424	511 lbs.	DSG-18G-144 ^{††}	8890	528 lbs.	65

FOOD SHIELDS

Adjustable Food Shields

Sleek Shields™

Protected By: Patent No. US 9,010,883 B2

With Stainless Steel Shelf

18" Standard Shelf Height (Top of Table to Top of Shelf) • 24" Wide Shelving Also Available

SELF SERVE STYLE

12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Cubes
NSG-12-36	\$3058	120 lbs.	NSG-15-36	\$3338	122 lbs.	NSG-18-36	\$4041	124 lbs.	18
NSG-12-48	3143	152 lbs.	NSG-15-48	3481	155 lbs.	NSG-18-48	4144	159 lbs.	23
NSG-12-60*	3835	191 lbs.	NSG-15-60*	3872	194 lbs.	NSG-18-60*	4577	198 lbs.	29
NSG-12-72*	3968	221 lbs.	NSG-15-72*	4159	228 lbs.	NSG-18-72*	4864	230 lbs.	34
NSG-12-84†	4162	254 lbs.	NSG-15-84†	4427	260 lbs.	NSG-18-84†	5132	265 lbs.	39
NSG-12-96†	4660	288 lbs.	NSG-15-96†	4855	293 lbs.	NSG-18-96†	5559	299 lbs.	44
NSG-12-108†*	4842	314 lbs.	NSG-15-108†*	5205	321 lbs.	NSG-18-108†*	5910	327 lbs.	49
NSG-12-120†*	5030	363 lbs.	NSG-15-120†*	5405	370 lbs.	NSG-18-120†*	6109	376 lbs.	55
NSG-12-132†*	5196	398 lbs.	NSG-15-132†*	5583	406 lbs.	NSG-18-132†*	6288	413 lbs.	60
NSG-12-144††	5515	422 lbs.	NSG-15-144††	5725	430 lbs.	NSG-18-144††	6430	439 lbs.	65


†Requires a Single Pair of Center Legs (Factory Print Included)

††Requires Two Pair of Center Legs (Factory Print Included)

*3/8" Thick Heat-Tempered Glass Required For Front Glass

Exclusive Features Of NSG/NDSG/NSGC Sleek Shields:

- Front glass locks in place at 15° intervals
- Stainless Steel 1" diameter Posts
- Includes Two 1/4" Heat-Tempered Side Glass
- 1/4" or 3/8" Thick Heat-Tempered Glass Front Panels (See Chart For "*" Symbol)
- Shelves have two rolled edges on front & rear and square edges on left & right sides



Includes Standard Concealed Mounting Hardware
(Access To Underside Of Counter Required)

Sleek Shields™ w/ Stainless Steel or Glass Shelf Can Be Added To All Hot/Cold Food Tables On Pages 123-131
See Sleek Shield Models For Food Tables
On Page 140



SELF SERVE STYLE - DOUBLE TIER

12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Cubes
NDSG-12-36	\$4828	155 lbs.	NDSG-15-36	\$5040	160 lbs.	NDSG-18-36	\$5746	166 lbs.	26
NDSG-12-48	5036	194 lbs.	NDSG-15-48	5183	199 lbs.	NDSG-18-48	5886	206 lbs.	34
NDSG-12-60*	5688	243 lbs.	NDSG-15-60*	5574	250 lbs.	NDSG-18-60*	6281	258 lbs.	41
NDSG-12-72*	5903	277 lbs.	NDSG-15-72*	5861	290 lbs.	NDSG-18-72*	6568	308 lbs.	49
NDSG-12-84†	6101	324 lbs.	NDSG-15-84†	6129	330 lbs.	NDSG-18-84†	6833	344 lbs.	56
NDSG-12-96†	6598	353 lbs.	NDSG-15-96†	6557	365 lbs.	NDSG-18-96†	7263	376 lbs.	64
NDSG-12-108†*	6779	399 lbs.	NDSG-15-108†*	6908	405 lbs.	NDSG-18-108†*	7611	411 lbs.	71
NDSG-12-120†*	6969	443 lbs.	NDSG-15-120†*	7110	445 lbs.	NDSG-18-120†*	7813	457 lbs.	79
NDSG-12-132†*	7134	483 lbs.	NDSG-15-132†*	7285	496 lbs.	NDSG-18-132†*	7991	503 lbs.	86
NDSG-12-144††	7225	513 lbs.	NDSG-15-144††	7427	546 lbs.	NDSG-18-144††	8227	546 lbs.	94



10-1/2" Standard Glass Opening (Maximum 13")
From Table To Bottom Of Glass.

CAFETERIA STYLE

12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Cubes
NSGC-12-36	\$3411	125 lbs.	NSGC-15-36	\$3967	128 lbs.	NSGC-18-36	\$4187	130 lbs.	18
NSGC-12-48	3569	160 lbs.	NSGC-15-48	4083	163 lbs.	NSGC-18-48	4302	167 lbs.	23
NSGC-12-60*	4220	185 lbs.	NSGC-15-60*	4474	190 lbs.	NSGC-18-60*	4694	193 lbs.	29
NSGC-12-72*	4435	231 lbs.	NSGC-15-72*	4761	239 lbs.	NSGC-18-72*	5117	244 lbs.	34
NSGC-12-84†	4631	270 lbs.	NSGC-15-84†	5028	274 lbs.	NSGC-18-84†	5250	281 lbs.	39
NSGC-12-96†	5130	306 lbs.	NSGC-15-96†	5459	308 lbs.	NSGC-18-96†	5676	317 lbs.	44
NSGC-12-108†*	5312	340 lbs.	NSGC-15-108†*	5809	347 lbs.	NSGC-18-108†*	6029	353 lbs.	49
NSGC-12-120†*	5499	376 lbs.	NSGC-15-120†*	6023	383 lbs.	NSGC-18-120†*	6228	391 lbs.	55
NSGC-12-132†*	5666	414 lbs.	NSGC-15-132†*	6186	422 lbs.	NSGC-18-132†*	6406	431 lbs.	60
NSGC-12-144††	5984	450 lbs.	NSGC-15-144††	6326	574 lbs.	NSGC-18-144††	6546	467 lbs.	65



1-1/2" Standard Glass Opening (Maximum 1-1/2")
From Table To Bottom Of Glass.

CUSTOM UNITS & SIZES AVAILABLE ON ALL FOOD SHIELDS

Food Shield Prices May Change Due To Customer Specifications & Design

With Glass Top

3/8" Thick Heat-Tempered Glass Top

*Requires a Single Pair of Center Legs (Factory Print Included)
 **Requires Two Pair of Center Legs (Factory Print Included)
 *3/8" Thick Heat-Tempered Glass Required For Front Glass

Exclusive Features Of GSG/GSGC/NSGD Sleek Shields:

- Front glass locks in place at 15° intervals
- Stainless Steel 1" diameter Posts
- Includes Two 1/4" Heat-Tempered Side Glass
- 1/4" or 3/8" Thick Heat-Tempered Glass Front Panels (See Chart For "*" Symbol)
- Glass Top Features 3/8" Heat-Tempered Glass Top

SELF SERVE STYLE

12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Cubes
GSG-12-36	\$3436	127 lbs.	GSG-15-36	\$3924	130 lbs.	GSG-18-36	\$4365	133 lbs.	18
GSG-12-48	3584	162 lbs.	GSG-15-48	4067	167 lbs.	GSG-18-48	4508	173 lbs.	23
GSG-12-60*	4246	202 lbs.	GSG-15-60*	4459	209 lbs.	GSG-18-60*	4899	216 lbs.	29
GSG-12-72†	4377	238 lbs.	GSG-15-72†	4746	245 lbs.	GSG-18-72†	5187	253 lbs.	34
GSG-12-84†	4573	274 lbs.	GSG-15-84†	5015	282 lbs.	GSG-18-84†	5455	292 lbs.	39
GSG-12-96†	5073	309 lbs.	GSG-15-96†	5441	319 lbs.	GSG-18-96†	5883	330 lbs.	44
GSG-12-108**	5251	338 lbs.	GSG-15-108**	5794	350 lbs.	GSG-18-108**	6218	362 lbs.	49
GSG-12-120**	5440	391 lbs.	GSG-15-120**	5992	403 lbs.	GSG-18-120**	6432	417 lbs.	55
GSG-12-132**	5607	427 lbs.	GSG-15-132**	6189	442 lbs.	GSG-18-132**	6612	457 lbs.	60
GSG-12-144††	5926	455 lbs.	GSG-15-144††	6312	472 lbs.	GSG-18-144††	6753	489 lbs.	65




10-1/2" Standard Glass Opening (Maximum 13")
From Table To Bottom Of Glass.

Max. Load For Top Glass Is 100 Lbs. Even Dist. Wt.

CAFETERIA STYLE

12" WIDE	Price	Approx. Wt.	15" WIDE	Price	Approx. Wt.	18" WIDE	Price	Approx. Wt.	Approx. Cubes
GSGC-12-36	\$3822	133 lbs.	GSGC-15-36	\$4423	137 lbs.	GSGC-18-36	\$4863	141 lbs.	18
GSGC-12-48	3978	173 lbs.	GSGC-15-48	4537	176 lbs.	GSGC-18-48	4978	182 lbs.	23
GSGC-12-60*	4631	222 lbs.	GSGC-15-60*	4929	229 lbs.	GSGC-18-60*	5358	236 lbs.	29
GSGC-12-72†	4848	274 lbs.	GSGC-15-72†	5216	260 lbs.	GSGC-18-72†	5658	269 lbs.	34
GSGC-12-84†	5045	292 lbs.	GSGC-15-84†	5485	300 lbs.	GSGC-18-84†	5924	311 lbs.	39
GSGC-12-96†	5541	330 lbs.	GSGC-15-96†	5912	340 lbs.	GSGC-18-96†	6353	351 lbs.	44
GSGC-12-108**	5723	367 lbs.	GSGC-15-108**	6264	377 lbs.	GSGC-18-108**	6704	391 lbs.	49
GSGC-12-120**	5910	406 lbs.	GSGC-15-120**	6463	419 lbs.	GSGC-18-120**	6904	434 lbs.	55
GSGC-12-132**	6076	447 lbs.	GSGC-15-132**	6640	461 lbs.	GSGC-18-132**	7080	477 lbs.	60
GSGC-12-144††	6395	489 lbs.	GSGC-15-144††	6781	505 lbs.	GSGC-18-144††	7247	522 lbs.	65



1-1/2" Standard Glass Opening (Maximum 1-1/2")
From Table To Bottom Of Glass.

Max. Load For Top Glass Is 100 Lbs. Even Dist. Wt.

SELF SERVE STYLE - DOUBLE SIDED

w/ Stainless Steel Shelf			w/ Glass Top		
Model #	Price	Approx. Wt.	Model #	Price	Approx. Wt.
NSGD-40-36	\$5604	339 lbs.	GSGD-40-36	\$5730	368 lbs.
NSGD-40-48	5754	391 lbs.	GSGD-40-48	5881	437 lbs.
NSGD-40-60*	6416	451 lbs.	GSGD-40-60*	6542	509 lbs.
NSGD-40-72†	6546	518 lbs.	GSGD-40-72†	6672	592 lbs.
NSGD-40-84†	6743	604 lbs.	GSGD-40-84†	6869	660 lbs.
NSGD-40-96†	7241	667 lbs.	GSGD-40-96†	7367	729 lbs.
NSGD-40-108**	7421	725 lbs.	GSGD-40-108**	7832	798 lbs.
NSGD-40-120**	7609	782 lbs.	GSGD-40-120**	8113	868 lbs.
NSGD-40-132**	7776	840 lbs.	GSGD-40-132**	8278	932 lbs.
NSGD-40-144††	8097	909 lbs.	GSGD-40-144††	8462	1001 lbs.



GSGD Series Shown

10-1/2" Standard Glass Opening (Maximum 13")
From Table To Bottom Of Glass.

Max. Load For Top Glass Is 100 Lbs. Even Dist. Wt.

 Sleek Shields™ w/ Stainless Steel or Glass Shelf Can Be Added To Hot/Cold Food Tables
 With 2, 3 or 4 Wells, Listed On Pages 127 - 135
 See Sleek Shield Models For Food Tables On Page 140

FOOD SHIELDS

Adjustable & Fixed Front Food Shields



For Accessories & Modifications
Available - See Page 73

Sleek Shields™ SELF SERVE FOOD SHIELD

14 3/4" Standard Front Glass

Glass Clearance is 10" From Table to Bottom of Glass

Single Front Glass				Dual Front Glass (Includes Center Post)			
Model #	Price	Approx. Wt.	Approx. Cubes	Model #	Price	Approx. Wt.	Approx. Cubes
GS-36	\$3821	136	20	GS-84	4964	280	40
GS-48	3944	171	26	GS-96	5863	317	44
GS-60	4065	266	31	GS-120	6141	358	48
GS-66	4227	238	34	GS-132	6458	396	52
GS-72	4807	243	37	GS-144	6641	434	56



FEATURING
CHAMBER LOCK™
ROTATION SYSTEM

Protected By: Patent No. US
9,010,883 B2

- 3/8" Thick Heat-Tempered Glass Front
- 2 - 21 7/8" Wide x 22" High,
1/4" Thick Heat-Tempered Side Glass
- 1" Stainless Steel Tubing Posts



FIXED FRONT GLASS TOP FOOD SHIELDS

Includes Front & Side Glass • 15" Wide Glass Top Also Available

- 3/8" Thick Heat-Tempered Top Glass
- 1/4" Thick Heat-Tempered Front Glass*
- Two 1/4" Thick Heat-Tempered Glass Side Panels
- 1" Stainless Steel Round Tubing
- Includes Standard Concealed Mounting Hardware
(Access To Underside Of Counter Required)



STFS-12-36 Series shown



STFC-12-36 Series shown

Self-Serve Style							New Design!	Cafeteria Style						
8" Standard Front Glass Height								18" Standard Front Glass Height						
L	12" WIDE	Price	Wt.	18" WIDE	Price	Wt.	12" WIDE	Price	Wt.	18" WIDE	Price	Wt.	Cubes	
	36"	STFS-12-36	\$2386	127 lbs.	STFS-18-36	\$3315	133 lbs.	STFC-12-36	\$2772	133 lbs.	STFC-18-36	\$3813	141 lbs.	18
	48"	STFS-12-48	2534	162 lbs.	STFS-18-48	3458	173 lbs.	STFC-12-48	2928	173 lbs.	STFC-18-48	3928	182 lbs.	23
	60"	STFS-12-60*	3196	202 lbs.	STFS-18-60*	3849	216 lbs.	STFC-12-60*	3581	222 lbs.	STFC-18-60*	4308	236 lbs.	29
NEW	72"	STFS-12-72*	3327	238 lbs.	STFS-18-72*	4137	253 lbs.	STFC-12-72*	3798	274 lbs.	STFC-18-72*	4608	269 lbs.	34
NEW	84"	STFS-12-84†	3523	274 lbs.	STFS-18-84†	4405	292 lbs.	STFC-12-84†	3995	292 lbs.	STFC-18-84†	4874	311 lbs.	39
NEW	96"	STFS-12-96†	4023	309 lbs.	STFS-18-96†	4833	330 lbs.	STFC-12-96†	4491	330 lbs.	STFC-18-96†	5303	351 lbs.	44
NEW	108"	STFS-12-108*†	4201	338 lbs.	STFS-18-108*†	5168	362 lbs.	STFC-12-108*†	4673	367 lbs.	STFC-18-108*†	5654	391 lbs.	49
NEW	120"	STFS-12-120*†	4390	391 lbs.	STFS-18-120*†	5382	417 lbs.	STFC-12-120*†	4860	406 lbs.	STFC-18-120*†	5854	434 lbs.	55
NEW	132"	STFS-12-132*†	4557	427 lbs.	STFS-18-132*†	5562	457 lbs.	STFC-12-132*†	5026	447 lbs.	STFC-18-132*†	6030	477 lbs.	60
NEW	144"	STFS-12-144††	4876	455 lbs.	STFS-18-144††	5703	489 lbs.	STFC-12-144††	5345	489 lbs.	STFC-18-144††	6197	522 lbs.	65

*3/8" Thick Heat-Tempered Glass Required For Front † Requires a single pair of center legs †† Requires two pair of center legs

45° ANGLED FIXED FRONT FOOD SHIELDS

Self-Serve Style

w/ Angled Top & Side Glass

Model #	Price	Approx. Wt.	Approx. Cubes
AFS-36	\$3385	130 lbs.	6
AFS-48	3852	164 lbs.	8
AFS-60*	4226	207 lbs.	10



Shown With Black Powder Coating

- 1/4" Thick Heat-Tempered Front Glass
- 1/4" Thick Side Glass
- 1" Stainless Steel Tubing with End Caps
- Includes Standard Concealed Mounting Hardware
(Access To Underside Of Counter Required)

Cafeteria Style

w/ Angled Top, Front & Side Glass

Model #	Price	Approx. Wt.	Approx. Cubes
AFC-36	\$4005	143 lbs.	6
AFC-48	4464	178 lbs.	8
AFC-60*	4584	235 lbs.	10



FIXED FRONT VERTICAL FOOD SHIELDS



- 24" Standard Front Glass height
- 1/4" Thick Heat-Tempered Glass
- Two 18" Wide Glass Side Panels
- 1" Stainless Steel Tubing with End Caps
(1 5/8" Tubing Also Available)
- Includes Standard Concealed Mounting Hardware
(Access To Underside Of Counter Required)

- NSF Requires 60" Minimum Height Above Finished Floor
- NSF Requires 6" Maximum Height From Top of Table
to Bottom of Glass

Custom Food Shield Sizes Available

Call Our Smart Fabrication™ Department At
800-645-3166

Model #	Price	Approx. Wt.	Approx. Cubes
SGCC-36	\$4560	139 lbs.	9
SGCC-48	5037	194 lbs.	11
SGCC-60*	5676	219 lbs.	13
SGCC-72	7187	240 lbs.	15
SGCC-84	7128	271 lbs.	17
SGCC-96	7500	311 lbs.	19
SGCC-108*	8105	357 lbs.	22
SGCC-120*	8882	412 lbs.	25
SGCC-132	9441	451 lbs.	26
SGCC-144	10117	518 lbs.	27

*3/8" Thick Heat-Tempered Glass Required For Front

For Enclosed Base Table Options See Pages 50-51

SLEEK SHIELDS™ ACCESSORIES & MODIFICATIONS

LED Display Lighting

Factory Installed

- Aluminum Rail with Shatter-Proof Optics
- Standard Natural Aluminum Finish. Available in White or Black
- Includes Class 2 Low Voltage Power Supply-120V-277V
- High Impact Resistant Mounting Clips



FACTORY INSTALLED ONLY
Includes Installation Charge

L	S/S Shelf Mounted		Glass Top Mounted	
	Model #	Price	Model #	Price
1'	LED-S-12	\$392	LED-G-12	\$575
2'	LED-S-24	473	LED-G-24	656
3'	LED-S-36	545	LED-G-36	726
4'	LED-S-48	608	LED-G-48	792
5'	LED-S-60	676	LED-G-60	861
6'	LED-S-72	770	LED-G-72	953


Shelves Require 6" Clearance On Both Sides To Fit Above Led Lighting.

PRINT REQUIRED FOR PROPER LED LOCATION

Heat Lamp Mounting Provisions

Customers To Supply Heat Lamp

All Food Shields With Glass Tops Require Factory Installation Only



TA-717 Shown

FACTORY INSTALLED

TA-717 \$202 /lin. ft.

MINIMUM OF 3 FEET REQUIRED. MUST ORDER SAME LENGTH AS FOOD SHIELD.

- Welded Tubular Stainless Steel Posts
- Chase-Way for Concealing Wiring
- Pre-Wiring Available
- Print Required For Proper Installation

INSTALLED BY OTHERS

(Provision for mounting to Stainless Steel Shelves only)

TA-71 \$163 ea.

Revolutionary Sleek Shield™ Horizontal Swivel Bracket

- Bracket Connects Multiple Sleek Shields™ And Swivels Freely for Custom Line Up
- Easily Adjusts In Field Without Tools
- Factory Installed Only



SG-S \$1262 Per Section



SG-1

SURFACE MOUNTING BRACKET

(For 1" Posts)

SG-1 \$117 ea.

CANTILEVER SUPPORT BRACKET UPGRADE

(Omits Front or Rear Support Leg To Equipment in Counter)

SG-C \$437 per leg



SG-PC Shown

CUSTOM COLORS

SG-AN Call For Pricing

Color Anodizing For Sleek Shields™ (For Aluminum Components)

SG-PC Call For Pricing

Powder Coating For Sleek Shields™ (For Stainless Steel Components)

REDUCE LENGTH OR WIDTH OF SHELF
Start With Next Largest Size Then Add To Model Number
TA-60 N/C

SPECIAL HEIGHT FOR FOOD SHIELDS
Please Specify Height
TA-33F \$48

PORTABLE FOOD SHIELDS

- 15" Front Panel
- 1/4" Thick Thermoplastic Polymer Sneeze Guard
- 1" Stainless Steel Posts
- 1-1/2" Wide x 14-1/2" Front to Back Black Support Base
- Shipped K.D.

Length	Model #	Price	Approx. Wt.	Approx. Cubes
36"	PFS-36B	\$1988	12 lbs.	14
48"	PFS-48B	2302	15 lbs.	18
60"	PFS-60B	2588	18 lbs.	21
72"	PFS-72B	2825	21 lbs.	24



PFS-36B Shown with Optional Side Panels



OPTIONAL 18" WIDE SIDE PANELS

18" x 20" x 1/4" Acrylic Side Panels
Factory Installed Only

PFS-SP \$822 /set of 2

Approx. 5 lbs.

SHELVING

Stainless Steel Shelving



Shelves Mount to Underside of Table with Single Expansion Bolt to Maximize Space





TABLE MOUNTED ALL STAINLESS STEEL SHELVING



SINGLE DECK SHELVING					
Ft.	12" WIDE	Price	15" WIDE [†]	Price	Approx. Wt. Approx. Cubes
3'	OTS-12-36	\$757	OTS-15-36	\$906	24 lbs. 2
4'	OTS-12-48	796	OTS-15-48	982	25 lbs. 3
5'	OTS-12-60	863	OTS-15-60	1108	31 lbs. 3
6'	OTS-12-72	919	OTS-15-72	1225	37 lbs. 4
7'	OTS-12-84	982	OTS-15-84	1283	43 lbs. 5
8'	OTS-12-96*	1187	OTS-15-96*	1382	50 lbs. 5
9'	OTS-12-108*	1261	OTS-15-108*	1644	59 lbs. 6
10'	OTS-12-120*	1294	OTS-15-120*	1685	68 lbs. 7
11'	OTS-12-132*	1362	OTS-15-132*	1888	82 lbs. 7
12'	OTS-12-144*	1402	OTS-15-144*	1931	98 lbs. 8

* SHELVES 8' OR LONGER INCLUDE CENTER LEG SUPPORT



DOUBLE DECK SHELVING					
Ft.	12" WIDE	Price	15" WIDE [†]	Price	Approx. Wt. Approx. Cubes
3'	ODS-12-36	\$1508	ODS-15-36	\$1630	24 lbs. 4
4'	ODS-12-48	1550	ODS-15-48	1756	29 lbs. 5
5'	ODS-12-60	1652	ODS-15-60	1970	35 lbs. 6
6'	ODS-12-72	1762	ODS-15-72	2161	40 lbs. 7
7'	ODS-12-84	1887	ODS-15-84	2343	46 lbs. 8
8'	ODS-12-96*	2250	ODS-15-96*	2621	55 lbs. 10
9'	ODS-12-108*	2423	ODS-15-108*	2852	60 lbs. 11
10'	ODS-12-120*	2465	ODS-15-120*	2966	66 lbs. 12
11'	ODS-12-132*	2633	ODS-15-132*	3128	72 lbs. 13
12'	ODS-12-144*	2673	ODS-15-144*	3267	78 lbs. 14

*8' or longer includes center leg support

For 1" Rear Turn Up, add "R" after model # (Example: OTS-12-60R) • †15" Wide Shelving has 1-5/8" Tubing

For 10" Wide Shelving – Use 12" Models & Price. Replace "12" with "10" (Example: ODS-10-36)

TABLE MOUNTED FULLY ADJUSTABLE SHELVING WITH 14" OR 30" CHROME POSTS


SINGLE DECK SHELVING				
Ft.	12" WIDE	Price	Approx. Wt.	Approx. Cubes
3'	TS-12-36	\$710	13 lbs.	2
4'	TS-12-48	753	15 lbs.	3
5'	TS-12-60	805	17 lbs.	3
6'	TS-12-72	860	20 lbs.	4
7'	TS-12-84	917	23 lbs.	5
8'	TS-12-96*	1119	28 lbs.	5
9'	TS-12-108*	1190	30 lbs.	6
10'	TS-12-120*	1230	33 lbs.	7
11'	TS-12-132*	1302	36 lbs.	7
12'	TS-12-144*	1344	39 lbs.	8

DOUBLE DECK SHELVING				
Ft.	12" WIDE	Price	Approx. Wt.	Approx. Cubes
3'	DS-12-36	\$1398	24 lbs.	4
4'	DS-12-48	1440	29 lbs.	5
5'	DS-12-60	1551	35 lbs.	6
6'	DS-12-72	1661	40 lbs.	7
7'	DS-12-84	1771	46 lbs.	8
8'	DS-12-96*	2148	55 lbs.	10
9'	DS-12-108*	2329	60 lbs.	11
10'	DS-12-120*	2373	66 lbs.	12
11'	DS-12-132*	2550	72 lbs.	13
12'	DS-12-144*	2588	78 lbs.	14

*8' or longer includes center leg support


For 10" Wide Shelving
Use 12" Models & Price.
Replace "12" with "10" (Example: DS-10-36)

Tapered Split Sleeve Installation
& Numbered Posts



For 1" Rear Turn Up, add "R" after model # (Example: TS-12-60R) • For 15" Wide Shelving (w/ 1-5/8" Tubing) Use OTS/ODS Series

ADJUSTABLE 18" WIDE DOUBLE OVERSHELF WITH 6" OFFSET



Length	Model #	Price	Approx. Wt.	Approx. Cubes
3'	CDS-18-36	\$2659	24 lbs.	4
4'	CDS-18-48	2711	29 lbs.	5
5'	CDS-18-60	3051	35 lbs.	6
6'	CDS-18-72	3116	40 lbs.	7
7'	CDS-18-84	3184	46 lbs.	8
8'	CDS-18-96	3357	55 lbs.	10
9'	CDS-18-108	3556	60 lbs.	11
10'	CDS-18-120	3612	66 lbs.	12
11'	CDS-18-132	3757	72 lbs.	13
12'	CDS-18-144	3797	78 lbs.	14

18" & 24" WIDE TABLE MOUNTED SHELVING



SHELVING Specialty Shelving


For Existing Equipment For SMART FABRICATION™ CHEF'S LINE

- Stainless Steel Shelving (1 Tier or 2 Tier Shelves)
- Stainless Steel Posts (1" Posts Available)
- Mounting Brackets Included

Customer To Specify Models Of Buyout Equipment.
Print Required.

Call For a Custom Quote

Quote Prints Available On Request
- A Service Only Advance Tabco Offers!
Call Our Estimating Department At 800-645-3166
or email smartFab@advancetabco.com



Single Tier Shelving

Ft.	Approx. Cubes	18" WIDE	Price	Approx. Wt.	24" WIDE	Price	Approx. Wt.
4'	12	CU-18-48	\$1545	42 lbs.	CU-24-48	\$1910	55 lbs.
5'	15	CU-18-60	1595	53 lbs.	CU-24-60	2046	61 lbs.
6'	17	CU-18-72	1654	64 lbs.	CU-24-72	2136	70 lbs.
7'	20	CU-18-84	1874	75 lbs.	CU-24-84	2433	81 lbs.
8'	23	CU-18-96	2019	89 lbs.	CU-24-96	2619	98 lbs.
9'	26	CU-18-108	2178	95 lbs.	CU-24-108	2890	104 lbs.
10'	29	CU-18-120	2305	105 lbs.	CU-24-120	3111	113 lbs.
11'	32	CU-18-132	2431	118 lbs.	CU-24-132	3184	129 lbs.
12'	35	CU-18-144	2510	130 lbs.	CU-24-144	3542	146 lbs.

Double Tier Shelving

Ft.	Approx. Cubes	18" WIDE	Price	Approx. Wt.	24" WIDE	Price	Approx. Wt.
4'	12	CU-18-48-2	\$2974	76 lbs.	CU-24-48-2	\$3272	114 lbs.
5'	15	CU-18-60-2	3115	95 lbs.	CU-24-60-2	3427	131 lbs.
6'	17	CU-18-72-2	3258	115 lbs.	CU-24-72-2	3584	152 lbs.
7'	20	CU-18-84-2	3536	135 lbs.	CU-24-84-2	3892	176 lbs.
8'	23	CU-18-96-2	3667	160 lbs.	CU-24-96-2	4034	207 lbs.
9'	26	CU-18-108-2	3829	121 lbs.	CU-24-108-2	4091	239 lbs.
10'	29	CU-18-120-2	3889	189 lbs.	CU-24-120-2	4153	283 lbs.
11'	32	CU-18-132-2	3888	212 lbs.	CU-24-132-2	4277	331 lbs.
12'	35	CU-18-144-2	4066	235 lbs.	CU-24-144-2	4474	387 lbs.

Shelving Modifications

Undermount Paper/Accessories Shelf


TA-117 \$276 /lin. ft.

Additional Fixed Partitions

(Specify Location For Factory Installation) TA-117A \$108 ea.

- 7" Wide x 12" High
- Two Adjustable Partitions To Create Separate Compartments

FACTORY INSTALLED ONLY



TA-9A	Partial 1" Turn-Up for all Table Mt. Shelves	\$44 /lin. ft.	TA-71	Heat Lamp Mounting Provision	\$163 ea.
TA-22A	Square Edge on Overshelf	103 ea.	TA-71A	Heat Lamp Remote Control Bracket.....	320 ea.
TA-26-10	Welded Wall Shelf Brackets for 10" Shelf.....	256 /shelf	TA-77	Check Minder Shelf Provision (Factory Install Only)	59 /lin. ft.
TA-26-12	Welded Wall Shelf Brackets for 12" Shelf.....	256 /shelf	TA-85	30" Wide CU Shelf (Add to price of 24" Shelf. For double tier, add twice)	207 /lin. ft.
TA-26-15	Welded Wall Shelf Brackets for 15" Shelf.....	256 /shelf	TA-99	16 Ga. S/S 304 Upgrade for Wall & Over Shelves	26 /lin. ft.
TA-26-18	Welded Wall Shelf Brackets for 18" Shelf.....	256 /shelf	TA-99A	14 Ga. S/S 304 Upgrade for Wall & Over Shelves	47 /lin. ft.
TA-33A	Customize Post Height (Specify Height)	50 /Shelf	TA-100A	Bull Nose Edge On all 4 Sides of Shelf	103 ea.
TA-47	Shelf Mounting Bracket for Existing Table	93 /shelf	TA-102	24" x 24" Extension for Microwave or Computer Shelf (Add to OTS and ODS Shelves. See page 45)	426 ea.
TA-49	Wall Shelf 2" Offset	181 /shelf	TA-103	24" Wide PT Shelf (36" Min Length. Mid mount only. PT Series Shelf, see pg. 48. Add to 18" Wide Shelf)	127 /lin. ft.
TA-60	Special Sizing Charge for Shelves (Must Order Larger Unit to be Cut Down to Smaller Size)	N/C	TA-104	Add'l Length Over 12' - Add to 18" or 24" Shelf (CU Shelving Only. Maximum Length is 14' as Single Piece)	274 /lin. ft.
TA-62C	Duplex Electrical Outlet (Under Flat Top)	481 ea.			
TA-62D	GFI Duplex Outlet in a Doghouse Box	511 ea.			

PASS-THRU SHELVING

Standard Pass-Thru Shelf

- "Hat Channel" Design Allows Shelf To Be Freely Positioned
- Includes Wall Mounting Brackets For Securing Shelf To Desired Position



Pass-Thru shown with Cantilever Brackets

18" WIDE	Price	24" WIDE	Price	# of Length Brackets
PA-18-24	\$1034	PA-24-24	\$1163	24" 2
PA-18-36	1269	PA-24-36	1277	36" 2
PA-18-48	1382	PA-24-48	1725	48" 2
PA-18-60	1487	PA-24-60	1857	60" 2
PA-18-72	1539	PA-24-72	1989	72" 2
PA-18-84	1592	PA-24-84	2176	84" 3
PA-18-96	1649	PA-24-96	2328	96" 3
PA-18-108	1718	PA-24-108	2340	108" 3
PA-18-120	1750	PA-24-120	2371	120" 3
PA-18-132	1910	PA-24-132	2588	132" 4
PA-18-144	2176	PA-24-144	2777	144" 4

Mounting Brackets Included

With Pass-Thru Shelving



*2" x 4" - L Bracket
For 18" Wide Shelves



**5" x 5" - Cantilever Bracket
For 24" Wide Shelves

Pass-Thru Shelf with Overshelf

- 1 CU Series Overshelf welded to a PA Series Pass-Thru shelf
- 1-5/8" Stainless Steel Tubing
- Shipped as Welded Set-Up



Pass-Thru with
CU Series Shelf &
Cantilever Bracket Shown

Pre-Wiring Available!

Contact our
Smart Fab Department at
smartfab@advancetabco.com

18" WIDE	Price	24" WIDE	Price	# of Length Brackets
PA-18-48-2	\$2839	PA-24-48-2	\$3586	48" 2
PA-18-60-2	2996	PA-24-60-2	3849	60" 2
PA-18-72-2	3102	PA-24-72-2	4067	72" 2
PA-18-84-2	3364	PA-24-84-2	4547	84" 3
PA-18-96-2	3562	PA-24-96-2	4878	96" 3
PA-18-108-2	3780	PA-24-108-2	5161	108" 3
PA-18-120-2	3936	PA-24-120-2	5415	120" 3
PA-18-132-2	4214	PA-24-132-2	5697	132" 4
PA-18-144-2	4549	PA-24-144-2	6237	144" 4

PASS-THRU MODIFICATION

Includes Side & Top • Minimum Length = 36"

Pass-Thru Frame


Length	Model	Price
36"	TA-84F-36	\$1275
48"	TA-84F-48	1414
60"	TA-84F-60	1558
72"	TA-84F-72	1667
84"	TA-84F-84	1754



Print Required For Proper Location

Electrical Utility Chases

Call For Wiring Installation!



FLOOR CHASE




CEILING CHASE

- Conceals Wires
- Removable Panel For Wire Access.
- Wiring Available Upon Request.

Available only for CU Series &
OTS Series Shelving (Pages 68-69)

MODEL	FEED TYPE	PRICE
UCC-1	Ceiling	\$1685
UCF-1	Floor	1489

Print required for proper chase location.
Utility Chase is FACTORY INSTALLATION only.



PIPE CHASE

- Conceals Wires For Heat Lamps.
- Required Installation Of Buyout Equipment

Consult Factory for Wiring

MODEL	PRICE
PC-1	\$662 ea.



Brackets Can Be Positioned
To Accommodate Wall Studs



SHELVING

Wall Mounted Shelving

- 1 1/2" Rolled Rim With A 1 1/2" Turn-Up At Rear Ends Are Turned Down Square

16 GA. WALL MOUNTED SHELVING

304 Type Stainless Steel

Length	10" WIDE	Price	12" WIDE	Price	15" WIDE	Price	18" WIDE	Price	Approx. Wt.	Approx. Cubes
2'	WS-10-24-16	\$356	WS-12-24-16	\$366	WS-15-24-16	\$602	WS-18-24-16	\$835	10 lbs.	3
30"	-	-	WS-12-30-16	419	-	-	-	-	11 lbs.	3
3'	WS-10-36-16	382	WS-12-36-16	421	WS-15-36-16	639	WS-18-36-16	873	12 lbs.	4
42"	-	-	WS-12-42-16	473	-	-	-	-	13 lbs.	5
4'	WS-10-48-16	402	WS-12-48-16	475	WS-15-48-16	679	WS-18-48-16	911	14 lbs.	5
5'	WS-10-60-16	448	WS-12-60-16	520	WS-15-60-16	776	WS-18-60-16	1009	17 lbs.	6
6'	WS-10-72-16	482	WS-12-72-16	553	WS-15-72-16	881	WS-18-72-16	1107	19 lbs.	7
7'	WS-10-84-16	551	WS-12-84-16	612	WS-15-84-16	946	WS-18-84-16	1162	22 lbs.	8
8'	WS-10-96-16	631	WS-12-96-16	670	WS-15-96-16	1094	WS-18-96-16	1210	26 lbs.	10
9'	WS-10-108-16	692	WS-12-108-16	728	WS-15-108-16	1176	WS-18-108-16	1308	28 lbs.	11
10'	WS-10-120-16	781	WS-12-120-16	830	WS-15-120-16	1210	WS-18-120-16	1454	31 lbs.	12
11'	WS-10-132-16	771	WS-12-132-16	872	WS-15-132-16	1387	WS-18-132-16	1511	35 lbs.	13
12'	WS-10-144-16	832	WS-12-144-16	895	WS-15-144-16	1475	WS-18-144-16	1565	38 lbs.	14

18 GA. WALL MOUNTED SHELVING

430 Type Stainless Steel

Length	10" WIDE	Price	12" WIDE	Price	15" WIDE	Price	18" WIDE	Price	Approx. Wt.	Approx. Cubes
2'	WS-10-24	\$284	WS-12-24	\$293	WS-15-24	\$339	WS-18-24	\$615	10 lbs.	3
30"	-	-	WS-12-30	333	-	-	-	-	12 lbs.	4
3'	WS-10-36	301	WS-12-36	335	WS-15-36	383	WS-18-36	647	12 lbs.	4
42"	-	-	WS-12-42	376	-	-	-	-	14 lbs.	5
4'	WS-10-48	321	WS-12-48	378	WS-15-48	433	WS-18-48	733	14 lbs.	5
5'	WS-10-60	373	WS-12-60	415	WS-15-60	461	WS-18-60	761	17 lbs.	6
6'	WS-10-72	404	WS-12-72	444	WS-15-72	499	WS-18-72	830	19 lbs.	7
7'	WS-10-84	439	WS-12-84	489	WS-15-84	511	WS-18-84	907	22 lbs.	8
8'	WS-10-96	508	WS-12-96	536	WS-15-96	592	WS-18-96	960	26 lbs.	10
9'	WS-10-108	527	WS-12-108	583	WS-15-108	791	WS-18-108	1117	28 lbs.	11
10'	WS-10-120	629	WS-12-120	664	WS-15-120	813	WS-18-120	1162	31 lbs.	12
11'	WS-10-132	648	WS-12-132	697	WS-15-132	929	WS-18-132	1221	35 lbs.	13
12'	WS-10-144	675	WS-12-144	715	WS-15-144	983	WS-18-144	1278	38 lbs.	14

TA-22A	Square Edge Shelf	\$103 ea.
TA-26-10	Weld Support Brackets To Wall Shelf For 10" Deep Wall Shelves	256 ea.
TA-26-12	Weld Support Brackets To Wall Shelf For 12" Deep Wall Shelves	256 ea.
TA-26-15	Weld Support Brackets To Wall Shelf For 15" Deep Wall Shelves	256 ea.
TA-26-18	Weld Support Brackets To Wall Shelf For 18" Deep Wall Shelves	256 ea.
TA-49	2" Wall Shelf Offset	181 /shelf

TA-60	Special Sizing Charge For Shelves (Must Order Larger Unit To Be Cut Down To Smaller Size)	N/C
TA-71	Heat Lamp Mounting Provision	163 ea.
TA-77	Check Minder Provision On Any Shelf	59 /lin.ft.
TA-99A	14 Ga. S/S 304 Upgrade For Wall & Over Shelves	47 /lin.ft.
TA-100A	Bullnose Edge On All 4 Sides Of Shelf	103 ea.

K.D. WALL SHELVES

Length	STAINLESS STEEL w/ Stainless Steel Brackets		ALUMINUM w/ Aluminum Brackets		Approx. Wt.	Approx. Cubes
	Model #	Price	Model #	Price		
2'	WS-KD-24	\$250	AWS-KD-24	\$205	10 lbs.	2
3'	WS-KD-36	260	AWS-KD-36	221	12 lbs.	3
4'	WS-KD-48	288	AWS-KD-48	246	14 lbs.	4
5'	WS-KD-60	324	AWS-KD-60	264	17 lbs.	5



Width Of Shelf Is 11-1/8"

Single Shipping Container Can Be
Shipped U.P.S.



Custom Sizes are Available. Contact Our **SMART FABRICATION™** Department. 800-645-3166


SHELVING

Wall Mounted Shelving

Slotted Cook Line Wall Shelf

- Heavy Duty
- 304 Type Stainless Steel
- 21" Wide
- 1 1/2" Square Tubes
- 1 1/4" Spacing
- Tubular Support Brackets (Shipped Loose To Suit Wall Stud Location)

TA-26-21 \$327 per shelf
Optional Factory Welded Shelf Brackets (Print Required)



L	Model #	Price	# of Brackets	Approx. Wt.	Approx. Cubes
48"	DT21-4	\$3676	2	90 lbs.	6
72"	DT21-6	\$514	3	105 lbs.	8
96"	DT21-8	\$7351	3	145 lbs.	10
120"	DT21-10	\$9190	4	190 lbs.	13
144"	DT21-12	\$11026	4	210 lbs.	15

NOTE: Recommend Field Welding Brackets To Underside Of Cook Line Shelf

Built-In Check Minder




Floating Ball Mechanism
Quickly Grabs Checks And Holds Them In Place

L	12" WIDE	Price	Approx. Wt.	Approx. Cubes
3'	WS-12-36CM	\$394	15 lbs.	4
4'	WS-12-48CM	\$437	19 lbs.	5
5'	WS-12-60CM	\$471	21 lbs.	6
6'	WS-12-72CM	\$503	25 lbs.	7
8'	WS-12-96CM	\$594	32 lbs.	10

WALL SHELVES


Under Mounted Multi-Purpose Shelf



- Heavy Duty
- Mounts below shelving or table top
- Supplied with mounting holes.
- 1 stationary divider included 36" lengths & under
- 2 stationary dividers included over 36" lengths

Model #	Price	Approx. Wt.
TA-117	\$263 lin. ft.	22 lbs. per sq. ft.

TA-117A \$103 ea.
Additional Dividers



FACTORY INSTALLED ONLY

with Built-In Pot Rack

Length	12" WIDE	Price	15" WIDE	Price	18" WIDE	Price	# of Hooks	Approx. Wt.	Approx. Cubes
3'	PS-12-36	\$800	PS-15-36	\$966	PS-18-36	\$1229	6	30 lbs.	5
4'	PS-12-48	\$843	PS-15-48	\$1014	PS-18-48	\$1315	6	40 lbs.	6
5'	PS-12-60	\$880	PS-15-60	\$1042	PS-18-60	\$1342	9	50 lbs.	7
6'	PS-12-72	\$909	PS-15-72	\$1079	PS-18-72	\$1411	9	60 lbs.	8
7'	PS-12-84	\$954	PS-15-84	\$1094	PS-18-84	\$1489	9	70 lbs.	10
8'	PS-12-96	\$1001	PS-15-96	\$1173	PS-18-96	\$1541	9	80 lbs.	11
9'	PS-12-108	\$1049	PS-15-108	\$1372	PS-18-108	\$1698	9	90 lbs.	12
10'	PS-12-120	\$1129	PS-15-120	\$1394	PS-18-120	\$1743	9	100 lbs.	13
11'	PS-12-132	\$1162	PS-15-132	\$1511	PS-18-132	\$1803	9	110 lbs.	14
12'	PS-12-144	\$1181	PS-15-144	\$1565	PS-18-144	\$1860	9	120 lbs.	26

TA-60 Special Sizing Charge for Wall Shelves
TA-99 16 ga. 304 Upgrade for Wall and Over Shelves
TA-99A 14 Ga. S/S 304 Upgrade for Wall & Over Shelves

N/C - Add to next longer shelf
\$26 / lin. ft.
47 / lin. ft.



FOR CHECK MINDER PROVISION
On Any Shelf Use

TA-77
\$59/lin. ft.



Wall Shelf w/Multipurpose Undershelf

- 5 1/2" Undershelf
- Upper & Lower Grommet Holes




Shown with Microwave Units (Not Included)



Size W x L	Model #	Price	Approx. Wt.	Approx. Cubes
24" x 24"	MS-24-24-PS	\$1460	58 lbs.	11
24" x 36"	MS-24-36-PS	\$1707	85 lbs.	16
24" x 48"	MS-24-48-PS	\$1956	110 lbs.	21

Microwave Shelf



Size W x L	Model #	Price	Approx. Wt.	Approx. Cubes
18" x 24"	MS-18-24	\$558	27 lbs.	5
24" x 24"	MS-24-24	\$633	32 lbs.	5
24" x 36"	MS-24-36	\$881	38 lbs.	7
20" x 30"	MS-20-30	\$815	36 lbs.	5

TA-108 \$137
2" Hole with Grommet For Appliance Cord.
(Please Specify Hole Size And Location)



8" Wide Utility Shelf

Length	Model #	Price	Approx. Wt.	Approx. Cubes
24"	K-245	\$790	50 lbs.	1
36"	K-246	\$897	55 lbs.	2

STAINLESS STEEL WALL FLASHING

Wall Flashing supplied in 10' Lengths.

- Available in 16 Gauge, 18 Gauge and 20 Gauge
- Type 304 Stainless Steel
- Polished to a Commercial Grade #3 Finish

Model #	Description	Price
WF16	16 Gauge	\$70 /sq.ft.
WF18	18 Gauge	\$62 /sq.ft.
WF20	20 Gauge	\$58 /sq.ft.

OPTIONAL WALL FLASHING ACCESSORIES

Model #	Description	Price
WF-SC-1	Seam Cap	\$105 ea.
WF-EC-1	Edge Cap	\$105 ea.
WF-IC-1	Inside Corner	\$117 ea.



Single Shelf

Length	Model #	Price	Approx. Wt.	Approx. Cubes
3'	CM-18-36	\$2699	24 lbs.	4
4'	CM-18-48	2894	29 lbs.	5
5'	CM-18-60	3085	35 lbs.	6
6'	CM-18-72	3278	40 lbs.	7
7'	CM-18-84	3283	46 lbs.	8
8'	CM-18-96	3367	51 lbs.	9

Double Shelves

Length	Model #	Price	Approx. Wt.	Approx. Cubes
3'	DCM-18-36	\$3469	55 lbs.	5
4'	DCM-18-48	4049	60 lbs.	6
5'	DCM-18-60	4241	66 lbs.	7
6'	DCM-18-72	4822	72 lbs.	8
7'	DCM-18-84	4889	78 lbs.	9
8'	DCM-18-96	5049	84 lbs.	10

 = Ship Via UPS

- Stainless Steel
- 1 5/8" Stainless Steel Posts
- Shipped KD
- Load Capacity is 5 lbs. per sq. ft. (Evenly Distributed)

CUSTOMER MUST SPECIFY CEILING HEIGHT

SHELVING

Shelving & Modifications

18" WIDE CEILING MOUNTED SHELVING

SINGLE



DOUBLE



SHELVING MODIFICATIONS

FACTORY INSTALLED ONLY

Printer Shelf

- Heavy gauge stainless steel
- 8"x16" Printer Deck
- 10" height
- 1 Data Port Receptacle
- 1 Electrical Receptacle
- Rear Gem Box with Removable Enclosure
- Turned up front edge to hold Printer in place



PRT-1 \$876 /shelf

Back of Shelf Shown

Check Minder



- Extruded Anodized Aluminum
- Holds checks with ease
- Floating ball mechanism quickly grabs checks & holds them in place
- Mounts to any shelf

TA-77 \$59 /lin. ft.

TA-77A \$41 /lin. ft.

Concealer for Heat Lamp.
(Requires a TA-77)

Microwave Shelf Extension



24" Front to Back
1-5/8" Posts

Use the full length of OTS Shelves found on page 74 and then add **TA-102 \$426** extension. Specify Right or Left.

Table Mounted Equipment Shelf



1-5/8" Posts

L	Model #	Price	Approx. Wt.	Approx. Cubes
2'	MST-24-24	\$1155	32 lbs.	1
3'	MST-24-36	1350	38 lbs.	2

6" Shelf Offset



- Posts located towards rear shelf
- Provides shelf reach
- Available for 18" or Wider shelving Only (CU Series Shelving)

TA-120 \$128 /Per level

Accessories

Check Minder Accessory



- Holds Checks With Ease
- Floating Ball Mechanism Quickly Grabs Checks & Holds Them In Place
- Mounts To Existing Wall Or Shelf

Length	Model #	Price	Approx. Wt.
2'	CM-24	\$43	1.5 lbs.
3'	CM-36	57	2.25 lbs.
4'	CM-48	72	3 lbs.
5'	CM-60	85	4.25 lbs.

Wall Cap



- 16 ga., 304 Stainless Steel
- 2" x Wall Thickness x 2" x Height

Model #	Price
WALLCAP	\$57 Lin. ft.

MUST SPECIFY:
Wall thickness (maximum 6")
Height (Maximum of 10 feet)
Minimum charge 4 linear feet

Bumper Guards



- 16 ga., 304 Stainless Steel
- Bracket Included

Model #	Size	Price
BG-48	2" x 4" x 48"	\$213
BG-60	2" x 4" x 60"	288

Corner Guards



- 16 ga., 304 Stainless Steel
- Adhesive Tape Backing

Model #	Size	Price
CG-48	2" x 2" x 48"	\$144
CG-60	2" x 2" x 60"	190
CG-72	2" x 2" x 72"	212
CG-84	2" x 2" x 84"	250
CG-96	2" x 2" x 96"	260
CG-120	2" x 2" x 120"	296
4" x 4"		
OCG-48-SS	4" x 4" x 48"	273

POT RACKS

Adjustable Pot Rack Components



#1 HOW TO ORDER

Select from 3 Mounting Provisions

Mid, Rear or Splash

#2 Choose Desired Components



TABLE with POT RACK, SHELVING & UTENSIL RACK

MID MOUNT DESIGN



MIX & MATCH to Maximize Your Work Area. Components are Adjustable. You set the Height to Meet Your Demanding Requirement.

SPECIFY MOUNTING PROVISION

FOR MID MOUNT
Add TA-228 N/C



FOR REAR MOUNT
ADD TA-229 N/C



FOR SPLASH MOUNT
ADD TA-227 N/C



Pot Racks (Includes Utensil Rack)

Length	Model #	# of Pot Hooks	Price	Approx. Wt.	Approx. Cubes
36"	SCT-36	12	\$1456	30	5
48"	SCT-48	12	1511	34	6
60"	SCT-60	18	1552	37	7
72"	SCT-72	18	2138	46	9
84"	SCT-84	18	2190	50	10
96"	SCT-96	18	2339	55	12
108"	SCT-108	18	2848	60	13
120"	SCT-120	18	3086	65	15
132"	SCT-132	18	3171	68	16
144"	SCT-144	18	3233	72	18
36"	SWT-36	12	\$1158	30	5
48"	SWT-48	12	1187	34	6
60"	SWT-60	18	1200	37	7
72"	SWT-72	18	1214	46	9
84"	SWT-84	18	1456	50	10
96"	SWT-96	18	1482	55	12
108"	SWT-108	18	1761	60	13
120"	SWT-120	18	1781	65	15
132"	SWT-132	18	1823	68	16
144"	SWT-144	18	1865	72	18

Utensil Racks

Model #	# of Pot Hooks	Price	Approx. Wt.	Approx. Cubes
AUR-36	6	\$550	30	2
AUR-48	6	559	34	3
AUR-60	9	599	37	3
AUR-72	9	627	46	4
AUR-84	9	735	50	5
AUR-96	9	805	55	5
AUR-108	9	1011	60	6
AUR-120	9	1073	65	7
AUR-132	9	1214	68	7
AUR-144	9	1349	72	8
AUR-36	6	\$550	30	2
AUR-48	6	559	34	3
AUR-60	9	599	37	3
AUR-72	9	627	46	4
AUR-84	9	735	50	5
AUR-96	9	805	55	5
AUR-108	9	1011	60	6
AUR-120	9	1073	65	7
AUR-132	9	1214	68	7
AUR-144	9	1349	72	8

Pot Racks 8' Or Longer, Include Center Leg Support

SHELVING

Adjustable Shelving Components

Convert Your Table into an Effective Work Station



ADD - CHANGE - MODIFY with Components to Meet the Demanding Prep-Requirements of an Upgrading or Changing Food Service Environment

Adjustable Shelves

Length	10" WIDE	Price	12" WIDE	Price	15" WIDE	Price	18" WIDE	Price	Approx. Wt.	Approx. Cubes
36"	PT-10-36	\$486	PT-12-36	\$509	PT-15-36	\$570	PT-18-36	\$636	30	2
48"	PT-10-48	521	PT-12-48	544	PT-15-48	609	PT-18-48	680	34	3
60"	PT-10-60	547	PT-12-60	583	PT-15-60	653	PT-18-60	729	37	3
72"	PT-10-72	572	PT-12-72	615	PT-15-72	689	PT-18-72	770	46	4
84"	PT-10-84	599	PT-12-84	647	PT-15-84	725	PT-18-84	809	50	5
96"	PT-10-96	838	PT-12-96	905	PT-15-96	1014	PT-18-96	1132	55	5
108"	PT-10-108	939	PT-12-108	1014	PT-15-108	1136	PT-18-108	1267	60	6
120"	PT-10-120	1051	PT-12-120	1136	PT-15-120	1273	PT-18-120	1420	65	7
132"	PT-10-132	1177	PT-12-132	1273	PT-15-132	1425	PT-18-132	1591	68	7
144"	PT-10-144	1319	PT-12-144	1425	PT-15-144	1596	PT-18-144	1781	72	8
36"	PT-10R-36	\$572	PT-12R-36	\$595	PT-15R-36	\$667	PT-18R-36	\$744	30	2
48"	PT-10R-48	600	PT-12R-48	635	PT-15R-48	712	PT-18R-48	794	34	3
60"	PT-10R-60	635	PT-12R-60	675	PT-15R-60	756	PT-18R-60	844	37	3
72"	PT-10R-72	670	PT-12R-72	715	PT-15R-72	801	PT-18R-72	894	46	4
84"	PT-10R-84	705	PT-12R-84	758	PT-15R-84	849	PT-18R-84	948	50	5
96"	PT-10R-96	986	PT-12R-96	1062	PT-15R-96	1189	PT-18R-96	1327	55	5
108"	PT-10R-108	1105	PT-12R-108	1189	PT-15R-108	1331	PT-18R-108	1486	60	6
120"	PT-10R-120	1237	PT-12R-120	1331	PT-15R-120	1491	PT-18R-120	1664	65	7
132"	PT-10R-132	1386	PT-12R-132	1491	PT-15R-132	1671	PT-18R-132	1864	68	7
144"	PT-10R-144	1552	PT-12R-144	1671	PT-15R-144	1870	PT-18R-144	2087	72	8
36"	PT-10S-36	\$731	PT-12S-36	\$758	PT-15S-36	\$849	PT-18S-36	\$948	30	2
48"	PT-10S-48	769	PT-12S-48	799	PT-15S-48	895	PT-18S-48	999	34	3
60"	PT-10S-60	799	PT-12S-60	835	PT-15S-60	935	PT-18S-60	1044	37	3
72"	PT-10S-72	832	PT-12S-72	881	PT-15S-72	987	PT-18S-72	1101	46	4
84"	PT-10S-84	869	PT-12S-84	921	PT-15S-84	1031	PT-18S-84	1151	50	5
96"	PT-10S-96	1217	PT-12S-96	1289	PT-15S-96	1444	PT-18S-96	1612	55	5
108"	PT-10S-108	1339	PT-12S-108	1419	PT-15S-108	1589	PT-18S-108	1772	60	6
120"	PT-10S-120	1473	PT-12S-120	1560	PT-15S-120	1747	PT-18S-120	1950	65	7
132"	PT-10S-132	1620	PT-12S-132	1716	PT-15S-132	1922	PT-18S-132	2145	68	7
144"	PT-10S-144	1782	PT-12S-144	1888	PT-15S-144	2114	PT-18S-144	2359	72	8


Shelves 8' Or Longer, Include Center Leg Support

POT RACKS

Additional Pot Racks

WALL MOUNTED POT RACKS

Includes Pot Hooks



Stainless Steel			Powder Coated			Aluminum					
Length	Model #	Price	Model #	Price	# Of Hooks	Wt.	Model #	Price	# Of Hooks	Wt.	Cu.
2'	NOT AVAILABLE						 ALW-24	\$336	6	5 lbs.	1.0
3'	 SW1-36	\$630	 GW1-36	\$332	6	13 lbs.	 ALW-36	415	6	6 lbs.	1.5
4'	 SW1-48	648	 GW1-48	370	6	15 lbs.	 ALW-48	453	6	7 lbs.	2.0
5'	 SW1-60	667	 GW1-60	408	9	17 lbs.	NOT AVAILABLE				2.5
6'	SW1-72	688	GW1-72	423	9	19 lbs.					3.0
7'	SW1-84	705	GW1-84	442	9	21 lbs.					3.5
8'	SW1-96	775	GW1-96	482	9	23 lbs.					4.0
9'	SW1-108	853	GW1-108	502	9	25 lbs.					4.5
10'	SW1-120	927	GW1-120	520	9	27 lbs.					5.0

Single Bar



SW1-36 Shown



GW1-36 Shown

Length	Stainless Steel NSF		Powder Coated NSF		# Of Hooks	Wt.	Cu.
	Model #	Price	Model #	Price			
2'	SW-24	\$872	GW-24	\$590	12	18 lbs.	4
3'	SW-36	945	GW-36	670	12	22 lbs.	5
4'	SW-48	977	GW-48	701	12	26 lbs.	6
5'	SW-60	1050	GW-60	734	18	30 lbs.	7
6'	SW-72	1103	GW-72	753	18	34 lbs.	9
7'	SW-84	1217	GW-84	815	18	44 lbs.	10
8'	SW-96	1263	GW-96	834	18	48 lbs.	12
9'	SW-108	1493	GW-108	1050	18	52 lbs.	13
10'	SW-120	1634	GW-120	1214	18	56 lbs.	15
11'	SW-132	1772	GW-132	1349	18	60 lbs.	16
12'	SW-144	1874	GW-144	1382	18	64 lbs.	18

Double Bar



SW-36 Shown

CEILING MOUNTED POT RACKS

Hangs 36" From Ceiling • Includes Pot Hooks



Length	Stainless Steel		Powder Coated		# Of Hooks	Wt.	Cu.
	Model #	Price	Model #	Price			
3'	SC-36	\$1621	GC-36	\$1011	12	42 lbs.	5
4'	SC-48	1652	GC-48	1023	12	48 lbs.	6
5'	SC-60	1721	GC-60	1044	18	54 lbs.	7
6'	SC-72	1796	GC-72	1072	18	60 lbs.	9
7'	SC-84	2003	GC-84	1326	18	66 lbs.	10
8'	SC-96	2266	GC-96	1465	18	80 lbs.	12
9'	SC-108	2526	GC-108	1839	18	86 lbs.	13
10'	SC-120	2828	GC-120	2030	18	92 lbs.	15
11'	SC-132	2981	GC-132	2157	18	98 lbs.	16
12'	SC-144	3309	GC-144	2357	18	104 lbs.	18

TA-98 Stainless Steel Flat Bar in lieu of Chain **\$296/pot rack**

LEG MOUNTED POT RACK

For 30" Wide Tables

Includes 6 Pot Hooks Per Unit



Stainless Steel

UB-30

\$414

Wt. 10 lbs.

For Adjustable Pot Rack Components
See Page 80

DISHTABLE STANDARDS



Shown with 8" Deep Sink Bowl, Pre-rinse Basket & Slide Bar

Features and Benefits

- 3/4" Radius Corner Sink Bowls
- 10 1/2" Tile Edge Backsplash
- 1 5/8" Tubular Legs
- Economical Savings
- Satin Finish

SPEC-LINE "30" Series

- 14 ga. 304 Stainless Steel Top
- Stainless Steel Cross Bracing on Sides
- 16 ga. 304 Stainless Steel Legs & Adjust. Bullet Feet
- 10 1/2" Backsplash
- 8" Deep Sink Bowls (Soil Units)



STANDARD "70" Series

- 16 ga. 304 Stainless Steel Top
- Stainless Steel Cross Bracing on Sides
- Stainless Steel Legs and Adjust. Bullet Feet
- 10 1/2" Backsplash
- 5" Deep Sink Bowls (Soil Units)



SUPERSAVER "60" Series

- 16 ga. 304 Stainless Steel Top
- Galvanized Legs & Adjust. Plastic Bullet Feet
- 10 1/2" Backsplash
- 5" Deep Sink Bowls (Soil Units)



WHEN PLACING AN ORDER, PLEASE PROVIDE THE DISH MACHINE MODEL NUMBER TO ENSURE PROPER DISHTABLE COMPATIBILITY.

Due to some machine manufacturer's recommendations for specific service access, the following modifications will apply...

DTA-76 (Relocate sink location)

*Dish Machines that require a **DTA-76**:*

ES-4400, ES-6600, WH-series, APEX TSC-V
CMA 180 (Right-side), 44, 66
Hobart AM-15 (corner configuration) C-series, CL-series,
CCS-66/77/86/110, CRS-series
Jackson AJ-series, TS-series, TSC-series
Meiko K-series
Stero SCT-series

DTA-76: No Charge

DTA-78 (Notch in backsplash to clear handle)

*Dish Machines that require a **DTA-78**:*

ADS HT-25, SS-25
Blakeslee D-8, D-9
Ecolab ES-4000
Electrolux WT65
Hobart AM-15 (Corner Configuration)
DTA-78: \$145

This Is A Partial List. Please Refer To Our "Product Support" Section At www.advancetabco.com For Updates.

Soil Dishtables



ATTENTION:

See Dish Machine Information on Pg. 83 to ensure proper compatibility

STRAIGHT SOIL DISHTABLES

Spec-Line S30 Series

Standard S70 Series

Super Saver S60 Series


14 Ga.

16 Ga.


16 Ga. w/ Galvanized Legs

Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
3 Ft.	35"	DTS-S30-36LorR	\$3554	DTS-S70-36LorR	\$2997	DTS-S60-36LorR	\$2853	70 lbs.	12
4 Ft.	47"	DTS-S30-48LorR	3725	DTS-S70-48LorR	3096	DTS-S60-48LorR	2956	85 lbs.	17
5 Ft.	59"	DTS-S30-60LorR	3810	DTS-S70-60LorR	3200	DTS-S60-60LorR	3059	100 lbs.	19
6 Ft.	71"	DTS-S30-72LorR	3959	DTS-S70-72LorR	3364	DTS-S60-72LorR	3222	115 lbs.	23
7 Ft.	83"	DTS-S30-84LorR	4074	DTS-S70-84LorR	3610	DTS-S60-84LorR	3404	125 lbs.	27
8 Ft.	95"	DTS-S30-96LorR	4131	DTS-S70-96LorR	3831	DTS-S60-96LorR	3462	135 lbs.	31
9 Ft.	107"	DTS-S30-108LorR	4907	DTS-S70-108LorR	4120	DTS-S60-108LorR	3950	235 lbs.	45
10 Ft.	119"	DTS-S30-120LorR	5250	DTS-S70-120LorR	4530	DTS-S60-120LorR	4327	290 lbs.	50
12 Ft.	143"	DTS-S30-144LorR	6076	DTS-S70-144LorR	4964	DTS-S60-144LorR	4762	320 lbs.	60


Faucet Holes are Splash Mounted 8" O.C.



*Pre-rinse Sink location and machine opening may require DTA-76 modification to conform to Dishmachine requirements.



LEFT SOIL TABLE



RIGHT SOIL TABLE



CORNER SOIL DISHTABLES

Spec-Line K30 Series

Standard K70 Series

Super Saver K60 Series

14 Ga.

16 Ga.


16 Ga. w/ Galvanized Legs

Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
4 Ft.	47"	DTS-K30-48LorR	\$6530	DTS-K70-48LorR	\$5969	DTS-K60-48LorR	\$5706	128 lbs.	29
5 Ft.	59"	DTS-K30-60LorR	6685	DTS-K70-60LorR	6066	DTS-K60-60LorR	5837	138 lbs.	37
6 Ft.	71"	DTS-K30-72LorR	6803	DTS-K70-72LorR	6217	DTS-K60-72LorR	6000	149 lbs.	44
7 Ft.	83"	DTS-K30-84LorR	6992	DTS-K70-84LorR	6356	DTS-K60-84LorR	6188	163 lbs.	51
8 Ft.	95"	DTS-K30-96LorR	7109	DTS-K70-96LorR	6513	DTS-K60-96LorR	6252	182 lbs.	58
9 Ft.	107"	DTS-K30-108LorR	7368	DTS-K70-108LorR	6847	DTS-K60-108LorR	6526	355 lbs.	83
10 Ft.	119"	DTS-K30-120LorR	7725	DTS-K70-120LorR	7438	DTS-K60-120LorR	6674	380 lbs.	92
12 Ft.	143"	DTS-K30-144LorR	8534	DTS-K70-144LorR	7863	DTS-K60-144LorR	7676	390 lbs.	110


Faucet Holes are Splash Mounted 8" O.C.



*Pre-rinse Sink location and machine opening may require DTA-76 modification to conform to Dishmachine requirements.



LEFT
CORNER
SOIL
TABLE



RIGHT
CORNER
SOIL
TABLE

**ATTENTION:**

See Dish Machine Information on
Pg. 83 to ensure proper compatibility



DISHTABLES

Soil Dishtables


ISLAND SOIL DISHTABLES

Spec-Line G30 Series**Standard G70 Series****Super Saver G60 Series****14 Ga.****16 Ga.****16 Ga. w/ Galvanized Legs**

Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
4 Ft.	47"	DTS-G30-48LorR	\$6114	DTS-G70-48LorR	\$5600	DTS-G60-48LorR	\$5355	129 lbs.	29
5 Ft.	59"	DTS-G30-60LorR	6253	DTS-G70-60LorR	5702	DTS-G60-60LorR	5478	138 lbs.	37
6 Ft.	71"	DTS-G30-72LorR	6414	DTS-G70-72LorR	5837	DTS-G60-72LorR	5641	150 lbs.	44
7 Ft.	83"	DTS-G30-84LorR	6552	DTS-G70-84LorR	6009	DTS-G60-84LorR	5822	162 lbs.	51
8 Ft.	95"	DTS-G30-96LorR	6665	DTS-G70-96LorR	6133	DTS-G60-96LorR	5880	178 lbs.	58
9 Ft.	107"	DTS-G30-108LorR	6839	DTS-G70-108LorR	6429	DTS-G60-108LorR	6312	335 lbs.	83
10 Ft.	119"	DTS-G30-120LorR	7125	DTS-G70-120LorR	6977	DTS-G60-120LorR	6847	365 lbs.	92
12 Ft.	143"	DTS-G30-144LorR	7513	DTS-G70-144LorR	7364	DTS-G60-144LorR	7245	380 lbs.	110




*Pre-rinse Sink location and machine opening
may require DTA-76 modification to conform
to Dishmachine requirements.



**LEFT
ISLAND
SOIL
TABLE**

Faucet Holes are Splash Mounted 8" O.C.



**RIGHT
ISLAND
SOIL
TABLE**


DISHLANDING SOIL DISHTABLES

Spec-Line D30 Series**Standard D70 Series****Super Saver D60 Series****14 Ga.****16 Ga.****16 Ga. w/ Galvanized Legs**


Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
4 Ft.	47"	DTS-D30-48LorR	\$7321	DTS-D70-48LorR	\$6669	DTS-D60-48LorR	\$6528	139 lbs.	33
5 Ft.	59"	DTS-D30-60LorR	7474	DTS-D70-60LorR	6805	DTS-D60-60LorR	6700	147 lbs.	41
6 Ft.	71"	DTS-D30-72LorR	7670	DTS-D70-72LorR	6958	DTS-D60-72LorR	6831	160 lbs.	50
7 Ft.	83"	DTS-D30-84LorR	7905	DTS-D70-84LorR	7112	DTS-D60-84LorR	6987	175 lbs.	58
8 Ft.	95"	DTS-D30-96LorR	7960	DTS-D70-96LorR	7272	DTS-D60-96LorR	7113	205 lbs.	66
9 Ft.	107"	DTS-D30-108LorR	8337	DTS-D70-108LorR	7434	DTS-D60-108LorR	7281	320 lbs.	93
10 Ft.	119"	DTS-D30-120LorR	8672	DTS-D70-120LorR	7866	DTS-D60-120LorR	7676	365 lbs.	103
12 Ft.	143"	DTS-D30-144LorR	9052	DTS-D70-144LorR	8204	DTS-D60-144LorR	8055	390 lbs.	123



*Pre-rinse Sink location and machine opening
may require DTA-76 modification to conform
to Dishmachine requirements.



**LEFT
DISHLANDING
SOIL
TABLE**



**RIGHT
DISHLANDING
SOIL
TABLE**

DISHTABLES

Clean Dishtables



ATTENTION:

See Dish Machine Information on Pg. 83 to ensure proper compatibility

STRAIGHT CLEAN DISHTABLES

Spec-Line S30 Series

Standard S70 Series

Super Saver S60 Series

14 Ga.


16 Ga.

16 Ga. w/ Galvanized Legs


Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
2 Ft.	23"	DTC-S30-24LorR	\$1754	DTC-S70-24LorR	\$1658	DTC-S60-24LorR	\$1509	35 lbs.	12
3 Ft.	35"	DTC-S30-36LorR	2126	DTC-S70-36LorR	1903	DTC-S60-36LorR	1755	45 lbs.	12
4 Ft.	47"	DTC-S30-48LorR	2226	DTC-S70-48LorR	2072	DTC-S60-48LorR	1924	60 lbs.	17
5 Ft.	59"	DTC-S30-60LorR	2372	DTC-S70-60LorR	2195	DTC-S60-60LorR	2045	70 lbs.	19
6 Ft.	71"	DTC-S30-72LorR	2503	DTC-S70-72LorR	2301	DTC-S60-72LorR	2153	85 lbs.	23
7 Ft.	83"	DTC-S30-84LorR	3038	DTC-S70-84LorR	2556	DTC-S60-84LorR	2347	100 lbs.	27
8 Ft.	95"	DTC-S30-96LorR	3179	DTC-S70-96LorR	2772	DTC-S60-96LorR	2405	110 lbs.	31
9 Ft.	107"	DTC-S30-108LorR	3535	DTC-S70-108LorR	3126	DTC-S60-108LorR	2948	225 lbs.	45
10 Ft.	119"	DTC-S30-120LorR	3675	DTC-S70-120LorR	3368	DTC-S60-120LorR	3163	250 lbs.	50
12 Ft.	143"	DTC-S30-144LorR	4040	DTC-S70-144LorR	3688	DTC-S60-144LorR	3474	270 lbs.	60



Optional Undershelf



LEFT CLEAN TABLE



RIGHT CLEAN TABLE

CORNER CLEAN DISHTABLES

Spec-Line K30 Series

Standard K70 Series


Super Saver K60 Series

14 Ga.


16 Ga.

16 Ga. w/ Galvanized Legs

Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
4 Ft.	47"	DTC-K30-48LorR	\$4696	DTC-K70-48LorR	\$4365	DTC-K60-48LorR	\$4097	105 lbs.	29
5 Ft.	59"	DTC-K30-60LorR	4829	DTC-K70-60LorR	4486	DTC-K60-60LorR	4204	115 lbs.	37
6 Ft.	71"	DTC-K30-72LorR	5037	DTC-K70-72LorR	4813	DTC-K60-72LorR	4391	125 lbs.	44
7 Ft.	83"	DTC-K30-84LorR	5274	DTC-K70-84LorR	4999	DTC-K60-84LorR	4580	138 lbs.	51
8 Ft.	95"	DTC-K30-96LorR	5330	DTC-K70-96LorR	5061	DTC-K60-96LorR	4637	157 lbs.	58
9 Ft.	107"	DTC-K30-108LorR	6608	DTC-K70-108LorR	6252	DTC-K60-108LorR	5893	330 lbs.	83
10 Ft.	119"	DTC-K30-120LorR	6923	DTC-K70-120LorR	6539	DTC-K60-120LorR	6117	360 lbs.	92
12 Ft.	143"	DTC-K30-144LorR	7614	DTC-K70-144LorR	7151	DTC-K60-144LorR	6731	380 lbs.	110



LEFT CORNER CLEAN TABLE



RIGHT CORNER CLEAN TABLE

**ATTENTION:**

See Dish Machine Information on
Pg. 83 to ensure proper compatibility



DISHTABLES

Clean Dishtables

ISLAND CLEAN DISHTABLES

Spec-Line G30 Series**Standard G70 Series****Super Saver G60 Series****14 Ga.****16 Ga.****16 Ga. w/ Galvanized Legs**


Nominal Size	Length	Model #	Price	Model #	Price	Model #	Price	Approx. Weight	Approx. Cu. Ft.
4 Ft.	47"	DTC-G30-48LorR	\$4563	DTC-G70-48LorR	\$4117	DTC-G60-48LorR	\$3960	102 lbs.	29
5 Ft.	59"	DTC-G30-60LorR	4698	DTC-G70-60LorR	4290	DTC-G60-60LorR	4073	112 lbs.	37
6 Ft.	71"	DTC-G30-72LorR	4905	DTC-G70-72LorR	4393	DTC-G60-72LorR	4255	125 lbs.	44
7 Ft.	83"	DTC-G30-84LorR	5135	DTC-G70-84LorR	4589	DTC-G60-84LorR	4444	135 lbs.	51
8 Ft.	95"	DTC-G30-96LorR	5194	DTC-G70-96LorR	4654	DTC-G60-96LorR	4501	148 lbs.	58
9 Ft.	107"	DTC-G30-108LorR	6430	DTC-G70-108LorR	5730	DTC-G60-108LorR	5538	310 lbs.	83
10 Ft.	119"	DTC-G30-120LorR	6657	DTC-G70-120LorR	6129	DTC-G60-120LorR	5850	340 lbs.	92
12 Ft.	143"	DTC-G30-144LorR	7323	DTC-G70-144LorR	6864	DTC-G60-144LorR	6444	360 lbs.	110

**LEFT ISLAND CLEAN TABLE****RIGHT ISLAND CLEAN TABLE**


U-SHAPED SOIL DISHTABLES

Nominal Size	Length	Model #	Price	Approx. Weight	Approx. Cu. Ft.
6 Ft.	71"	DTS-U30-72LorR	\$11809	450 lbs.	99
7 Ft.	83"	DTS-U30-84LorR	12036	470 lbs.	114
8 Ft.	95"	DTS-U30-96LorR*	12497	490 lbs.	130
9 Ft.	107"	DTS-U30-108LorR*	12819	525 lbs.	145
10 Ft.	119"	DTS-U30-120LorR*	13145	550 lbs.	160
11 Ft.	131"	DTS-U30-132LorR*	13353	575 lbs.	176
12 Ft.	143"	DTS-U30-144LorR*	13581	lbs. 600	192

*Includes Field Joint (To be welded in field by others)



- Includes Prerinse sink basket and bar slide and dishlanding.
 - Additional length on any leg of dishtables, use **DTA-56 \$216** per ft. (Field joint may be required)
 - Additional custom lengths available on all sides.
 - If any 2 sides are larger than 90°, a welded field joint is required (WELDED BY OTHERS). USE **K-57 \$267**.
 - For additional accessories and modifications, see pages 88-90.
- Dishlanding may be replaced with backsplash or rolled edge at no additional charge.*

**Optional Faucet (See Page 84)****Verify Prerinse Sink Location****14 Gauge Stainless Steel****Optional Waste Trough K-440. (See Page 87)****DTS-U30-120R Shown**

Prerinse Basket with Welded Slide Bar


All Stainless Steel
Type 304 Series
Perforated Basket for
3/4" Radius Bowls

Model #	Size	Price
DTA-100	19 1/2" x 19 1/2"	\$648
	12 lbs. 1 Cu. Ft.	

**4" Depth**

Prerinse Slide Bar

Model #	Size	Price
DTA-60	19 1/2" x 19 1/2"	\$372
	9 lbs. 1 Cu. Ft.	

**87**

DISHTABLES

Specialty Dishtables

Faucets Can Be Found
On Page 84



ATTENTION:

See Dish Machine Information on
Pg. 83 to ensure proper compatibility

DISHTABLE WITH 3 COMPARTMENT FABRICATED BOWLS

Multiple Bowl Choices & Lengths



- 16 Gauge Stainless Steel
- Stainless Steel Legs and Cross Rails
- Stainless Steel Bullet Feet

Model #	Length	Bowl Size	Drainboard Size	Approx. Weight	Price
DTC-3-1620-66LorR	66"	16" x 20" x 12"	12"	200 lbs.	\$6400
DTC-3-1620-84LorR	83"	16" x 20" x 12"	23"	220 lbs.	7401
DTC-3-1620-96LorR	95"	16" x 20" x 12"	35"	240 lbs.	7734
DTC-3-1620-120LorR	119"	16" x 20" x 12"	59"	265 lbs.	7787
DTC-3-1620-144LorR	143"	16" x 20" x 12"	83"	290 lbs.	8371
DTC-3-1824-144LorR	143"	18" x 24" x 14"	77"	365 lbs.	10158
DTC-3-2020-96LorR	95"	20" x 20" x 12"	23"	260 lbs.	8803
DTC-3-2020-108LorR	107"	20" x 20" x 12"	35"	285 lbs.	8970
DTC-3-2020-120LorR	119"	20" x 20" x 12"	48"	310 lbs.	9107
DTC-3-2020-144LorR	143"	20" x 20" x 12"	71"	340 lbs.	9301
DTC-3-2424-144LorR*	143"	24" x 24" x 14"	59"	380 lbs.	10357



DTC-3-1620-84L Shown

BOWLS ARE LOCATED 12" IN FROM MACHINE

For Other Configurations, Contact Factory

(Must Verify Machine For Control Box Or Drive Unit Interference)

* Requires Two Faucets

For Upgrade To 14 Gauge Use "DTA-49" \$617

PRERINSE BASKETS & WELDED SLIDE BARS

Prerinse Baskets with Slide Bar

Model #	Fits Bowls	Price	Wt.	Cu.
DTA-125	16" x 20" x 4"	\$565	9 lbs.	1
DTA-100	20" x 20" x 4"	648	12 lbs.	1
Large Size Baskets				
DTA-58	18" x 24" x 4"	827	11 lbs.	1
DTA-59	24" x 24" x 4"	941	20 lbs.	1



DTA-100
Shown

Prerinse Slide Bars


Model #	Fits Bowls	Price	Wt.	Cu.
DTA-64	16" x 20"	\$320	7 lbs.	1
DTA-60	20" x 20"	372	9 lbs.	1
Large Size Prerinse Slide Bars				
DTA-51	18" x 24"	468	8 lbs.	1
DTA-52	24" x 24"	557	10 lbs.	1



Prerinse Baskets & Slide Bar For Deep Drawn Bowls, See Page 87

UNDERCOUNTER DISHTABLE

COMPACT - EFFICIENT - ECONOMICAL



DTU-U60-48R
Shown

20" x 20" x 5"
Sink Bowl

Left Or Right Designation Is
Determined By Sink Location.

Length	Model #	Price	Approx. Weight	Approx. Cu. Ft.
48"	DTU-U60-48L	\$2870	80 lbs.	17
48"	DTU-U60-48R	2870	80 lbs.	17
60"	DTU-U60-60L	3022	95 lbs.	19
60"	DTU-U60-60R	3022	95 lbs.	19
72"	DTU-U60-72L	3143	115 lbs.	23
72"	DTU-U60-72R	3143	115 lbs.	23

STAINLESS STEEL CONDENSATE HOODS



8" x 10" vent opening.
Collar is centered 2" in height.


Model #	Length	Width	Height	Price
CH-3636	36"	36"	20"	\$4335
CH-4242	42"	42"	20"	4667
CH-4848	48"	48"	20"	5166
CH-61	Specify Alternate Collar Location			182
CH-56	Additional Length Or Width			531 /lin. Ft.

This Item Is Not UL Or NFPA Listed.

VENT RISER

- Type 300 Stainless Steel
- Adjustable Ceiling Trim Collar
- Accommodates Standard 4" x 16" Vent Hood Duct

(Custom Sizes Available - Consult Factory)



View of Opening


Model #	Length	Width	Height	Price
VR-1	16"	4"	60"	\$2067

This Item Is Not UL Or NFPA Listed.




Dishtable Mods

Dishtable Modifications & Accessories



DTA-95




DTA-87



DTA-82



DTA-45



MODIFICATIONS

K-23	Dishtable Legs Welded To Undershelf Or Left-To-Right Cross Rails, Shipped Set Up & Crated. (Top Is Not Welded To Legs)	\$401 /sink
K-23	Dishtable Legs Welded To Leg Gussets Under Sink Top & To Undershelf Or Left-To-Right Cross Rails, Shipped Set Up & Crated	506 /sink
K-24	Shell Crating	296
K-37	Anti-Siphon Vacuum Breaker Hole	121
K-57	Welded Field Joint (Welded In Field By Others)	267
K-76	Paint On Sound Deadening	534 /sink
K-77	Splash Cut-Out (Pipe Chase)	189
K-440	Waste Trough Installation Welded Into Table And Furnished With A 2" Deep Removable Basket	914
K-452	Control Bracket 8" x 12"	267 ea.
K-453	Control Bracket 14" x 16"	287 ea.
K-454	Side Splash	415 ea.
K-456	Scrap Block Installed (Includes Rubber Scrap Block)	390 ea.
K-460	Disposal Cone Welded Into Table And Furnished With 8" x 12" Control Bracket & Faucet Holes (Supplied By Others)	798
K-460A	Installation Of Disposal Cone With 14" x 16" Control Bracket, Faucet Holes (Cone Supplied By Others)	848
K-461	Disposal Collar Welded Into Sink Bowl And Furnished With 8" x 12" Control Bracket (Supplied By Others)	798
K-461A	Disposal Collar Welded Into Sink Bowl And Furnished With 14" x 16" Control Bracket (Supplied By Others)	848
K-472	Special Faucet Hole Location	121 ea.
K-495	Turn Down Backsplash (Incl. 2 Brackets. See K-397 For Add'l Sets)	166
K-508A	Special Modification Charge	254
K-550	Stainless Steel Tubular Rack Storage	200 lin. ft.

DTA-40	Drain Hole (For Sorting Table)	\$137
DTA-45	Scrap Trough Welded To Dump Sink - Min. Scrap Trough Length Is 3'. Max. Length Is 8'. For 20" x 20" x 8" Bowl Spec-Line Soil S30 Series Only. - Consult Factory For Trough Lengths Exceeding 8 Feet	362 lin. ft.
DTA-46	Inside Mitered Corner	538
DTA-66	Provision For Dishlanding On Straight Soil Table (Min 4')	263 /lin. Ft.
DTA-70	Install Booster Heater Brackets (Brackets By Others)	169
DTA-72	Provision For Side Loader	1101
DTA-75	Provision For Limit Switch (Limit Switch By Others)	193
DTA-76	Move Prerinse Sink To Conform To Dishmachine Requirements. Please Specify Machine When Placing Order	N/C
DTA-78	Notch In Backsplash Return To Clear Handle Please Specify Machine When Placing Order	145
DTA-81	S/S Welded Leg Assembly with S/S Feet	309 /bowl
DTA-82	15" x 20" x 8" Undercounter Dump Sink	2600 /bowl
DTA-84	Simple Pass-Thru (Specify Wall Thickness - Min. Length 36")	641 /Ft.
DTA-87	Pass-Thru Wall Frame (Specify Wall Thickness - Min. Length 36")	366 /lin. Ft.
DTA-95	Install Scrapper Top	1770
DTA-96	Install Trough Collector	2179
DTA-99A	16" x 20" x 12" Sink Bowls	1369 /bowl
DTA-99B	20" x 20" x 12" Sink Bowls	1470 /bowl
DTA-99C	10" x 14" x 5" Dump Sink	1171 /bowl
DTA-99D	18" x 24" x 14" Sink	1607 /bowl
DTA-99E	24" x 24" x 14" Sink	1712 /bowl
DTA-106	Mirror Highlight To Dishtable Upgrade	422

ACCESSORIES

K-4	Lever Drain Bracket	\$128
K-5	Twist Handle Operated Drain	278
K-15	Twist Handle Operated Drain With Overflow	492
K-397	Wall Brackets (2 Each. Brackets Included With K-495)	85 /set
K-455C	Stainless Steel Sink Cover 16" x 20"	495
K-455E	Stainless Steel Sink Cover 20" x 20"	495
K-457	Replacement Rubber Scrap Block (See K-456 For Install Cost)	125 ea.
K-475	Replacement S/S Leg With Stainless Steel Bullet Foot	71 ea.
K-478	Replacement Stainless Steel Bullet Foot	28 ea.
K-488	Flanged S/S Bullet Foot	61 ea.
K-550	Stainless Steel Tubular Rack Storage	210 /lin. Ft.
K-610	Perforated Stainless Steel Sink Grid (Specify Bowl Size)	741 ea.
K-700D	12" High Removable Side Splash For Dishtables (Specify Model)	480 ea.
DTA-53	SPEC-LINE Heavy Duty Prerinse Faucet	907
DTA-51	Pre-Rinse Slide Bar for 18" x 24" Fab. Sink Bowls	468

DTA-52	Pre-Rinse Slide Bar for 24" x 24" Fab. Sink Bowls	\$557
DTA-55	Column Notch (Includes Splash)	763
DTA-56	Add'l Length On 59" Side Of Corner Or Straight Tables	216 /lin. Ft.
DTA-58	Pre-Rinse Basket w/ Slide Bar for 18" x 24" Fab. Sink Bowls	827
DTA-59	Pre-Rinse Basket w/ Slide Bar for 24" x 24" Fab. Sink Bowls	941
DTA-60	Prerinse Slide Bar for 20" x 20" Fab. Sink Bowls	372
DTA-62	Prerinse Basket For 20" x 20" Deep Drawn Bowls	729
DTA-63	Prerinse Slide Bar For 20" x 20" Deep Drawn Bowls	372
DTA-64	Prerinse Slide Bar For 16" x 20" Fab. Sink Bowls	320
DTA-65	Prerinse Slide Bar For 16" x 20" Deep Drawn Bowls	320
DTA-67	Stainless Steel Rear Cross-Bracing (Factory Installed Only)	36 /lin. Ft.
DTA-69	Prerinse Basket For 16" x 20" Deep Drawn Bowls	693
DTA-100	Prerinse Basket with Slide Bar for 20" x 20" Fab. Sink Bowls	648
DTA-125	Prerinse Basket with Slide Bar for 16" x 20" Fab. Sink Bowls	565
DTA-125A	Prerinse Scrap Basket For DTA-82 Undermount Dump Sink	756

Dishtables

Dishtable Faucets & Accessories

 = Ships via UPS

SPEC-LINE EXTRA HEAVY DUTY 14" Splash Mounted Swing Spout Faucet



K-105 \$504 
T&S Equivalent Model # B231

Splash Mounted
Prerinse Faucet

K-116 \$1259 

12" Add-A-Faucet

K-117-TS \$552
(Fits K-116 Only) 

Prerinse Faucets

Prerinse Features:

- 8" O.C.
- Wall Bracket
- Continuous Spray Ring
- Heavy Duty Chrome Plated Spring

SPEC-LINE
HEAVY DUTY
Splash Mounted

DTA-53 \$907 

T&S Equivalent
Model # B133-B

12" Add-A-Faucet

K-117 \$355
(Fits DTA-53 Only)




Table Mounted SORTING SHELVES



Mounts to backsplash and end roll of dishtable
(D, G and U-shaped Dishtables only)

Shelf Shipped Separate From Table To Reduce Freight
Costs And Chance Of Shipping Damage.



New Versatile Design allows for
Different Glass Rack Applications

- Drip Tubes For Water Drainage
- 14 Gauge End Plates
- 18 Gauge, 1 5/8" Tubes

DTA-79 \$481 /lin. Ft.



- Drip Tubes For Water Drainage
- 14 Gauge End Plates & Base
- 18 Gauge, 1 5/8" Tube

DTA-79S \$611 /lin. Ft.

STAINLESS STEEL UNDERSHELVES

Additional Storage

Shelving Is Reversible (Left Or Right)



Size Undershell To Be At Least
6" Shorter Than Dishtable.

Now With Stainless Steel Legs!

Length	Model #	Price	Approx. Wt.	Approx. Cubes
18"	DTA-SS-18	\$453	11 lbs.	1
24"	DTA-SS-24	\$517	13 lbs.	1
30"	DTA-SS-30	\$546	15 lbs.	1
42"	DTA-SS-42	\$582	20 lbs.	2
54"	DTA-SS-54	\$663	23 lbs.	2
66"	DTA-SS-66	\$747	30 lbs.	3
78"	DTA-SS-78	\$792	35 lbs.	3
90"	DTA-SS-90	\$845	39 lbs.	4
102"	DTA-SS-102	\$958	45 lbs.	5
114"	DTA-SS-114	\$998	50 lbs.	5
126"	DTA-SS-126	\$1177	55 lbs.	6
138"	DTA-SS-138	\$1227	59 lbs.	6

SORTING SHELVES

Traditional Design



KD Tubular Design



FOR TABLE MOUNTED, ADD DTA-88 \$851

Length	Model #	Racks	Price	Approx. Wt.	Approx. Cubes
22"	DT-6R-11	1	\$1304	20 lbs.	1
42"	DT-6R-12	2	\$1394	30 lbs.	2
62"	DT-6R-13	3	\$1473	40 lbs.	4
82"	DT-6R-14	4	\$1562	50 lbs.	5

Length	Model #	Racks	Price	Approx. Wt.	Approx. Cubes
22"	DT-6R-21	1	\$971	15 lbs.	1
42"	DT-6R-22	2	\$1095	23 lbs.	2
62"	DT-6R-23	3	\$1168	30 lbs.	4
82"	DT-6R-24	4	\$1240	38 lbs.	5

SORTING TABLES

16 Gauge 304 Stainless Steel • 3" Raised Edge
STAINLESS STEEL CROSS BRACING ON ALL SIDES

Standard

Model #	Price	Size	Approx. Wt.	Approx. Cubes
SR-48	\$2123	48" x 30"	84 lbs.	12
SR-60	\$2247	60" x 30"	98 lbs.	15
SR-72	\$2372	72" x 30"	109 lbs.	18
SR-96	\$2652	96" x 30"	143 lbs.	21



Shown With
Optional Casters

10 1/2" Backsplash

Model #	Price	Size	Approx. Wt.	Approx. Cubes
BSR-48	\$2147	48" x 30"	88 lbs.	12
BSR-60	\$2263	60" x 30"	103 lbs.	15
BSR-72	\$2386	72" x 30"	115 lbs.	18
BSR-96	\$2742	96" x 30"	150 lbs.	21



 **TA-255 Super Heavy Duty Casters** \$566
DTA-40 Drain Hole 137



WARNING: Faucets on this page may contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

Underbar Basics™

Featuring New Extended Widths!

Sinks, Blender Stations, Drainboards & Liquor Racks now have a new flush design for a clean, linear appearance when adding SRK Speed Rails.



Features and Benefits

- 18", 21", 23" & 26" Widths
- 4" Backsplash
- All Units Come with 4 Galvanized Legs w/ Adjustable Plastic Bullet Feet
- Selected Models Feature Adjustable Galvanized Cross-Bracing (Front to Back)
- Embossed & Seamless Drainboards (Where Applies)
- Blender Stations Include Hidden Duplex Electrical Outlet




UNDERBAR DROP-INS

Drop-In Ice Bins, Water Stations & Hand Sinks



DROP-IN WATER STATIONS

Includes K-54 Deck Mount Faucet With "Push-Back" Acrylic Lever Arm



D-24-WSIBL \$1329

Removable Grate Covers Drip Pan
13" Deep Insulated Ice Bin w/ S/S Steel Cover
1" IPS Drain
Outside Dim. 21" x 18"
Cut-Out Size: 20 5/8" x 15 1/4"
30 lbs. 5 cu. Ft.

D-24-WSIBL2 \$1596

Removable Grate Covers Drip Pan
13" Deep Insulated Ice Bin w/ S/S Steel Cover
1" IPS Drain
Outside Dim.: 18" x 21"
Cut-Out Size: 15 1/4" x 20 5/8"
47 lbs. 5 cu. Ft.

Add A 7-Circuit Cold Plate
To D-24-WSIBL2
Add SU-49 \$1850



Underbar Basics™

For Custom Cut-Out Use
Model # TA-34 \$254



DI-1-9 \$1050

Removable Electro-Polished
Stainless Steel Grill
1 1/2" IPS Basket Drain
Cut-Out Size: 11 1/4" x 13 1/4"
15 lbs. 3 cu. Ft.

DROP-IN BAR HAND SINKS

Featuring Deep Drawn Sink Bowls

SPACE SAVER



DI-1-5 \$536

K-52 Deck Mounted Faucet
1 1/2" IPS Basket Drain
Cut-Out Size: 12 1/4" x 18 1/4"
20 Gauge Stainless Steel
12 lbs. 2 cu. Ft.



DI-1-25 \$664

K-52 Deck Mounted Faucet
1 1/2" IPS Basket Drain
Cut-Out Size: 11 1/4" x 13 1/4"
20 Gauge Stainless Steel
8 lbs. 2 cu. Ft.




D-24-SIBL \$1424

K-51 Deck Mounted Faucet
Insulated Ice Bin w/ S/S Cover
1" IPS Drain In Ice Bin
Outside Dim.: 21" x 18"
Cut-Out Size: 20 5/8" x 15 1/4"
Factory Installed Only
20 Gauge Galvanized Steel
30 lbs. 5 cu. Ft.

For Our Full Line Of Drop-in Sinks, See pages 3-5

ACCESSORIES & MODIFICATIONS

Replacement Sliding Stainless Steel Covers



D-12
Shown

Model #	Price	For Use With:
D-12	\$96	D-12-IBL, D-24-WSIBL, D-24-WSIBL2, D-24-SIBL
D-24	110	D-24-IBL, D-24-IBL-7
D-24V	123	D-24-IBL, D-24-IBL-7
D-30	156	Units oriented with 18" dimension left-to-right D-30-IBL, D-30-IBL-7
D-36	177	D-36-IBL, D-36-IBL-7

Cover designed to open front-to-rear, with 18" ice bin dimension front-to-rear.
(D-24-WSIBL2 opens left to right when installed with 21" front-to-rear)



Add Wrist Handles
K-316-LU
\$120

Water Filler Faucets

K-54 8-1/4" High \$491
K-54A 12" High \$605

K-54OMIT -\$385
Omit K-54 Faucet



6" Deck
Mounted Faucet
K-51 \$475
4" O.C.



3 1/2" Gooseneck
Deck Mounted Faucet
K-52 \$232




UNDERBAR DROP-INS

Drop-In Ice Bins, Bar Sinks & Drain Pans

DROP-IN ICE BINS

11" Deep Insulated Ice Bin w/ Sliding Stainless Steel Cover

Model #	Price	Overall Length	Cut Out Size W x L	Ice Capacity	Approx. Weight	Approx. Cu. Ft.
D-12-IBL	\$1118	12"	15 1/4" x 9 5/8"	23 lbs.	22 lbs.	3
D-24-IBL	1218	21"	15 1/4" x 20 3/8"	50 lbs.	39 lbs.	5
D-30-IBL	1255	27"	15 1/4" x 26 3/8"	62 lbs.	62 lbs.	8
D-36-IBL	1401	33"	15 1/4" x 32 3/8"	75 lbs.	67 lbs.	9
w/ 7-CIRCUIT COLD PLATE						
D-24-IBL-7	2822	21"	15 1/4" x 20 3/8"	50 lbs.	84 lbs.	9
D-30-IBL-7	2858	27"	15 1/4" x 26 3/8"	62 lbs.	107 lbs.	13
D-36-IBL-7	2991	33"	15 1/4" x 32 3/8"	75 lbs.	113 lbs.	15



Includes Sliding Stainless Steel Cover

For Replacement Sliding Stainless Steel Covers, See Page 92.

- Rubber Thermal Breaker Reduces Condensation
- Optional 7-Circuit Cold Plate Sealed Into The Bottom

DROP-IN BAR SINKS

Optional Built-in Embossed Drainboard

- 10" x 14" x 10" Sink Bowls
- 9" High Overflow Pipe(s) w/ 1 1/2" IPS Drain(s)
- 4" O.C. Deck Mounted Swing Faucet
- 4" O.C. Deck Mounted Faucet

Model #	Price	# of Bowls	# of Drbds.	Drbd. Size	Drbd. Location	Outside Dim. W x L	Cut Out Size W x L	Approx. Weight	Approx. Cu. Ft.
DBS-1	\$864	1	0	N/A	N/A	13" x 19"	12 1/4" x 18 1/4"	21 lbs.	3
DBS-2	970	2	0	N/A	N/A	25 1/2" x 19"	24 3/4" x 18 1/4"	26 lbs.	4
DBS-3	1168	3	0	N/A	N/A	38" x 19"	37 1/4" x 18 1/4"	42 lbs.	9
DBS-43L	1760	3	1	12"	Right	21 1/8" x 48 5/16"	17" x 47"	88 lbs.	10
DBS-43R	1760	3	1	12"	Left	21 1/8" x 48 5/16"	17" x 47"	88 lbs.	10
DBS-53C	1915	3	2	12"	Left & Right	21 1/8" x 60 5/16"	17" x 59"	100 lbs.	21
DBS-63C	2000	3	2	18"	Left & Right	21 1/8" x 72 5/16"	17" x 71"	110 lbs.	24

L and R Indicate Sink Location. C Indicates Sink is Centered.




DBS-53C shown

18" WIDE COUNTERTOP DRAIN PAN

- Removable Drip Tray
- Stainless Steel Top
- 1/2" NPT Drain


CUSTOM SIZES AVAILABLE
Consult Factory For Details



Model #	Price	Size W x L	Cut Out Size	Approx. Weight	Approx. Cu. Ft.
DP-1818	\$797	18" x 18"	15 3/4" x 15 3/4"	18 lbs.	2
DP-1824	814	18" x 24"	15 3/4" x 21 3/4"	23 lbs.	2
DP-1830	832	18" x 30"	15 3/4" x 27 3/4"	28 lbs.	3
DP-1836	861	18" x 36"	15 3/4" x 33 3/4"	33 lbs.	3
DP-1842	925	18" x 42"	15 3/4" x 39 3/4"	38 lbs.	4
DP-1848	998	18" x 48"	15 3/4" x 45 3/4"	43 lbs.	4

BAR DRINK RAILS

- Type 300 Stainless Steel
- 8" Wide (Front To Back) x 3/4" Deep
- Perforated Removable Grate Allows For Easy Cleaning
- 1" Drain On Right Side
- Designed To Secure To Underside Of Wood Substrate



Model #	Price	Size W x L	Approx. Weight	Approx. Cu. Ft.
DRKR-12	\$289	8" x 12"	10 lbs.	2
DRKR-18	321	8" x 18"	15 lbs.	2
DRKR-24	338	8" x 24"	20 lbs.	2
DRKR-30	389	8" x 30"	25 lbs.	2
DRKR-36	431	8" x 36"	30 lbs.	3
DRKR-42	488	8" x 42"	35 lbs.	3
DRKR-48	549	8" x 48"	40 lbs.	3

OPTIONS

DRKC-45-IC
45° Inside Corner
DRKC-45-OC
45° Outside Corner
\$539 ea.

DRKC-90-IC
90° Inside Corner
DRKC-90-OC
90° Outside Corner
\$539 ea.

COUNTERTOP GLASS RINSER

Rinses away any impurities that might be in the glass!

- Mounts Easily to countertop or bar equipment
- Brushed Stainless Steel
- Water Rinser And Glass Actuator By Pushing Down On Glass
- Threaded Drain For 1/2" Drain Hose



FACTORY INSTALLED ONLY

Model #	Price	Size W x L x H	Approx. Wt	Approx. Cu. Ft.
SU-16	\$711	6 3/8" x 6 3/8" x 3/4"	7 lbs.	1

UNDERCOUNTER GLASS RINSER

Rinses away any impurities that might be in the glass!

- Mounts Easily to Underside Of Wood Substrate
- Brushed Stainless Steel
- Retrofit any liquid dispense station
- Water Rinser And Glass Actuator By Pushing Down On Glass
- Threaded Drain For 1/2" Drain Hose



Model #	Price	O.A. W x L x H	Rinser Size W x L x H	Approx. Wt	Approx. Cu. Ft.
SU-16UM	\$942	6 3/8" x 11 3/8" x 1"	6-3/8" x 6-3/8" x 1"	8 lbs.	1

BAR HAND SINKS

Free Standing Bar Hand/Dump Sinks

Underbar **Basics™**



BAR HAND SINKS

Bowl Size: 10" x 14" x 10" • 29" Working Height • 4" High Backsplash
Includes 1-1/2" IPS Drain & Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
Add SU-10A For Stainless Steel Leg & Stainless Steel Bullet Foot Upgrade w/ Front-to-Back Cross-Bracing **\$235**



18" Wide Units

- 4" O.C. Splash Mounted Swing Spout Faucet

Model #	Price	Overall Length	Approx. Weight	Approx. Cu. Ft.
SL-HS-12	\$815	12"	31 lbs.	5
SL-HS-15	863	15"	34 lbs.	6



21" Wide Units

- 4" O.C. Deck Mounted Swing Spout Faucet
- Rear Deck For Extra Storage

Model #	Price	Overall Length	Approx. Weight	Approx. Cu. Ft.
CR-HS-12	\$849	12"	32 lbs.	6
CR-HS-15	893	15"	35 lbs.	6

HAND SINKS w/ BUILT-IN SOAP & TOWEL DISPENSERS

Bowl & Faucet • 29" Working Height • 4" High Backsplash
Includes 1 1/2" IPS Basket Drain & Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
Add SU-10C For Stainless Steel Leg & Stainless Steel Bullet Foot Upgrade w/ Front-to-Back Cross-Bracing **\$235**



21" Wide Standard Units

- 4" O.C. Deck Mounted Swing Spout Faucet
- Rear Deck For Extra Storage

Model #	Price	Overall Length	Approx. Weight	Approx. Cu. Ft.
SC-12-TS	\$1191	12"	45 lbs.	4
SC-15-TS	1219	15"	49 lbs.	4



21" Wide Side Splash Units

- 4" O.C. Deck Mounted Swing Spout Faucet
- 4" High Stainless Steel Side Splashes
- Rear Deck For Extra Storage

Model #	Price	Overall Length	Approx. Weight	Approx. Cu. Ft.
SC-12-TS-S	\$1410	12"	50 lbs.	4
SC-15-TS-S	1446	15"	54 lbs.	4

18" Wide Units Available - Consult Factory

HAND SINK ACCESSORIES & MODIFICATIONS



Add Wrist Handles

K-316-LU \$120

For Deck & Splash Mount Faucets



Replacement Deck Mount Soap Dispenser

K-13 \$151



Chrome Towel Ring

A-15 \$98 Packed Loose



Replacement 6" Splash

Mount Faucet

K-125 \$310

4" O.C. 6" Spout

Add A Side Splash

SU-18R or L \$164

SU-18RL \$332

For 21" Wide Units

SU-21R or L \$179

SU-21RL \$348



Stainless Steel Leg Upgrade

- Includes 2 Sets of (2) S/S Legs w/ Adjustable S/S Bullet Feet & Adjustable S/S Front-to-Back Cross-Bracing
- Leg Heights Do Not Include 1 1/4" Bullet Foot Height

SU-10A \$248 18" Legs

SU-10C \$248 14" Legs

For Our Full Line Of Modifications & Accessories, See Page 120-122.

BAR SINKS

w/ 10" x 14" x 10"

- 4" High Backsplash
- 29" working Height
- Molded Apron For Extra Durability
- Each Sink Bowl Includes an Overflow Pipe w/ 1 1/2" IPS Drain
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- **SLB Series** Includes 1 - 4" O.C. Splash Mounted Swing Spout Faucet
- **CRB Series** Includes 1 - 4" O.C. Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage
- **4 Comp. Sinks** Include Two 6" Swing Spout Faucets



SLB Series
18" Wide Units With
Splash Mount Faucet



CRB Series
21" Wide Units With
Deck Mount Faucet

L And R Indicate Sink Location. C Indicates Sink Is Centered.

	SPLASH MOUNT FAUCET				DECK MOUNT FAUCET				O.A. Length	# of Drbds.	Drbd. Length	Approx. Cu. Ft.
	18" WIDE	Price	Spout Size	Approx. Wt.	21" WIDE	Price	Spout Size	Approx. Wt.				
1 COMP.	SLB-31C	\$1303	6"	55 lbs.	CRB-31C	\$1437	6"	55 lbs.	36"	2	12"	13
2 COMP.	SLB-22C	1376	6"	54 lbs.	CRB-22C	1481	6"	54 lbs.	24"	0	N/A	8
	SLB-32LorR	1461	6"	57 lbs.	CRB-32LorR	1558	6"	57 lbs.	36"	1	9"	13
	SLB-42LorR	1497	6"	62 lbs.	CRB-42LorR	1604	6"	62 lbs.	48"	1	21"	15
	SLB-42C	1509	6"	66 lbs.	CRB-42C	1617	6"	66 lbs.	48"	2	12"	15
3 COMP.	SLB-33C	1578	10"	65 lbs.	CRB-33C	1686	12"	65 lbs.	36"	0	N/A	13
	SLB-43LorR	1660	10"	68 lbs.	CRB-43LorR	1775	12"	68 lbs.	48"	1	9"	15
	SLB-53C	1746	10"	76 lbs.	CRB-53C	1868	12"	76 lbs.	60"	2	12"	18
	SLB-63C	1840	10"	88 lbs.	CRB-63C	1970	12"	88 lbs.	72"	2	18"	22
	SLB-73C	2046	10"	162 lbs.	CRB-73C	2189	12"	170 lbs.	84"	2	24"	39
	SLB-83C	2237	10"	183 lbs.	CRB-83C	2400	12"	191 lbs.	96"	2	30"	44
4 COMP.	SLB-64C*	2173	6"	92 lbs.	CRB-64C*	2314	6"	92 lbs.	72"	2	12"	22
	SLB-74C*	2312	6"	164 lbs.	CRB-74C*	2472	6"	172 lbs.	84"	2	18"	39
	SLB-84C*	2512	6"	185 lbs.	CRB-84C*	2675	6"	193 lbs.	96"	2	24"	44

*4 Comp. Bar Sinks Include 2 - 6" Swing Spout Faucets

BAR SINK & ICE BIN COMBO

With Removable Plastic Bottle Racks

- 4" Backsplash
- 29" Working Height
- Three or Four Compartment - 10" x 14" Bowls
- Each Sink Bowl Includes Overflow Pipe & 1-1/2" I.P.S. Drain
- Molded Apron For Extra Durability
- 24" x 15" x 8" Insulated Ice Bin; 54 lbs. Ice Capacity
- Ice Bin Includes 1" IPS Drain
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- **SLC Series** Includes 1 - 4" O.C., 10" Splash Mounted Swing Spout Faucet
- **CRC Series** Includes 1 - 4" O.C., 12" Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage



SLC-83C-R

Add A 7-Circuit Cold Plate
To SLC or CRC series
Add SU-49 \$1850



L And R Indicates Ice Bin Location.

SPLASH MOUNT FAUCET				DECK MOUNT FAUCET				O.A. Length	# of Bowls	# of Drbds.	Drbd. Length	Approx. Weight	Approx. Cu. Ft.
18" WIDE	Price	21" WIDE	Price										
SLC-73C-LorR	\$2636	CRC-73C-LorR	\$2817	84"	3	2	12"	185 lbs.	28				
SLC-83C-LorR	2733	CRC-83C-LorR	2914	96"	3	2	18"	225 lbs.	32				
SLC-84C-LorR*	3061	CRC-84C-LorR*	3263	96"	4	2	12"	225 lbs.	32				

*4 Comp. Bar Sinks Include 2 - 6" Swing Spout Faucets

BAR SINK MODIFICATIONS

Add A Side Splash

For 18" Wide Units

SU-18R or L \$164

SU-18RL \$332

For 21" Wide Units

SU-21R or L \$179

SU-21RL \$348

Stainless Steel Leg Upgrade



- Includes 2 Sets of (2) S/S Legs w/ Adj. S/S Bullet Feet & Adj. S/S Front-to-Back Cross-Bracing
- Leg Heights Do Not Include 1 1/4" Bullet Foot Ht.

SU-10A \$248
18" Legs

For Our Full Line Of Speed Rails, See Page 103.

ICE BINS

All Bottle Racks Must Be Removed For
NSF Compliance & For Use With Optional Cover

Underbar Basics™

ICE BINS

12" or 16" Deep Insulated Ice Bins • 29" Working Height

- 4" Backsplash
- Includes Two Removable Plastic Bottle Racks
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- **CRI Series** Has Rear Deck For Extra Storage
- Optional 7or 10 Circuit Cold Plate Sealed Into The Bottom



SLI Series
18" Wide Units

Quick Pour Bottles Not Included



CRI Series
21" Wide Units

Ice Bin Depth	Overall Length	Ice Bin Capacity	18" WIDE	Price	Approx. Weight	21" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
12" DEEP	12"	35 lbs.	SLI-12-12	\$869	46 lbs.	CRI-12-12	\$947	50 lbs.	6
	24"	77 lbs.	SLI-12-24	1100	60 lbs.	CRI-12-24	1173	65 lbs.	8
	30"	98 lbs.	SLI-12-30	1215	68 lbs.	CRI-12-30	1298	72 lbs.	11
	36"	119 lbs.	SLI-12-36	1329	78 lbs.	CRI-12-36	1424	80 lbs.	12
	42"	140 lbs.	SLI-12-42	1390	84 lbs.	CRI-12-42	1483	90 lbs.	13
	48"	161 lbs.	SLI-12-48	1452	90 lbs.	CRI-12-48	1535	98 lbs.	14
16" DEEP	24"	100 lbs.	SLI-16-24	1409	69 lbs.	CRI-16-24	1514	72 lbs.	8
	30"	127 lbs.	SLI-16-30	1568	78 lbs.	CRI-16-30	1684	82 lbs.	12
	36"	155 lbs.	SLI-16-36	1729	86 lbs.	CRI-16-36	1853	90 lbs.	17
w/ 7-CIRCUIT COLD PLATE									
12" DEEP	24"	77 lbs.	SLI-12-24-7	2255	119 lbs.	CRI-12-24-7	2330	122 lbs.	8
	30"	128 lbs.	SLI-12-30-7	2372	133 lbs.	CRI-12-30-7	2454	136 lbs.	11
	36"	149 lbs.	SLI-12-36-7	2484	144 lbs.	CRI-12-36-7	2579	147 lbs.	13
	42"	170 lbs.	SLI-12-42-7	2544	157 lbs.	CRI-12-42-7	2637	163 lbs.	13
	48"	191 lbs.	SLI-12-48-7	2608	169 lbs.	CRI-12-48-7	2644	175 lbs.	14
16" DEEP	24"	100 lbs.	SLI-16-24-7	2562	128 lbs.	CRI-16-24-7	2668	136 lbs.	8
	30"	127 lbs.	SLI-16-30-7	2720	140 lbs.	CRI-16-30-7	2840	143 lbs.	12
	36"	155 lbs.	SLI-16-36-7	2887	153 lbs.	CRI-16-36-7	3009	59 lbs.	17
w/ 10-CIRCUIT COLD PLATE									
12" DEEP	30"	98 lbs.	SLI-12-30-10	2968	165 lbs.	CRI-12-30-10	3075	69 lbs.	11
	36"	119 lbs.	SLI-12-36-10	3082	177 lbs.	CRI-12-36-10	3161	181 lbs.	12
	42"	140 lbs.	SLI-12-42-10	3159	186 lbs.	CRI-12-42-10	3317	191 lbs.	13
	48"	161 lbs.	SLI-12-48-10	3293	201 lbs.	CRI-12-48-10	3437	206 lbs.	14
16" DEEP	30"	127 lbs.	SLI-16-30-10	3400	174 lbs.	CRI-16-30-10	3664	180 lbs.	12
	36"	155 lbs.	SLI-16-36-10	3654	185 lbs.	CRI-16-36-10	3881	192 lbs.	17



Sliding Stainless Steel Covers For Ice Bins
For SLI & CRI Series

SSC-12	For 12" Ice Bin	\$172
SSC-24	For 24" Ice Bin	177
SSC-30	For 30" Ice Bin	194
SSC-36	For 36" Ice Bin	209
SSC-42	For 42" Ice Bin	261
SSC-48	For 48" Ice Bin	268

For Older Style Ice Bins Prior to 2015

SSC-23	For 24" Ice Bin	\$221
SSC-29	For 30" Ice Bin	238
SSC-35	For 36" Ice Bin	253



Stainless Steel Leg Upgrade

Includes 2 Sets of (2) S/S Legs w/ Adj. S/S Bullet Feet
& Adj. S/S Front-to-Back Cross-Bracing

SU-10B	10" legs (16" Deep Ice Bins)	\$248
SU-10C	14" legs (12" Deep Ice Bins)	248

Leg Heights Do Not Include 1 1/4" Bullet Foot Height

A-39



Stainless Steel Ice Bin Partitions

A-38	8" High x 14 3/4" Wide Partition	124
A-39	12" High x 14 3/4" Wide Partition	124
A-40	16" High x 14 3/4" Wide Partition	124
SU-24	Provision To Connect Underbar Equipment (Price Per Every Two Units)	143
SU-30	Soda Chase Provision (Tip-Out) (Only For Ice Bins w/Backsplash)	456

SU-30



Quick Pour Bottles Not Included



CRCI-48L

ICE BIN & BOTTLE STORAGE COMBO

Featuring 12" Deep Insulated Ice Bin

- 4" Backsplash
- 29" working height
- 1 or 2 Insulated 12" Wide Bottle Rack Bins
- Includes 3-Pack Plastic Bottle Rack(s)
- Welded Partition Between Bins
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- Two 1" I.P.S. Drains (Cold Plate Units have 1/2" I.P.S. Drain in Ice Bin Area)
- Optional 7-Circuit Cold Plate Sealed Into The Bottom

21" WIDE			# Of	# Of	Ice Bin	Ice Bin	Approx.	Approx.
Model #	Price	L	Bins	Btl. Racks	Length	Capacity*	Weight	Cu. Ft.
CRCI-36L or R	\$2120	36"	2	2	24"	77/35 lbs.	82 lbs.	14
CRCI-48L or R	2366	48"	2	2	36"	119/35 lbs.	95 lbs.	14
CRCI-48LR	3065	48"	3	4	24"	35/77/35 lbs.	113 lbs.	15
w/ 7-CIRCUIT COLD PLATE								
CRCI-36L-7 or R-7	3510	36"	2	2	24"	77/35 lbs.	114 lbs.	14
CRCI-48L-7 or R-7	3758	48"	2	2	36"	119/35 lbs.	127 lbs.	14
CRCI-48LR-7	4456	48"	3	4	24"	35/77/35 lbs.	145 lbs.	15

*Reverse Ice Bin Capacities For L or R Models. L And R Indicate Ice Bin Location On Either Right Or Left Side. LR Indicates Ice Bin Is Centered.

INSULATED BOTTLE STORAGE BIN

Featuring 12" Deep Insulated Ice Bin

- 4" Backsplash
- 29" working height
- Includes Two 3-Pack Plastic Bottle Racks
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- 1" I.P.S. Drain

18" WIDE			21" WIDE					
Model #	Price	Approx. Weight	Model #	Price	Approx. Weight	L	Ice Bin Capacity	Approx. Cu. Ft.
SLI-12-12	\$869	46 lbs.	CRI-12-12	\$947	50 lbs.	12"	35 lbs.	6

Quick Pour Bottles Not Included



SLI-12-12

ICE BIN & DRAINBOARD COMBO

Featuring 10" Deep Insulated Ice Bin

- 4" Backsplash
- 29" working height
- 24" Ice Bin
- 24" Seamless & Embossed Drainboard
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- 1" I.P.S. Drain (Cold Plate Units have 1/2" I.P.S. Drain in ice Bin Area)
- Optional 7-Circuit Cold Plate Sealed Into The Bottom

21" WIDE			Ice Bin	Approx.	Approx.
Model #	Price	L	Capacity	Weight	Cu. Ft.
CRW-4R	\$2210	48"	54 lbs.	72 lbs.	13
CRW-4L	2210	48"	54 lbs.	72 lbs.	13
w/ 7-CIRCUIT COLD PLATE					
CRW-4R-7	3057	48"	54 lbs.	108 lbs.	13
CRW-4L-7	3057	48"	54 lbs.	108 lbs.	13

*L And R Indicate Ice Bin Location On Either Right Or Left Side.



CRW-4L

PORTABLE ICE BIN

16" Deep

- Insulated Ice Bin
- 29" working height
- Stainless Steel Welded Cross-Braced Legs w/ Casters (2 w/ Brakes)
- 1" IPS Drain w/ Shut Off Valve

EXTRA DEEP
For Beer Bottle Storage

18 3/4" WIDE		Size	Ice Bin	Approx.	Approx.
Model #	Price	L x W x H	Capacity	Weight	Cu. Ft.
SCI-MIC-24	\$1422	24" x 18 3/4" x 29"	100 lbs.	120 lbs.	7
SCI-MIC-30	1484	30" x 18 3/4" x 29"	127 lbs.	130 lbs.	12
SCI-MIC-36	1593	36" x 18 3/4" x 29"	155 lbs.	145 lbs.	16



SCI-MIC-36

BAR PASS-THRU

Pass-Thru Workstations & Ice Bins

Underbar **Basics™**

STANDARD DOUBLE SINK PASS-THRU WORKSTATION

With Two Deep Drawn Sink Bowls

- 29" working height
- Insulated Ice Bin w/ 7-Circuit Cold Plate Sealed Into Bottom Of Ice Bin
- Tubing Chase For Soda Gun
- Double Tier Speed Rail
- 4" O.C. Lead Free Compliant Deck Mounted Swing Spout Faucet
- Stainless Steel Welded Cross-Bracing Legs w/ Adjustable Stainless Steel Bullet Feet
- 15A - 120V GFI Duplex Outlet Hidden Beneath Shelf
- **Side Panel Models** Include Removable Perforated Top w/ Drain & Front Apron; Units Are Supported By Side Panels & Do Not Require Legs



GFI Duplex Receptacle Hidden
Beneath Blender Shelf



CR-42X36-7-R
(Shown with optional
Wrist Handles)




CR-44X36SP-7-L




Model #	Price	O.A. Length	Description	Ice Capacity	Approx. Weight	Approx. Cu. Ft.
CR-42X36-7-L or R	\$6492	42"	Stainless Steel Legs	210 lbs.	233 lbs.	45
SIDE PANELS WITH PERFORATED DRAINBOARD SHELF						
CR-44x36SP-7-L or R	8344	44"	Side Panels w/ Perforated Drbd. Shelf	210 lbs.	425 lbs.	68


NOTE: To determine left or right hand model, Ice Bin is either Left (L) or Right (R) of the sink from the bartender side.




CR-44X36SP-7-L



CR-44X36SP-7-R



CR-42X36-7-L



CR-42X36-7-R

FOR ADDITIONAL OVERSHELVES OR GLASS RACKS, START WITH PRESTIGE PASS THRU WORK STATIONS PAGE 116

PASS-THRU ICE BIN 12" Deep



- 29" working height
- Insulated Ice Bin
- Stainless Steel Welded Cross-Braced Legs w/ Adjustable Stainless Steel Bullet Feet
- 210 lbs. Ice Bin Capacity
- **CRPT-2436-7** Includes 7-Circuit Cold Plate Sealed Into The Bottom Of Ice Bin

Model #	Price	Size W x L x H	Approx. Weight	Approx. Cu. Ft.
CRPT-2436	\$2317	36 1/4" x 24" x 29"	80 lbs.	13
CRPT-2436-7	3707	36 1/4" x 24" x 29"	115 lbs.	13

ADDITIONAL SIZES AVAILABLE FOR SPECIALTY ICE BINS.
SU-61 Special Sizing to Reduce Length..... N/C

SLIDING STAINLESS STEEL COVER For Pass-Thru Ice Bin



SSC-PT \$342

**For Full Line Of Ice Bin
Accessories, See Page 120.**



All Drainboards Are NSF Approved



SLD-3

- Embossed & Seamless Drainboard
- 4" Backsplash
- Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- 1" IPS Drain
- **CRD Series** Has Rear Deck For Extra Storage

FREE-STANDING BAR DRAINBOARDS

29" Working Height

Overall Length	18" WIDE	Price	Approx. Weight	Cu. Ft.	21" WIDE	Price	Approx. Weight	Cu. Ft.
12"	SLD-12	\$664	26 lbs.	7	CRD-12	\$741	28 lbs.	8
18"	SLD-18	731	29 lbs.	7	CRD-18	836	30 lbs.	8
24"	SLD-2	853	35 lbs.	7	CRD-2	908	39 lbs.	8
30"	SLD-30	904	40 lbs.	10	CRD-30	1028	41 lbs.	12
36"	SLD-3	990	42 lbs.	10	CRD-3	1088	47 lbs.	12
48"	SLD-4	1174	55 lbs.	12	CRD-4	1265	51 lbs.	16

MAKE 24" CORNER DRAINBOARDS

Add to SLD-2 or CRD-2 Drainboards Only

Model #	Price	W x L
SU-1824R or L	\$215	18" x 24"
SU-2124R or L	233	21" x 24"

Add SU-40 To Prep Unit For Speed Rail Installation - \$83

RECESSED BAR DRAINBOARDS

Holds Multiple Tiers Of Glasses • 23 1/2" Working Height

SL-GS-12 Shown
23" Wide UnitsCR-GS-18 shown
26" Wide Units

- Includes Four Galvanized Legs w/ Adjustable Galvanized Side Cross-Bracing & Adjustable Plastic Bullet Feet
- Embossed And Seamless Drainboard
- 1" IPS Drain Centered In Drainboard
- **CR-GS Series** Has Rear Deck For Extra Storage

Overall Length	23" WIDE	Price	Approx. Weight	Cu. Ft.	26" WIDE	Price	Approx. Weight	Cu. Ft.
12"	SL-GS-12	\$618	20 lbs.	6	CR-GS-12	\$703	20 lbs.	6
15"	SL-GS-15	653	22 lbs.	6	CR-GS-15	717	22 lbs.	6
18"	SL-GS-18	711	24 lbs.	7	CR-GS-18	770	24 lbs.	8
24"	SL-GS-24	794	28 lbs.	7	CR-GS-24	880	28 lbs.	8

SPECIALTY BAR DRAINBOARDS

Beer Drainer

Features A 3" x 6" Rear Column For Beer Lines
26" Working Height

CRBD-2

- 7" Backsplash
- Embossed And Seamless Drainboard
- Galvanized Legs w/ Adjustable Plastic Bullet Feet
- Adjustable Galvanized Side Cross-Bracing
- 1" IPS Drain Centered In Drainboard

L	18" WIDE	Price	Wt.	Cu. Ft.	21" WIDE	Price	Wt.	Cu. Ft.
18"	SLBD-18	\$1108	32 lbs.	6	CRBD-18	\$1264	33 lbs.	8
24"	SLBD-2	1228	38 lbs.	7	CRBD-2	1323	42 lbs.	8

Frozen Drink Machine Stands

10-1/2" Working Height



SCFD-18

- 14" Backsplash
- Features A Lower Working Height To Accommodate The Height Of Most Drink Machines For Underbar Use
- Beveled Front
- Drain Centered In Back Of Unit
- Galvanized Legs w/ Adjustable Plastic Bullet Feet
- Adjustable Galvanized Side Cross-Bracing

SCFD-18 \$1032

18" x 28" x 33"
Holds One Drink Machine
45 lbs. 10 Cu. Ft.

SCFD-30 \$1545

30" x 28" x 33"
Holds Two Drink Machines
80 lbs. 18 Cu. Ft.

BLENDER STATIONS

Blender Stations & Uni-Serv Speed Bar


Underbar **Basics™**

BLENDER STATIONS

Includes Four Galvanized Legs w/ Adjustable Plastic Bullet Feet
Featuring Adjustable Galvanized Side Cross-Bracing
All Faucets Meet Federal Lead Free Standards



All Blender Stations Include A
15A - 120V GFI Duplex Receptacle
Hidden Beneath Blender Shelf



WANT US TO CONNECT IT?
Add SU-24

Price Per Every Two Units **\$143**



SL-RS Series
23" Wide Units With
Splash Mount Faucet



CR-RS Series
26" Wide Units With
Deck Mount Faucet



w/ Dump Sink & Faucet

- Dump Sink
- 4" Backsplash
- 15A - 120V GFI Duplex Outlet Hidden Beneath Shelf
- Recessed Step For Blenders
- Grommet Hole For Blender Power Cords
- 1" IPS Drain

- **SL-RS Series** Includes 4" O.C. Splash Mounted Swing Spout Faucet
- **CR-RS Series** Includes 4" O.C. Deck Mounted Swing Spout Faucet And Has Rear Deck For Extra Storage

Overall Length	23" WIDE	Price	Approx. Weight	Approx. Cu. Ft.	26" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
12"	SL-RS-12	\$971	20 lbs.	6	CR-RS-12	\$1042	21 lbs.	6
18"	SL-RS-18	1114	23 lbs.	6	CR-RS-18	1161	23 lbs.	6



SL-DB Series
23" Wide Units



CR-DB Series
26" Wide Units

Double Step Blender Station

- Features Two Blender Stations For High Volume Mixing Areas
- 15A - 120V GFI Duplex Outlet Hidden Beneath Shelf
- Grommet Hole For Blender Power Cords
- 4" Backsplash
- **CR-DB Series** Has Rear Deck For Extra Storage

NOTE:
Blender Stations Can
Not Accommodate
A Speed Rail

Overall Length	23" WIDE	Price	Approx. Weight	Approx. Cu. Ft.	26" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
12"	SL-DB-12	\$648	20 lbs.	6	CR-DB-12	\$700	21 lbs.	6
18"	SL-DB-18	735	21 lbs.	6	CR-DB-18	759	22 lbs.	6

BLENDER STATION ACCESSORIES & MODIFICATIONS

A-15	Chrome Towel Ring (Packed Loose)		\$98
A-16	Perforated Basket (Fits 10" x 14" x 7" & 10" x 14" x 10" Sinks)		244
A-17	Perforated Basket (Fits 9-1/2" x 11-1/2" x 6 Sink)		239
K-316-LU	Add Wrist Handles		120
SU-10A	18" Stainless Steel Leg Upgrade (Set of 4) -Includes Adjustable Front-to-Back Cross-Bracing		248




Add A Liquid Waste Chute

- 5-1/2" Diameter Liquid Waste Chute
- Includes K-54 Push-Back Water Filler Faucet

SU-36 \$850

UNI-SERV SPEED BAR

12" Deep Ice Bin w/ Dump Sink, Recessed Drainboard & Blender Station • 29" Working Height



CRU-60R Shown

- 4" Backsplash
- 26" Front To Back
- SRK-30 - 30" Speed Rail
- 30" Insulated Ice Bin
- 98 lbs. Ice Bin Capacity
- Two Removable Plastic Bottle Racks
- Optional 7-Circuit Cold Plate Sealed Into The Bottom Of Ice Bin
- Dump Sink
- 4" O.C. Deck Mounted Swing Spout Faucet
- Recessed Drainboard for Glassware
- Dual Blender/Mixer Recess
- Galvanized Legs w/ Adjustable Plastic Bullet Feet & Adjustable Galvanized Side Cross-Bracing



15A - 120V GFI Duplex
Receptacle Hidden
Beneath Blender Shelf

Model #	Price	Overall Length	Approx. Weight	Approx. Cu. Ft.
CRU-60L or R	\$3459	60"	110 lbs.	23
w/ 7-CIRCUIT COLD PLATE				
CRU-60L-7 or R-7	4848	60"	193 lbs.	23

L And R Indicate Ice Bin Location.

BEER BOX

18" Deep • 29" Working Height

- Perforated False Bottom Allows Melted Ice To Drain
- False Bottom Is Removable For Easy Cleaning
- 4" Backsplash
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet
- 1" I.P.S. Drain



CRBB-48

Model #	Price	Overall Length	Ice Bin Liner Size W x L x H	Capacity of Bottled Beer	Approx. Weight	Approx. Cu. Ft.
CRBB-48	\$2274	48"	20 3/4" x 45 3/4" x 18"	12 cases	220 lbs.	14
CRBB-60	2434	60"	20 3/4" x 57 3/4" x 18"	18 cases	225 lbs.	15

BEER BOX COVERS

Includes Two Padded Locks & Keys



Beer Box Covers Must Be Removed During Normal Operation

Model #	Description	Price
SU-35A	For 48" Beer Box	\$713
SU-35B	For 60" Beer Box	897

Add SU-55 For Stainless Steel Divider add **\$172 ea.**

LIQUOR DISPLAYS

Tiered Steps & Retaining Bars Securely Display Liquor Bottles



LD-1824

Liquor Display Rack

- Sound Deadened
- 4" Backsplash
- Galvanized Legs w/ Adjustable Plastic Bullet Feet
- Adjustable Galvanized Side Cross-Bracing
- 26" Wide Units Have Rear Deck For Extra Storage



CRLR-24

Liquor Display Cabinet

- Stainless Steel Cabinet
- 4" Backsplash
- Stainless Steel Legs w/ Adjustable Bullet Feet

	Model #	Price	Overall Length	Approx. Bottle Capacity	Approx. Weight	Approx. Cu. Ft.
23" WIDE	LD-1812	\$1017	12"	12	30 lbs.	15
	LD-1818	1124	18"	20	35 lbs.	20
	LD-1824	1359	24"	28	40 lbs.	30
26" WIDE	LD-2112	1112	12"	12	30 lbs.	15
	LD-2118	1255	18"	20	35 lbs.	20
	LD-2124	1424	24"	28	40 lbs.	30

	Model #	Price	Overall Length	Approx. Bottle Capacity	Approx. Weight	Approx. Cu. Ft.
21" WIDE	CRLR-12	\$1215	12"	15	35 lbs.	7
	CRLR-18	1292	18"	20	36 lbs.	10
	CRLR-24	1702	24"	30	42 lbs.	13
21" WIDE	CRLR-30	1763	30"	35	47 lbs.	14
	CRLR-36	1876	36"	45	50 lbs.	15

REMOVABLE STAINLESS STEEL LIQUOR DISPLAY COVERS

Includes Padlock & Two Keys. Factory Installed Only.

Display Rack Cover

For LD Models Only



	Length	Model #	Price
18" WIDE	12"	LC-1812	\$514
	18"	LC-1818	570
	24"	LC-1824	628
21" WIDE	12"	LC-2112	554
	18"	LC-2118	611
	24"	LC-2124	691

Display Cabinet Cover

For CRLR Models Only



	Length	Model #	Price
21" WIDE	12"	LC-12	\$622
	18"	LC-18	673
	24"	LC-24	713
	30"	LC-30	798
	36"	LC-36	862

For Speed Rails, See Page 103.

BAR STORAGE

Glassware Storage

Glass Racks Not Included • Approximate Weights & Cubes Listed

UNDERBAR STORAGE CABINETS

With Seamless & Embossed Drainboard Top

Drainboard Cabinets

- 21" Width (Front to Back)
- 4" Backsplash
- 1" IPS Drain In Back Right Corner Of Top
- 3" Diameter Drain Hole In Upper Right Corner Of Back Panel
- Stainless Steel Legs w/ Adjustable Bullet Feet



OPEN BASE
CRD-2B Shown



w/ MID-SHELF
CRD-2BM Shown



W/ MID-SHELF & DOOR
CRD-2BMD Shown

Size W x L x H	OPEN BASE		2TIER STORAGE UNIT		2TIER STORAGE UNIT WITH HINGED DOOR		Approx. Weight	Approx. Cu. Ft.
	Model #	Price	Model #	Price	Model #	Price		
21" x 24" x 33"	CRD-2B	\$1464	CRD-2BM	\$1666	CRD-2BMD	\$1783	59 lbs.	14
21" x 30" x 33"	CRD-30B	1534	CRD-30BM	1844	CRD-30BMD	2052	99 lbs.	18
21" x 36" x 33"	CRD-3B	1705	CRD-3BM	2018	CRD-3BMD	2229	140 lbs.	20
21" x 48" x 33"	CRD-4B	1852	CRD-4BM	2162	CRD-4BMD	2352	152 lbs.	20

24" Glass Rack Storage Unit



CRCR-24-CT

- 21" Width (Front to Back)
- 4" Backsplash
- Holds Up To 3 Glass Racks
- Stainless Steel Glass Rack Slides
- 1" IPS Drain In Back Right Corner Of Top
- 3" Diameter Drain Hole In Upper Right Corner Of Back Panel
- Stainless Steel Legs w/ Adjustable Bullet Feet

52 lbs. 13 Cu. Ft.

CRCR-24 \$1354

Flat Top - Drain Not Included

CRCR-24-CT \$1444

Corrugated Top

Cabinet w/ Dump Sink & Waste Chute



- 21" x 18" x 33"
- Includes 1 Hinged Door
- 9" x 9" x 4" Dump Sink
- 4" O.C. Splash Mounted Swing Spout Lead Free Compliant Faucet
- 5 1/2" Diameter Waste Chute
- Stainless Steel Legs w/ Adjustable Bullet Feet

64 lbs. 15 Cu. Ft.

CRDW-18 \$2255

Shown With Optional Door Lock and Wrist Handle Faucet

CABINET MODIFICATIONS & ACCESSORIES



Add A Sink \$942

Splash Mount Faucet Included

SU-22A 10" x 14" x 10" Bowl

SU-22C 9" x 9" x 4" Bowl



Add A Liquid Waste Chute With Filler Faucet

SU-36 \$850

- 5 1/2" Dia. Liquid Waste Chute
- Includes K-54 Push-Back Water Filler Faucet (Meets Federal Lead Free Standards)



Add A Door Lock

SU-27 \$292

- Includes 2 Keys



Add A Dipperwell Only

A-7 \$392

- 5 1/2" Diameter
- 1-1/2" NPT Drain Connection
- Factory Installed. Includes TA-34 Cutout



WANT US TO CONNECT IT?

Add SU-24 \$143

Price Per Every Two Units

STANDARD SPEED RAILS



Stainless Steel Speed Rails

- Keyhole Installation

SINGLE	Price	Size W x L x H	Bottle Capacity	Wt.	Cu. Ft.	DOUBLE	Price	Size W x L x H	Bottle Capacity	Wt.	Cu. Ft.
BK-15	\$102	4 1/2" x 15" x 5 1/2"	4	4 lbs.	1	DT-15	\$191	8 1/2" x 15" x 7"	8-10	7 lbs.	1
BK-2	104	4 1/2" x 24" x 5 1/2"	4-6	5 lbs.	1	DT-2	195	8 1/2" x 24" x 7"	10-12	8 lbs.	1
BK-30	114	4 1/2" x 30" x 5 1/2"	8-9	6 lbs.	1	DT-30	209	8 1/2" x 30" x 7"	16-18	10 lbs.	1
BK-3	121	4 1/2" x 36" x 5 1/2"	9-10	6 lbs.	1	DT-3	219	8 1/2" x 36" x 7"	18-20	11 lbs.	1
BK-4	146	4 1/2" x 48" x 5 1/2"	12-13	8 lbs.	1	DT-4	265	8 1/2" x 48" x 7"	24-26	18 lbs.	1

Single Tier
BK-2 Shown



Double Tier
DT-30 Shown

Black Plastic Speed Rails

- Injection Molded Black Plastic Construction
- Packed 6 Per Carton (Must Order Qty. of 6)
- Liquor Bottle Capacity = 5 Per Speed Rail

Model #	Price	Size W x L x H	Wt.	Cu. Ft.
KS-2K	\$51	4 1/8" x 23" x 5 3/8"	16 lbs.	2



KS-2K

Add Strap Hangers
PR-STRAP \$44
For KS-2K Only



PR-STRAP

HEAVY DUTY STAINLESS STEEL SPEED RAILS



Keyhole Installation

Standard HD Speed Rails

SINGLE TIER
SRK-2 Shown



DOUBLE TIER
SRKD-18 Shown



SINGLE	Price	Size W x L x H	Cap.	DOUBLE	Price	Size W x L x H	Cap.	Wt. (lbs.)	Cu. Ft.
SRK-12	\$137	5 1/4" x 12" x 7 3/4"	3	SRKD-12	\$235	10 1/2" x 12" x 9 1/4"	6	8	1
SRK-15	141	5 1/4" x 15" x 7 3/4"	4	SRKD-15	239	10 1/2" x 15" x 9 1/4"	8	9	1
SRK-18	143	5 1/4" x 18" x 7 3/4"	4-5	SRKD-18	277	10 1/2" x 18" x 9 1/4"	8-10	10	1
SRK-2	157	5 1/4" x 24" x 7 3/4"	5-6	SRKD-2	329	10 1/2" x 24" x 9 1/4"	10-12	13	1
SRK-30	159	5 1/4" x 30" x 7 3/4"	7-8	SRKD-30	376	10 1/2" x 30" x 9 1/4"	14-16	16	1
SRK-3	162	5 1/4" x 36" x 7 3/4"	9-10	SRKD-3	391	10 1/2" x 36" x 9 1/4"	18-20	18	1
SRK-42	157	5 1/4" x 42" x 7 3/4"	11-12	SRKD-42	404	10 1/2" x 42" x 9 1/4"	22-24	20	2
SRK-4	169	5 1/4" x 48" x 7 3/4"	13-14	SRKD-4	408	10 1/2" x 48" x 9 1/4"	26-28	22	2
SRK-5	184	5 1/4" x 60" x 7 3/4"	15-18	SRKD-5	468	10 1/2" x 60" x 9 1/4"	30-36	26	2
SRK-6	204	5 1/4" x 72" x 7 3/4"	19-22	SRKD-6	515	10 1/2" x 72" x 9 1/4"	38-44	28	2
SRK-7	238	5 1/4" x 84" x 7 3/4"	23-26	SRKD-7	578	10 1/2" x 84" x 9 1/4"	46-52	30	2
SRK-8	247	5 1/4" x 96" x 7 3/4"	27-28	SRKD-8	614	10 1/2" x 96" x 9 1/4"	54-56	32	2

Make An Odd Length
Speed Rail
SU-41 \$69

Make Speed Rail Accommodate
1/2 Gallon Bottles
SU-42 \$91

Hang-On Style

- Removable
- Hangs On First Tier Of Any SRK Series Speed Rail
- Doubles Liquor Storage



SR-2H

Model #	Price	Size W x L x H	Cap.	Wt.	Cu. Ft.
SR-12H	\$185	6 1/4" x 12" x 8 1/2"	3	4 lbs.	1
SR-15H	190	6 1/4" x 15" x 8 1/2"	4	5 lbs.	1
SR-18H	197	6 1/4" x 18" x 8 1/2"	4-5	6 lbs.	1
SR-2H	201	6 1/4" x 24" x 8 1/2"	5-6	7 lbs.	1
SR-30H	214	6 1/4" x 30" x 8 1/2"	7-8	8 lbs.	1
SR-3H	226	6 1/4" x 36" x 8 1/2"	9-10	9 lbs.	1
SR-42H	235	6 1/4" x 42" x 8 1/2"	11-12	9 lbs.	2
SR-4H	239	6 1/4" x 48" x 8 1/2"	13-14	10 lbs.	2


Hang-On Style Speed Rails Are Not To Be Used
With Any Other Manufacturer's Speed Rails

For Liquor Racks, See Page 101.

PRESTIGE Signature Series MODULAR BAR DIE SYSTEM

Exclusively For Advance Tabco's Prestige Bar Equipment

Sample Modular Bar Die Layout



Actual Job Shown Set Up for Quality Check




Quality & Customer Satisfaction Is Our Top Priority!

Our factory takes the time to set up your entire Bar Die System to ensure all equipment properly fits and matches your specifications.

Floor Templates
Available
SU-82
Call Factory For Pricing



Bar Top And Drink Rail Can Be Fabricated From Equipment Drawings Ahead Of Time.



Contact Our SmartFab Department For Details at
800-645-3166
or
SmartFab@advancetabco.com

PRESTIGE *Signature Series* MODULAR BAR DIE SYSTEM

Exclusively For Advance Tabco's Prestige Bar Equipment



Bartender's Side Features:

- 20 Gauge, 302 Stainless steel
- Die Wall Can Be Sealed To The Floor, Eliminating Moisture In The Bar Structure.
- Recessed Equipment Outlets Allow Bar Equipment To Be Flush Against Bar Die Wall.
- GFI Outlets Set In Place (To Be Wired By Local Electrician To Meet Local Codes)
- Stainless Steel Panels Supplied Where Equipment By Others Is Located.
- Precise Engineering To Ensure An Exact Fit.
- Enclosed Casing For Beer Towers.
- Soda Gun Outlets Supplied (Location Must Be Specified).
- Cantilever System Made For Advance Tabco's Prestige Bar Equipment, Eliminating The Need For Legs.
- Pre-Defined Space For Plumbing And Drain Lines.

Galvanized Bar Die Wall

Stainless Steel Exterior On Bar Side, Galvanized Upright Structure

Model # PR-BARDIE

\$323 per foot

Stainless Steel Bar Die Wall

Stainless Steel Exterior On Bar Side, Stainless Steel Upright Structure

Model # PR-BARDIE-SS

\$468 per foot



Flat Panel Section
w/ Recessed Outlet



Ice Bin Section




Cabinet Section



STAINLESS STEEL DRAINBOARD FILLERS

Bolt On To Sides Of Equipment
Multiple Angles Available • Optional Legs
(See Page 111)

Contact SmartFab Department For Details & Pricing



BAR DIE SYSTEM ACCESSORIES & MODIFICATIONS

Factory Installed Only - Except SU-BDB-100 (Supplied Loose For In Field Positioning)



**Recessed GFI
Duplex Outlet**

SU-62C \$490



**Receptacle Box
Only**

SU-62F \$64



Cool White LED Light 1.5 Watt 
• Single Box w/ Cover Plate
• Power Supply & Wiring Not Included

SU-BDL-CW \$215 ea.

LED Light Power Supply 
• 100 Watts
• Handles Up to 35 Lights


SU-BDT-100 \$242 ea.

Floor Templates Available

SU-82 Call For Price



Templates Are Printed On Paper Rolls
& Are Marked For Easy Alignment



Underbar Hand Sinks

All Prestige Hand Sinks Feature:

- Deep Drawn Seamless Sink Bowl
- 1 1/2" IPS, 3 1/2" Basket Drain
- 7" Backsplash
- Stainless Steel Legs w/ Stainless Steel Adjustable Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing (Except PRHSC series)

29" Working Height

All Faucets Included Meet Federal Lead Free Standards

STANDARD BAR HAND SINKS

- **PRHS-19 Series** Includes
4" O.C. Splash Mt. Swing Spout Faucet
- **PRHS-24 Series** Includes
4" O.C. Deck Mt. Swing Spout Faucet
& Has Rear Deck For Extra Storage

w/ SPLASH MOUNT FAUCET					w/ DECK MOUNT FAUCET				
L	20" WIDE	Price	Wt.	Cu.	25" WIDE	Price	Wt.	Cu.	
12"	PRHS-19-12	\$1188	35 lbs.	8	PRHS-24-12	\$1240	28 lbs.	8	
18"	PRHS-19-18	1206	40 lbs.	9	PRHS-24-18	1257	30 lbs.	9	



PRHS-19-12 Shown

HAND SINKS WITH SOAP & TOWEL DISPENSER

- Deck Mount Soap Dispenser
- C-Fold Towel Dispenser
- **PRHSST-19 Series** Includes
4" O.C. Splash Mt. Swing Spout Faucet
- **PRHSST-24 Series** Includes
K-124 Deck Mt. Faucet & Has
Rear Deck For Extra Storage

w/ SPLASH MOUNT FAUCET					w/ DECK MOUNT FAUCET				
L	20" WIDE	Price	Wt.	Cu.	25" WIDE	Price	Wt.	Cu.	
12"	PRHSST-19-12	\$1576	53 lbs.	8	PRHSST-24-12	\$1625	58 lbs.	8	
18"	PRHSST-19-18	1592	55 lbs.	9	PRHSST-24-18	1641	60 lbs.	9	



PRHSST-24-12 Shown

HAND SINK/DUMP SINK COMBO STATION



- Hand Sink Has Deep Drawn 9" x 9" x 4" Bowl
With 2" Drain And Strainer Plate
- Dump Sink Has Deep Drawn 10" x 14" x 7" Bowl
2" Drain And Strainer Plate
- K-125 Splash Mount Swing Spout Faucet
- 29" Working Height
- 7" Backsplash And Side Splashes
- Stainless Steel Top, Apron, Sides, Legs And Adjustable Bullet Feet
- Upper Sink Drains Into Lower Sink To Help Melt Ice
- Removable Lower C-Fold Style Paper Towel Bin

L	25" WIDE	Price	Wt.	Cu. Ft.
12-3/16"	PRDS-25-12	\$3708	135 lbs.	9



Featuring **Deep Drawn**
Seamless Sink Bowls



NSF All Sinks Are NSF Approved

PRESTIGE
Signature Series

Underbar Multi-Use Hand Sinks

29" Working Height

All Faucets Included Meet Federal Lead Free Standards


HAND SINK WITH DRAINBOARD



- One Piece Deep Drawn 14" X 10" X 7" Sink Bowl With 2" Drain And Strainer Plate
- K-125 Splash Mount Swing Spout Faucet
- Sturdy Stainless Steel Base Cabinet
- Removable Perforated Drainboard Top
- Stainless Steel Legs With Adjustable Stainless Steel Bullet Feet
- 7" Backsplash.

L	25" WIDE	Price	Wt.	Cu. Ft.
24"	PRSCS-25-24	\$2275	74 lbs.	19

Features
Removable Perforated
Drainboard Top




HAND SINK WITH GLASS RINSER & DIPPER WELL



- One Piece Deep Drawn 14" x 10" x 7" Sink Bowl With 2" Drain And Strainer Plate
- K-125 Splash Mount Swing Spout Faucet
- 29" Working Height
- 7" Backsplash
- Stainless Steel Top, Apron, Sides, Legs And Adjustable Bullet Feet
- Dipper Well With A-33 Faucet
- Stainless Steel Glass Rinsers With Removable Drainboard
- Adjustable Stainless Steel Side Cross-Bracing

L	25" WIDE	Price	Wt.	Cu. Ft.
18"	PRCS-25-18	\$2474	80 lbs.	9

Features
Removable Perforated
Drainboard Top




HAND SINK WITH GLASS RINSER, DIPPER WELL & CUTTING BOARD



- One Piece Deep Drawn 9" x 9" x 4" Sink Bowl With 2" Drain And Strainer Plate
- K-125 Splash Mount Swing Spout Faucet
- 29" Working Height
- 7" Backsplash
- Stainless Steel Top, Apron, Sides, Legs And Adjustable Bullet Feet
- Dipper Well With A-33 Faucet
- Stainless Steel Glass Rinsers With Removable Drainboard
- Adjustable Stainless Steel Side Cross-Bracing
- Removable 10" x 12" Poly Cutting Board

L	25" WIDE	Price	Wt.	Cu. Ft.
24"	PRSP-25-24	\$2499	80 lbs.	11

Features
Removable Perforated
Drainboard Top



Hand Sink Cabinets

HAND SINKS WITH CABINET BASE

- All Stainless Steel Cabinet Base
- Hinged Cabinet Door
- **PRHSC-19 Series** Includes
4" O.C. Splash Mt. Swing Spout Faucet
- **PRHSC-24 Series** Includes
K-124 Deck Mt. Faucet & Has
Rear Deck For Extra Storage

L	w/ SPLASH MOUNT FAUCET				w/ DECK MOUNT FAUCET			
	20" WIDE	Price	Wt.	Cu.	25" WIDE	Price	Wt.	Cu.
12"	PRHSC-19-12	\$1763	78 lbs.	9	PRHSC-24-12	\$1830	83 lbs.	10
18"	PRHSC-19-18	2007	80 lbs.	9	PRHSC-24-18	2056	85 lbs.	10



PRHSC-19-12 Shown

HAND SINK WITH BUILT-IN DUMP SINK & WASTE CHUTE



- 9" x 9" x 4" Dump Sink
- 5-1/2" Diameter Waste Chute
- Optional Removable Hinged Doors w/ Lock
- 7" Backsplash
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet
- **PRWC-19 Series** Includes 4" O.C. Splash Mt. Swing Spout Faucet
- **PRWC-24 Series** Includes 4" O.C. Deck Mt. Swing Spout Faucet
& Has Rear Deck For Extra Storage

Open Base
PRWC-19-18 Shown



L	Style	w/ SPLASH MT. FAUCET		w/ DECK MT. FAUCET		Approx. Wt.	Approx. Cu. Ft.
		25" WIDE	Price	30" WIDE	Price		
18"	Open Base	PRWC-19-18	\$2079	PRWC-24-18	\$2122	62 lbs.	15
18"	w/ Hinged Door	PRWC-19-18-DR	2348	PRWC-24-18-DR	2392	67 lbs.	15

HAND SINK ACCESSORIES & MODIFICATIONS



Add Wrist Handles
Available For Splash or
Deck Mount Faucets

K-316-LU \$120



**Chrome Towel
Ring**
Packed Loose

A-15 \$98



**Replacement
Soap Deck Mount
Dispenser**


K-12 \$151

K-123	Replacement Splash Mt. Faucet	\$342
K-124	Replacement Deck Mt. Faucet	342
SU-73	Add Mirror Finish <i>Factory Install Only</i>	416
SU-74	All Stainless Steel Construction Upgrade	496
SU-75	Add Welded Stainless Steel Cross-Bracing	119
SU-20R or L	Right or Left Side Splash for 20" Wide Unit	183
SU-20RL	Right & Left Side Splash for 20" Wide Unit	383
SU-25R or L	Right or Left Side Splash for 25" Wide Unit	217
SU-25RL	Right & Left Side Splash for 25" Wide Unit	410

For Our Full Line Of Accessories & Modifications, See Pages 120-122.

Featuring Deep Drawn Seamless Sink Bowls

All Faucets Included Meet Federal Lead Free Standards



Featuring Perforated Drainboard

PRESTIGE Signature Series Underbar Sinks

NSF All Sinks Are NSF Approved

BAR SINKS

Featuring 10" x 14" x 10" Deep Drawn Seamless Bowls & 29" Working Height

- 7" High Backsplash
- Removable Perforated Drainboard Top
- 9" Overflow Pipe w/ 1 1/2" IPS Drain Included Per Sink Bowl
- Sound Deadened
- Stainless Steel Top, Apron, Sides
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- **PRB-19 Series** Includes 1 - 4" O.C. Splash Mounted Swing Spout Faucet
- **PRB-24 Series** Includes 1 - 4" O.C. Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage



PRB-19 Series with Drainboards Shown
20" Wide Units Include Splash Mount Faucet(s)



PRB-24 Series
25" Wide Units With Deck Mount Faucets

L And R Indicate Sink Location. C Indicates Sink Is Centered.

	w/ SPLASH MOUNT FAUCET			w/ DECK MOUNT FAUCET			O.A. Length	# of Drbds.	Drbd. Length	Approx. Weight	Approx. Cu. Ft.
	20" WIDE	Price	Spout Length	25" WIDE	Price	Spout Length					
1 COMP.	PRB-19-31C	\$1753	6"	PRB-24-31C	\$1851	6"	36"	2	12"	89 lbs.	12
2 COMP.	PRB-19-22C	1760	6"	PRB-24-22C	1811	6"	24"	N/A	N/A	89 lbs.	8
	PRB-19-32LorR	1891	6"	PRB-24-32LorR	1969	6"	36"	1	11"	89 lbs.	12
	PRB-19-42LorR	1987	6"	PRB-24-42LorR	2092	6"	48"	1	23"	105 lbs.	16
	PRB-19-42C	1987	6"	PRB-24-42C	2092	6"	48"	2	12"	105 lbs.	16
3 COMP.	PRB-19-33C	2042	10"	PRB-24-33C	2110	12"	36"	N/A	N/A	105 lbs.	12
	PRB-19-43LorR	2323	10"	PRB-24-43LorR	2429	12"	48"	1	11"	107 lbs.	16
	PRB-19-53LorR	2536	10"	PRB-24-53LorR	2685	12"	60"	1	23"	125 lbs.	20
	PRB-19-53C	2599	10"	PRB-24-53C	2751	12"	60"	2	12"	125 lbs.	20
	PRB-19-63C	2734	10"	PRB-24-63C	2809	12"	72"	2	18"	143 lbs.	24
	PRB-19-73C	2841	10"	PRB-24-73C	2953	12"	84"	2	24"	190 lbs.	42
4 COMP.	PRB-19-83C	3383	10"	PRB-24-83C	3546	12"	96"	2	30"	176 lbs.	48
	PRB-19-44C*	2548	6"	PRB-24-44C*	2636	6"	48"	N/A	N/A	107 lbs.	16
	PRB-19-64C*	3112	6"	PRB-24-64C*	3220	6"	72"	2	12"	147 lbs.	24
	PRB-19-74C*	3228	6"	PRB-24-74C*	3357	6"	84"	2	18"	163 lbs.	42
	PRB-19-84C*	3808	6"	PRB-24-84C*	3971	6"	96"	2	24"	178 lbs.	48

*4 Comp. Bar Sinks Include 2 - 6" Swing Spout Faucets

BAR SINK ACCESSORIES & MODIFICATIONS

SU-73 Add Mirror Finish (Factory Install Only)	\$416	SU-20R or L Right Or Left Side Splash For PRB-19 Series	\$183
SU-74 All Stainless Steel Construction Upgrade	496	SU-20RL Right & Left Side Splash For PRB-19 Series	383
SU-75 Add Welded Stainless Steel Cross-Bracing	119	SU-25R or L Right Or Left Side Splash For PRB-24 Series	217
SU-79 Additional Drainboard Length	139 Lin Ft.	SU-25RL Right & Left Side Splash For PRB-24 Series	410

PRESTIGE

Signature Series

Ice Bins

PRI & PRC Series Feature:

- Includes Two Removable Plastic Bottle Racks
- 1 3/4" Return w/ Soda Gun Knock Out (Cold Plate Models Only)
- 7" Backsplash


- Stainless Steel Top, Apron & Sides
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- 1" IPS Drain (Non-Cold Plate Bin); 1/2" IPS Drain (Cold Plate Bin)
- **OPTIONAL** 10-Circuit Cold Plate Sealed Into The Bottom

All Bottle Racks Must Be Removed For NSF Compliance & For Use With Optional Cover

Quick Pour Bottles Not Included



All Ice Bins Are NSF Approved



Soda Chase Provision (Tip-out)

SU-30 \$456

Only For Ice Bins w/ Backsplash



PRC-19-48LR



PRI-19-24-10

ICE BINS

29" Working Height

- PRI-24 Series Has Rear Deck For Extra Storage

Ice Bin Depth	Overall Length	Ice Bin Capacity	20" WIDE	Price	25" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
11" DEEP	12"	32 lbs.	PRI-19-12	\$907	PRI-24-12	\$948	45 lbs.	11
	24"	70 lbs.	PRI-19-24	1146	PRI-24-24	1207	70 lbs.	11
	30"	89 lbs.	PRI-19-30	1332	PRI-24-30	1406	75 lbs.	15
	36"	108 lbs.	PRI-19-36	1410	PRI-24-36	1525	80 lbs.	15
	42"	127 lbs.	PRI-19-42	1932	PRI-24-42	2094	85 lbs.	20
	48"	146 lbs.	PRI-19-48	2024	PRI-24-48	2267	90 lbs.	20
15" DEEP	24"	80 lbs.	PRI-19-24-XD	1863	PRI-24-24-XD	1914	85 lbs.	20
	30"	121 lbs.	PRI-19-30-XD	1979	PRI-24-30-XD	2038	90 lbs.	27
	36"	147 lbs.	PRI-19-36-XD	2112	PRI-24-36-XD	2177	95 lbs.	37
11" DEEP	w/ 10-CIRCUIT COLD PLATE							
	24"	70 lbs.	PRI-19-24-10	2440	PRI-24-24-10	2464	140 lbs.	18
	30"	89 lbs.	PRI-19-30-10	2586	PRI-24-30-10	2702	173 lbs.	24
	36"	108 lbs.	PRI-19-36-10	2752	PRI-24-36-10	2818	150 lbs.	24
	42"	127 lbs.	PRI-19-42-10	3059	PRI-24-42-10	3162	155 lbs.	31
	48"	146 lbs.	PRI-19-48-10	3757	PRI-24-48-10	4002	160 lbs.	31
15" DEEP	24"	80 lbs.	PRI-19-24-10-XD	2939	PRI-24-24-10-XD	2949	165 lbs.	20
	30"	121 lbs.	PRI-19-30-10-XD	3146	PRI-24-30-10-XD	3227	175 lbs.	27
	36"	147 lbs.	PRI-19-36-10-XD	3291	PRI-24-36-10-XD	3912	175 lbs.	27

ICE BIN & BOTTLE STORAGE COMBO

11" Deep Insulated Ice Bin • 29" Working Height

- Welded Partition Between Bins
- PRC-24 Series Has Rear Deck For Extra Storage

L And R Indicate Ice Bin Location On Either Right Or Left Side. LR Indicates Ice Bin Is Centered.

Overall Length	# Of Independent Bins	Ice Bin Capacity	20" WIDE	Price	25" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
36"	2	70/32 lbs.	PRC-19-36L or R	\$2284	PRC-24-36L or R	\$2369	105 lbs.	15
42"	2	89/32 lbs.	PRC-19-42L or R	2445	PRC-24-42L or R	2552	110 lbs.	20
48"	2	108/32 lbs.	PRC-19-48L or R	2613	PRC-24-48L or R	2739	120 lbs.	20
48"	3	32/70/32 lbs.	PRC-19-48LR	3210	PRC-24-48LR	3346	160 lbs.	22
54"	3	32/89/32 lbs.	PRC-19-54LR	3328	PRC-24-54LR	3465	165 lbs.	27
60"	3	32/108/32 lbs.	PRC-19-60LR	3462	PRC-24-60LR	3605	170 lbs.	27
w/ 10-CIRCUIT COLD PLATE								
36"	2	70/32 lbs.	PRC-19-36L-10 or R-10	4014	PRC-24-36L-10 or R-10	4106	165 lbs.	24
42"	2	89/32 lbs.	PRC-19-42L-10 or R-10	4307	PRC-24-42L-10 or R-10	4286	175 lbs.	31
48"	2	108/32 lbs.	PRC-19-48L-10 or R-10	4344	PRC-24-48L-10 or R-10	4468	185 lbs.	33
48"	3	32/70/32 lbs.	PRC-19-48LR-10	4945	PRC-24-48LR-10	5079	195 lbs.	33
54"	3	32/89/32 lbs.	PRC-19-54LR-10	5062	PRC-24-54LR-10	5199	200 lbs.	40
60"	3	32/108/32 lbs.	PRC-19-60LR-10	5192	PRC-24-60LR-10	5340	205 lbs.	40

*Reverse Ice Bin Capacities For L or R Models.

WANT TO UPGRADE? Add SU-74 For All Stainless Steel Construction: **\$496**

For Prestige Ice Bin Covers, See Page 121.


Underbar Corner Drainboard & Fillers

90° CORNER DRAINBOARD


Includes Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet

- Free-Standing Corner Drainboard
- 7" High x 1-3/4" Thick Backsplash
- 1" I.P.S. Drain


Model #	Price	Size* (A) x (B)	Approx. Weight	Approx. Cu. Ft.
PRFD-2020	\$1004	20" x 20"	68 lbs.	7
PRFD-2025	1062	20" x 25"	72 lbs.	12
PRFD-2030	1102	20" x 30"	78 lbs.	16
PRFD-2035	1192	20" x 35"	82 lbs.	16
PRFD-2520	1062	25" x 20"	69 lbs.	7
PRFD-2525	1113	25" x 25"	73 lbs.	12
PRFD-2530	1140	25" x 30"	79 lbs.	16
PRFD-2535	1251	25" x 35"	83 lbs.	16
PRFD-3020	1102	30" x 20"	78 lbs.	7
PRFD-3025	1140	30" x 25"	79 lbs.	12
PRFD-3030	1285	30" x 30"	82 lbs.	16
PRFD-3035	1346	30" x 35"	86 lbs.	16
PRFD-3520	1192	35" x 20"	82 lbs.	16
PRFD-3525	1251	35" x 25"	83 lbs.	16
PRFD-3530	1346	35" x 30"	86 lbs.	16
PRFD-3535	1421	35" x 35"	90 lbs.	16



Includes Stainless Steel
Legs w/ Adjustable
Stainless Steel Bullet Feet



PRFD-3020



PRFD-2030


"A" represents the distance on the left side from the back wall until the front edge of the left unit.

"B" represents the distance on the right side from the back wall until the front edge of the right unit.

90° CORNER FILLERS


- Must Be Bolted to Existing Line Up Equipment
- 7" High x 1-3/4" Thick Backsplash
- Available On Left or Right Side
- 1" I.P.S. Drain

Inside Corner



PRF-20-90IC Shown

Outside Corner



PRF-20-90OC Shown


Model #	Price	Size (A) x (B)	Approx. Weight	Approx. Cu. Ft.
PRF-20-90IC or OC*	\$1073	20" x 20"	82 lbs.	16
PRF-25-90IC or OC*	1113	25" x 25"	84 lbs.	16

* IC = Inside Corner OC = Outside Corner

45° CORNER FILLERS


- Must Be Bolted to Existing Line Up Equipment
- 7" High x 1-3/4" Thick Backsplash
- 1" I.P.S. Drain

Inside Corner



PRF-20-45IC Shown

Outside Corner



PRF-20-45OC Shown

	Model #	Price	Size L x W x H	C	Approx. Weight	Approx. Cu. Ft.
INSIDE CORNER	PRF-20-45IC	\$822	20" x 20 3/8" x 21 5/8"	11 7/8"	82 lbs.	16
	PRF-25-45IC	908	25" x 27 1/8" x 21 5/8"	14"	84 lbs.	16
OUTSIDE CORNER	PRF-20-45OC	822	20" x 16 3/8" x 21 5/8"	8 7/8"	82 lbs.	16
	PRF-25-45OC	908	25" x 20 1/4" x 21 5/8"	11"	84 lbs.	16

PLEASE NOTE: FILLERS BUILT TO ORDER & CAN NOT BE RETURNED

OPTIONAL LEGS & CUSTOM SIZES AVAILABLE
Consult Factory For Details


PRESTIGE

Signature Series

Underbar Drainboards

29" Working Height

- Stainless Steel Apron
- **PRD-24 Series** has Rear Deck For Extra Storage



Removable Perforated
Drainboard Top

L	20" WIDE	Price	Approx. Weight	Approx. Cu. Ft.	25" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
12"	PRD-19-12	\$853	38 lbs.	8	PRD-24-12	\$914	45 lbs.	10
18"	PRD-19-18	876	45 lbs.	8	PRD-24-18	958	52 lbs.	10
24"	PRD-19-24	947	52 lbs.	8	PRD-24-24	1040	59 lbs.	10
30"	PRD-19-30	1044	59 lbs.	12	PRD-24-30	1108	66 lbs.	14
36"	PRD-19-36	1084	65 lbs.	12	PRD-24-36	1188	73 lbs.	14
42"	PRD-19-42	1264	70 lbs.	16	PRD-24-42	1393	79 lbs.	19
48"	PRD-19-48	1359	75 lbs.	16	PRD-24-48	1416	86 lbs.	19

PRD & PRGS Series Feature:

- Removable Perforated Drainboard Top
- Stainless Steel Top, Sides & Legs w/ Adjustable Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- 7" Backsplash
- 1" IPS Drain
- Sound Deadened



All Drainboards Are NSF Approved



PRD-19 Series
20" Wide Units



PRD-24 Series
25" Wide Units


RECESSED DRAINBOARDS

Holds Multiple Tiers Of Glassware • 18" Working Height

- 14" Side Splashes
- **PRGS-24 Series** has Rear Deck For Extra Storage

L	25" WIDE	Price	Approx. Weight	Approx. Cu. Ft.	30" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
12"	PRGS-19-12	\$747	40 lbs.	8	PRGS-24-12	\$845	45 lbs.	10
18"	PRGS-19-18	782	45 lbs.	8	PRGS-24-18	847	52 lbs.	10
24"	PRGS-19-24	840	52 lbs.	8	PRGS-24-24	900	59 lbs.	10
30"	PRGS-19-30	923	59 lbs.	12	PRGS-24-30	1011	66 lbs.	14

Removable Perforated
Drainboard Top



PRGS-19 Series
25" Wide Units



PRGS-24 Series
30" Wide Units

WANT TO UPGRADE? Add SU-74 For All Stainless Steel Construction **\$496**

SPECIALTY DRAINBOARDS

Beer Drainer

21 1/4" Working Height




PRBD-19-24

- 3" x 6" Rear Column For Beer Lines
- Removable Perforated Drainboard Top
- Stainless Steel Top, Apron, Sides & Legs w/ Adjustable Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- 1" IPS Drain
- 14 3/4" Backsplash

L	20" WIDE	Price	Wt.	Cu. Ft.
18"	PRBD-19-18	\$1278	50 lbs.	7
24"	PRBD-19-24	1296	57 lbs.	8

L	25" WIDE	Price	Wt.	Cu. Ft.
18"	PRBD-24-18	\$1345	57 lbs.	7
24"	PRBD-24-24	1417	64 lbs.	10



Removable
Perforated
Drainboard Top

Frozen Drink Machine Stands


21" Working Height

- Lower Working Height Accommodates The Height Of Most Drink Machines For Underbar Use
- Beveled Front
- Top Pitched To 1" IPS Drain
- Stainless Steel Top, Apron, Sides & Legs w/ Adjustable Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- 15" Backsplash



PRFD-18

L	30" WIDE	Price	Wt.	Cu. Ft.
18"	PRFD-18	\$1228	57 lbs.	14
30"	PRFD-30	1735	80 lbs.	20



Removable
Perforated
Drainboard Top

PRESTIGE Signature Series Drainboard Cabinets


All Stainless Steel Construction



Open Base
PRSCO-19-24 Shown



w/ Hinged Doors
PRSCD-24-24 Shown



Features
Removable Perforated
Drainboard Top

- Sturdy Base Cabinet
- Removable Perforated Drainboard Top
- Removable Hinged Doors
- 7" Backsplash
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet
- 1" IPS Drain
- Sound Deadened

	L	25" WIDE	Price	Approx. Weight	Approx. Cu. Ft.	30" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
OPEN BASE	12"	PRSCO-19-12	\$1282	48 lbs.	12	PRSCO-24-12	\$1404	55 lbs.	15
	18"	PRSCO-19-18	1399	55 lbs.	12	PRSCO-24-18	1521	62 lbs.	15
	24"	PRSCO-19-24	1557	62 lbs.	12	PRSCO-24-24	1669	69 lbs.	15
	30"	PRSCO-19-30	1850	69 lbs.	15	PRSCO-24-30	1962	76 lbs.	18
	36"	PRSCO-19-36	2133	75 lbs.	18	PRSCO-24-36	2248	82 lbs.	22
	42"	PRSCO-19-42	2404	80 lbs.	21	PRSCO-24-42	2516	90 lbs.	28
	48"	PRSCO-19-48	2697	85 lbs.	24	PRSCO-24-48	2810	92 lbs.	30
W/ HINGED DOORS	12"	PRSCD-19-12	1545	58 lbs.	12	PRSCD-24-12	1671	65 lbs.	15
	18"	PRSCD-19-18	1663	65 lbs.	12	PRSCD-24-18	1788	72 lbs.	15
	24"	PRSCD-19-24	1854	72 lbs.	12	PRSCD-24-24	1968	79 lbs.	15
	30"	PRSCD-19-30	2148	79 lbs.	15	PRSCD-24-30	2261	85 lbs.	18
	36"	PRSCD-19-36	2433	85 lbs.	18	PRSCD-24-36	2546	92 lbs.	22
	42"	PRSCD-19-42	2704	90 lbs.	21	PRSCD-24-42	2934	98 lbs.	28
	48"	PRSCD-19-48	2999	95 lbs.	24	PRSCD-24-48	3108	102 lbs.	30

PRSCO & PRSCD Series Modifications And Accessories

ADD MID-SHELF TO PRSCO SERIES \$456/shelf

Add An "-M" After The Model Number
(For example, PRSCO-19-18 would read PRSCO-19-18-M)

ADD A SINK (Includes Faucet)

10" x 14" x 10"	SU-22A	\$942
9" x 9" x 4"	SU-22C	\$942

5 1/2" Stainless Steel Open Waste Chute

A-6
\$315



Factory Installed

5 1/2" Dipper Well with Insert and Drain

A-7



Factory Installed. Includes TA-34 Cutout.


20" WIDE CABINETS AVAILABLE!
Use 25" Wide Model # & Add SU-77 \$85

LOCK IT UP!
Add A Door Lock SU-27 \$292

CABINETS W/ STORAGE DRAWERS

All Stainless Steel Construction

- 6" Deep Drawers
- Removable Perforated Drainboard Top
- 1" IPS Drain
- 7" Backsplash
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet



Features
Removable Perforated
Drainboard Top

L	Style	25" WIDE	Price	30" WIDE	Price	Wt.	Cu. Ft.
24"	1 Drawer & 1 Door	PR-25-DWR	\$2587	PR-30-DWR	\$3410	62 lbs.	15
24"	3 Drawers	PR-25-3DWR	2962	PR-30-3DWR	3763	85 lbs.	18



PR-25-DWR



PR-25-3DWR

ADDITIONAL DRAINBOARD CABINET SIZES AVAILABLE - Consult Factory For Details

PRESTIGE

Signature Series

Trash Receptacles

TRASH RECEPTACLE CABINET WITH CHUTE

Trash Bin Not Included

- Open Bottom w/ Hinged Door
- Accommodates Slim Jim® Trash Can Measuring 11" x 20" x 25" (15 7/8 Gal. Cap.)
- S/S Legs w/ Adj. Stainless Steel Bullet Feet
- Overall Size: 12" x 25" x 33-3/4"
- 60 lbs. 9 Cu. Ft.

PRSJT-12-DR \$1588

PRSJT-DR



NSF

Shown With Slim Jim®
Trash Can (Not Included)

TRASH RECEPTACLE COVER WITH CHUTE

Trash Bin Not Included

- Accommodates Slim Jim® Trash Can Measuring 11" x 20" x 25" (15 7/8 Gallon Capacity)
- Units Mount Between Equipment Line Up
- Overall Size: 12" x 25" x 9-3/4"
- 33 lbs. 4 Cu. Ft.

PRSJT-12 \$712



Shown With Slim Jim®
Trash Can (Not Included)



TRASH RECEPTACLE COVER WITH DOOR

Trash Bin Not Included

- Open Bottom w/ Hinged Door
- Accommodates Slim Jim® Trash Can Measuring 11" x 20" x 25" (15 7/8 Gallon Capacity)
- Units Mount Between Equipment Line Up
- Removable S/S Sliding Cover
- Overall Size: 12" x 25" x 21-5/8"
- 35 lbs. 4 Cu. Ft.

PRT-12 \$1293



PRT-12

Shown With Slim Jim®
Trash Can (Not Included)

POINT OF SERVICE CABINET

PRPOS-18-DR
*Shown with
Optional
Door Lock*



NSF

- 25" Working Height
- 11" High Backsplash & Side Splashes
- Louvered Door w/ Flush Handle
- 2" Access Hole In Work Surface For Power Cord
- Stainless Steel Top, Apron, Sides & Legs
- With Adjustable Stainless Steel Bullet Feet

Optional Legs Support



Model	Location	Price
SU-48L	Left	\$292
SU-48R	Right	\$292

(One Set Includes
Two Legs with Cross-Brace)

For Models
**PRSJT-12
& PRT-12**



L	25" WIDE	Price	Wt.	Cu. Ft.
18"	PRPOS-18-DR	\$2079	60 lbs.	14
24"	PRPOS-24-DR	2324	150 lbs.	20

LOCK IT UP!
Add A Door Lock SU-27 **\$292**

Underbar Speed Bars & Bins

PASS-THRU ICE BINS

11" Deep Insulated Ice Bin • 29" Working Height

- Stainless Steel Top, Apron, Sides & Legs w/ Adjustable Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- **PRPT-2442-10** Has 10-Circuit Cold Plate Sealed Into The Bottom

For Sliding Stainless Steel Covers, See Page 121

Model #	Price	Size W x L x H	Ice Capacity	Wt.	Cu. Ft.
PRPT-2442	\$2355	42" x 24" x 29"	174 lbs.	80 lbs.	13
PRPT-2442-10	4092	42" x 24" x 29"	174 lbs.	150 lbs.	13



Shown With
Optional
Speed Rail

BEER BOX

18" Deep • 29" Working Height

- Perforated False Bottom Allows Melted Ice To Drain
- Removable False Bottom
- Stainless Steel Legs w/ Stainless Steel Bullet Feet
- 7" Backsplash



Model #	Price	Size W x L x H	Capacity Of Bottle Beer	Wt.	Cu. Ft.
PRBB-48	\$2895	25" x 48" x 33"	12 Cases	220 lbs.	14
PRBB-60	3104	25" x 60" x 33"	18 Cases	225 lbs.	15



PRBB-48

BEER BOX LOCKING COVERS

Includes Padlock & 2 Keys

SU-35C 48" Cover **\$770**

SU-35D 60" Cover **954**

Add Stainless Steel Dividers

SU-55 \$172 ea.

Beer Box Covers Must Be Removed During Normal Operation

UNI-SERV SPEED BAR

Includes 30" Speed Rail • 7" Backsplash



PRU-24-60R Shown



15A - 120V GFI Duplex
Receptacle Hidden
Beneath Blender Shelf



- **48" Units:** 9" x 9" x 4" Deep Drawn Sink Bowl
- **60" Units:** 10" x 14" x 7" Deep Drawn Sink Bowl
- Recessed 18" Blender Station
- 3 1/2" Basket Drain
- Grommet Hole For Cord
- 30" x 11" Deep Insulated Ice Bin with Two Removable Plastic Bottle Racks
- Optional 10-Circuit Cold Plate Sealed Into The Bottom Of Ice Bin
- 1" I.P.S. Drain (1/2" I.P.S. Drain For Cold Plate Models)
- 7" Backsplash with 1 3/4" Return With

Soda Gun Knock Out

- Recessed Drainboard with Removable Perforated Top with 1" I.P.S. Drain
- Stainless Steel Top, Apron, Sides & Legs with Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- **PRU-19 Series:** 4" O.C. Splash Mounted Swing Spout Faucet
- **PRU-24 Series:** 4" O.C. Deck Mounted Swing Spout Faucet

L	25" WIDE	O.A. Size	Price	30" WIDE	O.A. Size	Price	Approx. Weight	Approx. Cu. Ft.
48"	PRU-19-48LorR	25"x48"	\$3731	PRU-24-48LorR	30"x48"	\$4146	135 lbs.	35
60"	PRU-19-60LorR	25"x60"	4375	PRU-24-60LorR	30"x60"	4430	135 lbs.	35
w/ 10-CIRCUIT COLD PLATE								
48"	PRU-19-48L-10orR-10	25"x48"	4964	PRU-24-48L-10orR-10	30"x48"	5443	170 lbs.	46
60"	PRU-19-60L-10orR-10	25"x60"	6109	PRU-24-60L-10orR-10	30"x60"	6165	170 lbs.	46

L and R Indicate Ice Bin Location.

Pass-Thru Units & Overshelves

PASS-THRU WORKSTATION



With Two Deep Drawn Sink Bowls • 29" Working Height

- Stainless Steel Top & Sides
- Blender Shelf With Duplex Outlet Hidden Underneath
- Double Tier Speed Rail
- Tubing Chase For Soda Gun
- 15A - 120V GFI Duplex Outlet Hidden Beneath Shelf
- 4" O.C. Deck Mounted Lead Free Compliant Swing Spout Faucet
- Insulated Ice Bin w/ 10-Circuit Cold Plate Sealed Into Bottom

- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet & Welded Cross-Bracing
- **Side Panel Models** Include Removable Perforated Top w/ Drain & Front Apron; Units Are Supported By Side Panels & Do Not Require Legs

GFI Duplex Receptacle Hidden Beneath Blender Shelf



PR-44X42SP-10-L

Model #	Price	O.A. Length	Description	Ice Capacity	Approx. Weight	Approx. Cu. Ft.
PR-42X30-10-L or R	\$5357	42"	Stainless Steel Legs	70 lbs.	250 lbs.	38
PR-42X42-10-L or R	8881	42"	Stainless Steel Legs	174 lbs.	400 lbs.	58
SIDE PANELS WITH PERFORATED DRAINBOARD SHELF						
PR-44X30SP-10-L or R	7563	44"	Side Panels w/ Perforated Drbd. Shelf	70 lbs.	350 lbs.	59
PR-44X42SP-10-L or R	12750	44"	Side Panels w/ Perforated Drbd. Shelf	174 lbs.	575 lbs.	88


Dual Soda Gun Holder

- Openings for a single soda gun on each end
- Fits Prestige® Pass-Thru Workstations Only


SU-43 \$967

Factory Installed Only


NOTE: To determine left or right hand model, Ice Bin is either Left (L) or Right (R) of the sink from the bartender side.




PR-42X42-10-L Shown



PR-44X30SP-10-L Shown



PR-44X42SP-10-L Shown



PR-42X30-10-L Shown


OVERSHELVES FOR PASS-THRU WORKSTATIONS

(For SP Models Only - Factory Installed)

- 44" Wide x 16 3/4" Length
- Removable Perforated Pans
- Square Stainless Steel Posts
- 20 Gauge, 300 Stainless Steel


-G Models:

- Include Stemware Glass Rack
- 18 Gauge, 302 Stainless Steel
- Stainless Steel Shelf With Splash On Three Sides



Single Shelf

PRSO-44-G Shown



Double Shelf

PRDO-44 Shown

Model #	Price	Description	Wt.	Cu. Ft.
PRSO-44	\$ 1197	Single Overshelf	65 lbs.	5
PRSO-44-G	1713	Single Overshelf w/ Stemware Glass Rack	85 lbs.	5
PRDO-44	2081	Double Overshelf	125 lbs.	17
PRDO-44-G	2832	Double Overshelf w/ Stemware Glass Rack	145 lbs.	17

Free Standing Blender Stations

All Blender Stations Include:

- Stainless Steel Top, Apron
- Sides & Legs With Adjustable Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-bracing



15A - 120V GFI Duplex
Receptacle Hidden Beneath
Blender Shelf

BLENDER STATION WITH DEEP DRAWN SINK



PRRS-19 Series
25" Wide Units With
Splash Mount Faucet



PRRS-24 Series
30" Wide Units With
Deck Mount Faucet

- Deep Drawn Sink
- Recessed Step w/ Grommet Hole For Blenders
- 7" Backsplash
- 3 1/2" Basket Drain w/ 1 1/2" IPS
- Sound Deadened

- **PRRS-19 Series** Includes 4" O.C. Splash Mounted Swing Spout Faucet
- **PRRS-24 Series** Includes 4" O.C. Deck Mounted Swing Spout Faucet & Has Rear Deck For Extra Storage

Overall Length	w/ SPLASH MT. FAUCET				w/ DECK MT. FAUCET			
	25" WIDE	Price	Approx. Weight	Approx. Cu. Ft.	30" WIDE	Price	Approx. Weight	Approx. Cu. Ft.
12"	PRRS-19-12	\$1234	49 lbs.	9	PRRS-24-12	\$1354	51 lbs.	9
18"	PRRS-19-18	1324	56 lbs.	9	PRRS-24-18	1441	58 lbs.	12

BLENDER STATION WITH DRAINBOARD



PRDB-19 Series
25" Wide Units



PRDB-24 Series
30" Wide Units

- Removable Perforated Drainboard Top
- Recessed Step w/ Grommet Hole For Blenders
- 7" Backsplash
- 1" IPS Drain

- Sound Deadened
- **PRDB-24 Series** Has Rear Deck For Extra Storage

Overall Length	25" WIDE				30" WIDE			
	Price	Approx. Weight	Approx. Cu. Ft.		Price	Approx. Weight	Approx. Cu. Ft.	
12"	PRDB-19-12	\$828	45 lbs.	9	PRDB-24-12	\$917	47 lbs.	9
18"	PRDB-19-18	976	50 lbs.	9	PRDB-24-18	1075	53 lbs.	12

NOTE: Blender Stations Can Not Accommodate A Speed Rail

BLENDER STATION ACCESSORIES & MODIFICATIONS

SU-73	Add Mirror Finish <i>Factory Install Only</i>		\$416
SU-74	All Stainless Steel Construction Upgrade		496
SU-75	Add Welded Stainless Steel Cross-Bracing		119



Add A Liquid Waste Chute

- 5-1/2" Diameter Liquid Waste Chute
- Includes K-54 Push-Back Water Filler Faucet
- Perforated Drainboard Top Not Included

SU-36 \$850

Glass & Liquor Racks Not Included

PRESTIGE
Signature Series

Glassware & Liquor Storage

GLASS RACK STORAGE CABINETS

Featuring All Stainless Steel Construction



- Holds Up To 3 Glass Racks
- Adjustable Glass Rack Slides
- 7" Backsplash
- 1" IPS Drain On Bottom Shelf

- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet
- 30" Wide Units Have Rear Deck For Extra Storage



Open Top

PROR-24-24
Shown



Drainboard Top

Removable Perforated
Drainboard Top
1" IPS Drain

PRCR-19-24
Shown



Slanted Top

- Accommodates Liquor Rack On Slanted Top

PRSR-24-24
Shown

Model #	Price	Size	Wt.	Cu.
PROR-19-24	\$2024	24" x 25" x 36"	50 lbs.	12
PROR-24-24	2113	24" x 30" x 36"	57 lbs.	12

Model #	Price	Size	Wt.	Cu.
PRCR-19-24	\$1559	24" x 25" x 36"	80 lbs.	16
PRCR-24-24	1678	24" x 30" x 36"	85 lbs.	17

Model #	Price	Size	Wt.	Cu.
PRSR-19-24	\$2208	24" x 25" x 36"	50 lbs.	12
PRSR-24-24	2301	24" x 30" x 36"	57 lbs.	12



Add Stainless Steel
Full Extension Roller Slides

SU-46 \$931 /cabinet



Add Stainless Steel
Concealing Drawer Front
Requires SU-46

SU-47 \$466 /cabinet

LIQUOR DISPLAYS

Tiered Steps & Retaining Bars Securely Display Liquor Bottles



PLD-2524



PRLR-24

Liquor Display Rack

- Retaining Bars Secure Bottles On Steps
- Sound Deadened
- 7" Backsplash
- Stainless Steel Top, Sides & Legs w/ Stainless Steel Bullet Feet
- Adjustable Stainless Steel Side Cross-Bracing
- 30" Wide Units Has Rear Deck For Extra Storage

	Model #	Price	Overall Length	Approx. Bottle Capacity	Approx. Weight	Approx. Cu. Ft.
25" WIDE	PLD-2512	\$1146	12"	15	25 lbs.	10
	PLD-2518	1225	18"	20	30 lbs.	10
	PLD-2524	1473	24"	30	35 lbs.	10
	PLD-2530	1585	30"	35	40 lbs.	14
	PLD-2536	1744	36"	45	50 lbs.	14
30" WIDE	PLD-3012	1314	12"	15	30 lbs.	12
	PLD-3018	1372	18"	20	35 lbs.	12
	PLD-3024	1484	24"	30	40 lbs.	12
	PLD-3030	1612	30"	35	45 lbs.	17
	PLD-3036	1775	36"	45	55 lbs.	17

Liquor Display Cabinet

- All Stainless Steel Construction
- 7" Backsplash
- Stainless Steel Legs w/ Adjustable Stainless Steel Bullet Feet

	Model #	Price	Overall Length	Approx. Bottle Capacity	Approx. Weight	Approx. Cu. Ft.
25" WIDE	PRLR-12	\$1361	12"	15	35 lbs.	7
	PRLR-18	1436	18"	20	36 lbs.	10
	PRLR-24	1506	24"	30	42 lbs.	13
	PRLR-30	1628	30"	35	47 lbs.	14
	PRLR-36	1794	36"	45	50 lbs.	15

REMOVABLE STAINLESS STEEL LIQUOR DISPLAY COVERS

Includes Padlock & Two Keys



Display Rack Cover

For PLD Models Only

	Length	Model #	Price
25" WIDE	12"	PRLC-2512	\$669
	18"	PRLC-2518	727
	24"	PRLC-2524	785
	30"	PRLC-2530	844
	36"	PRLC-2536	902
30" WIDE	12"	PRLC-3012	740
	18"	PRLC-3018	925
	24"	PRLC-3024	972
	30"	PRLC-3030	1007
	36"	PRLC-3036	1041



Display Cabinet Cover

For PRLR Models Only

	Length	Model #	Price
25" WIDE	12"	PRLC-12	\$809
	18"	PRLC-18	954
	24"	PRLC-24	1037
	30"	PRLC-30	1078
	36"	PRLC-36	1139

For Prestige Speed Rails, See Pages 119.

COVERS ARE FACTORY INSTALLED ONLY

Speed Rails & Blender Shelves

ALL STAINLESS STEEL SPEED RAILS

For Prestige Underbar Equipment

- Sound Deadened
- Bolt Holes For Mounting

Single & Double Tier Options Available



Single Tier
PRSSR-36 Shown



Double Tier
PRDSR-36 Shown

L	STANDARD SPEED RAILS						W/ LOCKING COVER Includes Keyed Lock						Approx. Wt.	Approx. Cu. Ft.
	SINGLE	Price	Cap.	DOUBLE	Price	Cap.	SINGLE	Price	Cap.	DOUBLE	Price	Cap.		
12"	PRSSR-12	\$188	3	PRDSR-12	\$294	6	PRSSR-12-LC	\$414	3	PRDSR-12-LC	\$633	6	8 lbs.	1
18"	PRSSR-18	201	4	PRDSR-18	366	8	PRSSR-18-LC	516	4	PRDSR-18-LC	836	8	10 lbs.	2
24"	PRSSR-24	216	6	PRDSR-24	432	12	PRSSR-24-LC	571	6	PRDSR-24-LC	961	12	12 lbs.	2
30"	PRSSR-30	232	7	PRDSR-30	497	14	PRSSR-30-LC	627	7	PRDSR-30-LC	1093	14	14 lbs.	3
36"	PRSSR-36	248	9	PRDSR-36	557	18	PRSSR-36-LC	682	9	PRDSR-36-LC	1211	18	14 lbs.	3
42"	PRSSR-42	261	10	PRDSR-42	626	20	PRSSR-42-LC	742	10	PRDSR-42-LC	1345	20	16 lbs.	4
48"	PRSSR-48	273	12	PRDSR-48	692	24	PRSSR-48-LC	798	12	PRDSR-48-LC	1475	24	16 lbs.	4
54"	PRSSR-54	292	13	PRDSR-54	760	26	NOT AVAILABLE						18 lbs.	5
60"	PRSSR-60	307	15	PRDSR-60	821	30							20 lbs.	5
72"	PRSSR-72	335	18	PRDSR-72	954	36							24 lbs.	6
84"	PRSSR-84	365	21	PRDSR-84	1083	42							28 lbs.	7
96"	PRSSR-96	395	24	PRDSR-96	1199	48							32 lbs.	8

Hang-On Style Speed Rails

- Designed To Hang-on The First Tier Of Any PRSSR Series Speed Rails
- Doubles Liquor Storage
- Removable

Not To Be Used With Any Other Manufacturers Speed Rails



L	Model #	Price	Cap.	Approx. Wt.	Approx. Cu. Ft.
12"	PRHSR-12	\$207	3	4 lbs.	1
18"	PRHSR-18	222	4	4 lbs.	2
24"	PRHSR-24	238	6	5 lbs.	2
30"	PRHSR-30	252	7	6 lbs.	2
36"	PRHSR-36	271	9	6 lbs.	3
42"	PRHSR-42	285	10	7 lbs.	3
48"	PRHSR-48	305	12	7 lbs.	4

For Prestige Liquor Racks & Cabinets, See Page 109.

BLENDER SHELVES

Mounts To The Front Apron Of Ice Bin

- All Stainless Steel Construction
- 10" Wide
- Grommet Hole For Blender Power Cords
- 15A - 120V Duplex Outlet Hidden Beneath Blender Shelf
- Keyhole Installation



15A - 120V Duplex Receptacle Hidden Beneath Blender Shelf



EXCLUSIVELY

For Prestige Underbar Equipment

PRA-BS-12	12" Shelf	\$254
PRA-BS-18	18" Shelf	272
PRA-BS-24	24" Shelf	311
PRA-BS-30	30" Shelf	321

For Free-Standing Blender Stations, See Page 117.

UNDERBAR ACCESSORIES

Underbar Modifications & Accessories

More Underbar Accessories			
A-1	Perforated Cover for 10" x 14" x 10" Sink Bowl		\$122
A-8	24" Condiment Rack (5 Condiment Cups) Condiment Racks Hang On Backsplash Of Ice Bin		599
SU-17	Interior Partition (For Underbar Basics & Prestige Drainboard Cabinets - Factory Installed Only)		214
K-12	Replacement Deck Mounted Soap Dispenser		151
SU-55	Removable Stainless Steel Divider For Beer Box		172
Underbar Modifications			
A-51	6" Hole In Drainboard Surface (Waste Chute Installation)		149
PR-STRAP	Stainless Steel Straps For Speed Rails (Set of 2 - For KS-2K Speed Rail Only)		44
SU-4	Modify Prestige Series Backsplash to 4" Tall		24 Lin. Ft.
SU-10A	Upgrade To S/S Legs & Bullet Feet (18" Legs - Includes Adjustable Front-to-Back Cross-Bracing)		248 Pair
SU-10B	Upgrade To S/S Legs & Bullet Feet (10" Legs - Includes Adjustable Front-to-Back Cross-Bracing)		248 Pair
SU-10C	Upgrade To S/S Legs & Bullet Feet (14" Legs - Includes Adjustable Front-to-Back Cross-Bracing)		248 Pair
SU-13	Upgrade to 10-Circuit Cold Plate (Applies to units with 7-Circuit Cold Plate)		456
SU-18RorL	Right or Left Welded Side Splash for 18" Wide Unit		164
SU-18RL	Right & Left Welded Side Splash for 18" Wide Unit		332
SU-21RorL	Right or Left Welded Side Splash for 21" Wide Unit		179
SU-21RL	Right & Left Welded Side Splash for 21" Wide Unit		348
SU-22A	Add 10"x14"x10" Sink To Drbd. Cabinet (Includes Splash Mt. Faucet)		942
SU-22C	Add 9" x 9" x 4" Sink To Drbd. Cabinet (Includes Splash Mt. Faucet)		942
SU-24	Provision To Connect Underbar Equipment (Price Per Every Two Units)		143
SU-30	Soda Chase Provision - Tip-Out (For Ice Bins w/ Backsplash Only)		456
SU-33	Working Height to Underbar Equipment		97
SU-34	Top Cutout for Under Bar Equipment		97
SU-36	Add 5-1/2" Diameter Waste Chute (Blender Stations & Drainboard Cabinets Only)		850
SU-40	Prep Unit For Installation Of Speed Rails		83
SU-41	Make Speed Rail An Odd Length		69
SU-49	Add A 7-Circuit Cold Plate To D-24-WSIBL2 Or SLC/CRC Series Ice Bins		1850
SU-42	Make Speed Rail Accommodate 1/2 Gallon Bottles		91
SU-61	Special Sizing To Reduce Length		N/C
SU-61A	Special Modification		254
SU-62C	Recess GFI Outlet For Bar Die		490
SU-68	Omit Corrugation On Drainboards (Flat Top Work Surface)		148
SU-79	Additional Drainboard Length (Flat Top Work Surface)		139 Lin. Ft.

PERFORATED BASKETS FOR UNDERBAR SINKS



A-16 \$244
Fits 10" x 14" x 7" &
10" x 14" x 10" Sinks



A-17 \$239
Fits 9 1/2" x 11 1/2" x 6" Sink
A-17A \$247
Fits 9" x 9" x 4" Sink



A-23 \$228
Fits 6" x 11" x 6" Sink

REMOVABLE BLACK PLASTIC BOTTLE RACKS



A-19 \$16 ea.
Single Bottle Rack
5 1/4" x 5 1/4"



A-20 \$47 ea.
3-Pack Bottle Rack
(6 Per Carton. Must Order in Qties. of 6)
5 1/4" x 15 7/8"



A-18 \$43 ea.
4-Pack Bottle Rack
5" x 16 1/2"

STAINLESS STEEL FALSE BOTTOM



A-41 For 24" Ice Bin.....**\$114**
A-42 For 30" Ice Bin.....**124**
A-43 For 36" Ice Bin.....**138**
A-44 For 42" Ice Bin.....**149**
A-45 For 48" Ice Bin.....**159**

SLIDING STAINLESS STEEL COVER For Free-Standing Underbar Basics Ice Bins



SSC-12 For 12" Ice Bin**\$172**
SSC-24 For 24" Ice Bin**177**
SSC-30 For 30" Ice Bin**194**
SSC-36 For 36" Ice Bin**209**
SSC-42 For 42" Ice Bin**261**
SSC-48 For 48" Ice Bin.....**268**
SSC-PT For Pass-Thru Ice Bin..... **342**

Replacement Sliding S/S Covers For Drop-in Ice Bins, See Page 92

STAINLESS STEEL ICE BIN PARTITION



14 3/4" Wide
A-38 8" High.....**\$124**
A-39 12" High.....**124**
A-40 16" High.....**124**



A-24 \$172
9" x 10.5" Add-On Blender Shelf
w/ Duplex Outlet Hidden Beneath Shelf



K-316-LU \$120
Add Wrist Handles
For Deck Or Splash Mt. Faucets

UNDERBAR ACCESSORIES

Prestige Underbar Modifications & Accessories

Prestige Ice Bin Accessories

PRA-BR-3



PRA-2405



PRA-BR-3	3-Bottle Well Support Frame For Ice Bin (For 20" Wide Units & Required For Use w/ Cover - Bottle Wells Not Included - Use A-20)		\$110
PRA-2405	24" Condiment Rack (5 Condiment Cups) Condiment Racks Hang On Backsplash Of Ice Bin		\$70

Prestige Bar Sink Accessories

SU-20RorL	Right or Left Side Splash for 20" Wide Unit		183
SU-20RL	Right & Left Side Splash for 20" Wide Unit		383
SU-25RorL	Right or Left Side Splash for 25" Wide Unit		217
SU-25RL	Right & Left Side Splash for 25" Wide Unit		410

Prestige Underbar Modifications

SU-4	Modify Prestige Series Backsplash to 4" Tall		24	Lin. Ft.
SU-12A	13" S/S "H" Leg Assembly (Includes Adjustable Front-to-Back Cross-Bracing)		248	Pair
SU-12B	" S/S H" Leg Assembly For Extra Deep Ice Bins (Includes Adjustable Front-to-Back Cross-Bracing)		248	Pair
SU-27	Cabinet Door Lock w/ Key		292	
SU-30	Soda Chase Provision (For Ice Bins w/ Backsplash Only)		456	
SU-36	Add Waste Chute (Blender Stations Only)		850	
SU-44	Add S/S Glass Rack Slides (Prestige Glass Rack Storage Cabinets Only)		559	2/Set
SU-46	Add S/S Full Extension Roller Slides (Prestige Glass Rack Storage Cabinets Only)		931	
SU-47	Add S/S Concealing Drawer Front (Prestige Glass Rack Storage Cabinets Only)		466	
SU-62C	Recess GFI Outlet For Bar Die (Wiring by Others)		490	
SU-73	Add Mirror Finish Factory Install Only		416	
SU-74	All Stainless Steel Construction Upgrade		496	
SU-75	Add Welded Stainless Steel Cross-Bracing		119	
SU-77	Modify Cabinet to be 25" Wide (Prestige Drainboard Cabinets Only)		85	

SODA GUN HOLDER

Mounts In Prestige Underbar Line Up

- Provides Housing For WunderBar® Soda Gun (14 Button or Smaller)
- Built-In Soda Gun Holder with Drip Cup
- Cover Allows Easy Access To Make Adjustments
- Keeps Tubing Lines Hidden For A Cleaner Workspace
- Includes Backsplash



PRSH-19-6
Shown



Model #	Price	Size* L x W x H	Approx. Weight	Approx. Cu. Ft.
SINGLE SODA GUN HOLDER (Holds One Gun On One Side)				
PRSH-19-4	\$622	20" x 4" x 36"	19 lbs.	3
PRSH-19-6	\$622	20" x 6" x 36"	19 lbs.	3
PRSH-24-4	710	25" x 4" x 36"	20 lbs.	3
PRSH-24-6	710	25" x 6" x 36"	20 lbs.	3

*Height is from the finished floor to the top of the splash

NOTE: Drain Connection Is Required On Drip Cup

PRESTIGE
Signature Series



TUBING CHASE

PRA-19-TC	For 20" Unit.....	\$207
PRA-24-TC	For 25" Unit.....	215

STAINLESS STEEL TRASH RECEPTACLE COVER

Trash Bin Not Included • Factory Install Only



PRST-12 \$712

- Open Unit
- Accommodates Slim Jim® Trash Can Measuring 11" x 20" x 25" (15 7/8 Gallon Capacity)*
- Units Mount Between Equipment Line Up
- Overall Size: 12" x 25" x 21"
- 33 lbs. 4 Cu. Ft.

SLIDING STAINLESS STEEL COVERS For Ice Bins




PRA-SSC-12	Fits 12" Ice Bin	\$197
PRA-SSC-18	Fits 18" Ice Bin	200
PRA-SSC-24	Fits 24" Ice Bin	204
PRA-SSC-30	Fits 30" Ice Bin	222
PRA-SSC-36	Fits 36" Ice Bin	239
PRA-SSC-42	Fits 42" Ice Bin	300
PRA-SSC-48	Fits 48" Ice Bin	308
PRA-SSC-PT30	Fits PR-44X30SP-10L or R & PR-42X30-10L or R	439
PRA-SSC-PT42	Fits PRPT-2442, PRPT-2442-10, PR-44X42SP-10L or R & PR-42X42-10L or R	472

PRESTIGE UNDERBAR ADD-ONS

Stainless Steel Underbar Fillers

Multiple Angles Available • Optional Legs



Corner Filler Shown

- Removable Perforated Drainboard Top
 - Bolt On To Sides Of Equipment
 - For Odd Shape Underbar Line Ups
- See Page 111



Stainless Steel Base Cabinet

Available With Or Without Doors

- Provides Extra Storage In Bar Line Up
- Optional Door Lock

Contact Our SmartFab Department For Details & Pricing.
SmartFab@advantetabco.com • 800-645-3166

FAUCETS

Underbar Equipment Faucets

All Items on This Page Ship via UPS

All Faucets Meet Federal Lead Free Standards

UNDERBAR DECK MOUNTED SINK FAUCETS

6" Deck
Mounted
Faucet

K-51 **\$475**
4" O.C.



3-1/2"
Gooseneck

K-52 **\$232**
4" O.C.



12"
Swing
Spout

K-53 **\$448**
4" O.C.



Water Filler
Faucet

K-54
8-1/4" High **\$491**
K-54A
12" High **\$605**



Deck Mt. 6"
Extended
Spout 4" O.C.

K-124
\$342



Dipper Well
Faucet

A-33
\$161



Gooseneck Deck Mount
Melt Down Nozzle 4" O.C.

A-29 **\$524** A-30
\$599 (Installed)



UNDERBAR SPLASH MOUNTED SINK FAUCETS

3-1/2" Splash
Mounted
Faucet

K-59
\$232
4" O.C.



Extra Heavy Duty
Splash Mounted
Faucet

K-69
\$466
4" O.C.



Splash Mt. 6"
Extended Spout 4" O.C.

K-123
\$342



Splash Mt. 6" Extended
Spout with Wrist Handles

K-206
\$446
4" O.C.



6" Splash
Mounted
Faucet

K-125
\$310
4" O.C.



10" Splash
Mounted
Spout

K-126
\$310
4" O.C.



Wrist Handles
for Faucets
(Excludes K-69)
K-316-LU
\$120



UNDERBAR SINK ACCESSORIES

WASTE OUTLETS & CHUTES

1" Waste Outlet

A-10
(6 per carton)
\$18



1-1/2" Waste Outlet

A-11
(6 per carton)
\$19



5-1/2" Stainless Steel
Open Waste Chute



A-6 **\$315**

Factory Installed

5-1/2" Dipper Well
with Insert and Drain



A-7 **\$392**

Factory Installed (Includes
TA-34 Table Top 6" Cut-Out)
1-1/2" NPT Drain Connection

STAINLESS STEEL OVERFLOW PIPES



1" Pipe
(6 per carton)

A-12 **\$18 ea.**



1-1/2" Pipe
(6 per carton)

A-13 **\$19 ea.**

(Price per each, sold in a carton of 6.
Broken carton price \$25.00 list per each)

SOAP DISPENSERS & HOLDERS

Deck Mounted
Soap Dispenser

K-12
\$151



Chrome
Towel Ring
(Packed Loose)

A-15 **\$98**



PORTABLE BARS

Heavy Duty Portable Bars

ALL STAINLESS STEEL INTERIOR! Designed For Heavy-Duty, High Volume Operation!

HEAVY DUTY OPEN BASE

- All Stainless Steel Bartender Side
- 19" x 13-1/2" x 11" Stainless Steel Integral Insulated Ice Bin
- Full Perimeter Bumpers
- 5" Heavy Duty Swivel Plate Casters (2 w/ Brakes)

- Drain & Shut-Off Valve
- Stainless Steel Speed Rails
- Open Bottom Shelf For Glass Rack Storage

Custom
Styles Available!
(See Below)



Bar Top, Front, & Sides Material	Model	Price	Length	Width	Bar Top Width	# Of Speed Rails	Speed rail Capacity	Wt.	Cu. Ft.
Black Mica	AMS-5B	\$6150	62 1/4"	27 1/4"	12"	2	10 Btls.	315 lbs.	70
Black Mica	AMS-6B	6833	74 3/8"	27 1/4"	12"	3	15 Btls.	399 lbs.	73

HEAVY DUTY WITH DOORS

- All Stainless Steel Bartender Side
- 19" x 13-1/2" x 11" Stainless Steel Integral Insulated Ice Bin
- Full Perimeter Bumpers
- 5" Heavy Duty Swivel Plate Casters (2 w/ Brakes)
- Drain & Shut-Off Valve

- Stainless Steel Speed Rails
- Bottom Shelf For Glass Rack Storage
- Center Stainless Steel Panel For Extra Support
- Hinged Door With Lock On Left & Right Side Of Center Support Panel



Bar Top, Front, & Sides Material	Model	Price	Length	Width	Bar Top Width	# Of Speed Rails	Speed rail Capacity	Wt.	Cu. Ft.
Black Mica	AMD-5B	\$6858	62 1/4"	28 1/8"	12"	2	10 Btls.	423 lbs.	71
Black Mica	AMD-6B	7542	74 3/8"	28 1/8"	12"	3	15 Btls.	464 lbs.	73

Upgrade with Cold Plates - Add suffix -7 after model # and add \$1798 to Bars cost.
See Page 124 For All Portable Bar Modifications & Accessories.

Laminates & Stainless Steel Panels for Portable Series Bars

Add model number at end of Portable bar model number when ordering & add additional cost.
 (Example: AMD-6B-LCW)



-LMP Add \$1922
 Marula Pine
 Exterior front & sides only



-LCW Add \$1922
 Columbian Walnut
 Exterior front & sides only



-LCM Add \$1922
 Calcutta Marble
 Exterior front & sides only



-SS Add \$3360
 All Stainless Steel
 Including Top



Need a Custom Color?



Custom Colors
 Available
SU-81
 Consult Factory For
 Pricing & Details

See Page 124 For Even More Options

PORTABLE BARS

Portable Bars

Custom
Colors Available!
(See Page 123)

**Designed For Heavy-Duty Use.
Perfect for High Volume Operation!**

STANDARD BLACK MICA BAR

- All Black Mica Finish
- Stainless Steel Countertop
- 18" x 20" x 10" Stainless Steel Integral Insulated Ice Bin
- Drain & Shut-Off Valve
- Open Bottom Shelf For Glass Rack Storage
- Towel Ring
- Dual Plastic Speed Rails (10 Bottle Capacity)
- 4" Swivel Plate Casters (2 w/ Brakes)

Top, Front, Back & Sides Material	Model	Price	Length	Width	Bar Top Width	Wt.	Cu. Ft.
Black Mica	D-B	\$4859	61"	24.50"	11"	310 lbs.	60



D-B Bartender Side Shown

BAR WITH ALL STAINLESS STEEL WORK AREA

- Stainless Steel Countertop, Backsplash & Inside Side Panels
- 19" x 13-1/2" x 11" Stainless Steel Integral Insulated Ice Bin
- Dual Plastic Speed Rails (10 Bottle Capacity)
- Open Bottom Shelf & Mid Shelf For Glass Rack Storage
- 5" Heavy Duty Swivel Plate Casters (2 w/ Brakes)
- 2 Towel Rings

Top, Front, Back & Sides Material	Model	Price	Length	Width	Bar Top Width	Wt.	Cu. Ft.
Black Mica	R-8-B	\$10334	95.75"	24.50"	12"	550 lbs.	625



R-8-B Bartender Side Shown

Portable Bar Modifications & Accessories



BK-2



DT-2



SU-80



-7



SU-81

-7 7-Circuit Cold Plate Sealed Into Bottom **\$1798**
Of Ice Bin Add The Suffix -7 To The Model
Number & Add To Cost (Factory Installed Only)

BK-2 Stainless Steel Speed Rail **104**

DT-2 Double Tier Stainless Steel **201**
Speed Rail

SU-80 Continuous Bumper on 3 Sides..... **987**

SU-81 Custom Mica Colors Or S/S Panels **Call Factory**
Custom Colors Include Exterior Finishes Only
(Bar Front And Sides. Additional Charge For
Bar Top. All Interiors Are Standard Black Finish,
Excluding AMS & AMD Series)

See Page 123 For Optional Laminates & Stainless Steel Options

ADVANCE TABCO HOT & COLD FOOD TABLES & DROP-INS

Features:

- Stainless Steel Body, Top & Sides
- Fiberglass Insulation (Excludes Solid Top Tables)
- 1" I.P.S. Drain (Excludes Solid Top Tables)
- Galvanized Legs with Adjustable Bullet Feet

Refrigerated & Hot Well Drop-Ins



Electric & Gas Hot Food Tables



Solid Top Tables



Everyday Buffet Tables



Ice-Cooled Tables



Refrigerated Tables



Sealed Wells

These units allow water to be poured directly into the unit and get heated. Food bins may be used without the use of a Spillage Pan.




Standard Wells

Never pour water directly into these type of units. To use hot water in these units, must use with **Model# SP-A** Aluminum Spillage Pans or **Model # SP-S** S/S Spillage Pans.



Refrigerated

These units are designed to maintain chilled foods at the proper temperature.



Non-Refrigerated

Units are designed to cool foods already chilled using only ice within its insulated bin. There is no refrigeration unit in this equipment.




HOT WELL DROP-INS

Electric Sealed Well Hot Food Drop-In Units

- 304 Stainless Steel Top
- Fiberglass Insulation Between Compartments
- 12" X 20" Die Stamped Pan Openings
- 6" Deep Units

- 1" I.P.S. Drain
- Remote Control Panel
- Infinite Control Knobs
- Indicator Lights



Individual Sealed Well
Compartments



DISW-3-120 Shown

STANDARD DROP-IN UNITS

Model #	Price	Length	Width	# of Wells	Cut-Out Size W x L	Volts	Amps	Watts	Approx. Wt.	Cu. Ft.
DISW-1-120	\$2206	15-1/2"	24-1/2"	1	23-1/2" x 15-5/8"	120	9.17	1100	73 lbs.	6
DISW-2-120	3191	30-1/2"	24-1/2"	2	23-1/2" x 29-5/8"	120	12.34	2200	110 lbs.	6
DISW-3-120	3873	44-1/2"	24-1/2"	3	23-1/2" x 43-5/8"	120	27.51	3300	135 lbs.	6
DISW-1-240	2206	15-1/2"	24-1/2"	1	23-1/2" x 15-5/8"	208/240	3.97/4.58	825/1100	73 lbs.	6
DISW-2-240	3191	30-1/2"	24-1/2"	2	23-1/2" x 29-5/8"	208/240	7.94/9.16	1650/2200	110 lbs.	6
DISW-3-240	3873	44-1/2"	24-1/2"	3	23-1/2" x 43-5/8"	208/240	11.91/13.74	2475/3300	135 lbs.	18
DISW-4-240	4601	58-1/2"	24-1/2"	4	23-1/2" x 57-5/8"	208/240	15.88/18.32	3300/4400	180 lbs.	23
DISW-5-240	5991	72-1/2"	24-1/2"	5	23-1/2" x 71-5/8"	208/240	19.85/22.90	4125/5500	208 lbs.	35
DISW-6-240*	7065	86-1/2"	24-1/2"	6	23-1/2" x 85-5/8"	208/240	23.82/27.48	4950/6600	275 lbs.	35

*6-well unit include two sets of control panels

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures



DISLSW-2-120 Shown

SLIMLINE DROP-IN UNITS

Model #	Price	Length	Width	# of Wells	Cut-Out Size W x L	Volts	Amps	Watts	Approx. Wt.	Cu. Ft.
DISLSW-2-120	\$3529	46-1/2"	16-1/2"	2	15-1/4" x 45-1/4"	120	18.34	2200	95 lbs.	11
DISLSW-3-120	4235	68-1/2"	16-1/2"	3	15-1/4" x 67-1/4"	120	27.51	3300	125 lbs.	11
DISLSW-2-240	3529	46-1/2"	16-1/2"	2	15-1/4" x 45-1/4"	208/240	3.94/9.16	1600/2200	95 lbs.	18
DISLSW-3-240	4235	68-1/2"	16-1/2"	3	15-1/4" x 67-1/4"	208/240	11.90/13.34	2475/3300	150 lbs.	18
DISLSW-4-240	5946	90-1/2"	16-1/2"	4	15-1/4" x 89-1/4"	208/240	15.88/18.32	3300/4400	155 lbs.	23

Drop-In Unit Options & Accessories

OPTIONAL NEMA 8' CORD WITH PLUGS AVAILABLE:

Drop-In Units to be hard
wired in the field.
Please consult the factory
for more information.



NEMA 5-15P

SU-P-234 \$160

1 Well, 120-240v Units



NEMA L5-30P

SU-P-231 \$287

4 Well, 120v Units



NEMA 6-20P

SU-P-232 \$103

2 or 3 Well, 240v Units



NEMA L6-30P

SU-P-233 \$287


4, 5 or 6 Well, 240v Units



Autofill Upgrade

Automatically fills & maintains water level.
For DISW, DISLSW, SW & HDSW Series.
Requires added cost Manifold Drain Assembly
(Except HDSW series). See below.

SU-90 \$2079 Autofill Only



Manifold Drain Assembly

Add The Suffix **-M** To The Model Number And
Add Additional Pricing Below.

\$254 Per Well

Filler Faucet

- Hot Water Supply Only
- Requires **-M** Manifold Drain Assembly
- Faucet Location To Be Specified When Ordering

K-49 \$390



3-Phase Upgrade

Upgrade 240 volt units to 3 Phase Wiring.

SU-72 \$494 Per Unit

Thermostatic Controls

Add The Suffix **-T** To The Model Number
And Add Additional Pricing Below.

\$224 Per Well



HOT FOOD TABLES

Electric Hot Food Tables



- Stainless Steel Body & Top
- Galvanized Legs, Undershelf & Adjustable Bullet Feet
- Enclosed Base Units Include Stainless Steel Body & Shelf
- Fiberglass Insulation Between Each Compartment
- 8" Wide Poly Cutting Board Shelf - Ships K.D.

- Galvanized Liner. (Optional Stainless Steel Liner upgrade available **Model # SU-32 \$127 per well**)
- Infinite Control Knobs & Indicator Lights
- Single Phase Wiring (Upgrade to 3 Phase Wiring for 240 Volt Units- **Model # SU-72 \$494**)



w/ Undershelf
HF-2E-240 Shown

Undershelf

Model #	Price	Length	Width*	# of Wells	Volts	Amps	Watts	NEMA Plug	Wt.	Cu. Ft.
HF-2E-120	\$2198	31-13/16"	30-5/8"	2	120	8.33	1000	5-20P	92 lbs.	28
HF-3E-120	2368	47-1/8"	30-5/8"	3	120	12.50	1500	5-20P	130 lbs.	41
HF-4E-120	3205	62-7/16"	30-5/8"	4	120	16.67	2000	L5-30P	152 lbs.	55
HF-2E-240	2198	31-13/16"	30-5/8"	2	208/240	7.21/8.33	1500/2000	6-20P	92 lbs.	28
HF-3E-240	2368	47-1/8"	30-5/8"	3	208/240	10.82/12.50	2250/3000	6-20P	120 lbs.	41
HF-4E-240	3205	62-7/16"	30-5/8"	4	208/240	14.42/16.67	3000/4000	L6-30P	152 lbs.	55
HF-5E-240	4237	77-3/4"	30-5/8"	5	208/240	18.03/20.84	3750/5000	L6-30P	170 lbs.	67

*Width Includes 8" Cutting Board

See Below For Stainless Steel Legs & Undershelf Upgrade

Enclosed Base

Model #	Price	Length	Width*	# of Wells	Volts	Amps	Watts	NEMA Plug	Wt.	Cu. Ft.
HF-2E-120-BS	\$4256	31-13/16"	30-5/8"	2	120	8.33	1000	5-20P	92 lbs.	28
HF-3E-120-BS	4690	47-1/8"	30-5/8"	3	120	12.50	1500	5-20P	210 lbs.	41
HF-4E-120-BS	5697	62-7/16"	30-5/8"	4	120	16.67	2000	L5-30P	250 lbs.	55
HF-2E-240-BS	4256	31-13/16"	30-5/8"	2	208/240	7.21/8.33	1500/2000	6-20P	92 lbs.	28
HF-3E-240-BS	4690	47-1/8"	30-5/8"	3	208/240	10.82/12.50	2250/3000	6-20P	210 lbs.	41
HF-4E-240-BS	5697	62-7/16"	30-5/8"	4	208/240	14.42/16.67	3000/4000	L6-30P	250 lbs.	55
HF-5E-240-BS	6794	77-3/4"	30-5/8"	5	208/240	18.03/20.84	3750/5000	L6-30P	290 lbs.	67
HF-6E-240-BS	7775	93-1/16"	30-5/8"	5	208/240	18.03/20.84	3750/5000	L6-30P	325 lbs.	88

*Width Includes 8" Cutting Board



Enclosed Base
HF-5E-240-BS Shown with
Optional TA-255P Casters

Enclosed Base w/ Sliding Doors

Model #	Price	Length	Width*	# of Wells	Volts	Amps	Watts	NEMA Plug	Wt.	Cu. Ft.
HF-2E-120-DR	\$4905	31-13/16"	30-5/8"	2	120	8.33	1000	5-20P	127 lbs.	28
HF-3E-120-DR	5495	47-1/8"	30-5/8"	3	120	12.50	1500	5-20P	155 lbs.	41
HF-4E-120-DR	6495	62-7/16"	30-5/8"	4	120	16.67	2000	L5-30P	197 lbs.	55
HF-2E-240-DR	4905	31-13/16"	30-5/8"	2	208/240	7.21/8.33	1500/2000	6-20P	127 lbs.	28
HF-3E-240-DR	5495	47-1/8"	30-5/8"	3	208/240	10.82/12.50	2250/3000	6-20P	155 lbs.	41
HF-4E-240-DR	6495	62-7/16"	30-5/8"	4	208/240	14.42/16.67	3000/4000	L6-30P	197 lbs.	55
HF-5E-240-DR	7555	77-3/4"	30-5/8"	5	208/240	18.03/20.84	3750/5000	L6-30P	215 lbs.	67
HF-6E-240-DR	8619	93-1/16"	30-5/8"	5	208/240	18.03/20.84	3750/5000	L6-30P	250 lbs.	88

*Width Includes 8" Cutting Board



w/ Sliding Doors
HF-5E-240-DR Shown

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures

Food Table Modifications & Accessories

For Our Full Line Of Hot Food Table Modifications, Accessories & Replacement Parts, See Page 139-142


Stainless Steel Legs & Undershelf Upgrade \$727

2 Wells	3 Wells	4 Wells	5 Wells
SU-23A	SU-23B	SU-23C	SU-23D



Galvanized Undershelf For Food Tables

2 Wells	3 Wells	4 Wells	5 Wells
SU-30-UG2 \$267	SU-30-UG3 \$339	SU-30-UG4 \$436	SU-UG5 \$491



SU-25S Add Casters to Food Units w/Undershelf
(Includes 4 - 5" Swivel Casters, 2 w/ Brakes & Legs that maintain height)

\$414 Set of 4

SU-19 Prepare Hot Tables To Be Locked Together
(One Charge For Each Table To Be Interlocked)

\$566 ea.

TA-255P Add Casters to Enclosed Base Food Units (Includes 4 - 5" Bolted Swivel Casters, 2 w/ Brakes)

668 Set of 4

SU-32 Upgrade to a Stainless Steel Lining
(For Electric Units. Excludes Sealed Hot Well Units)

127 per well

SU-5G Replacement Galvanized legs with Bullet Foot For Hot/Ice Cooled Table with Undershelf
(HF, SW, WB, STU or CPU Series)

72 ea.

SP-A Aluminum Spillage Pan

131 ea.

SP-S Stainless Steel Spillage Pan

230 ea.

TCB-OMIT Remove Poly Cutting Board & Shelf

-200 ea.

SU-72 Upgrade 240 volt units to 3-Phase Wiring

494 ea.

CB-OMIT Remove Poly Cutting Board Only

-100 ea.

HOT FOOD TABLES


Electric Sealed Well Hot Food Tables

- Stainless Steel Body & Top
- Galvanized Legs, Undershelf & Adjustable Bullet Feet
- Enclosed Base Units Include Stainless Steel Body & Shelf
- Stainless Steel Lining
- Fiberglass Insulation Between Each Compartment
- Drains With Gate Valves Per Well

- 8" Wide Poly Cutting Board Shelf - Ships K.D.
- 8 Ft. Electric Cord w/ Plug Included
- Infinite Control Knobs & Indicator Lights
- Single Phase Wiring (Upgrade to 3 Phase Wiring for 240 Volt Units- **Model # SU-72 \$494**)



Sealed Well with Drain Shown



Individual Sealed Well Compartments

Undershelf

Model #	Price	Length	Width*	# of Wells	Volts	Amps	Watts	NEMA Plug	Wt.	Cu. Ft.
SW-2E-120	\$2646	31-13/16"	30-5/8"	2	120	10.67	1280	5-20P	92 lbs.	28
SW-3E-120	3176	47-1/8"	30-5/8"	3	120	16	1920	5-20P	135 lbs.	55
SW-4E-120	4479	62-7/16"	30-5/8"	4	120	21.33	2560	L5-30P	230 lbs.	55
SW-2E-240	2646	31-13/16"	30-5/8"	2	208/240	7.94/9.16	1650/2200	6-20P	92 lbs.	28
SW-3E-240	3176	47-1/8"	30-5/8"	3	208/240	11.91/13.74	2475/3300	6-20P	135 lbs.	41
SW-4E-240	4479	62-7/16"	30-5/8"	4	208/240	15.88/18.32	3300/4400	L6-30P	197 lbs.	55
SW-5E-240	5564	77-3/4"	30-5/8"	5	208/240	19.85/22.90	4125/5500	L6-30P	215 lbs.	67

*Width Includes 8" Cutting Board

See Below For Stainless Steel Legs & Undershelf Upgrade



w/ Undershelf
SW-3E-120 Shown

Enclosed Base

Model #	Price	Length	Width*	# of Wells	Volts	Amps	Watts	NEMA Plug	Wt.	Cu. Ft.
SW-2E-120-BS	\$4955	31-13/16"	30-5/8"	2	120	10.67	1280	5-20P	127 lbs.	28
SW-3E-120-BS	5691	47-1/8"	30-5/8"	3	120	16	1920	5-20P	155 lbs.	41
SW-4E-120-BS	6995	62-7/16"	30-5/8"	4	120	21.33	2560	L5-30P	197 lbs.	54
SW-2E-240-BS	4955	31-13/16"	30-5/8"	2	208/240	7.94/9.16	1650/2200	6-20P	127 lbs.	28
SW-3E-240-BS	5691	47-1/8"	30-5/8"	3	208/240	11.91/13.74	2475/3300	6-20P	155 lbs.	41
SW-4E-240-BS	6995	62-7/16"	30-5/8"	4	208/240	15.88/18.32	3300/4400	L6-30P	197 lbs.	55
SW-5E-240-BS	8246	77-3/4"	30-5/8"	5	208/240	19.85/22.90	4125/5500	L6-30P	220 lbs.	67
SW-6E-240-BS	8951	93-1/16"	30-5/8"	6	208/240	23.82/27.48	4850/6600	L6-30P	255 lbs.	88

*Width Includes 8" Cutting Board



Enclosed Base
SW-5E-240-BS Shown
with Optional TA-255P Casters

Enclosed Base w/ Sliding Doors

Model #	Price	Length	Width*	# of Wells	Volts	Volts	Watts	NEMA Plug	Wt.	Cu. Ft.
SW-2E-120-DR	\$5499	31-13/16"	30-5/8"	2	120	10.67	1280	5-20P	145 lbs.	28
SW-3E-120-DR	6727	47-1/8"	30-5/8"	3	120	16	1920	5-20P	157 lbs.	41
SW-4E-120-DR	8265	62-7/16"	30-5/8"	4	120	21.33	2560	L5-30P	187 lbs.	54
SW-2E-240-DR	5499	31-13/16"	30-5/8"	2	208/240	7.94/9.16	1650/2200	6-20P	145 lbs.	28
SW-3E-240-DR	6727	47-1/8"	30-5/8"	3	208/240	11.91/13.74	2475/3300	6-20P	157 lbs.	41
SW-4E-240-DR	8265	62-7/16"	30-5/8"	4	208/240	15.88/18.32	3300/4400	L6-30P	260 lbs.	54
SW-5E-240-DR	8933	77-3/4"	30-5/8"	5	208/240	19.85/22.90	4125/5500	L6-30P	281 lbs.	67
SW-6E-240-DR	9777	93-1/16"	30-5/8"	6	208/240	23.82/27.48	4850/6600	L6-30P	316 lbs.	88

*Width Includes 8" Cutting Board



w/ Sliding Doors
SW-5E-240-DR Shown

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures

Food Table Accessories & Modifications

For Our Full Line Of Hot Food Table Modifications, Accessories & Replacement Parts, See Page 139-142


Stainless Steel Legs & Undershelf Upgrade \$727

2 Wells	3 Wells	4 Wells	5 Wells
SU-23A	SU-23B	SU-23C	SU-23D



Galvanized Undershelf For Food Tables

2 Wells	3 Wells	4 Wells	5 Wells
SU-30-UG2 \$267	SU-30-UG3 \$339	SU-30-UG4 \$436	SU-UG5 \$491



-T Thermostatic Control (Per Well)

\$224 ea.

-M Manifold Drains (Per Well)

254 ea.

SP-A Aluminum Spillage Pan

131 ea.

SP-S Stainless Steel Spillage Pan

230 ea.

SU-25S Add Casters to Food Units w/Undershelf

414 Set of 4

(Includes 4 - 5" Swivel Casters, 2 w/ Brakes & Legs that maintain height)

TA-255P Add Casters to Enclosed Base Food Units

668 Set of 4

(Includes 4 - 5" Bolted Swivel Casters, 2 w/ Brakes)

SU-5G Replacement Galvanized Legs with Bullet Foot For Hot/Ice Cooled Table with Undershelf

72 ea.

(HF, SW, WB, STU or CPU Series)

SU-32G Upgrade to a Stainless Steel Lining

\$127 per well

(For Gas Units. Excludes Wetbath Units)

SU-90 Automatically fills & maintains water level.

2079 Autofill Only

For DISW, DISLSW, SW & HDSW Series. Requires added cost Manifold Drain Assembly (Except HDSW series). See page 126.

K-49 Filler Faucet for Hot Tables

390 ea.

(Hot water supply only. Requires -M Manifold Drain & SU-15 Prepare for Filler Faucet Provision)

SU-15 Prepare Hot food Table For Filler Faucet

762 ea.

(For Gas Units. Excludes Wetbath Units)

TCB-OMIT Remove Poly Cutting Board & Shelf

-200 ea.

CB-OMIT Remove Poly Cutting Board Only

-100 ea.



HOT FOOD TABLES

Gas Powered Hot Food Tables

For Use with Optional Spillage Pans

- These Units Are Designed For Dry Operation Only.
- Stainless Steel Body & Top
- Galvanized Legs, Undershelf & Adjustable Bullet Feet
- Enclosed Base Units Include Stainless Steel Body & Shelf
- Galvanized Liner. (Optional Stainless Steel Liner upgrade available **Model # SU-32G \$121 per well**)
- 3500 BTU'S Per burner
- Fiberglass Insulation Between Each Compartment
- 8" Wide Poly Cutting Board Shelf - Ships K.D.
- Pilot Indicator Openings
- 1/2" Female NPT Connection To Regulator
- Infinite Control Knobs

Available For Natural Gas (NAT) Or Bottled Gas (LP)

Undershelf

Model #	Price	Length	Width*	# of Wells	Approx. Weight	Approx. Cu. Ft.
HF-2G-NAT or LP	\$2271	31-13/16"	30-5/8"	2	92 lbs.	28
HF-3G-NAT or LP	2528	47-1/8"	30-5/8"	3	130 lbs.	41
HF-4G-NAT or LP	3070	62-7/16"	30-5/8"	4	165 lbs.	55
HF-5G-NAT or LP	3780	77-3/4"	30-5/8"	5	170 lbs.	67

*Width Includes 8" Cutting Board

For Stainless Steel Legs & Undershelf Upgrade See Page 128



w/ Undershelf
HF-3G-NAT Shown

Enclosed Base

Model #	Price	Length	Width*	# of Wells	Approx. Weight	Approx. Cu. Ft.
HF-2G-NAT or LP-BS	\$3940	31-13/16"	30-5/8"	2	117 lbs.	28
HF-3G-NAT or LP-BS	4552	47-1/8"	30-5/8"	3	145 lbs.	41
HF-4G-NAT or LP-BS	5580	62-7/16"	30-5/8"	4	205 lbs.	55
HF-5G-NAT or LP-BS	6388	77-3/4"	30-5/8"	5	250 lbs.	67

*Width Includes 8" Cutting Board



Enclosed Base
HF-5G-LP-BS Shown
with Optional TA-255P Casters

SU-19 Prepare Hot Tables to be Locked Together **\$566 ea.**

(One Charge For Each Table To Be Interlocked)

NOTE: External pressure regulator is required. 4" WC pressure in for Natural Gas and 10" WC pressure in for LP.

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures

Sleek Shields™
Protected By: Patent No. US 9,010,883 B2

GLASS FOOD SHIELDS
Mounts To Top Of Hot/Cold Food Table

Self-Serve Style

- 18" Standard Height (Top of Table To Top)
- 1" Stainless Steel Tubing Posts (1 5/8" Posts Also Available)
- Includes Two 18" W x 16 3/8" H Glass Side Panels
- 1/4" Thick Heat-Tempered Glass Front & Sides
- Shipped KD



Includes TA-47
Mounting Brackets
For In-Field Installation



Chamber Lock™
Allows Front Glass To Lock
In Place At 15° Intervals



NSG-15-4WELL Shown

15" Wide Stainless Steel Shelf			15" Wide w/ Glass Top			Fits # of Bowls	Approx. Wt.	Approx. Cubes
Model #	Price	O.A. Size L x W x H	Model #	Price	O.A. Size L x W x H			
NSG-15-2WELL	\$3456	33 11/16" x 19 3/4" x 18 3/4"	GSG-15-2WELL	\$4146	33 11/16" x 19 3/4" x 18"	Fits 2-Well Unit	109 lbs.	15
NSG-15-3WELL	3597	49" x 19 3/4" x 18 3/4"	GSG-15-3WELL	4302	49" x 19 3/4" x 18"	Fits 3-Well Unit	143 lbs.	22
NSG-15-4WELL*	4211	64 5/16" x 19 3/4" x 18 3/4"	GSG-15-4WELL*	4577	64 5/16" x 19 3/4" x 18"	Fits 4-Well Unit	186 lbs.	29
NSG-15-5WELL**	4599	79 5/8" x 19 3/4" x 18 3/4"	Not Available	Not Available	Not Available	Fits 5-Well Unit	215 lbs.	38
NSG-15-6WELL**	5093	94 15/16" x 19 3/4" x 18 3/4"	Not Available	Not Available	Not Available	Fits 6-Well Unit	247 lbs.	47

GSG Series Food Shields are slightly longer than the table they rest on. They will extend about 7/8" on either end

*3/8" Thick Heat-Tempered Glass Required For Front Glass **Requires a Single Center Post (Factory Print Included)

**For Full Line Of Glass Top Food Shields
& Food Table Accessories, See Page 139-142.**

HOT FOOD TABLES

Gas Powered Wetbath Tables



- Stainless Steel Body & Top
- Galvanized Legs, Undershelf & Adjustable Bullet Feet
- Enclosed Base Units Include Stainless Steel Body & Shelf
- Stainless Steel Liner
- Stainless Steel Dish Shelf
- 8" Wide Poly Cutting Board Shelf - Ships K.D.

- 1/2" Female NPT Connection To Regulator
- Pilot Indicator Openings
- Infinite Control Knobs
- **2 & 3 Comp:** 15,000 BTU's
- **4 & 5 Comp:** 25,000 BTU's

Filler Faucet K-49 \$390



- Hot Water Supply Only
- Requires **-M** Manifold Drain Assembly & **SU-15** Filler Faucet Provision
- Faucet Location To Be Specified When Ordering

Available For Natural Gas (NAT) Or Bottled Gas (LP)

Undershelf

Model #	Price	Length	Width*	# of Wells	Approx. Weight	Approx. Cu. Ft.
WB-2G-NAT or LP	\$2838	31-13/16"	30-5/8"	2	96 lbs.	28
WB-3G-NAT or LP	3104	47-1/8"	30-5/8"	3	130 lbs.	41
WB-4G-NAT or LP	3586	62-7/16"	30-5/8"	4	157 lbs.	55
WB-5G-NAT or LP	4217	77-3/4"	30-5/8"	5	176 lbs.	67

See Below For Stainless Steel Legs & Undershelf Upgrade



w/ Undershelf
WB-4G-LP Shown

Enclosed Base

Model #	Price	Length	Width*	# of Wells	Approx. Weight	Approx. Cu. Ft.
WB-2G-NAT or LP-BS	\$4530	31-13/16"	30-5/8"	2	145 lbs.	28
WB-3G-NAT or LP-BS	4865	47-1/8"	30-5/8"	3	175 lbs.	41
WB-4G-NAT or LP-BS	5437	62-7/16"	30-5/8"	4	225 lbs.	55
WB-5G-NAT or LP-BS	6082	77-3/4"	30-5/8"	5	296 lbs.	67

*Width Includes 8" Cutting Board



Enclosed Base
WB-4G-NAT-BS Shown

NOTE: External pressure regulator is required. 4" WC pressure in for Natural Gas and 10" WC pressure in for LP.


NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures

Food Table Modifications & Accessories

For Our Full Line Of Hot Food Table Modifications, Accessories & Replacement Parts, See Page 139-142

Galvanized Undershelf For Food Tables

2 Wells	3 Wells	4 Wells	5 Wells
SU-30-UG2 \$267	SU-30-UG3 \$339	SU-30-UG4 \$436	SU-UG5 \$491



15" Height

10" Wide Serving Shelf with Built-In Food Shield

Model	Price	Length	Approx. Wt.	Cu. Ft.
TSS-2	\$1076	31-13/16"	15 lbs.	2
TSS-3	1224	47-1/8"	17 lbs.	3
TSS-4	1336	62-7/16"	19 lbs.	4
TSS-5	1435	77-3/4"	21 lbs.	4
TSS-6	1713	93-1/16"	33 lbs.	5

SU-15 Prepare Hot Food Table for Filler Faucet (Faucet Not Included. Stationary Models Only) **\$762 ea.**

SU-19 Prepare Hot Tables To Be Locked Together (One Charge For Each Table To Be Interlocked) **566 ea.**

SU-25S Add Casters to Food Units w/Undershelf (Includes 4 -5" Swivel Casters, 2 w/ Brakes) **414 Set of 4**

TA-255P Add Casters to Enclosed Base Food Units (Includes 4 -5" Bolted Swivel Casters, 2 w/ Brakes) **668 Set of 4**


SU-5G Replacement Galvanized Legs with Bullet Foot For Hot/Ice Cooled Table with Undershelf (HF, SW, WB, STU or CPU Series) **72 ea.**

SP-A Aluminum Spillage Pan **131 ea.**

SP-S Stainless Steel Spillage Pan **230 ea.**

TCB-OMIT Remove Poly Cutting Board & Shelf **-200 ea.**

CB-OMIT Remove Poly Cutting Board Only **-100 ea.**



Acrylic Side Panel for Serving Shelf

Add side panels to meet additional NSF requirements (1 panel per side)

TSP-1 \$272 One End

TSP-2 \$544 Two Ends

Field Installation Available

SOLID FOOD TABLES

Solid Top Tables

- Stainless Steel Body & Top
- Galvanized Legs, Undershelf & Adjustable Bullet Feet
- Enclosed Base Units Include Stainless Steel Body & Shelf
- 8" Wide Poly Cutting Board Shelf - Ships K.D.



Undershelf

Model #	Price	Length	Width*	Wt.	Cu. Ft.
STU-2	\$1420	31-13/16"	30-5/8"	90 lbs.	12
STU-3	1652	47-1/8"	30-5/8"	118 lbs.	17
STU-4	1959	62-7/16"	30-5/8"	150 lbs.	23
STU-5	2468	77-3/4"	30-5/8"	168 lbs.	41

*Width Includes 8" Cutting Board

For Stainless Steel Legs & Undershelf Upgrade See Page 128



w/Undershelf
STU-3 Shown

Enclosed Base

Model #	Price	Length	Width*	Wt.	Cu. Ft.
STU-2-BS	\$4602	31-13/16"	30-5/8"	115 lbs.	26
STU-3-BS	4856	47-1/8"	30-5/8"	143 lbs.	36
STU-4-BS	5757	62-7/16"	30-5/8"	185 lbs.	46
STU-5-BS	6420	77-3/4"	30-5/8"	203 lbs.	56

*Width Includes 8" Cutting Board



Enclosed Base
STU-3-BS Shown

w/ Doors

Model #	Price	Length	Width*	Wt.	Cu. Ft.
STU-2-DR	\$4985	31-13/16"	30-5/8"	125 lbs.	26
STU-3-DR	6733	47-1/8"	30-5/8"	153 lbs.	36
STU-4-DR	6279	62-7/16"	30-5/8"	195 lbs.	46
STU-5-DR	7338	77-3/4"	30-5/8"	213 lbs.	56

*Width Includes 8" Cutting Board



w/ Doors
STU-5-DR Shown

SU-19 Prepare Hot Tables to be Locked Together **\$566 ea.**

(One Charge For Each Table To Be Interlocked)

TCB-OMIT Remove Poly Cutting Board & Shelf **-200 ea.**

CB-OMIT Remove Poly Cutting Board Only **-100 ea.**

Food Table Overshelves

For Our Full Line Of Hot Food Table Modifications, Accessories & Replacement Parts, See Page 139-142



Single Overshelves



Double Overshelves

12" WIDE						18" WIDE					
Model	Price	Approx Wt.	Model	Price	Length	Approx Wt.	Cu. Ft.	Model	Price	Approx Wt.	Cu. Ft.
STOS-2	\$864	18 lbs.	STOS-2-18	\$1099	31-13/16"	20 lbs.	3	TOS-2	\$1569	32 lbs.	3
STOS-3	982	21 lbs.	STOS-3-18	1184	47-1/8"	23 lbs.	4	TOS-3	1832	38 lbs.	4
STOS-4	1106	24 lbs.	STOS-4-18	1282	62-7/16"	26 lbs.	5	TOS-4	2093	44 lbs.	5
STOS-5	1197	27 lbs.	STOS-5-18	1399	77-3/4"	30 lbs.	6	TOS-5	2354	49 lbs.	6
STOS-6	1460	33 lbs.	STOS-6-18	1706	93-1/8"	35 lbs.	6	TOS-6	2872	56 lbs.	6

COLD WELL DROP-INS

Drop-In Cold Pan Units

ICE-COOLED DROP-IN COLD PAN UNITS

- 304 Stainless Steel Top
- 9" Deep Ice Bin With Fiberglass Insulation

- Black Molding with Thermal Breaker
- 1" I.P.S. Drain



	Model #	Price	Length	Width	Cut-Out Size	Ice Capacity	Approx. Wt.	Cu. Ft.
SLIMLINE	DISLCP-2	\$2449	49 5/8"	18-5/8"	17 3/8" x 48-3/8"	93	168 lbs.	11
	DISLCP-3	\$2957	71 1/4"	18-5/8"	17 3/8" x 70"	141	178 lbs.	18
	DISLCP-4	\$3376	92 7/8"	18-5/8"	17 3/8" x 91 5/8"	186	215 lbs.	23
STANDARD	DICP-1	\$1700	18-13/16"	26 3/4"	25 1/2" x 18 5/8"	45	129 lbs.	6
	DICP-2	\$2015	34-1/8"	26 3/4"	25 1/2" x 32 1/8"	93	162 lbs.	10
	DICP-3	\$2311	49-7/16"	26 3/4"	25 1/2" x 45 5/8"	141	165 lbs.	14
	DICP-4	\$2874	64-3/4"	26 3/4"	25 1/2" x 59 1/8"	188	199 lbs.	18
	DICP-5	\$3317	80-1/8"	26 3/4"	25 1/2" x 72 5/8"	236	240 lbs.	23
	DICP-6	\$3653	95-3/8"	26 3/4"	25 1/2" x 86 1/8"	284	268 lbs.	27



Slimline
DISLCP-3 Shown



Standard
DICP-2 Shown

Optional Adapter Rails & Bars

DICP SERIES			DISLCP SERIES			Description
Model #	Fits Model:	Price	Model #	Fits Model:	Price	
SU-P-501	DICP-1	\$137				Two Left To Right Rails & Two Front-To-Back Supports. Includes Mounting Screws.
SU-P-502	DICP-2	\$205	SU-P-512	DISLCP-2	\$205	Two Left To Right Rails & Three Front-To-Back Supports. Includes Mounting Screws.
SU-P-503	DICP-3	\$273	SU-P-513	DISLCP-3	\$273	Two Left To Right Rails & Four Front-To-Back Supports. Includes Mounting Screws.
SU-P-504	DICP-4	\$341	SU-P-514	DISLCP-4	\$341	Two Left To Right Rails & Five Front-To-Back Supports. Includes Mounting Screws.
SU-P-505	DICP-5	\$410				Two Left To Right Rails & Six Front-To-Back Supports. Includes Mounting Screws.
SU-P-506	DICP-6	\$478				Two Left To Right Rails & Seven Front-To-Back Supports. Includes Mounting Screws.



Left To Right Rails & Front To Back Supports Shown Above

Horizontal Adapter Bars
For Small Pan Sizes

12" x 1"
Model # SU-45A

Works With Required Rail Kits
(See Grid Above)




REFRIGERATED DROP-IN COLD PAN UNITS

- 304 Stainless Steel Top
- 9" Deep Ice Bin With Fiberglass Insulation
- Full Insulation Galvanized Outer Jacket
- Black Molding with Thermal Breaker
- High Cooling Capacity
- Sight Glass To Ensure Properly Charges System
- Low Running Current

- 1" I.P.S. Drain
- Precision Thermostat For Exact Temperature Control
- Includes Adapter Bars For 12" X 20" Food Pans (Pans not Included)
- 8 Ft. Cord & Plug Included



Slimline
DISLRCP-2 Shown



Standard
DIRCP-3 Shown

	Model #	Price	Length	Width	Cut-Out Size	# of Wells	Refrigerant	Approx. Wt.	Cu. Ft.
SLIMLINE	DISLRCP-2	\$6531	49-5/8"	18-5/8"	17-1/8" x 48-3/8"	2	R404-A	205 lbs.	25
	DISLRCP-3	\$7335	71-1/4"	18-5/8"	15-3/8" x 70"	3	R404-A	257 lbs.	31
	DISLRCP-4	\$8151	92-7/8"	18-5/8"	17-3/8" x 91-5/8"	4	R404-A	325 lbs.	46
STANDARD	DIRCP-1	\$4952	20"	26-3/4"	25-1/2" x 18-5/8"	1	R404-A	163 lbs.	14
	DIRCP-2	\$5293	33-1/2"	26-3/4"	25-1/2" x 32-1/8"	2	R404-A	205 lbs.	22
	DIRCP-3	\$5812	47"	26-3/4"	25-1/2" x 45-5/8"	3	R404-A	257 lbs.	31
	DIRCP-4	\$6473	60-1/2"	26-3/4"	25-1/2" x 59-1/8"	4	R404-A	325 lbs.	39
	DIRCP-5	\$7585	74"	26-3/4"	25-1/2" x 72-5/8"	5	R404-A	365 lbs.	47
	DIRCP-6	\$8132	87-1/2"	26-3/4"	25-1/2" x 86-1/8"	6	R404-A	398 lbs.	55

SU-71 5 Year Extended Parts Warranty on Refrigeration Unit **\$508 Per Unit**
(Available for Refrigerated Tables & Drop-Ins. See Back Inside Cover For Full Details)



SU-P-234 - 8' Cord with
NEMA 5-15P plug Included

NOTE: Units are not designed to cool foods originally warm. Food should already be chilled to maintain the proper temperatures



COLD FOOD TABLES

Standard Ice-Cooled Tables

- 304 Stainless Steel Body & Top
- Galvanized Legs, Undershelf & Adjustable Bullet Feet
- Enclosed Base Units Include Stainless Steel Body & Shelf
- Fiberglass Insulation
- 1" I.P.S. Drain
- 8" Wide Poly Cutting Board Shelf - Ships K.D.


Undershelf

Model #	Price	Length	Width*	Wt.	Cu. Ft.
CPU-2	\$1607	31-13/16"	30-5/8"	90 lbs.	12
CPU-3	2079	47-1/8"	30-5/8"	118 lbs.	18
CPU-4	2518	62-7/16"	30-5/8"	150 lbs.	23
CPU-5	2961	77-3/4"	30-5/8"	168 lbs.	29

*Width Includes 8" Cutting Board

Stainless Steel Legs & Undershelf Upgrade \$727

2 Wells	3 Wells	4 Wells	5 Wells
SU-23A	SU-23B	SU-23C	SU-23D



SU-5G Replacement Galvanized Legs with Bullet Foot For Hot/Ice Cooled Table with Undershelf (HF, SW, WB, STU or CPU Series) **72 ea.**

w/ Undershelf
CPU-3 Shown



Optional Adapter Bars

12" x 1"	20" x 3"
Model # SU-45A \$58 ea.	Model # SU-45B \$64 ea.

Enclosed Base

Model #	Price	Length	Width*	Wt.	Cu. Ft.
CPU-2-BS	\$3991	31-13/16"	30-5/8"	115 lbs.	18
CPU-3-BS	4733	47-1/8"	30-5/8"	143 lbs.	34
CPU-4-BS	5599	62-7/16"	30-5/8"	227 lbs.	44
CPU-5-BS	5913	77-3/4"	30-5/8"	203 lbs.	54

*Width Includes 8" Cutting Board

w/ Doors


Model #	Price	Length	Width*	Wt.	Cu. Ft.
CPU-2-DR	\$4206	31-13/16"	30-5/8"	125 lbs.	24
CPU-3-DR	5042	47-1/8"	30-5/8"	153 lbs.	34
CPU-4-DR	6043	62-7/16"	30-5/8"	195 lbs.	44
CPU-5-DR	6432	77-3/4"	30-5/8"	213 lbs.	54

*Width Includes 8" Cutting Board

Enclosed Base
CPU-5-BS Shown
with Optional
Caster Kit



W/ Doors
CPU-5-DR
Shown



NOTE: Units are not designed to cool foods originally warm. Food should already be chilled to maintain the proper temperatures



CONNECT IT!

Prepare Tables To Be Locked Together While Keeping Them Lined Up! (One Charge For Each Table To Be Interlocked)
SU-19 \$566 per table

Sleek Shields™

Protected By: Patent No. US 9,010,883 B2

Self-Serve Style

- 18" Standard Height (Top of Table to Top)
- 1" Stainless Steel Tubing Posts (1 5/8" Posts Also Available)
- Includes Two 18" W x 16 3/8" H Glass Side Panels
- 1/4" Thick Heat-Tempered Glass Front & Sides
- Shipped KD

GLASS FOOD SHIELDS

Mounts To Top Of Hot/Cold Food Table



Includes TA-47
Mounting Brackets
For In-Field Installation



Chamber Lock™
Allows Front Glass To Lock
In Place At 15° Intervals



NSG-15-4WELL Shown

15" Wide Stainless Steel Shelf			15" Wide w/ Glass Top			Fits # of Bowls	Approx. Wt.	Approx. Cubes
Model #	Price	O.A. Size L x W x H	Model #	Price	O.A. Size L x W x H			
NSG-15-2WELL	\$3456	33 11/16" x 19 3/4" x 18 3/4"	GSG-15-2WELL	\$4146	33 11/16" x 19 3/4" x 18"	Fits 2-Well Unit	109 lbs.	15
NSG-15-3WELL	3597	49" x 19 3/4" x 18 3/4"	GSG-15-3WELL	4302	49" x 19 3/4" x 18"	Fits 3-Well Unit	143 lbs.	22
NSG-15-4WELL*	4211	64 5/16" x 19 3/4" x 18 3/4"	GSG-15-4WELL*	4577	64 5/16" x 19 3/4" x 18"	Fits 4-Well Unit	186 lbs.	29
NSG-15-5WELL**	4599	79 5/8" x 19 3/4" x 18 3/4"	Not Available	Not Available	Not Available	Fits 5-Well Unit	215 lbs.	38
NSG-15-6WELL**	5093	94 15/16" x 19 3/4" x 18 3/4"	Not Available	Not Available	Not Available	Fits 6-Well Unit	247 lbs.	47

GSG Series Food Shields are slightly longer than the table they rest on. They will extend about 7/8" on either end

*3/8" Thick Heat-Tempered Glass Required For Front Glass

**Requires a Single Center Post (Factory Print Included)

For Full Line Of Glass Top Food Shields
& Food Table Accessories, See Page 139-142.

COLD FOOD TABLES

Mechanically Assisted Cold Pan Tables



REFRIGERATED COLD PAN TABLES

- 304 Stainless Steel Body, Top and Legs
- Adjustable Bullet Feet
- Heavy Duty Cabinet Base
- 8" Wide Poly Cutting Board Shelf - Ships K.D.
- 1" I.P.S. Drain
- Precision Thermostat For Exact Temperature Control
- High Cooling Capacity
- Sight Glass To Ensure Properly Charges System
- Low Running Current
- 8 Ft. Electric Cord w/ Plug Included
- Includes Adapter Bars For Optional spillage Pans

Enclosed Base

Model #	Price	Length	Width*	Refrigerant	Wt.	Cu. Ft.
MACP-2-BS	\$9841	31-3/16"	30-5/8"	R404-A	230 lbs.	39
MACP-3-BS	11111	47-1/8"	30-5/8"	R404-A	256 lbs.	56
MACP-4-BS	12008	62-7/16"	30-5/8"	R404-A	380 lbs.	73
MACP-5-BS	13102	77-3/4"	30-5/8"	R404-A	465 lbs.	90

*Width Includes 8" Cutting Board

w/ Sliding Doors

Model #	Price	Length	Width*	Refrigerant	Wt.	Cu. Ft.
MACP-3-DR	\$11532	47-1/8"	30-5/8"	R404-A	385 lbs.	41
MACP-4-DR	13353	62-7/16"	30-5/8"	R404-A	420 lbs.	73
MACP-5-DR	14620	77-3/4"	30-5/8"	R404-A	505 lbs.	90

*Width Includes 8" Cutting Board

SU-71 5 Year Extended Parts Warranty on Refrigeration Unit **\$508 Per Unit**
(Available for Refrigerated Tables & Drop-Ins. See Back Inside Cover For Full Details)



SU-P-234 - 8' Cord with NEMA 5-15P plug Included



Enclosed Base
MACP-3-BS Shown



Sliding Doors
MACP-3-DR Shown

Cold Pan Table Covers

- Stainless Steel
- Plastic Handles
- Piano Hinge(s)
- Fits CPU, DICP
- MACP & BMACP Units


Model #	Price	Length	Wt.	Cu. Ft.
HC-2	\$396	28-9/16"	12 lbs.	3
HC-3	592	43-7/8"	16 lbs.	4
HC-4	648	59-3/16"	20 lbs.	5
HC-5	753	74-1/2"	24 lbs.	6

NOTE: Units are not designed to cool foods originally warm. Food should already be chilled to maintain the proper temperatures

WARNING: Refrigerated Equipment on this page may expose you to chemicals, including Ethanes, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.

Food Table Shelving

For Our Full Line Of Hot Food Table Modifications, Accessories & Replacement Parts, See Page 139-142



15" Height

Single Overshelves

12" WIDE					18" WIDE				
Model	Price	Approx Wt.	Model	Price	Length	Approx Wt.	Cu. Ft.		
STOS-2	\$864	18 lbs.	STOS-2-18	\$1099	31-13/16"	20 lbs.	3		
STOS-3	982	21 lbs.	STOS-3-18	1184	47-1/8"	23 lbs.	4		
STOS-4	1106	24 lbs.	STOS-4-18	1282	62-7/16"	26 lbs.	5		
STOS-5	1197	27 lbs.	STOS-5-18	1399	77-3/4"	30 lbs.	6		
STOS-6	1460	33 lbs.	STOS-6-18	1706	93-1/16"	35 lbs.	6		

12" Height

15" Height

Double Overshelves

12" WIDE					18" WIDE				
Model	Price	Approx Wt.	Model	Price	Length	Approx Wt.	Cu. Ft.		
TOS-2	\$1569	32 lbs.	TOS-2-18	\$1865	31-13/16"	35 lbs.	3		
TOS-3	1832	38 lbs.	TOS-3-18	2153	47-1/8"	41 lbs.	4		
TOS-4	2093	44 lbs.	TOS-4-18	2460	62-7/16"	47 lbs.	5		
TOS-5	2354	49 lbs.	TOS-5-18	2760	77-3/4"	53 lbs.	6		
TOS-6	2354	56 lbs.	TOS-6-18	2760	93-1/16"	61 lbs.	6		

Food Table Accessories

SU-25S Add Casters to Food Units w/Undershelf **\$414 Set of 4**
(Includes 4 -5" Bolted Swivel Casters, 2 w/ Brakes)

SU-25 Add Casters to Food Units w/Undershelf **414 Set of 4**
(For Units Built Before October 2015. Includes 4 -5" Swivel Casters, 2 w/ Brakes.)

TA-25 Replacement Casters For Undershelf Units **414 Set of 4**
(For Units Built After October 2015. Includes 4 -5" Swivel Casters, 2 w/ Brakes.)

TA-255P Add Casters to Enclosed Base Food Units **668 Set of 4**
(Includes 4 -5" Bolted Swivel Casters, 2 w/ Brakes)

SU-19 Prepare Hot Tables to be Locked Together **\$566 ea.**
(One Charge For Each Table To Be Interlocked)

SU-45A 12" x 1" Adapter Bar **58 ea.**

SU-45B 20" x 3" Adapter Bar **64 ea.**

TCB-OMIT Remove Poly Cutting Board & Shelf **-200 ea.**

CB-OMIT Remove Poly Cutting Board Only **-100 ea.**

Sleek Shields™ Are Also Available For Hot & Cold Food Tables. See Pages 140 For Details.

HEAVY DUTY TABLES

Heavy Duty Tables

HEAVY DUTY ELECTRIC SEALED WELL TABLES

- Heavy Duty Construction 300 Stainless Steel Body, Top and Legs
- Adjustable Stainless Steel Bullet Feet
- 8" Wide Poly Cutting Board Shelf - Ships K.D.
- Sealed Wells w/ Manifold Drains
- Thermostatic Controls
- 8 Ft. Electric Cord w/ Plug Included
- Control Knobs & Indicator Lights
- Removable Front Panel To Access Elements (Upgrade to 3 Phase Wiring for 240 Volt Units- **Model # SU-72 \$494**)



Enclosed Base
HDSW-3-240-BS Shown
with Optional TA-255P Casters



Enclosed Base

Model #	Price	Length	Width*	# of Wells	Volts	Amps	Watts	Wt.	Cu. Ft.
HDSW-2-120-BS	\$9332	31-13/16"	35-3/4"	2	120	10.67	1280	225	31
HDSW-3-120-BS	11244	47-1/8"	35-3/4"	3	120	16	1920	340	45
HDSW-4-120-BS	12935	62-7/16"	35-3/4"	4	120	21.33	2560	430	60
HDSW-2-240-BS	9332	31-13/16"	35-3/4"	2	208/240	7.94/9.16	1650/2200	225	31
HDSW-3-240-BS	11244	47-1/8"	35-3/4"	3	208/240	11.91/13.74	2475/3300	340	45
HDSW-4-240-BS	12935	62-7/16"	35-3/4"	4	208/240	15.88/18.32	3300/4400	430	60
HDSW-5-240-BS	16881	77-3/4"	35-3/4"	5	208/240	19.85/22.90	4125/5500	520	74
HDSW-6-240-BS	19702	93-1/16"	35-3/4"	6	208/240	23.82/27.48	4850/6600	610	88

*Width Includes 8" Cutting Board

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures

Autofill Upgrade

Automatically fills & maintains water level. For DISW, DISLSW, SW & HDSW Series. Requires added cost Manifold Drain Assembly (Except HDSW series). See page 126.

SU-90 \$2079 Upgrade

Filler Faucet

- Hot Water Supply Only
- Faucet Location To Be Specified When Ordering
- Requires -M Manifold Drain Assembly
- Add **SU-15 \$762** for Filler Faucet Provision



K-49 \$390

HEAVY DUTY Refrigerated Cold Well Tables

- Heavy Duty Construction 300 Stainless Steel Body, Top & Legs
- Adjustable Stainless Steel Bullet Feet
- Heavy Duty Cabinet Base
- 1" I.P.S. Drain
- Poly Cutting Board Shelf - Ships K.D.
- High Cooling Capacity
- Includes Adapter Bars For Optional Spillage Pans
- Low Running Current
- Precision Thermostat For Exact Temperature Control
- Single Phase Wiring
- 8 Ft. Electric Cord w/ Plug Included



Enclosed Base
HDRCP-3-BS Shown
with Optional TA-255P Casters

Model #	Price	Length	Width*	Refrigerant	Wt.	Cu. Ft.
HDRCP-2-BS	\$14484	31-13/16"	36-1/4"	R404-A	300 lbs.	39
HDRCP-3-BS	15191	47-1/8"	36-1/4"	R404-A	420 lbs.	56
HDRCP-4-BS	16881	62-7/16"	36-1/4"	R404-A	510 lbs.	73
HDRCP-5-BS	19694	77-3/4"	36-1/4"	R404-A	568 lbs.	90
HDRCP-6-BS	21663	93-1/16"	36-1/4"	R404-A	633 lbs.	90

*Width Includes 8" Cutting Board

SU-71 5 Year Extended Parts Warranty on Refrigeration Unit **\$508 Per Unit**
(Available for Refrigerated Tables & Drop-Ins.
See Back Inside Cover For Full Details)



CONNECT IT!

Prepare Tables To Be Locked Together
While Keeping Them Lined Up!
(One Charge For Each Table To Be Interlocked)

SU-19 \$566 per table


WARNING: Refrigerated Equipment on this page may expose you to chemicals, including Ethanes, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more Info., visit www.p65warnings.ca.gov.

HEAVY DUTY Ice-COOLED TABLES

- Stainless Steel Body, Top And Legs
- Adjustable Stainless Steel Bullet Feet
- High Cooling Capacity
- Heavy Duty Cabinet Base
- 8" Wide Poly Cutting Board Shelf - Ships K.D.



Enclosed Base
HDCPU-3-BS Shown
with Optional TA-255P Casters



Enclosed Base

Model #	Price	Length	Width*	Wt.	Cu. Ft.
HDCPU-2-BS	\$7092	31-13/16"	36-1/4"	117 lbs.	27
HDCPU-3-BS	8394	47-1/8"	36-1/4"	145 lbs.	39
HDCPU-4-BS	9076	62-7/16"	36-1/4"	205 lbs.	58
HDCPU-5-BS	11247	77-3/4"	36-1/4"	250 lbs.	69
HDCPU-6-BS	12313	93-1/16"	36-1/4"	295 lbs.	81

*Width Includes 8" Cutting Board

With Doors

Model #	Price	Length	Width*	Wt.	Cu. Ft.
HDCPU-2-DR	\$7324	31-13/16"	36-1/4"	127 lbs.	27
HDCPU-3-DR	8829	47-1/8"	36-1/4"	155 lbs.	39
HDCPU-4-DR	9346	62-7/16"	36-1/4"	215 lbs.	58
HDCPU-5-DR	11646	77-3/4"	36-1/4"	264 lbs.	69
HDCPU-6-DR	12812	93-1/16"	36-1/4"	309 lbs.	81

See Pages 139-142 For Shelving & Accessories!

BUFFET TABLES

Everyday Buffet Hot Food Tables

For Use with Optional Spillage
Pans

- Stainless Steel Top And Body
- Matte Black Vinyl Clad
- 8" Deep Liners For Optional **SP-A** Or **SP-S** Spillage Pans
- 1/4" Thick, Double Sided Thermoplastic Polymer Sneeze Guard & Side Panels
- 4" Swivel Casters, Two With Brakes
- Fiberglass Insulation
- Pre-Drilled For Optional Solid Drop-Down Tray Shelf available for one or both sides

- Infinite Control Knobs
- Indicator Lights
- 8 Ft. Electric Cord w/ Plug Included
- Single Phase Wiring (Upgrade to 3 Phase Wiring for 240 Volt Units- **Model # SU-72 \$494**)
- To Omit Sneeze Guard use **Model # BSG-OMIT** deduct **\$350**



Open Base
B3-120-B-S Shown

Open Base

Galvanized Liners	Price	Stainless Steel Liners	Price	Length	# of Wells	NEMA Plug	Volts	Amps	Watts	Wt.	Cu. Ft.
B2-120-B	\$4317	B2-120-B-S	\$4838	31-13/16"	2	5-20P	120	8.33	1000	135 lbs.	39
B3-120-B	4584	B3-120-B-S	5073	47-1/8"	3	5-20P	120	12.50	1500	246 lbs.	56
B4-120-B	5362	B4-120-B-S	5860	62-7/16"	4	L5-30P	120	16.67	2000	301 lbs.	73
B2-240-B	4317	B2-240-B-S	4838	31-13/16"	2	6-20P	208/240	7.21/8.33	1500/2000	135 lbs.	39
B3-240-B	4584	B3-240-B-S	5073	47-1/8"	3	6-20P	208/240	10.82/12.50	2250/3000	170 lbs.	57
B4-240-B	5362	B4-240-B-S	5860	62-7/16"	4	L6-30P	208/240	14.42/16.67	3000/4000	310 lbs.	73
B5-240-B	6612	B5-240-B-S	6927	77-3/4"	5	L6-30P	208/240	18.03/20.84	3750/5000	343 lbs.	90

Enclosed Base

Galvanized Liners	Price	Stainless Steel Liners	Price	Length	# of Wells	NEMA Plug	Volts	Amps	Watts	Wt.	Cu. Ft.
B2-120-B-SB	\$5389	B2-120-B-S-SB	\$5649	31-13/16"	2	5-20P	120	8.33	1000	135 lbs.	39
B3-120-B-SB	5965	B3-120-B-S-SB	6357	47-1/8"	3	5-20P	120	12.50	1500	170 lbs.	56
B4-120-B-SB	6540	B4-120-B-S-SB	7202	62-7/16"	4	L5-30P	120	16.67	2000	310 lbs.	73
B2-240-B-SB	5389	B2-240-B-S-SB	5649	31-13/16"	2	6-20P	208/240	7.21/8.33	1500/2000	135 lbs.	39
B3-240-B-SB	5965	B3-240-B-S-SB	6357	47-1/8"	3	6-20P	208/240	10.82/12.50	2250/3000	170 lbs.	56
B4-240-B-SB	6540	B4-240-B-S-SB	7202	62-7/16"	4	L6-30P	208/240	14.42/16.67	3000/4000	210 lbs.	73
B5-240-B-SB	7524	B5-240-B-S-SB	8109	77-3/4"	5	L6-30P	208/240	18.03/20.84	3750/5000	235 lbs.	90



Enclosed Base
B3-120-B-SB Shown

BUFFET TABLE SEALED WELL WITH ENCLOSED BASE

- Stainless Steel Top And Body
- Stainless Steel Sealed Wells with Manifold Drains
- Matte Black Vinyl Clad
- 10 Gauge Aluminum Dome Shape Heat Element
- 20 Gauge Stainless Steel Deep Drawn Bowls With 1" Drain
- 1/4" Thick, Double Sided Thermoplastic Polymer Sneeze Guard And Side Panels
- 4" Swivel Casters, Two With Brakes
- Fiberglass Insulation

- Optional Solid Drop-Down Tray Shelf available for one or both sides
- Infinite Control Knobs
- Indicator Lights
- Single Phase Wiring
- Single Phase Wiring (Upgrade to 3 Phase Wiring for 240 Volt Units- **Model # SU-72 \$494**)
- 8 Ft. Electric Cord w/ Plug Included
- To Omit Sneeze Guard use **Model # BSG-OMIT** deduct **\$350**



Enclosed Base
BSW3-120-B-SB Shown

Enclosed Base

Stainless Steel Liners	Price	Length	# of Wells	NEMA Plug	Volts	Amps	Watts	Wt.	Cu. Ft.
BSW2-120-B-SB	\$6410	31-13/16"	2	5-20P	120	10.67	1280	300 lbs.	30
BSW3-120-B-SB	6842	47-1/8"	3	5-20P	120	16	1920	325 lbs.	43
BSW4-120-B-SB	7715	62-7/16"	4	L5-30P	120	21.33	2560	356 lbs.	55
BSW2-240-B-SB	6410	31-13/16"	2	6-20P	208/240	7.94/9.16	1650/2200	300 lbs.	30
BSW3-240-B-SB	6842	47-1/8"	3	6-20P	208/240	11.91/13.74	2475/3300	325 lbs.	43
BSW4-240-B-SB	7715	62-7/16"	4	L6-30P	208/240	15.88/18.32	3300/4400	356 lbs.	55
BSW5-240-B-SB	9003	77-3/4"	5	L6-30P	208/240	19.85/22.90	4125/5500	370 lbs.	68

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures

See Pages 139-142 For Shelving & Accessories!

END SHELF FOR HOT/COLD TABLES (Excludes HDSW, HDRCP & HDCPU Units)

- 10" Wide x 22 1/2" Length
- Stainless Steel

Stationary **Drop-Down**
TES-1 **TES-1D**
\$725 **\$856**





BUFFET TABLES

Everyday Buffet Ice-Cooled Tables

For Use with Optional Spillage Pans

- Stainless Steel Top And Body
- Matte Black Vinyl Clad
- 8" Deep Liners With Adapter Bars
For Optional **SP-A** Or **SP-S** Spillage Pans
- 1/4" Thick, Double Sided Thermoplastic Polymer Sneeze Guard And Side Panels
- 4" Swivel Casters, Two With Brakes
- Fiberglass Insulation
- Pre-Drilled For Optional Solid Drop-Down Tray Shelf available for one or both sides
- To Omit Sneeze Guard use **Model # BSG-OMIT** deduct \$350

Open Base

Model	Price	Length	# of Wells	Wt.	Cu. Ft.
B2-CPU-B	\$4047	31-13/16"	2	225 lbs.	53
B3-CPU-B	4427	47-1/8"	3	250 lbs.	76
B4-CPU-B	4808	62-7/16"	4	310 lbs.	97
B5-CPU-B	5507	77-3/4"	5	350 lbs.	119



Open Base
B3-CPU-B Shown

Enclosed Base

Model	Price	Length	# of Wells	Wt.	Cu. Ft.
B2-CPU-B-SB	\$4570	31-13/16"	2	235 lbs.	53
B3-CPU-B-SB	4738	47-1/8"	3	260 lbs.	76
B4-CPU-B-SB	5181	62-7/16"	4	320 lbs.	97
B5-CPU-B-SB	5991	77-3/4"	5	360 lbs.	119



Enclosed Base
B3-CPU-B-SB Shown

NOTE: Units are not designed to cool foods originally warm. Food should already be chilled to maintain the proper temperatures

Everyday Buffet Tables with Solid Top

- Stainless Steel Top And Body
- Solid Stainless Steel Top
- Matte Black Vinyl Clad
- 1/4" Thick, Double Sided Thermoplastic Polymer Sneeze Guard on top and side panels and Side Panels
- 4" Swivel Casters, Two With Brakes
- Optional Solid Drop-Down Tray Shelf available for one or both sides
- To Omit Sneeze Guard use **Model # BSG-OMIT** deduct \$350

Open Base

Model	Price	Length	Wt.	Cu. Ft.
B2-STU-B	\$4184	31-13/16"	260 lbs.	53
B3-STU-B	4474	47-1/8"	300 lbs.	76
B4-STU-B	5026	62-7/16"	330 lbs.	97
B5-STU-B	5748	77-3/4"	370 lbs.	119



Open Base
B3-STU-B Shown

ENCLOSED BASE

Model	Price	Length	Wt.	Cu. Ft.
B2-STU-B-SB	\$4448	31.8125"	270 lbs.	53
B3-STU-B-SB	5024	47.125"	310 lbs.	76
B4-STU-B-SB	5603	62.4375"	340 lbs.	97
B5-STU-B-SB	5917	77.75"	380 lbs.	119



Enclosed Base
B3-STU-B-SB Shown

See Pages 139-142 For Shelving & Accessories!

BUFFET TABLES

Mechanically Assisted Everyday Buffet Tables

For Use with Optional Spillage Pans



COLD PAN TABLES WITH ENCLOSED BASE

- Stainless Steel Top, Liner And Body
- Self contained condensing unit provided with a hermetically sealed compressor with a digital, programmable thermostat
- Full Insulation With 22 Gauge Galvanized Outer Jacket
- Removable access door to compressor
- Fiberglass Insulation
- High Cooling Capacity
- Sight Glass To Ensure Properly Charges System
- Low Running Current
- Precision Thermostat For Exact Temperature Control
- 1" I.P.S. Drain

- 1/4" Thick, Double Sided Thermoplastic Polymer Sneeze Guard And Side Panels
- 4" Swivel Casters, Two With Brakes
- Includes Food Pan Adapters For optional 12" X 20" Pans
- Matte Black Vinyl Clad
- Pre-Drilled For Optional Solid Drop-Down Tray Shelf available for one or both sides
- Single Phase Wiring
- 8 Ft. Electric Cord w/ Plug Included
- To Omit Sneeze Guard use **Model # BSG-OMIT** deduct **\$350**



Enclosed Base
BMACP3-B-SB Shown

Model	Price	Length	# of Wells	NEMA Plug	Refrigerant	Wt.	Cu. Ft.
BMACP2-B-SB	\$10277	31-13/16"	2	5-20P	R404-A	250 lbs.	30
BMACP3-B-SB	10983	47-1/8"	3	5-20P	R404-A	300 lbs.	43
BMACP4-B-SB	11549	62-7/16"	4	5-20P	R404-A	345 lbs.	55
BMACP5-B-SB	12299	77-3/4"	5	5-20P	R404-A	395 lbs.	68

NOTE: Units are not designed to cook or heat frozen or refrigerated foods. Food placed in tables should already be hot, and the table will maintain the proper temperatures

SU-71 5 Year Extended Parts Warranty on Refrigeration Unit
(Available for Refrigerated Tables & Drop-Ins. See Back Inside Cover For Full Details)

\$508 Per Unit



CONNECT IT!

Prepare Tables To Be Locked Together
While Keeping Them Lined Up!
(One Charge For Each Table To Be Interlocked)
SU-19 \$566 per table

WARNING: Refrigerated Equipment on this page may expose you to chemicals, including Ethanes, that are known to the State of California to cause cancer or birth defects or other reproductive harm. For more info., visit www.p65warnings.ca.gov.

PORTABLE CASH REGISTER STANDS WITH DRAWER & KEY LOCK

- 20 Gauge, 304 Stainless Steel Frame
- Locking Drawer
- 4" Swivel Casters With Two Brakes
- Open Storage Area
- Access Hole For Power Cord
- Matte Black Vinyl Clad

(Cash Register
not included)



Model	Price	Length	Width	Height	Wt.	Cu. Ft.
BCRS-B	\$2526	22 1/2"	22 1/2"	34 3/8"	140 lbs.	19

WITH LOCKING DOOR

- Stainless Steel Interior, Frame And Bottom
- Adjustable Hinges & Locking Door w/ Key
- Full Perimeter Bumpers
- Mid-Shelf
- Black Mica Finish On Door, Top & Sides
- Open Bottom Shelf For Glass Rack Storage
- 4" Swivel Casters With Two Brakes



Model	Price	Length	Width	Height	Wt.	Cu. Ft.
AMD-2B	\$2288	24.5"	23.5"	40.5"	160 lbs.	27

EVERYDAY BUFFET SILVERWARE STAND

- 20 Gauge, 304 Stainless Steel Frame
- Includes 12 Plastic Silverware Cups
- 4" Swivel Casters With Two Brakes
- Matte Black Vinyl Clad

(Trays & silverware shown
not included)



Model	Price	Length	Width	Height	Wt.	Cu. Ft.
BSWS-B	\$3079	31.875"	22.4"	40"	160 lbs.	28

Food Table Modifications & Accessories

For Our Full Line Of Hot Food Table Modifications, Accessories & Replacement Parts, See Page 139-142

TCB-OMIT	Remove Poly Cutting Board	-\$200 ea.
CB-OMIT	Remove Poly Cutting Board Only	-100 ea.
SU-45A	12" x 1" Adapter Bar	58 ea.
SU-45B	20" x 3" Adapter Bar	64 ea.
SP-A	Aluminum Spillage Pan	131 ea.
SP-S	Stainless Steel Spillage Pan	230 ea.

SU-6	Hot/Cold Food Table Handle	\$177 ea.
SU-19	Prepare Hot Tables To Be Locked Together (One Charge For Each Table To Be Interlocked)	566 ea.
SU-72	Upgrade 240 volt units to 3-Phase Wiring	494 ea.



ACCESSORIES

Hot/Cold Food Table Shelving

TRAY SHELVES

10" Wide Stainless Steel Tray Shelves



Stationary Shelf



Drop-Down Shelf

STATIONARY		DROP-DOWN		Length	Approx Wt.	Cu. Ft.
Model	Price	Model	Price			
TTS-2	\$758	TTS-2D	\$847	31-13/16"	15 lbs.	3
TTS-3	895	TTS-3D	985	47-1/8"	17 lbs.	4
TTS-4	916	TTS-4D	1049	62-7/16"	19 lbs.	5
TTS-5	1099	TTS-5D	1171	77-3/4"	22 lbs.	6
TTS-6	1340	TTS-6D	1428	93-1/16"	25 lbs.	6

12" Wide Stainless Steel Tray Rails



Stationary Shelf

Drop-Down Shelf

STATIONARY		DROP-DOWN		Length	Approx Wt.	Cu. Ft.
Model	Price	Model	Price			
TTR-2	\$688	TTR-2D	\$805	31-13/16"	14 lbs.	3
TTR-3	845	TTR-3D	969	47-1/8"	16 lbs.	4
TTR-4	949	TTR-4D	1040	62-7/16"	18 lbs.	5
TTR-5	1103	TTR-5D	1197	77-3/4"	21 lbs.	6
TTR-6	1345	TTR-6D	1460	93-1/16"	23 lbs.	6

8" WIDE SHELF

With Removable
3/8" Thick Poly Cutting Board



- All Stainless Steel Construction
- Cutting Board Attaches To Top Shelf Using Acorn Nuts

Model	Price	Length	Approx Wt.	Cu. Ft.
TCB-2	\$327	31-13/16"	16 lbs.	3
TCB-3	444	47-1/8"	19 lbs.	4
TCB-4	557	62-7/16"	23 lbs.	5
TCB-5	648	77-3/4"	26 lbs.	6
TCB-6	761	93-1/16"	29 lbs.	7



TCB-OMIT Remove Poly Cutting Board & Shelf **-\$200 ea.**

CB-OMIT Remove Poly Cutting Board Only **-100 ea.**

Replacement 3/8" Poly Cutting Boards



Model	Price	Length	Approx Wt.
SU-P-342	\$173	31-13/16"	9 lbs.
SU-P-343	210	47-1/8"	11 lbs.
SU-P-344	237	62-7/16"	13 lbs.
SU-P-345	252	77-3/4"	15 lbs.
SU-P-346	289	93-1/16"	18 lbs.

7" WIDE DISH SHELF

Connects To TCB Series Shelf

Includes 2 Side Panels & Lower Shelf



Poly Cutting Board &
Top Shelf Not Included

Model	Price	Length	Approx Wt.	Cu. Ft.
TDS-2	\$602	31-13/16"	20 lbs.	3
TDS-3	718	47-1/8"	27 lbs.	4
TDS-4	949	62-3/8"	31 lbs.	5
TDS-5	1094	77-3/4"	38 lbs.	6
TDS-6	1234	93-1/16"	45 lbs.	7

END SHELF FOR HOT/COLD TABLES

(Excludes HDRCP, HDSW & HDCPU Units)

- 10" Wide x 22 1/2" Length
- Stationary or Drop-Down
- All Stainless Steel Construction



Stationary Shelf
Shown

STATIONARY		DROP-DOWN		Approx Wt.	Cu. Ft.
Model	Price	Model	Price		
TES-1	\$725	TES-1D	\$856	15 lbs.	3

TABLE MOUNTED OVERSHELVES

- **TOS Series:** Upper Shelf Secures To Lower Shelf With Expander Hardward (Included)
- Shipped KD



15" Height



12" Height

15" Height

12" Wide			18" Wide				
Model	Price	Approx Wt.	Model	Price	Approx Wt.	Length	Cu. Ft.
Single Tier							
STOS-2	\$864	18 lbs.	STOS-2-18	\$1099	20 lbs.	31-13/16"	3
STOS-3	982	21 lbs.	STOS-3-18	1184	23 lbs.	47-1/8"	4
STOS-4	1106	24 lbs.	STOS-4-18	1282	26 lbs.	62-7/16"	5
STOS-5	1197	27 lbs.	STOS-5-18	1399	30 lbs.	77-3/4"	6
STOS-6	1460	33 lbs.	STOS-6-18	1706	35 lbs.	93-1/16"	6
Double Tier							
TOS-2	1569	32 lbs.	TOS-2-18	1865	35 lbs.	31-13/16"	3
TOS-3	1832	38 lbs.	TOS-3-18	2153	56 lbs.	47-1/8"	4
TOS-4	2093	44 lbs.	TOS-4-18	2460	47 lbs.	62-7/16"	5
TOS-5	2354	49 lbs.	TOS-5-18	2760	53 lbs.	77-3/4"	6
TOS-6	2872	56 lbs.	TOS-6-18	3367	61 lbs.	93-1/16"	6

ACCESSORIES

Hot/Cold Food Table Food Shields



Meets Latest
NSF Standards

Sleek Shields™

Protected By: Patent No. US 9,010,883 B2



FEATURING ADVANCE TABCO'S REVOLUTIONARY
CHAMBER LOCK™ ROTATION SYSTEM

Front Glass Locks Into Place At 15° Intervals

For Double Sided Sleek Shields™
On Everyday Buffets Please Consult Factory

GLASS FOOD SHIELDS

Mounts To Top Of Hot/Cold Food Tables On Pgs. 127-135
(Excluding Drop-In Wells)

- 18 3/4" Standard Height (Top of Table To Top)
- 15" Wide Glass Top or Stainless Steel Shelf
NSG/NSGC Models: Shelves Have Square Edges On All Four Sides.
GSG Models: Glass Top Features 3/8" Heat-Tempered Glass Top
- 1" Stainless Steel Tubing Posts
- Includes Two 18" Wide x 16 3/8" High Glass Side Panels
- 1/4" Thick Heat-Tempered Glass Front & Sides*
- Ships KD



NSG-15-4WELL Shown



Includes TA-47
Mounting Brackets
For In-Field Installation

Self-Serve - Single Side

15" Wide Stainless Steel Shelf			15" Wide w/ Glass Top			Fits # of Bowls	Approx. Wt.	Approx. Cubes
Model #	Price	O.A. Size L x W x H	Model #	Price	O.A. Size L x W x H			
NSG-15-2WELL	\$3456	33 11/16" x 19 3/4" x 18 3/4"	GSG-15-2WELL	\$4146	33 11/16" x 19 3/4" x 18"	Fits 2-Well Unit	109 lbs.	15
NSG-15-3WELL	3597	49" x 19 3/4" x 18 3/4"	GSG-15-3WELL	4302	49" x 19 3/4" x 18"	Fits 3-Well Unit	143 lbs.	22
NSG-15-4WELL*	4211	64 5/16" x 19 3/4" x 18 3/4"	GSG-15-4WELL*	4577	64 5/16" x 19 3/4" x 18"	Fits 4-Well Unit	186 lbs.	29
NSG-15-5WELL**	4599	79 5/8" x 19 3/4" x 18 3/4"	Not Available	Not Available	Not Available	Fits 5-Well Unit	215 lbs.	38
NSG-15-6WELL**	5093	94 15/16" x 19 3/4" x 18 3/4"	Not Available	Not Available	Not Available	Fits 6-Well Unit	247 lbs.	47

*3/8" Thick Heat-Tempered Glass Required For Front Glass **Requires a Single Center Post (Factory Print Included)

Cafeteria Style - Single Side

15" Wide Stainless Steel Shelf			Fits # of Bowls	Approx. Wt.	Approx. Cubes
Model #	Price	O.A. Size L x W x H			
NSGC-15-2WELL	\$4145	33 11/16" x 18" x 18 3/4"	Fits 2-Well Unit	135 lbs.	15
NSGC-15-3WELL	4268	49" x 18" x 18 3/4"	Fits 3-Well Unit	176 lbs.	22
NSGC-15-4WELL*	4676	64 5/16" x 18" x 18 3/4"	Fits 4-Well Unit	232 lbs.	29
NSGC-15-5WELL**	4975	79 5/8" x 18" x 18 3/4"	Fits 5-Well Unit	265 lbs.	38
NSGC-15-6WELL**	5565	94 15/16" x 18" x 18 3/4"	Fits 6-Well Unit	300 lbs.	47

*3/8" Thick Heat-Tempered Glass Required For Front Glass **Requires a Center Leg (Factory Print Included)



NSGC-15-4WELL Shown

For Sleek Shield™ Modifications, Accessories
and Heat Lamps, See Page 73

Due to mounting requirements, food shields extend 15/16" beyond the end of the hot or cold table on each end. Units set side by side must allow for this additional space.

Self-Serve -Double Sided

- 18 3/4" Standard Height (Top of Table To Top)
- 22 3/4" Wide Stainless Steel Shelf with Square Edges On All Four Sides.
- 1" Stainless Steel Tubing Posts
- Includes Two 16 3/8" High Glass Side Panels
- 1/4" Thick Heat-Tempered Glass Front & Sides
- Ships Set Up

25" Wide Stainless Steel Shelf			Fits # of Bowls	Approx. Wt.	Approx. Cubes
Model #	Price	O.A. Size L x W x H			
NSGD-26-2WELL	\$5884	33 1/16" x 32 1/4" x 18 3/4"	Fits 2-Well Unit	285 lbs.	20
NSGD-26-3WELL	6042	49" x 32 1/4" x 18 3/4"	Fits 3-Well Unit	340 lbs.	27
NSGD-26-4WELL*	6737	64 5/16" x 32 1/4" x 18 3/4"	Fits 4-Well Unit	425 lbs.	36
NSGD-26-5WELL**	6873	79 5/8" x 32 1/4" x 18 3/4"	Fits 5-Well Unit	515 lbs.	44
NSGD-26-6WELL**	7324	93-1/8" x 32 1/4" x 18 3/4"	Fits 6-Well Unit	605 lbs.	54

*3/8" Thick Heat-Tempered Glass Required For Front Glass **Requires a Single Center Post (Factory Print Included)



NSGD-26-4WELL Shown

Due to mounting requirements, food shields extend 15/16" beyond the end of the hot or cold table on each end. Units set side by side must allow for this additional space.

ACCESSORIES

Hot & Cold Table Accessories

CAFETERIA SHELVES w/ BUILT-IN ACRYLIC FOOD SHIELDS

Features Removable Stainless Steel Shelf

Single Sided Cafeteria Style

- 15" High
- 1" Clearance From Table Top

Model	Price	Length	Approx Wt.	Cu. Ft.
TSS-2	\$1076	31-13/16"	17 lbs.	2
TSS-3	1224	47-1/8"	20 lbs.	3
TSS-4	1336	62-7/16"	23 lbs.	4
TSS-5	1435	77-3/4"	33 lbs.	4
TSS-6	1713	93-1/16"	33 lbs.	5



new

Acrylic Side Panel for TSS Series Shelves

Add Side Panels To Meet Additional NSF Requirements (1 Panel Per End) TSP-1 \$272 One End TSP-2 \$544 Two Ends

Field Installation Available

Double Sided Self-Serve Style

- 19-3/4" High
- 10" Clearance From Table Top

Model	Price	Length	Approx Wt.	Cu. Ft.
TBS-2	\$1709	31-13/16"	28 lbs.	2
TBS-3	1763	47-1/8"	33 lbs.	3
TBS-4	1925	62-7/16"	38 lbs.	4
TBS-5	2204	77-3/4"	45 lbs.	4
TBS-6	2396	93-1/16"	52 lbs.	5



new

Acrylic Side Panel for TBS Series Shelves

Add Side Panels To Meet Additional NSF Requirements (2 Panels Per End) TBP-1 \$327 One End TBP-2 \$654 Two Ends

Field Installation Available


LED Display Lighting

For Everyday Buffets & Hot/Cold Table Shelving



- Aluminum Rail with Shatter-Proof Optics
- Natural Aluminum Finish (Black or White Available On Request)
- Includes Class 2 Low Voltage Power Supply 120V-277V
- High Impact Resistant Mounting Clips


NOTE: Require 6" clearance on both sides to fit above LED Lighting. PRINT REQUIRED FOR PROPER LED LOCATION. **FACTORY INSTALLED ONLY**



LED-B Series
For Everyday Buffets



LED-H Series
For Overshelves or Food Shields



LED-G Series
For GSG Series Food Shields

Fits # of Wells	For use with Everyday Buffets		For use with STOS, TOS, TBS, TSS, NSG or NSGC Overshelves or Food Shields		For use with GSG Food Shields		LED Length
	Model #	Price	Model #	Price	Model #	Price	
2	LED-B-2	\$1486	LED-H-2	\$1486	LED-G-24	\$676	24"
3	LED-B-3	1742	LED-H-3	1742	LED-G-36	748	36"
4	LED-B-4	2001	LED-H-4	2001	LED-G-48	815	48"
5	LED-B-5	2291	LED-H-5	2290	Consult Factory		60"
6	Not Available		LED-H-6	2591	Consult Factory		72"

Individual Well Covers For Hot Food Tables

- Stainless Steel
- Removable
- Fits All Advance Tabco Hot Well Units



HFC-1 \$359 Per Well

Flip-Up Cover For Hot Food Tables

- Stainless Steel
- Removable
- Fits Advance Tabco Hot Well Units




Model #	Price	Fits # of Comp.	Wt.	Cu.
RC-1	\$747	1	23	5
RC-2	845	2	60	10
RC-3	974	3	74	15
RC-4*	1358	4	120	20
RC-5**	1513	5	134	25

* Supplied with Two RC-2 Covers

** Supplied with One RC-2 & One RC-3 Cover

Hinge Style Cover For Cold Food Tables

- Stainless Steel
- Plastic Handles & Piano Style Hinge(s)
- Fits CPU, DICP & MACP & BMACP Units



Model #	Price	Fits # of Comp.	Wt.	Cu.
HC-2	\$396	2	12	3
HC-3	592	3	16	4
HC-4	648	4	20	5
HC-5	753	5	24	6



SP-A



TA-255P



SU-25S

Stainless Steel Legs & Undershelf Upgrade \$727

2 Well Table	3 Well Table	4 Well Table	5 Well Table
SU-23A	SU-23B	SU-23C	SU-23D



SU-6	Hot/Cold Food Table Handle	\$177 ea.
SU-25S	Add Casters to Food Units w/Undershelf (Includes 4 - 5" Swivel Casters, 2 w/ Brakes)	414 Set of 4
SU-25	Add Casters to Food Units w/Undershelf (For Units Built Before October 2015. Includes 4 - 5" Swivel Casters, 2 w/ Brakes.)	414 Set of 4
SU-19	Connect Cafeteria Items (One Charge For Each Table To Be Interlocked)	566 per table
TA-25	Replacement Casters For Undershelf Units (For Units Built after October 2015. Includes 4 - 5" Swivel Casters, 2 w/ Brakes.)	414 Set of 4
TA-255P	Add Casters to Enclosed Base Food Units (Includes 4 - 5" Bolted Swivel Casters, 2 w/ Brakes)	668 Set of 4
SU-32G	Upgrade to a Stainless Steel Lining (For Gas Units. Excludes Wetbath Units)	127 per well
SP-A	Aluminum Spillage Pan	131 ea.
SP-S	Stainless Steel Spillage Pan	230 ea.
TCB-OMIT	Remove Poly Cutting Board & Shelf	-200 ea.
CB-OMIT	Remove Poly Cutting Board	-100 ea.

REPLACEMENT PARTS

Replacement Parts For Hot Food Tables

 All Items on This Page Ship via UPS

FOR GAS HOT FOOD TABLES



Gas Valve

Hi/Med/Lo

SU-P-101 \$80



Valve Adapter

SU-P-104 \$47



Gas Pilot Valve

SU-P-108 \$59



Gas Regulator

SU-P-109 \$109



Jet Burners

SU-P-105 \$123

NAT 5/16 #61

SU-P-106 \$123


LP 5/16 #74



Gas Pilot

For Wet Bath Units

SU-P-107 \$191



Gas Deflector

SU-P-411 \$34

Standard HFxG Units

SU-P-412 \$49

Stainless For SU-32G Wells



Pilot Assembly

HF-xG

SU-P-102 \$90



Gas Infinite Control Knob

SU-P-202 \$45



1 1/2" Drain

Stainless Steel

For Wetbath Tables

SU-P-103 \$64



new

Strainer Screen

For Sealed Well Tables

SU-P-403 \$20

FOR ELECTRIC HOT FOOD TABLES

ELECTRIC HEATING ELEMENTS

For Exposed Element (Dry) Models




SU-P-207 \$123

500W 120V

SU-P-204 \$123

1000W 240V

For Concealed Element Sealed Well (Wet) Models



SU-P-209 \$141


640W 120V

SU-P-206 \$141

1100W 240V

SU-P-210 \$141

1100W 120V - For Drop-In Units Only



Thermostatic Control

Replacement Thermostatic Control

SU-P-220A \$224 Per Well

120v/240v, 24" lead For Free-Standing Sealed Well Hot Food Units

SU-P-220B \$224 Per Well

120v/240v, 24" lead For Drop-In Sealed Well Hot Food Units



Electric Infinite Control Knob

SU-P-201 \$45



Thermostatic Knob

(For Units with Thermostatic Control)

SU-P-219 \$48



Infinite Control

SU-P-205 \$108

120V

SU-P-215 \$108

240V



Indicator Lights

SU-P-216 \$78

120V

SU-P-217 \$78

240V



High Limit Switch Assembly

SU-P-208 \$166

250F

Replacement Sealed Well Sub-Assembly



SU-P-401 \$762

Without Element or High Limit Switch



SU-P-402 \$44

Sealed Well or Element Pan Only

NEMA Plugs

8' Cord Set



SU-P-230 \$103

NEMA 5-20P




SU-P-231 \$287

NEMA L5-30P



SU-P-232 \$103

NEMA 6-20P



SU-P-233 \$287

NEMA L6-30P



SU-P-234 \$160

NEMA 5-15


For Full Line Of Replacement Parts, Visit Us At www.advancetabco.com

ALUMINUM RACKS


Aluminum Pan Racks



FRONT LOAD



SIDE LOAD



K.D. PAN RACKS


- 6 Cylindrical Support Bars
- 1" Square Tubing
- 5" Poly Stem Bolted Casters
- 1 1/2" Ribbed Angles
- Shipped K.D.
- Easy To Assemble

Model #	Price	Description	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
PR10-3K	\$608	Front Load	10 Full or 20 Half Size	3"	20 1/4" x 26" x 38 1/4"	14 lbs.
PR12-5K	639	Front Load	12 Full or 24 Half Size	5"	20 1/4" x 26" x 69 1/4"	24 lbs.
PR18-3K	763	Front Load	18 Full or 36 Half Size	3"	20 1/4" x 26" x 63 1/4"	31 lbs.
PR20-3K	721	Front Load	20 Full or 40 Half Size	3"	20 1/4" x 26" x 69 1/4"	33 lbs.
PR30-2K	774	Front Load	30 Full Size	2"	20 1/4" x 26" x 69 1/4"	39 lbs.
PR18-3KS	717	Side Load	18 Full Size	3"	28 1/4" x 18" x 63 1/4"	31 lbs.
PR20-3KS	753	Side Load	20 Full Size	3"	28 1/4" x 18" x 69 1/4"	27 lbs.

SEE PAGE 148
FOR
PROPER
REPLACEMENT
CASTERS



ALL WELDED - CURVED TOP - STANDARD



SIDE LOAD



FRONT LOAD

- Heavy Duty Welded Construction
- 1" Square Tubing
- Curved Top
- 5" Poly Stem Bolted Casters
- 6 Cross Supports
- 1 1/2" Heavy Duty Ribbed Angles

Model #	Price	Description	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
PR10-3W	\$705	Front Load	10 Full or 20 Half Size	3"	20 1/4" x 26" x 38 1/2"	25 lbs.
PR10-6W	832	Front Load	10 Full or 20 Half Size	6"	20 1/4" x 26" x 69 1/4"	27 lbs.
PR12-5W	847	Front Load	12 Full or 24 Half Size	5"	20 1/4" x 26" x 69 1/4"	28 lbs.
PR15-4W	858	Front Load	15 Full or 30 Half Size	4"	20 1/4" x 26" x 69 1/4"	31 lbs.
PR18-3W	872	Front Load	18 Full or 36 Half Size	3"	20 1/4" x 26" x 63 1/4"	34 lbs.
PR20-3W	882	Front Load	20 Full or 40 Half Size	3"	20 1/4" x 26" x 69 1/4"	35 lbs.
PR30-2W	1034	Front Load	30 Full or 60 Half Size	2"	20 1/4" x 26" x 69 1/4"	43 lbs.
PR10-6WS	944	Side Load	10 Full Size	6"	28 1/4" x 18" x 69 1/4"	26 lbs.
PR12-5WS	956	Side Load	12 Full Size	5"	28 1/4" x 18" x 69 1/4"	27 lbs.
PR15-4WS	1057	Side Load	15 Full Size	4"	28 1/4" x 18" x 69 1/4"	30 lbs.
PR18-3WS	1083	Side Load	18 Full Size	3"	28 1/4" x 18" x 63 1/4"	27 lbs.
PR20-3WS	1093	Side Load	20 Full Size	3"	28 1/4" x 18" x 69 1/4"	34 lbs.

ALUMINUM RACKS

Specialty Racks

ENCLOSED PAN CABINETS

- 14 Ga. Aluminum, Heavy Duty Welded Construction
 - Enclosed Extrusions
 - 5" Poly Plate Casters, 2 With Brakes
 - Flip Style Door Latch Handle
 - Side Door Lock to Prevent Opened Door From Swinging
 - 37 Pan Capacity
 - Optional Bumpers Available
 - Optional Pull Handle For Improved Mobility.
- Does Not Interfere With Other Side By Side Units.

Model #	Price	Description	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
EPC-40	\$2426	Front Load	37 Full or 74 Half Size	1 1/2"	20 1/2" x 27 1/2" x 66 1/4"	110 lbs.



Optional Accessories

Model #	Description	Price
RA-21	Optional Pull Handle	\$350
RA-22	Full Perimeter Bumpers	245
RA-23	Corner Bumpers	195

FULL & HALF SIZE CAN RACKS

Aluminum Top Poly Top Stainless Steel Top



Half Can Racks



Full Can Rack



Full Can Rack With Casters

SPEC-LINE



- Heavy Duty Welded Construction
- Metal Bullet Feet on CR10-162 only
- 4" Plate Casters with two Brakes. Standard on all Can Racks EXCEPT CR10-162 (See CR10-162M).

Model #	Price	Description	Can Capacity		Overall Size	Approx. Wt.
			#10	#5		
CR10-162	\$1590	Full Can Rack	162	216	24 3/4" x 35 1/8" x 71"	65 lbs.
CR10-162M	2045	Full Can Rack (with Casters)	162	216	24 3/4" x 35 1/8" x 71"	76 lbs.
CR10-72	1602	Aluminum Top	72	96	24 3/4" x 35 1/8" x 40 1/8"	59 lbs.
CR10-54	1318	Aluminum Top	54	72	24 3/4" x 35 1/8" x 32 5/8"	54 lbs.
CRPL10-72	1767	Poly Top	72	96	24 3/4" x 35 1/8" x 40 1/8"	79 lbs.
CRPL10-54	1535	Poly Top	54	72	24 3/4" x 35 1/8" x 32 5/8"	74 lbs.
CRSS10-72	1685	Stainless Steel Top	72	96	24 3/4" x 35 1/8" x 40 1/8"	63 lbs.
CRSS10-54	1663	Stainless Steel Top	54	72	24 3/4" x 35 1/8" x 32 5/8"	55 lbs.

ALUMINUM RACKS

Aluminum Pan Racks



Front Load

SPEC-LINE OVEN RACKS

Featuring High Temp Oven Plate Casters
and All Welded Curved Top



- Heavy Duty Welded Construction
- Curved Top
- 4" Oven Plate Casters
- 1" Square Tubing
- 6 Cross Supports
- 1 1/2" Ribbed Angles

Model #	Price	Description	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
CFL10	\$853	Front Load	10 Full or 20 Half Size	6"	20 1/4" x 26" x 68 5/8"	37 lbs.
CFL20	1085	Front Load	20 Full or 40 Half Size	3"	20 1/4" x 26" x 68 5/8"	45 lbs.
CFL30	1132	Front Load	30 Full or 60 Half Size	2"	20 1/4" x 26" x 68 5/8"	53 lbs.

Optional Accessories



Model #	Description	Price
RA-10	Pan Stop.....	\$132
RA-20	Track Pin.....	111
ORL-B	Oven Lift	167
(For Front Load Pan Racks)		

REACH-IN RACKS

- All Welded Construction
- 1" Square Tubing
- Holds up to 16 Full or 32 Half Size Pans
- 3" Shelf Spacing
- 1" Front and Rear Cross Bracing
- Shipped KD

Model #	Price	Pan Capacity	Shelf Spacing	Approx. Wt.
RR-16	\$635	16 Full or 32 Half Size	3"	23 lbs.



BUS BOX RACK

- Heavy Duty Welded Construction
- Curved Top
- 5" Stem Bolted Casters
- Overall Size: 20 3/8" x 19" x 40 7/8"



Model #	Price	Bus Box Capacity	Approx. Wt.
BC3	\$574	3	18 lbs.

Consult Factory For All Welded Reach-In Racks

KEG RACKS

- 76" High, Aluminum Alloy Construction
- Shelves Are 1-3/4" Square Tubing
- 60 Lbs. Per Sq. Ft. Load Capacity Per Shelf
- Center Support Included On 93" Keg Shelves



Model #	Price	Size	# of Kegs (Per Unit)	Approx. Wt.
KR-42	\$1304	20" x 42"	4	50 lbs.
KR-60	1389	20" x 60"	6	68 lbs.
KR-72	1468	20" x 72"	8	80 lbs.
KR-80	1527	20" x 80"	8	88 lbs.
KR-93	1889	20" x 93"	10	100 lbs.



Keg Rack Rear Strap

Prevents Kegs From Sliding Off Rear Of Keg Rack Shelf

Model #	Price	Approx. Wt.
KR-1-42	\$153	6 lbs.
KR-1-60	169	7 lbs.
KR-1-72	171	8 lbs.
KR-1-80	189	9 lbs.
KR-1-93	207	10 lbs.

SPECIALTY RACKS

Specialty Racks


PIZZA PAN & DOUGH RACKS

Pizza Pan Rack



19 5/8"

- All Welded Construction
- Solid Aluminum Top
- 12 Pan Capacity
- Holds Both Round And Square Pizza Pans
- 2" Shelf Spacing
- 5" Poly Stem Bolted Casters
- 4" Wide Slides




18 1/8"

PDB7

- All Welded Construction
- Solid Aluminum Top
- 7 Box Capacity
- 3 3/4" Shelf Spacing
- 5" Poly Stem Bolted Casters
- 2" Wide Slides

Pizza Dough Box Racks



18 1/4"

PDB14

- All Welded Construction
- No Top
- 14 Box Capacity
- 3 3/4" Shelf Spacing
- 4" Plate Casters
- 2" Wide Slides

Model #	Price	Description	Overall Size	Approx. Wt.
PZ12	\$1118	Pizza Pan Rack	22" x 20" x 33 3/4"	52 lbs.
PDB7	1190	Pizza Dough Box Rack	26" x 20 1/4" x 33 3/4"	33 lbs.
PDB14	1970	Pizza Dough Box Rack (No Top)	26" x 20 1/4" x 61 1/2"	63 lbs.

HALF SIZE RACKS

- All Welded Construction
- 5" Poly Stem Bolted Casters
- 1-1/2" Ribbed Angles

PR7-4KT SERIES

- Removable Aluminum Top

PR7-4KT Shown



PR10-3WT Shown

Model #	Price	Top	Description	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
PR7-4KT	\$771	Aluminum Top	Front Load	7 Full/14 Half Size	3 3/4"	20 5/8" x 26 7/8 x 36"	28 lbs.
PR10-3WT	927	Aluminum Top	Front Load	10 Full/20 Half Size	3"	20 1/4" x 26" x 38 1/2"	30 lbs.
PR10-3PT	1158	Poly Top	Front Load	10 Full/20 Half Size	3"	20 1/4" x 26" x 39"	45 lbs.
PR10-3ST	1398	Stainless Steel Top	Front Load	10 Full/20 Half Size	3"	20 1/4" x 26" x 39"	35 lbs.


*Top shelf spacing on the PR7-4KT is 2-1/8"

SPECIAL PURPOSE RACKS

Nesting Pan Rack

SPACESAVING DESIGN

- Nested Design To Facilitate Maximum Storage In Minimum Space
- Heavy Duty Welded Construction With "Diagonal" Cross Supports
- 1 1/4" Square Tubing
- 1" X 1-1/2" Ribbed Angles
- Heavy Duty Stem Casters
- 500 Lb. Capacity




18 1/4"

Model #	Price	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
NR-12	\$1073	12 Full or 24 Half Size	5"	21" x 26" x 69 1/4"	28 lbs.
NR-20	\$1313	20 Full or 40 Half Size	3"	21" x 26" x 69 1/4"	29 lbs.

Steam Table Pan Rack

- Heavy Duty Welded Construction
- 1" Square Tubing
- Curved Top
- 6 Cross Supports
- 5" Poly Stem Bolted Casters



14 1/2"



Model #	Price	Pan Capacity	Shelf Spacing	Overall Size	Approx. Wt.
STR20-3W	\$1190	20 Full or 40 Half Size	3"	16 3/4" x 21 1/4" x 69 1/4"	34 lbs.

ALUMINUM RACKS


Aluminum Racks

PLATTER RACK

- Heavy Duty Welded Construction
- 1" Square Tubing
- Curved Top
- 5" Poly Stem Bolted Casters
- 1 1/2" Ribbed Angles



12 5/8"
inside dim.



Model #	Price	Platter Capacity	Platter Size	Overall Size L x W x H	Approx. Wt.
PL6-12	\$909	6	12 1/2"	14 7/8" x 30" x 38 1/2"	21 lbs.

LUG CARTS

- Heavy Duty Welded Construction
- 1" Square Tubing
- Curved Top
- 5" Stem Bolted Casters




Model #	Price	Lug Capacity	Overall Size L x W x H	Approx. Wt.
LR1	\$622	1	15 3/4" x 23 1/2" x 18 3/4"	15 lbs.
LR2	642	2	19" x 26" x 31 3/4"	18 lbs.
LR4	651	4	19" x 26" x 52 3/4"	21 lbs.
LR6	692	6	19" x 26" x 69 3/4"	23 lbs.



UNIVERSAL RACKS

- Heavy Duty Welded Construction
- 1-1/4" Square Tubing
- 6 Cross Supports
- Heavy Duty 5" Stem Bolted Casters
- Stepped Angles
- Overall Size: 26" x 26" x 69 1/4"
- Front Tray Load

Model #	Price	Pan Capacity	Shelf Spacing	Approx. Wt.
UR10	\$1535	10 Full or 20 Half Size	6"	86 lbs.
UR12	1663	12 Full or 24 Half Size	5"	100 lbs.




TRAY RACKS

Holds Baking Pans,
Steam Table Pans
& Service Trays

- Heavy Duty Welded Construction
- 1-1/4" Square Tubing
- Heavy Duty 5" Poly Stem Bolted Casters
- 4" Wide Angles
- Overall Size: 26" x 28" x 69 1/4"
- Front Tray Load


Model #	Price	Pan Capacity	Shelf Spacing	Approx. Wt.
OT10-6	\$1154	10 Full or 20 Half Size	6"	68 lbs.
OT20-3	1614	20 Full or 40 Half Size	3"	102 lbs.



DONUT RACK

- Heavy Duty Welded Construction
- 1" Square Tubing
- Curved Top
- 6 Cross Supports
- 5" Poly Stem Bolted Casters
- Holds 23" x 23" and 24" x 24" Donut Screens
- Overall Size: 26 3/8" x 24" x 69 1/4"
- Front Tray Load

Model #	Price	Pan Capacity	Shelf Spacing	Approx. Wt.
DR20-3	\$895	20 Full or 40 Half Size	3"	39 lbs.



WIRE PAN RACKS

- Heavy Duty Welded Frame Construction
- Curved Top
- 36 Full Size Pan Capacity
- 1 1/2" Shelf Spacing
- 6 Cross Supports
- 5" Stem Bolted Casters
- Nickel Chrome Plated Steel Wire Racks

Front Load Shown



Model #	Price	Tray Load	Pan Capacity	Overall Size	Approx. Wt.
WR-36	\$1093	Front	36 Full or 72 Half Size	20 1/4" x 25" x 70 1/4"	72 lbs.
WR-36S	1162	Side	36 Full Size	28 1/4" x 19 1/8" x 70 1/4"	64 lbs.

BUN PANS

Bun Pans & Accessories



Look For Our Advertised
Specials on Sheet
Pan Pricing

ALUMINUM BUN PANS

 = All Bun Pans Ship via UPS

Model #	Price	Size	Style	Gauge	Approx. Wt.
18-A-26	\$40 ea.	18" x 26"	Heavy Duty	16	48 lbs.
18-8A-26	35 ea.	18" x 26"	Standard	18	40 lbs.
18-8P-26	46 ea.	18" x 26"	Perforated	18	33 lbs.
18-8A-13	29 ea.	18" x 13"	Half Size	18	24 lbs.


Packed One Dozen per Carton.
No splitting of CARTONS permitted.

PAN RACK ACCESSORIES

All Pan Rack Accessories Ship via UPS



12" Tall
Vertical
Bumper



Stem Bolted
Caster



Hi-temp
Oven
Plate
Caster



Plate
Caster



Bun Pan
Dolly
Caster



PRC-1



PRC-2

Bun Pan Rack Covers with 3 Zippers

PRC-1 Enclosed Heavy Duty Plastic Cover.....**\$312 ea.**
with Clear Front

PRC-2 Economy See-Thru Plastic Cover..... **230 ea.**

**For Full Line of Aluminum Pan Racks,
See Page 143-147**

Model #	Description	Weight Capacity	Approx. Weight	Price
RA-10	Pan Stop	-	3 lbs.	\$132
RA-20	Track Pin	-	3 lbs.	111
RA-24	12" Vertical Bumpers (Set of 4)	-		152
RA-25	5" Stem Bolted Caster	125 lbs.	4 lbs.	56 ea.
RA-26	5" Stem Bolted Caster w/ Brake	125 lbs.	4 lbs.	66 ea.
RA-25SV	5" Stem Bolted Caster for PR1803K, PR20-3K & PR12-5K ONLY	125 lbs.	4 lbs.	56 ea.
RA-26SV	5" Stem Bolted Caster w/Brake for PR1803K, PR20-3K & PR12-5K ONLY	125 lbs.	4 lbs.	66 ea.
RA-30	4" Plate Caster w/ Built-in Zerk Grease Fitting	400 lbs.	4 lbs.	189 ea.
RA-35	4" Plate Caster w/ Brake	400 lbs.	4 lbs.	198 ea.
RA-40	4" Hi-temp Oven Plate Casters w/ Built-in Zerk Grease Fitting	300 lbs.	4 lbs.	135 ea.
RA-45	4" Hi-Temp Oven Plate Caster w/ Brake	300 lbs.	4 lbs.	147 ea.
RA-50	3" Bun Pan Dolly Caster	250 lbs.		61 ea.
RA-60	5" Heavy Duty Stem Caster for Universal & Oval Racks Only.	300 lbs.	4 lbs.	88 ea.
RA-65	5" Heavy Duty Stem Caster with Brake for Universal & Oval Racks Only.	300 lbs.	4 lbs.	98 ea.
ORL-B	18" Oven Lift For Front Load Pan Racks	-	1 lbs.	167 ea.

RACKS & CARTS

Racks & Carts

PAN TRUCK



- Heavy Duty Welded Construction
- 1" Square Tubing
- Curved Top
- Heavy Duty 3" Plate Casters
- Holds 60 Full Size Pans
- 600 lb. Weight Capacity



Model #	Price	Size	Approx. Wt.
PD-1	\$504	20" x 26 1/2" x 32"	20 lbs.

UTILITY CARTS

- 2 Chrome Plated Numbered Posts
- 3 Adjustable Stainless Steel Shelves with Tapered Split Sleeves
- 4 Swivel Casters (2 w/Brakes) & Donut Bumpers
- 150 lb. Load Capacity
- Shipped Knocked Down



Model #	Price	Size	Shelf Size	Approx. Wt.
UC-3-1827	\$1425	31 3/4" x 18" x 38 1/4"	18" x 27"	25 lbs.
UC-3-2433	\$1860	37 3/4" x 24" x 38 1/4"	24" x 33"	40 lbs.

GLASS RACK & PAN RACK DOLLIES

Bun Pan Dolly

- Heavy Duty Welded Construction
- 3" Plate Casters
- Holds 60 Full Size Pans
- 600 lb. Weight Capacity




Glass Rack Dolly

- Heavy Duty Welded Construction
- 3" Plate Casters
- 600 lb. Weight Capacity



Model #	Price	Description	Size	Approx. Wt.
BPD-1	\$542	Bun Pan Dolly	26 3/4" x 18 3/4" x 5"	15 lbs.
GRD-1	471	Glass Rack Dolly	20 1/2" x 20 1/2" x 5 1/4"	14 lbs.



Optional
Glass Rack Dolly Handle
(Assembly Required)
RA-14 \$457

ALUMINUM DUNNAGE RACKS

Stationary Dunnage Racks

8" & 12" Height Available



12" Height		8" Height		Size	# of Legs	Distribution Weight Capacity	Approx. Wt.
Model #	Price	Model #	Price				
DUN-2036	\$287	DUN-2036-8	\$287	20" x 36"	4	1500 lbs.	10 lbs.
DUN-2048	332	DUN-2048-8	332	20" x 48"	4	1800 lbs.	12 lbs.
DUN-2060	377	DUN-2060-8	377	20" x 60"	6	2000 lbs.	16 lbs.
DUN-2436	324	DUN-2436-8	324	24" x 36"	4	1500 lbs.	11 lbs.
DUN-2448	377	DUN-2448-8	377	24" x 48"	4	1800 lbs.	13 lbs.
DUN-2460	421	DUN-2460-8	421	24" x 60"	6	2000 lbs.	17 lbs.

Mobile Dunnage Racks

- Four 6" Plate Casters (2 Swivel, 2 Stationary)
- Includes Pull Handle For Easier Mobility
- 2000 Lb. Rolling Capacity



Now Includes Pull Handle

36" Height with Handle

Model #	Price	Size	Distribution Weight Capacity	Approx. Wt.
DUN-2036C	\$765	20" x 36"	1500 lbs.	35 lbs.
DUN-2048C	844	20" x 48"	1800 lbs.	40 lbs.
DUN-2060C	983	20" x 60"	2000 lbs.	45 lbs.



SHELVING

Chrome & Green Epoxy Wire Shelving

 All Items on This Page Ships via UPS

WIRE SHELVES 

Each Shelf Holds Up To 800 Lbs. Distributed Weight




Posts are
Numbered
for easy
assembly

	Shelf Size	CHROME	GREEN EPOXY	Price (Each)	Price (Set of 4)	Approx. Boxed Wt.	Boxed Cu. Ft.
14" WIDE	14" x 24"	EC-1424	EG-1424	\$64	\$256	35 lbs.	1.5
	14" x 30"	EC-1430	EG-1430	67	268	41 lbs.	2
	14" x 36"	EC-1436	EG-1436	71	284	47 lbs.	2.5
	14" x 42"	EC-1442	EG-1442	79	316	52 lbs.	3
	14" x 48"	EC-1448	EG-1448	87	348	58 lbs.	3.5
	14" x 60"	EC-1460	EG-1460	96	384	38 lbs.	2
	14" x 72"	EC-1472	EG-1472	129	516	45 lbs.	2.5
18" WIDE	18" x 24"	EC-1824	EG-1824	70	280	39 lbs.	2
	18" x 30"	EC-1830	EG-1830	72	288	45 lbs.	2.5
	18" x 36"	EC-1836	EG-1836	79	316	51 lbs.	3
	18" x 42"	EC-1842	EG-1842	92	368	56 lbs.	3.5
	18" x 48"	EC-1848	EG-1848	96	384	64 lbs.	4
	18" x 54"	EC-1854	EG-1854	122	488	35 lbs.	2
	18" x 60"	EC-1860	EG-1860	126	504	41 lbs.	2.5
21" WIDE	21" x 24"	EC-2124	EG-2124	75	300	42 lbs.	2.5
	21" x 30"	EC-2130	EG-2130	87	348	49 lbs.	3
	21" x 36"	EC-2136	EG-2136	93	372	56 lbs.	3.5
	21" x 42"	EC-2142	EG-2142	110	440	62 lbs.	4
	21" x 48"	EC-2148	EG-2148	117	468	70 lbs.	4.5
	21" x 54"	EC-2154	EG-2154	127	508	39 lbs.	2.5
	21" x 60"	EC-2160	EG-2160	142	568	45 lbs.	3
24" WIDE	21" x 72"	EC-2172	EG-2172	166	664	53 lbs.	3.5
	24" x 24"	EC-2424	EG-2424	86	344	44 lbs.	3
	24" x 30"	EC-2430	EG-2430	96	384	51 lbs.	3.5
	24" x 36"	EC-2436	EG-2436	107	428	58 lbs.	4
	24" x 42"	EC-2442	EG-2442	117	468	64 lbs.	5
	24" x 48"	EC-2448	EG-2448	126	504	72 lbs.	5.5
	24" x 54"	EC-2454	EG-2454	147	588	41 lbs.	3
	24" x 60"	EC-2460	EG-2460	154	616	47 lbs.	3.5
	24" x 72"	EC-2472	EG-2472	176	704	55 lbs.	4

24" To 48" Length Shelves Are Packed 4 To A Box And 54", 60" And 72" Shelves Are Packed 2 To A Box.
4 Pair Plastic Split Sleeves Are Included With Each Shelf.

POSTS FOR WIRE SHELVING

Posts Are Numbered




Post Height	Posts With Adjustable Foot				Posts For Casters (Casters Priced Separately)				Approx. Boxed Wt.	Approx. Cu. Ft.
	CHROME	GREEN EPOXY	Each	Set of 4	CHROME	GREEN EPOXY	Each	Set of 4		
14"	ECP-14	EGP-14	\$29	\$116	ECPC-14	EGPC-14	\$30	\$120	4 lbs.	.07
34"	ECP-34	EGP-34	38	152	ECPC-34	EGPC-34	38	152	8 lbs.	.18
54"	ECP-54	EGP-54	42	168	ECPC-54	EGPC-54	43	172	12 lbs.	.28
64"	ECP-64	EGP-64	46	184	ECPC-64	EGPC-64	49	196	15 lbs.	.33
74"	ECP-74	EGP-74	54	216	ECPC-74	EGPC-74	54	216	17 lbs.	.39
86"	ECP-86	EGP-86	64	256	ECPC-86	EGPC-86	64	256	20 lbs.	.45

5" CASTERS

Sets Feature 4 - 5" Swivel Casters
(2 w/ Brakes & 4 Donut Bumpers)

Casters For Wire Shelving Only,
See **Page 66** For Casters For Tables.



1000 lb. Max. Load Capacity For Shelving Casters

EC-25 Rubber Casters.....\$282 /set of 4

EC-26 Poly Casters..... 347 /set of 4

SHELVING

Shelving Combos

CHROME & GREEN EPOXY WIRE SHELVING COMBOS



Includes 4 Wire Shelves And 4 - 74" Posts



Chrome



Green Epoxy

Chrome		Green Epoxy		Shelf Size	Post Height	Approx. Wt.
Model #	Price	Model #	Price			
ECC-1436	\$500	EGG-1436	\$500	14" x 36"	74"	64 lbs.
ECC-1442	532	EGG-1442	532	14" x 42"	74"	69 lbs.
ECC-1448	564	EGG-1448	564	14" x 48"	74"	75 lbs.
ECC-1460	600	EGG-1460	600	14" x 60"	74"	93 lbs.
ECC-1472	732	EGG-1472	732	14" x 72"	74"	107 lbs.
ECC-1836	532	EGG-1836	532	18" x 36"	74"	68 lbs.
ECC-1842	584	EGG-1842	584	18" x 42"	74"	73 lbs.
ECC-1848	600	EGG-1848	600	18" x 48"	74"	81 lbs.
ECC-1854	704	EGG-1854	704	18" x 54"	74"	88 lbs.
ECC-1860	720	EGG-1860	720	18" x 60"	74"	99 lbs.
ECC-1872	804	EGG-1872	804	18" x 72"	74"	115 lbs.
ECC-2436	644	EGG-2436	644	24" x 36"	74"	75 lbs.
ECC-2442	684	EGG-2442	684	24" x 42"	74"	81 lbs.
ECC-2448	720	EGG-2448	720	24" x 48"	74"	89 lbs.
ECC-2454	804	EGG-2454	804	24" x 54"	74"	97 lbs.
ECC-2460	832	EGG-2460	832	24" x 60"	74"	111 lbs.
ECC-2472	920	EGG-2472	920	24" x 72"	74"	127 lbs.

MOBILE CARTS

Includes 4 Chrome Wire Shelves
And 4 - 64" Posts

- 4 Swivel Casters
(2 with Brakes & 4 Donut Bumpers)
- Finished Height of 70"
- Weight Capacity Not To Exceed
1000 lbs. Total Weight



w/ Rubber Casters		w/ Poly Casters		Shelf Size	Approx. Wt.
Model #	Price	Model #	Price		
MC-1836R	\$782	MC-1836P	\$847	18" x 36"	43 lbs.
MC-1848R	850	MC-1848P	915	18" x 48"	55 lbs.
MC-1860R	970	MC-1860P	1035	18" x 60"	86 lbs.
MC-2436R	894	MC-2436P	959	24" x 36"	62 lbs.
MC-2448R	970	MC-2448P	1035	24" x 48"	76 lbs.
MC-2460R	1082	MC-2460P	1147	24" x 60"	98 lbs.

FOR ADDITIONAL SHELVING, SEE PAGE 150

WIRE UTILITY CARTS

- 3 Chrome Wire Shelves
- Tubular Numbered Handles
- 12 Plastic Split Sleeves
- 32" Finished Height
- 4 - Swivel Casters (2 w/ Brakes & Donut Bumpers)



Rubber Casters		Poly Casters		Size	Approx. Wt.	Approx. Cu. Ft.
Model #	Price	Model #	Price			
WUC-1836R	\$701	WUC-1836P	\$766	18" x 36"	53 lbs.	3
WUC-1842R	740	WUC-1842P	805	18" x 42"	55 lbs.	4
WUC-2436R	785	WUC-2436P	880	24" x 36"	58 lbs.	4
WUC-2442R	845	WUC-2442P	910	24" x 42"	61 lbs.	5

800 lb. Capacity

1000 lb. Capacity

UTILITY CART HANDLES


34" Tubular Numbered Posts
(Fits EC-25 And EC-26 Casters)

Model #	Price	Width
UCH-18	\$91 ea.	18"
UCH-24	106 ea.	24"



SOLID STAINLESS STEEL SHELVES

Use With Chrome Posts Only
(Posts Not Included)



Load Capacity = 15 lbs./sq. Ft.
(Evenly Distributed)

Model #	Price	Width
SH-1824	\$314 ea.	18" x 24"
SH-1836	394 ea.	18" x 36"
SH-1842	422 ea.	18" x 42"
SH-1848	470 ea.	18" x 48"
SH-1860	569 ea.	18" x 60"


WIRE SHELVING

Specialty Wire Shelving & Accessories

WALL SHELF MOUNTING BRACKETS

Single Mount Includes 2 Brackets
& 4 Collar Filler Caps

Double Mount Includes 1 Bracket



Chrome	Green Epoxy	Price	Size	Approx. Wt.
SINGLE BRACKET				
SB-14	GB-14	\$107	14"	2 lbs.
SB-18	GB-18	133	18"	3 lbs.
DOUBLE BRACKET (For Adjoining Shelves)				
DB-14	GDB-14	123	14"	3 lbs.
DB-18	GDB-18	160	18"	4 lbs.

WALL MOUNTED SHELVING SYSTEM

Mounting Hardware Included • Shelves Sold Separately

End Mount Kit

- 4 Single Shelf Brackets
- 2 - 34" Posts
- Collar Filler Caps

AB2-14 **\$240**

14" Wide

AB2-18 **\$321**

18" Wide

Mid-Mount Kit


- 2 Double Shelf Brackets
- 1 - 34" Posts
- For Adjoining Shelves

ABM2-14 **\$166**

14" Wide

ABM2-18 **\$197**

18" Wide



For Additional Tiers, Order Larger Posts On Page 150 With EC-50
Mounting Hardware For Each Post And Use The Following Brackets.

WALL MOUNTED SHELVING SYSTEM EXPANSION KITS

- Includes Adjustable Bracket(s)

2 Single End Mount Brackets

AAB-14 **\$66**

14" Wide

AAB-18 **\$75**

18" Wide

1 Double Mid- Mount Bracket

AABM-14 **\$85**

14" Wide

AABM-18 **\$97**

18" Wide

Mounting Hardware

- Includes 2 End Mounts
& 1 Mid-Mount Per Post

EC-50 **\$54**

REPLACEMENT PARTS & ACCESSORIES



EC-10



EC-16



EC-20



EC-30



EC-15



EC-11



EC-5



EC-40

EC-5	Post Clamp	\$19 ea.
EC-10	Replacement Leveling Foot	13 ea.
EC-11	Foot Plate	18 ea.
EC-15	Chrome Collar Filler Caps	16 /pack
(For Add-Shelving and Wall Mounted Shelves - 4 per pack)		
EC-16	Plastic Post Cap (4 pair per pack)	14 /pack
EC-20	Tapered Split Sleeves (4 per pack)	16 /pack
EC-30	S Hooks for add-shelving (2 pair per pack)	25 /pack
EC-40	Black Label Holder (3" x 1")	25 ea.

CASTERS FOR WIRE SHELVING

5" Swivel Stem Casters (2 w/ Brakes & 4 - Donut Bumpers)

Load Capacity Is 500 Lbs. Per Set.



Rubber

EC-25 **\$282**
Set of 4



Poly

EC-26 **\$347**
7Set of 4

THESE CASTERS ARE FOR WIRE SHELVING UNITS ONLY.

See Page 68 For S/S Worktable Casters.

ADVANCE TABCO WARRANTY

General Terms for all Advance Tabco items (including those listed below):

- Warranty applies in the 48 contiguous United States only
- ALL WARRANTY WORK MUST BE AUTHORIZED BY THE FACTORY BEFORE ANY WORK IS PERFORMED. Work performed without prior authorization shall be covered under this warranty only at the sole discretion of Advance Tabco
- At no time will expenses to be paid under warranty exceed the original cost of the item
- Routine maintenance and wear items are not covered by warranty.
- Repair parts are sent by ground transportation. Any expedited freight charges will be at the expense of the end user
- Warranty applies only under conditions of normal use and does not apply to defects which result from negligence, misuse, freight damage, improper installation or accidents.
- Warranty does not include any coverage for loss of business, damages, freight or other miscellaneous expenses incurred due to the defect or in servicing the unit.
- This warranty is made in lieu of all other warranties express or implied and no additional warranties express or implied, including one of merchantability or fitness for a particular purpose are given.
- If defects are the result of **freight or handling damage** your first recourse MUST be to notify the delivering freight carrier of the damage. If possible any damage should be noted on the delivery receipt at the time of delivery. Defects due to freight damage should be referred to the freight carrier for correction and compensation (this applies regardless of who was responsible for paying the freight charges or selecting the carrier).
- **Hot Food and Refrigerated Tables and Drop-Ins** are warranted for 12 months from the date of shipment from the factory or 6 months from the date first placed into service (whichever comes first) and include the following terms:
 - Applies only to parts directly related to the electric, gas or refrigeration components of covered items (see below for all other parts)
 - Covers parts and labor during the warranty period (refrigeration components include labor coverage for 12 months from date of shipment or 3 months from date placed into service, with parts covered as described above). Labor performed after hours, as overtime, on weekends or on holidays is not covered by this warranty (end user may authorize and pay such expenses directly to service agency if desired)
 - Includes travel up to 100 miles round trip or 2 hours of travel time (additional travel will be at the end users expense)
- **Refrigeration Compressors for Tables and Drop-Ins are eligible for additional optional warranty coverage (if purchased):**
 - Must be purchased at the time the covered unit is ordered from the factory
 - Valid for 60 months from the date of shipment from the factory
 - Covers parts only (no labor, no freight). Applies only to the compressor unit
 - Excludes the cost of refrigerant
- **Refrigerated underbar equipment (Glass Frosters, Bottle Coolers, Back Bar Refrigeration)** is warranted for 24 months from the date of shipment from the factory and includes the following terms:
 - Covers parts and labor during the warranty period. Labor performed after hours, as overtime, on weekends or on holidays is not covered by this warranty (end user may authorize and pay such expenses directly to service agency if desired)
 - Includes travel up to 100 miles round trip or 2 hours of travel time (additional travel will be at the end users expense)
 - Compressors only are warranted for a total of 60 months parts only (36 months parts after the initial 24 month parts and labor coverage)
- **Ware Washing Machines** are warranted for 12 months from the date of shipment from the factory and include the following terms:
 - Covers parts and labor during the warranty period. Labor performed after hours, as overtime, on weekends or on holidays is not covered by this warranty
 - Includes travel up to 100 miles round trip or 2 hours of travel time (additional travel will be at the end users expense)
 - Any repairs or service conducted other than by an authorized service agent will void this warranty
- **All Advance Tabco items not mentioned above (including parts not otherwise covered for hot food and refrigerated units)** are warranted free of defects in workmanship and materials for 90 days from the date of shipment from the factory. Warranty includes parts only (no labor). At Advance Tabco's discretion we may repair or replace the defective item.

TERMS & CONDITIONS

All previous prices and discounts are hereby withdrawn

- All prices are F.O.B. factory.
- All prices, specifications and discounts subject to change without notice. Prices listed herein do not include Federal Excise, Municipal or other use Tax.
- Orders that are shipped to an active construction site or residential address are subject to additional charges by the carrier. These charges may be applied after shipment.
- Not responsible for any damage while in hands of carrier. Inspect immediately for hidden damage. (For any damage and loss while in transit, promptly file claim against carrier.)
- Merchandise shipped open account to those firms furnishing satisfactory credit references. Terms are 1% Discount - 10 days; Net - 30 days.
- Quotations, unless otherwise stated, are for 60 day acceptance.
- Returns: A 30% handling charge will be applied to all authorized returns. **Minimum charge \$50.00. Equipment older than 6 months is not eligible for returns.**
- A 50% handling charge will be applied to all unauthorized returns.
- Orders for special items are not subject to cancellation without our written consent.
- Our consent must be obtained before defective merchandise is returned. Incoming freight or express charges may be collected and exchanged items will be shipped prepaid.
- On return shipments that we sanction, where orders have been correctly filled out and not defective, the incoming freight or express charges must be prepaid. Credit will then be issued, less a reasonable handling charge and less whatever expense is necessary to put goods in salable condition.
- We are not responsible for any delays in delivery which are beyond our control such as fires, strikes, delays in transportation or any contingencies of similar character.
- All orders subject to acceptance at our office.
- Possession of price list does not constitute an offer to sell.
- Minimum charge on all orders is \$50.00 NET.

GENERAL SHIPPING INFORMATION

1. We reserve the right to ship via carriers that in our opinion are the most efficient. We will follow customers routing if possible.
2. Unless specified, all orders shipped freight collect.
3. All "Drop Shipments" will be shipped "Prepaid & Charge".
4. Shipper is not responsible for any unauthorized accessorial charges. All charges will be billed back to customer.

PREPAID FREIGHT CHARGES

- Minimum UPS charge = \$20.00.
- Estimated freight charges added to an invoice will include a nominal administrative charge per freight bill.

ESTIMATED SHIPPING WEIGHTS ARE TO SERVE AS A GUIDE ONLY!

- Weights are averaged for all models within a given classification. Actual shipping weights may vary from those shown. Correct weight will be shown on your Bill of Lading.



Leading National Fabricator



www.advancetabco.com | customer@advancetabco.com | Ph: 800-645-3166 | Fx: 631-242-6900
Corporate Headquarters: 325 Wireless Boulevard | Hauppauge | NY | 11788

National Manufacturing: Georgia² | Tennessee | Texas² | Mississippi² | New York | Kentucky | South Carolina

