

# WELBILT BEVERAGE

Power to own your next cup

SUGGESTED LIST PRICE STANDARD EQUIPMENT AND ACCESSORIES



 **CREM**<sup>®</sup>  
A Welbilt Brand



 **MULTIPLEX**<sup>®</sup>  
A Welbilt Brand

# WELBILT BEVERAGE IS A LEADER IN BEVERAGE SOLUTIONS

Our broad beverage product portfolio provides system solutions designed to improve productivity, quality and profitability for our customers. From espresso, filter coffee/tea, iced/cold coffee/tea, convenience stores, beer, seltzer, juices to blended beverages.

With brand names you trust like Multiplex and Crem, for more than 100 years of combined experience in the market, Welbilt Beverage is the only full line beverage equipment solutions provider.





 **CREM**

**FRESH  
BLENDS**

## CUSTOMER SERVICE

### GENERAL CONTACT INFORMATION

**Customer Service Center**  
2227 Welbilt Blvd,  
New Port Richey, FL 34655

**Shipping Location**  
1111 Hope Street  
Covington, TN 38019  
Main Phone: (812) 246-7000  
Main Fax: (812) 246-9922

**Remit By Mail**  
Manitowoc Cayman Funding LTD  
Foodservice Group  
PO Box 204038  
Dallas, TX 75320-4038

## SPECIFIC FUNCTION CONTACT INFORMATION

**Equipment Orders** [crem.americas@welbilt.com](mailto:crem.americas@welbilt.com) **Hours: 8:00 am - 5:00 pm EST**

**Technical Service / Service Support / Warranty** **Regular Service (844) 724-2273**  
**Premium Care (844) 462-9531** **Hours 8:00 am - 5:00 pm EST**

TITLE	NAME	E-MAIL	PHONE
Sales Operations Admin	Jessica Tufano	<a href="mailto:jessica.tufano@welbilt.com">jessica.tufano@welbilt.com</a>	(727) 569-1103
Product Sales Manager	Jill Hunt	<a href="mailto:jill.hunt@welbilt.com">jill.hunt@welbilt.com</a>	(727) 457-9740
Product Sales Manager	Nigel Lobo	<a href="mailto:nigel.lobo@welbilt.com">nigel.lobo@welbilt.com</a>	(727) 514-1982
Director of Sales	Maria Mugica	<a href="mailto:maria.mugica@welbilt.com">maria.mugica@welbilt.com</a>	(727) 457-2504

### MARKETING

**Director of Product Marketing** [Shawn McElyea](mailto:shawn.mcelyea@welbilt.com) [shawn.mcelyea@welbilt.com](mailto:shawn.mcelyea@welbilt.com) (727) 277-4609

## RMA RETURN POLICY

### RMA – Returned Product Policy

The following is the policy for Returns from the customer.

1. All returned product must have an RMA number from Customer Service prior to sending the product back.
2. The product must be standard product, still crated and within 90 days from date invoiced. Standard products are defined as product configurations that are saleable to the general market. Custom Products are product configurations that are unique to a specific customer and cannot be sold to other customers. Obsolete/discontinued products cannot be returned.
3. If return is approved for standard product, the standard restock charge is 30% or 20% if a replacement order is made.
4. Custom product is non-returnable.
5. Applicable freight charges and re-creating will be the customer's responsibility.
6. RMA number must be clearly written on all shipping paperwork to factory/warehouse.
7. RMA will be valid for 45 days from date of issue.

## CUSTOMER SERVICE

### GENERAL CONTACT INFORMATION

**Customer Service Center**  
645 Park East Blvd, Suite 5  
New Albany, IN 47150  
Phone: (800) 367-4233  
Fax: (812) 246-7024

**Shipping Location**  
1111 Hope Street  
Covington, TN 38019  
Main Phone: (812) 246-7000  
Main Fax: (812) 246-9922

**Remit By Mail**  
Manitowoc Cayman Funding LTD  
Foodservice Group  
PO Box 204038  
Dallas, TX 75320-4038

### SPECIFIC FUNCTION CONTACT INFORMATION

**Equipment Orders**      Fax: (812) 246-7024      bevorders@welbilt.com      Hours: 8:00 am - 5:00 pm EST

**Technical Service / Service Support / Warranty**      Phone: (844) 724-2273      Hours 8:00 am - 5:00 pm EST  
Fax: (812) 246-7020

TITLE	NAME	E-MAIL	PHONE EXT.
Customer Service Manager	Alicia Foster	alicia.foster@welbilt.com	3236
Customer Service Representative	Cindy Niles	cindy.niles@welbilt.com	3390
Customer Service Representative	Melissa Hobson	melissa.hobson@welbilt.com	3388
Customer Service Representative	Keri Higgs	keri.higgs@welbilt.com	3259

### PRODUCT MANAGEMENT

Product Manager - Multiplex	Jenny Ford	jennifer.ford@welbilt.com	(812) 748-3333
Product Manager - Multiplex	Thomas Scotti	thomas.scotti@welbilt.com	(727) 853-3069

## RMA RETURN POLICY

### RMA – Returned Product Policy

The following is the policy for Returns from the customer.

1. All returned product must have an RMA number from Customer Service prior to sending the product back.
2. The product must be standard product, still crated and within 90 days from date invoiced. Standard products are defined as product configurations that are saleable to the general market. Custom Products are product configurations that are unique to a specific customer and cannot be sold to other customers. Obsolete/discontinued products cannot be returned.
3. If return is approved for standard product, the standard restock charge is 30% or 20% if a replacement order is made.
4. Custom product is non-returnable.
5. Applicable freight charges and re-creating will be the customer's responsibility.
6. RMA number must be clearly written on all shipping paperwork to factory/warehouse.
7. RMA will be valid for 45 days from date of issue.

# TABLE OF CONTENTS



Customer Service ..... 4

## SERVICE INSTALLATIONS

Countertop Beverage Dispensers ..... 8

## AUTOMATIC COFFEE DISPENSERS

Unity 1+ ..... 8

Unity 1 ..... 8

## TRADITIONAL ESPRESSO DISPENSERS

Onyx ..... 9

ONE ..... 9

## COFFEE & ESPRESSO GRINDERS

Pulse ..... 9

## FILTER MANUAL DISPENSERS

Mega Gold ..... 10

## ACCESSORIES

Filter Manual ..... 10

Barista ..... 10

## CLEANING AND SANITIZING

Machine Chemicals and Accessories ..... 10



Customer Service ..... 5

## BEVERAGE EQUIPMENT

Countertop Beverage Dispensers ..... 12-15

Drop-in Beverage Dispensers and Stands ..... 16

Ice Chests ..... 17

Countertop Ice Dispensers ..... 18

Countertop Electric Internal Cold Carbonation

Beverage Dispensers ..... 18

Flavor Magic™ ..... 19

Cup Dispensers ..... 19

Self Serve Shield ..... 20

Complete BIB Beverage Installation Kit ..... 21-22

Individual Beverage Installation Components ..... 22-24

Flomatic® Beverage Valves ..... 24

## REMOTE REFRIGERATION EQUIPMENT

Creating a Multiplex Soda or Chiller System ..... 25-26

Refrigeration Unit “Quick-Pick” Selection Chart ..... 27

Chiller Selection Charts ..... 28

Multiplex Soda System Layout ..... 29

Dispensing Towers ..... 30-33

Model 136 ..... 30

Model 138 ..... 31

Model 1310 ..... 32

Model 158 ..... 33

Lid Holders ..... 33

Beverage Conduit ..... 34-35

Insulated Conduit ..... 34

Ambient Conduit ..... 35

Conduit Accessories ..... 35

Refrigeration Units ..... 36-39

Model 2803 ..... 36

Model 11 ..... 36

Icecore 44G ..... 36

Icecore 50G ..... 37

Model SC180 ..... 38

Model SC340 ..... 38

Model SC1000 ..... 38

Model SC2000 ..... 38

Refrigeration Unit Options ..... 39

Refrigeration Units Accessories ..... 39

Wall Mount Shelves ..... 39

Support Stands ..... 39

Control Panels and Water Regulators ..... 40

Bag-In-Box Pump Panels ..... 40

Water Boosters ..... 41

Air Compressors ..... 41

## BEER EQUIPMENT

Beer Conduits ..... 43

High Performance Beer Conduits ..... 43

Conduit Installation Fittings Kits ..... 44

Beermaster™ Glycol Chiller Units ..... 44

Beer Pumps and Panels ..... 45

Air Compressor ..... 45

Beermaster™ Accessories

Empty Beer Detector Kits ..... 45

Conduit Hangar Bracket Kit ..... 45

## BLENDED BEVERAGE EQUIPMENT

Fresh Blender ..... 46

## NITROGEN INFUSION SYSTEMS

N2Fusion ..... 47

N2Mobile ..... 47



SUGGESTED LIST PRICE STANDARD EQUIPMENT AND ACCESSORIES



CRAFTED FOR  
**EVERY TASTE**

## SERVICE INSTALLATIONS



INSTALLATIONS	PRODUCT NUMBER	PRODUCT DETAILS	LIST PRICE (\$)
	CASINSTALL	CREM Authorized Servicer Install	\$525
	CASINSTALL+	CREM Authorized Servicer Install for each additional unit purchased	\$350
	PCSERVICE	Premium Care Service (Kitchen Connect)	\$379
	SHIPPING		\$200

## AUTOMATIC COFFEE DISPENSERS



UNITY 1+	PRODUCT NUMBER	PRODUCT DETAILS	LIST PRICE (\$)
	10037500	Unity1+ ES18/BTB/Milk/IN	\$19,688
	10036494	Unity1+ ES18/Milk/IN	\$19,163
	10036495	Unity1+ ES18/BTB/Milk	\$18,113
	10037533	Unity1+ _TT_ES18/BTB/IN	\$14,648
	10036783	Unity1+ _TT_ES18/IN	\$14,123
	10037534	Unity1+ _TT_ES18/BTB	\$10,343
	10038297	Unity1P FMU	\$9,793



UNITY 1	PRODUCT NUMBER	PRODUCT DETAILS	LIST PRICE (\$)
	10036496	Unity1 ES18/Milk	\$16,223
	10036497	Unity1 ES18/BTB	\$8,033
	10037531	Unity1 _TT_ES18	\$7,718
	10037633	Unity1 FMU	\$9,818



## TRADITIONAL ESPRESSO DISPENSER



ONYX	PRODUCT NUMBER	PRODUCT DETAILS	LIST PRICE (\$)
	CREM8506US	Onyx Pro 3 Gr Multi Boiler	\$15,750
	CREM8514US	Onyx Pro 2 Gr Multi Boiler	\$14,175
	CREM8511US	ONYX 2GR TA	\$7,875

## TRADITIONAL ESPRESSO HOME DISPENSER



ONE	PRODUCT NUMBER	PRODUCT DETAILS	LIST PRICE (\$)
	CREM8094US	ONE 2B PID R-LFPP DUAL	\$2,730
	CREM8093US	ONE 2B PID R-GSP DUAL	\$2,310
	CREM8092US	ONE 2B PID DUAL	\$1,985
	CREM8091US	ONE 1B PID DUAL	\$1,565
	2760613	WOODEN KIT	Call for Price

## COFFEE GRINDERS



PULSE	PRODUCT NUMBER	PRODUCT DETAILS	LIST PRICE (\$)
	0C000205	Pulse 75HS A	\$2,363
0C000206	Pulse 65HS A	\$1,743	

## FILTER MANUAL DISPENSER



MEGA GOLD	PRODUCT NUMBER	PRODUCT DETAILS	LIST PRICE (\$)
	1014415	MEGA GOLD M 2.5L TK	\$1,575
	1014514	MEGA GOLD A 2.5L TK	\$1837.50

## ACCESSORIES



FILTER	PRODUCT NUMBER	PRODUCT DETAILS	LIST PRICE (\$)
	1103303E	SERVING STATION 2,5L	\$311.85



BARISTA	PRODUCT NUMBER	LIST PRICE (\$)
	BARISTA KIT	Call for Part Number and Price
	BASE KNOCK-OUT DRAWER 2GR	Call for Part Number and Price

## CLEANING AND SANITIZING



MACHINE CHEMICALS AND ACCESSORIES	PRODUCT DETAILS	LIST PRICE (\$)
	CLEANING POWDER ESPRESSO MACHINE	Call for Part Number and Price
	CLEANING TABLETS ESPRESSO MACHINE	Call for Part Number and Price
	GRINDER CLEANER	Call for Part Number and Price
	CLEANING BRUSH SERVING STATION	Call for Part Number and Price
	CLEANING BRUSH LEVEL INDICATOR	Call for Part Number and Price
	CLEANING BRUSH AIRPOT	Call for Part Number and Price
	BREWER CLEANING TABLETS AUTO	Call for Part Number and Price
	MILK CLEANING TABLETS AUTO	Call for Part Number and Price
	DESCALER FOR FILTER MANUAL (1 bottle)	Call for Part Number and Price
	DESCALER FOR FILTER MANUAL (35 bottles)	Call for Part Number and Price
	MOUNTING KIT STANDARD Inc. Filter Head for All Models	Call for Part Number and Price
	WATER FILTER BESTMAX XL for Filter Manual	Call for Part Number and Price
WATER FILTER BESTMAX PREMIUM V for Espresso Manual	Call for Part Number and Price	
DRIP TRAY DRAINAGE KIT	Call for Part Number and Price	



# MULTIPLY<sup>®</sup>

SUGGESTED LIST PRICE STANDARD EQUIPMENT AND ACCESSORIES

2021 PRICE LIST



## REFRESHING THE EXPERIENCE

## COUNTERTOP ICE/BEVERAGE DISPENSERS

### SV Series Ice/Beverage Dispenser

(Includes lighted merchandiser with "Quench Your Thirst" graphics, leg kit, key switch, and drain kit)

MODEL/ITEM NUMBER	# OF VALVES	VALVE TYPE	ICE STORAGE	CARBONATOR TYPE	APPROX. SHIP WEIGHT	W	D	H	LIST PRICE
<b>SV-150</b>									
2705020	6	Sanitary Lever	150 lbs	External	227 lbs	23"	31.13"	34.88"	<b>\$5,828</b>
2706071	6	Sanitary Lever	150 lbs	Internal	242 lbs	23"	31.13"	34.88"	<b>\$10,915</b>
<b>SV-175</b>									
2705588	8	Sanitary Lever	175 lbs	External	249 lbs	25"	31.13"	34.88"	<b>\$6,559</b>
2706076	8	Sanitary Lever	175 lbs	Internal	304 lbs	25"	31.13"	34.88"	<b>\$12,636</b>
<b>SV-200</b>									
2705021	8	Sanitary Lever	200 lbs	External	270 lbs	30"	31.13"	34.88"	<b>\$6,852</b>
2706261	8	Sanitary Lever	200 lbs	Internal	315 lbs	30"	31.13"	34.88"	<b>\$12,854</b>
2705485	10	Sanitary Lever	200 lbs	External	274 lbs	30"	31.13"	34.88"	<b>\$7,270</b>
2706080	10	Sanitary Lever	200 lbs	Internal	315 lbs	30"	31.13"	34.88"	<b>\$13,415</b>
<b>SV-250</b>									
2706144	8	Sanitary Lever	250 lbs	External	301 lbs	30"	31.13"	40.88"	<b>\$7,030</b>
2706284	8	Sanitary Lever	250 lbs	Internal	342 lbs	30"	31.13"	40.88"	<b>\$13,522</b>
2706295	10	Sanitary Lever	250 lbs	External	322 lbs	30"	31.13"	40.88"	<b>\$7,472</b>
2706089	10	Sanitary Lever	250 lbs	Internal	342 lbs	30"	31.13"	40.88"	<b>\$14,401</b>



## AMERICANS WITH DISABILITIES ACT (ADA) COMPLIANCE

Be sure to ask a Customer Service Representative about Multiplex options to ensure that your location is in compliance with the Americans with Disabilities Act guidelines for beverage dispensers.

## COUNTERTOP ICE/BEVERAGE DISPENSERS (CONTINUED)

### Flav'R Pic® Series

(Includes multiflavor nozzles, lighted merchandiser with Flav'R Pic graphics, internal carbonation, leg kit, ADA integration and key switch.)

MODEL/ITEM NUMBER	BRANDED FLAVORS	FLAVOR SHOTS	ICE PIC® SELECTABLE ICE	APPROX. SHIP WEIGHT	W	D	H	LIST PRICE
<b>FRP-250</b>								
2705612	16	8	No	378 lbs	30"	31.13"	40.88"	<b>\$20,457</b>
2705663	16	0	No	378 lbs	30"	31.13"	40.88"	<b>\$11,472</b>

### MDH Series with Ice Pic® Integrated Ice Crusher without Extended Merchandiser

(Includes Ice Pic® Integrated Ice Crusher, lighted merchandiser with Ice Pic® graphics, key switch, and drain kit)

MODEL/ITEM NUMBER	# VALVES	VALVE TYPE	ICE STORAGE	CARBONATOR TYPE	APPROX SHIP WEIGHT	W	D	H	MERCHANDISER HEIGHT	LIST PRICE
<b>MDH-302 - ICE PIC® INTEGRATED ICE CRUSHER ICE PIC® GRAPHICS</b>										
2706215	12	Sanitary Lever	No	External	479 lbs	42.75"	30.5"	33.25"	12"	<b>\$21,929</b>
2706107	12	Sanitary Lever	No	Cold	485 lbs	42.75"	30.5"	33.25"	12"	<b>\$24,362</b>
<b>MDH-402 - ICE PIC® INTEGRATED ICE CRUSHER ICE PIC® GRAPHICS</b>										
2705988	20	Sanitary Lever	No	External	620 lbs	60"	30.5"	32.25"	12"	<b>\$28,031</b>
2706124	20	Sanitary Lever	No	Cold	640 lbs	60"	30.5"	32.25"	12"	<b>\$30,463</b>
<b>MDH-302 - WITHOUT ICE PIC®, WITH "QUENCH YOUR THIRST" GRAPHICS</b>										
2705668	12	Sanitary Lever	No	External	428 lbs	42.75"	30.5"	33.25"	12"	<b>\$11,299</b>
2705520	12	Sanitary Lever	No	Cold	485 lbs	42.75"	30.5"	33.25"	12"	<b>\$20,662</b>
<b>MDH-402 - WITHOUT ICE PIC®, WITH "QUENCH YOUR THIRST" GRAPHICS</b>										
2706231	20	Sanitary Lever	No	External	602 lbs	60"	30.5"	32.25"	12"	<b>\$14,232</b>
2706116	20	Sanitary Lever	No	Cold	619 lbs	60"	30.5"	32.25"	12"	<b>\$26,651</b>



## AMERICANS WITH DISABILITIES ACT (ADA) COMPLIANCE

Be sure to ask a Customer Service Representative about Multiplex options to ensure that your location is in compliance with the Americans with Disabilities Act guidelines for beverage dispensers.

## COUNTERTOP ICE/BEVERAGE DISPENSERS (CONTINUED)

### MDH Series with Ice Pic® Integrated Ice Crusher - Configured for Extended Merchandiser

(Includes Ice Pic® Integrated Ice Crusher, key switch, and drain kit)

These units are configured for an extended merchandiser, select from merchandiser options below.

MODEL/ITEM NUMBER	# VALVES	VALVE TYPE	ICE STORAGE	CARBONATOR TYPE	APPROX SHIP WEIGHT	W	D	H	MERCHANDISER HEIGHT	LIST PRICE
<b>MDH-302</b>										
2706226	12	Sanitary Lever	300 lbs	External	470 lbs	42.75"	30.5"	33.25"	23.81"	<b>\$21,929</b>
2706112	12	Sanitary Lever	300 lbs	Cold	485 lbs	42.75"	30.5"	33.25"	23.81"	<b>\$24,362</b>
<b>MDH-402</b>										
2706246	20	Sanitary Lever	400 lbs	External	620 lbs	60"	30.5"	32.25"	33.81"	<b>\$28,031</b>
2706128	20	Sanitary Lever	400 lbs	Cold	635 lbs	60"	30.5"	32.25"	33.81"	<b>\$30,463</b>
<b>MDH-402 - DUAL ICE PIC®</b>										
2705984	20	Sanitary Lever	400 lbs	External	626 lbs	60"	30.5"	32.25"	33.81"	<b>\$32,681</b>

### MDH Series Ice/Beverage Dispensers Configured for Extended Merchandiser

(Includes key switch, and drain kit) - These units are configured for an extended merchandiser, select from merchandiser options below.

<b>MDH-302 - CONFIGURED FOR EXTENDED MERCHANDISER</b>										
2706221	12	Sanitary Lever	300 lbs	External	425 lbs	42.75"	30.5"	33.25"	23.81"	<b>\$18,231</b>
2706100	12	Sanitary Lever	300 lbs	Cold	485 lbs	42.75"	30.5"	33.25"	23.81"	<b>\$20,662</b>
<b>MDH-402 - CONFIGURED FOR EXTENDED MERCHANDISER</b>										
2706240	20	Sanitary Lever	400 lbs	External	602 lbs	60"	30.5"	32.25"	33.81"	<b>\$24,218</b>
2706120	20	Sanitary Lever	400 lbs	Cold	635 lbs	60"	30.5"	32.25"	33.81"	<b>\$26,651</b>



MODEL/ITEM NUMBER	DETAILS	W	H	LIST PRICE
<b>MDH-302 - ICE PIC® INTEGRATED ICE CRUSHER</b>				
2706176	MDH302 EXM24 IP	42.5"	23.81"	<b>\$1,542</b>
2705278	MDH302 EXM24 QT	42.5"	23.81"	<b>\$1,542</b>
2705970	MDH402 EXM24 IP	59.75"	23.81"	<b>\$1,914</b>
2705415	MDH402 EXM24 QT	59.75"	23.81"	<b>\$1,914</b>
2705238	MDH302 EXM34 IP	42.5"	33.81"	<b>\$2,621</b>
2705135	MDH302 EXM34 QT	42.5"	33.81"	<b>\$2,621</b>
2704607	MDH402 EXM34 IP	59.75"	33.81"	<b>\$3,269</b>
2705053	MDH402 EXM34 QT	59.75"	33.81"	<b>\$3,269</b>
020005155	4" Leg Kit MDH302			<b>\$1,400.70</b>
020005156	4" Leg Kit MDH402			<b>\$1,479.45</b>
020005139	Lever Sanitary Molded Ada			<b>Call for Price</b>

## AMERICANS WITH DISABILITIES ACT (ADA) COMPLIANCE

Be sure to ask a Customer Service Representative about Multiplex options to ensure that your location is in compliance with the Americans with Disabilities Act guidelines for beverage dispensers.

## COUNTERTOP ICE/BEVERAGE DISPENSERS (CONTINUED)

### S/SV-SERIES ADAPTER KITS FOR TOP-MOUNTED ICE MACHINE APPLICATIONS

ICE MACHINE	BEVERAGE DISPENSER			
		S/SV-150	SV-175	S/SV-200 - S/SV/FRP-250
	22" Wide Manitowoc Cuber and Nugget Ice Machine	SL26-020000245 <b>\$543.73</b>	SL20-020000196 <b>\$543.73</b>	SL16-5031149 <b>\$568.13</b>
	30" Wide Manitowoc Cuber and Nugget Ice Machine	N/A	N/A	SL36-020001311 <b>\$317.68</b>
	22" Wide Non-Manitowoc Ice Machine	SL26-020000245 <b>\$543.73</b>	SL20-020000196 <b>\$543.73</b>	SL25-5031609 <b>\$543.73</b>
	30" Wide Non-Manitowoc Ice Machine	N/A	N/A	SL36-020001311 <b>\$317.68</b>
	Manitowoc IB	IB10-5013398 <b>\$570.45</b>	N/A	IB13-5013505 <b>\$570.45</b>
	Scotsman Prodigy	SL27-020000246 <b>\$742.07</b>	SL22-020000198 <b>\$625.97</b>	SL17-5031150 <b>\$635.38</b>
	Cornelius 15" Nugget*	N/A	SL23-020000199 <b>\$635.38</b>	SL18-5031151 <b>\$622.90</b>
	Scotsman 21" Nugget*	SL28-020000247 <b>\$660.23</b>	SL20-020000196 <b>\$543.73</b>	SL19-5031152 <b>\$910.93</b>
Side Splash Guards	5031157 <b>\$306.85</b>	5031157 <b>\$306.85</b>	5031157 <b>\$306.85</b>	

NOTE: The ice/beverage adapter kits listed above contain all the required components for top mounting Manitowoc and non-Manitowoc ice machines. For details regarding the kit contents please contact your Customer Service Representative. 22" Manitowoc RNS units on S/SV200/250 should use a 5031609 - \$543.73.

\*Nugget agitator (020001847 - \$324.74) and Ice Level Management Kit (5028738 - \$723.45) required with nugget ice machine applications.

### MDH-SERIES ADAPTER KITS FOR TOP-MOUNTED ICE MACHINE APPLICATIONS

ICE MACHINE	BEVERAGE DISPENSER								
		MDH-302 Merchandiser		MDH-302 w/Extended Merchandiser		MDH-402		MDH-402 w/Extended Merchandiser	
	30" (76.2 cm) wide Manitowoc I-Series and S-Series QuietQube Ice Machine	N1-5003339 SL3-5003674 CL12-020000306	<b>\$349.65</b> <b>\$300.56</b> <b>\$225.23</b>	N1-5003339 SL4-5006787	<b>\$349.65</b> <b>\$318.61</b>	N1-5003339 SL5-5009415 CL13-020000121	<b>\$349.65</b> <b>\$300.56</b> <b>\$87.36</b>	N1-5003339 SL5-5009415	<b>\$349.65</b> <b>\$300.56</b>
	48" (122 cm) Wide Manitowoc Cuber and Nugget Ice Machine	N/A		N/A		SL6-5009414 CL13-020000121	<b>\$312.90</b> <b>\$87.36</b>	SL6-5009414	<b>\$312.90</b>
	One (1) Manitowoc 22" (55.9 cm) wide IB Series Ice Machine	IB5-5011135 CL12-020000306	<b>\$532.71</b> <b>\$225.23</b>	IB4-5011134	<b>\$536.75</b>	IB6 - 5011136 CL13-020000121	<b>\$602.84</b> <b>\$87.36</b>	IB7-5011137	<b>\$799.72</b>
	Two (2) Manitowoc 22" (55.9 cm) wide IB Series Ice Machine	N/A		N/A		IB8-5011138 CL13-020000121	<b>\$814.55</b> <b>\$87.36</b>	IB9-5011139	<b>\$805</b>
	30" (76.2 cm) wide Non-Manitowoc Ice Machine*	N1-5003339 SL3-5003674 CL12-020000306	<b>\$349.65</b> <b>\$300.56</b> <b>\$225.23</b>	N1-5003339 SL4-5006787	<b>\$349.65</b> <b>\$318.61</b>	SL5-5009415 CL13-020000121 N1-5003339	<b>\$300.56</b> <b>\$87.36</b> <b>\$349.65</b>	N1-5003339 SL5-5009415	<b>\$349.65</b> <b>\$300.56</b>
	30" (76.2 cm) wide Manitowoc Nugget Ice Machine*	N1-5003339 SL3-5003674 CL12-020000306	<b>\$349.65</b> <b>\$300.56</b> <b>\$225.23</b>	N1-5003339 SL4-5006787	<b>\$349.65</b> <b>\$318.61</b>	N/A		N/A	

\*Nugget agitator (020002125 - \$404.89) and Ice Level Management Kit (5028738 - \$723.45) required with nugget ice machine applications.

#### ITEM DETAILS

- CL Required ice machine lid for top-mounted ice machine applications. Lid covers dispenser manual fill area. (This price is only available for the above (CL) part numbers.)
- SL Required strip lid assembly to top mount an ice machine that is narrower than the dispenser.
- N Required ice deflector to top mount an ice machine.
- IB Required adapter kit to top mount Manitowoc IB Series ice machine on Servend dispenser. NOTE: IB adapter kits may be ordered through either MBE or Manitowoc Ice.

NOTE: When top mounting Servend's Ice/Beverage Dispensers with non-Manitowoc brand ice machines, be sure to check ice machine manufacturer's current product specifications (including ice zone drop areas) to ensure compatibility. Manufacturer's product specifications may change without notice.

NOTE: Contact your Customer Service Representative for Manitowoc Ice Q-Series adapters.

## DROP-IN BEVERAGE DISPENSERS

### Drop-In Beverage Dispensers

(Includes lighted dual-view™ merchandiser with "Quench Your Thirst" graphics, key switch, and drain kit)

MODEL/ITEM NUMBER	# VALVES	VALVE TYPE	ICE STORAGE	CARBONATOR TYPE	APPROX SHIP WEIGHT	W	D	H	LIST PRICE
<b>DI1522</b>									
2705481	6	Sanitary Lever	60 lbs	External	141 lbs	15"	22"	43.75"	<b>\$3,575</b>
2705936	6	Sanitary Lever	60 lbs	Internal	156 lbs	15"	22"	43.75"	<b>\$7,430</b>
<b>DI2323</b>									
2705189	8	Sanitary Lever	80 lbs	External	206 lbs	23"	23"	42"	<b>\$4,234</b>
2706132	8	Sanitary Lever	80 lbs	Internal	221 lbs	23"	23"	42"	<b>\$8,881</b>



## DROP-IN STANDS

### DI Stands - Assembled

(Stainless steel, includes 6" leg set)

MODEL/ITEM NUMBER	DETAILS	W	D	HEIGHT INCLUDING LEGS	LIST PRICE
16-1337	Stand Drop-In 15 X 22 Unassembled	18.2"	26.4"	36.1"	<b>\$788.55</b>
16-1321	Stand Drop-In 23 X 23 Unassembled	25.1"	25.1"	36.1"	<b>\$794.85</b>

## AMERICANS WITH DISABILITIES ACT (ADA) COMPLIANCE

Be sure to ask a Customer Service Representative about Multiplex options to ensure that your location is in compliance with the Americans with Disabilities Act guidelines for beverage dispensers.



## ICE CHESTS

(INCLUDES DRAIN KIT)

MODEL/ITEM NUMBER	DETAILS	TOP WIDTH	TOP DEPTH	HEIGHT	BOTTOM WIDTH	BOTTOM DEPTH	LEGS	LIST PRICE
<b>1522</b>								
95-1100-8	1522 Drop-In Post-Mix w/Cold Plate	17.25"	24.29"	14.25"	15"	22"		\$1,764
96-1100-8	1522 Freestanding Post-Mix w/Cold Plate	15.18"	22.18"	14.25"			19.46"	\$1,985.55
<b>2123</b>								
95-1200-9	2123 Drop In Post-Mix w/Cold Plate	23.3"	25.3"	14.25"	21"	23"		\$2,040.15
96-1200-9	2123 Freestanding Post-Mix w/Cold Plate	21"	23"	14.25"			19.46"	\$2,224.95

\*SS Legs included with Freestanding units.



MODEL/ITEM NUMBER	DETAILS	LIST PRICE
<b>ICE CHEST LIDS</b>		
5028043	1522 Standard Cover, Outer Welded	\$127.05
5028042	1522 Standard Cover, Inner Welded	\$91.35
5028878	1522 Side Sliding, Outer Welded	\$153.30
5028876	1522 Side Sliding, Inner Welded	\$78.75
5028047	2123 Standard Cover, Outer Welded	\$154.35
5028048	2123 Standard Cover, Inner Welded	\$128.10
03000656	2123 Cover Top, Outer Welded	\$77.70
03000657	2123 Cover Top, Inner Welded	\$48.30

NOTE: Complete lids require (1) inner-Welded and (1) Outer-Welded

## ICE COMBO CABINET STANDS

MODEL/ITEM NUMBER	DETAILS	LIST PRICE
<b>ICE COMBO CABINET STANDS</b>		
16-1579	Cabinet Stand 30" Ice Combo	\$957.60

## COUNTERTOP ICE DISPENSERS

### M-Series Countertop Ice Dispensers

(Includes "Ice" graphics, Ice Dispense, leg kit and drain kit)

MODEL/ITEM NUMBER	ICE DISPENSE	ICE STORAGE	WATER VALVE	APPROX. SHIP WEIGHT	W	D	H	LIST PRICE
<b>M45</b>								
2706335	Sanitary Lever	45 lbs	No	69 lbs	15"	28"	24.25"	<b>\$4,183</b>
2706334	Sanitary Lever	45 lbs	Yes	69 lbs	15"	28"	24.25"	<b>\$4,426</b>
<b>M90</b>								
2706332	Sanitary Lever	90 lbs	No	94 lbs	15"	28"	32"	<b>\$4,832</b>
2706331	Sanitary Lever	90 lbs	Yes	94 lbs	15"	28"	32"	<b>\$5,075</b>



### S-Series Countertop Ice and Beverage Dispensers

(Includes "Ice" graphics, leg kit, key switch, and drain kit)

MODEL/ITEM NUMBER	ICE DISPENSE	ICE STORAGE	WATER VALVE	APPROX. SHIP WEIGHT	W	D	H	LIST PRICE
<b>S150</b>								
2705519	Sanitary Lever	150 lbs	No	155 lbs	23"	31.3"	34.88"	<b>\$5,429</b>
2704811	Sanitary Lever	150 lbs	Yes	155 lbs	23"	31.3"	34.88"	<b>\$5,875</b>
<b>S200</b>								
2705138	Sanitary Lever	200 lbs	No	205 lbs	30"	31.3"	34.88"	<b>\$6,052</b>
2705515	Sanitary Lever	200 lbs	Yes	205 lbs	30"	31.3"	34.88"	<b>\$6,497</b>
<b>S250</b>								
2705514	Sanitary Lever	250 lbs	No	220 lbs	30"	31.3"	40.88"	<b>\$7,082</b>
2705723	Sanitary Lever	250 lbs	Yes	220 lbs	30"	31.3"	40.88"	<b>\$7,529</b>



## COUNTERTOP ELECTRIC INTERNAL CARBONATION BEVERAGE DISPENSERS

### Countertop Electric Dispensers

(Includes stainless steel merchandiser, leg kit, key switch, and drain kit)

MODEL/ITEM NUMBER	# OF VALVES	VALVE TYPE	ICE STORAGE	CARBONATOR TYPE	APPROX. SHIP WEIGHT	W	D	H	LIST PRICE
<b>CEV30</b>									
2706458	6	Sanitary Lever	30 lbs	Internal	173 lbs	20.5"	28.16"	29.88"	<b>\$8,293</b>
<b>CEV30 JUICE</b>									
2703527	6	Sanitary Lever	30 lbs	Internal	173 lbs	20.5"	28.16"	29.88"	<b>\$6,997</b>
<b>CEV40</b>									
2706459	8	Sanitary Lever	30 lbs	Internal	173 lbs	25.75"	28.16"	29.88"	<b>\$10,798</b>



MODEL/ITEM NUMBER	TYPE	# VALVES	VALVE TYPE	CARBONATOR TYPE	APPROX. SHIP WEIGHT	W	D	H	LIST PRICE
<b>ALBI</b>									
14-2003-05	Aqua	1	Water	Internal	68 lbs	12.8"	19.7"	19.5"	<b>\$4,289</b>
14-2003-01	All Carb	4	Multiflavor	Internal	68 lbs	13.2"	25"	19.7"	<b>\$5,098</b>



## AMERICANS WITH DISABILITIES ACT (ADA) COMPLIANCE

Be sure to ask a Customer Service Representative about Multiplex options to ensure that your location is in compliance with the Americans with Disabilities Act guidelines for beverage dispensers.

## FLAVOR MAGIC™

### Flavor Magic™ Retrofit Module Kit

Standard features include: Portion control through adjustable dispense time, backlit dispense nozzle with field-selectable flash sequence, built-in dispense counter to track individual flavor sales, POP instruction sheet, and easy-to-install pre-assembled valve and control board modules.

Kit Contents: Switch cover with nozzle, internal nozzle tubing mount, control board and valve solenoid assemblies, nozzle LED, 50 feet of bundled tubing (1 tube for each flavor).

Single Control Module Kits are compatible with single and dual chute dispensers. Dual Control Module Kits are compatible with dual chute dispensers only (MDH-302 and MDH-402).

MODEL/ITEM NUMBER	DETAILS	LIST PRICE
<b>FLAVOR MAGIC™ RETROFIT MODULE KIT</b>		
020001197	3 Flavor Single Control Module for SV Models	\$1,790
020001238	4 Flavor Single Control Module for SV Models	\$2,042.25
020001169	3 Flavor Single Control Module for MDH Models	\$1,871
020001198	3 Flavor Dual Control Module for MDH Models	\$3,337.95
020001239	4 Flavor Single Control Module for MDH Models	\$2,059.05
020001240	4 Flavor Dual Control Module for MDH Models	\$3,505.95
020001242	8 Flavor Dual Control Module for MDH Models	\$3,864
<b>TUBING</b>		
974-04000X50	Four-Line bundled tubing, sold in 50 foot rolls only	\$7.34/foot
974-04000-01	Four-Line bundled tubing, sold in 100 foot rolls only	\$7.58/foot

## CUP DISPENSERS

### CD4U Cup Dispenser

Four cup holder tubes (approx. 12 - 44 oz. cups 3 3/8" - 4 5/8" cup diameter) with high volume lid and straw storage. No special cup tube sizes available. CD4U cup dispensers are either free standing, or they can be mounted to the side of MDH Series Ice/Beverage dispensers via drain pan pin. The maximum foam cup diameter on a CD4U is 3 7/8". The CD4U can accommodate a paper or plastic cup with a maximum diameter of 4 5/8". Single Control Module Kits are compatible with single and dual chute dispensers. Dual Control Module Kits are compatible with dual chute dispensers only (MDH-302 and MDH-402).

MODEL/ITEM NUMBER	DETAILS	SIDE OF DISPENSER	W	D	H	LIST PRICE
<b>FOUR CUP HOLDER TUBES WITH HIGH VOLUME LID AND STRAW STORAGE</b>						
5028069	Stainless steel, right with 4 large tubes for 32 oz - 44 oz cups	Right (CD4U-R)	13.125"	22.5"	33"	\$2,910
5028070	Stainless steel, left with 3 large tubes for 32 oz - 44 oz cups and 1 small tube for 20 oz cups	Left (CD4U-L)	13.125"	22.5"	33"	\$2,910
<b>TWO CUP HOLDER TUBES WITH STORAGE AREAS FOR LID, SUGAR, CREAM, AND STIRS</b>						
2733001	CD2X-C - One 2 3/4" - 3 3/8" cup diameter heavy spring loaded cup tube; One 3 1/4" - 3 5/8" cup diameter heavy spring loaded cup tube. 6"W x 23"D x 22 1/2"H	Right or Left	8.375"	23.5"	22.75"	\$2,101
<b>THREE CUP HOLDER TUBES WITH STORAGE AREAS FOR LID, SUGAR, CREAM, AND STIRS</b>						
2741001	CD3A-C - Two 3 1/4" - 3 5/8" cup diameter gravity cup tube; One 4" - 4 3/4" cup diameter gravity cup tube. 6"W x 24"D x 26 1/2"H	Right or Left	8.375"	23.5"	29.375"	\$2,730

\*Approximate ship weight for items sold separately without pallets. NOTE: Special Order items, require a minimum order quantity of 10

## AMERICANS WITH DISABILITIES ACT (ADA) COMPLIANCE

Be sure to ask a Customer Service Representative about Multiplex options to ensure that your location is in compliance with the Americans with Disabilities Act guidelines for beverage dispensers.

## SELF-SERVE SHIELD

### Self Serve Shield

Protects the valves and dispense area from airborne particles, easy to install and remove for cleaning.

MODEL/ITEM NUMBER	DETAILS	APPROX. SHIP WEIGHT	W	D	H	LIST PRICE
<b>SV MODEL SELF-SERVE SHIELD</b>						
020008457	Self-Serve Shield for SV150	6 lbs	23.9"	15.6"	14.8"	<b>\$246.75</b>
020008454	Self-Serve Shield for SV175	6 lbs	25.9"	15.6"	14.8"	<b>\$252</b>
020008455	Self-Serve Shield for SV200/250	6 lbs	30.9"	15.6"	14.8"	<b>\$257.25</b>
<b>MDH MODEL SELF-SERVE SHIELD</b>						
020008458	Self-Serve Shield for MDH302	7 lbs	44.1"	15.7"	14.8"	<b>\$288.75</b>
020008459	Self-Serve Shield for MDH402	8 lbs	61.3"	15.7"	14.8"	<b>\$414.75</b>



## COMPLETE BIB BEVERAGE INSTALLATION KIT

MODEL/ITEM NUMBER	DETAILS	APPROX. SHIP WEIGHT	LIST PRICE
<b>6 VALVE COMPLETE BIB INSTALLATION KIT</b>			
020008233	<p>"6 Valve Bag-In-Box (NO CARBONATOR) kit includes: (1) 2 Wide x 3 High welded flat rack, (6) Flojet syrup pumps, (1) primary regulator, (1) secondary regulator."  <b>BIB Connectors must be ordered separately, listed on page 15.</b>                      Kit includes beverage installation components for the regulator and ice/beverage dispenser cold plate inlet plumbing: washers, nut and stem assemblies, barbed crosses, barbed tees, and cable ties. Kit also includes the following single line beverage tubing for the regulator, syrup pumps and water hook up: (1) 100' roll of 1/4" braided tubing, (1) 100' roll of 3/8" braided beverage tubing, (1) 25' roll of 3/8" BIB tubing. Beverage tubing for the syrup run (from unit to BIB boxes) must be ordered in addition to this kit - see next item.</p>	117 lbs	<b>\$1,650</b>
974-00080X50	Bundled Beverage Tubing (50' of 8 line) for syrup run from unit to BIB boxes (1) 50' roll of 8 line sealed beverage tubing, 3/8" line. <b>Single line beverage tubing also available - see page 15.</b>	26 lbs	<b>\$8.84/foot</b>

NOTE: To be used with Carbonators E400397 or E200393

## 8 VALVE COMPLETE BIB INSTALLATION KIT

020008231	<p>8 Valve Bag-In-Box (NO CARBONATOR) kit includes: (1) 2 Wide x 4 High welded flat rack, (8) Flojet syrup pumps, (1) primary regulator, (1) secondary regulator.  <b>BIB Connectors must be ordered separately, listed on page 15.</b>                      Kit includes beverage installation components for regulator and ice/beverage dispenser cold plate inlet plumbing: washers, nut and stem assemblies, barbed crosses, barbed tees and cable ties. Kit also includes the following single line beverage tubing for the regulator, syrup pumps and water hook up: (1) 100' roll of 1/4" braided tubing, (1) 100' roll of 3/8" braided beverage tubing, (1) 25' roll of 3/8" BIB tubing. Beverage tubing for the syrup run (from unit to BIB boxes) must be ordered in addition to this kit - see next item.</p>	121 lbs	<b>\$1,954</b>
974-00100X50	Bundled Beverage Tubing (50' of 10 line) for syrup run from unit to BIB boxes (1) 50' roll of 10 line sealed beverage tubing, 3/8" line. <b>Single line beverage tubing also available - see page 15.</b>	30 lbs	<b>\$10.01/foot</b>

NOTE: To be used with Carbonators E400397 or E200393

## 10 VALVE COMPLETE BIB INSTALLATION KIT

020008234	<p>10 Valve Bag-In-Box (NO CARBONATOR) kit includes: (1) 2 Wide x 5 High welded flat rack, (10) Flojet syrup pumps, (1) primary regulator, (1) secondary regulator.  <b>BIB Connectors must be ordered separately, listed on page 15.</b>                      Kit includes beverage installation components for the regulator and ice/beverage dispenser cold plate inlet plumbing: washers, nut and stem assemblies, barbed crosses, barbed tees, and cable ties. Kit also includes the following single line beverage tubing for the regulator, syrup pumps and water hook up: (1) 100' roll of 1/4" braided tubing, (1) 100' roll of 3/8" braided beverage tubing, (1) 50' roll of 3/8" BIB tubing. Beverage tubing for the syrup run (from unit to BIB boxes) must be ordered in addition to this kit - see next item.</p>	136 lbs	<b>\$2,312</b>
974-00120X50	Bundled Beverage Tubing (50' of 12 line) for syrup run from unit to BIB boxes (1) 50' roll of 12 line sealed beverage tubing, 3/8" line. <b>Single line beverage tubing also available - see page 15.</b>	33 lbs	<b>\$11.10/foot</b>

NOTE: To be used with Carbonators E400397 or E200393

## COMPLETE BIB BEVERAGE INSTALLATION KIT (CONTINUED)

### 12 VALVE COMPLETE BIB INSTALLATION KIT

12 Valve Bag-In-Box (NO CARBONATOR) kit includes: (1) 3 Wide x 4 High welded flat rack, (12) Flojet syrup pumps, (1) primary regulator, (1) secondary regulator.

**BIB Connectors must be ordered separately, listed on page 15.**

Kit includes beverage installation components for the regulator and ice/beverage dispenser cold plate inlet plumbing: washers, nut and stem assemblies, barbed crosses, barbed tees, and cable ties. Kit also includes the following single line beverage tubing for the regulator, syrup pumps and water hook up: (1) 100' roll of ¼" braided tubing, (1) 100' roll of 3/8" braided beverage tubing, (1) 50' roll of 3/8" BIB tubing. Beverage tubing for the syrup run (from unit to BIB boxes) must be ordered in addition to this kit - see next item.

020008232

146 lbs

\$2,556

974-00140X50

Bundled Beverage Tubing (50' of 14 line) for syrup run from unit to BIB boxes (1) 50' roll of 14 line sealed beverage tubing, 3/8" line. **Single line beverage tubing also available - see page 15.**

36 lbs

\$14.04/foot

NOTE: To be used with Carbonators E400397 or E200393

### 20 VALVE COMPLETE BIB INSTALLATION KIT

Back Room Package 20 Center Mounted Pump Dual Co2 Pressure Rack (1) 6 Wide x 4 High welded rack, (20) Flojet syrup pumps, (1) Tank mount primary regulator (9 CFM), (2) Secondary regulator and Top shelf, includes fittings, clamps, ¼" hose for CO2, 3/8" hose for water connections. (16 pumps will be on one regulator for fountain drinks. (4) pumps will be on a separate regulator for lower pressure applications)

Dimensions: 39" W x 20" D x 82" H

**BIB Connectors must be ordered separately, listed on page 15.**

020008235

280 lbs

\$4,598

020008237

16 Soda / 8 Flavor Shot

**BIB Connectors must be ordered separately, listed on page 15.**

300 lbs

\$4,935

### 24 VALVE COMPLETE BIB INSTALLATION KIT

BACK ROOM PACKAGE 24 SIDE MOUNT PUMP DUAL CO2 PRESSURE RACK (1) 6 Wide x 5 High welded rack, (24) Flojet syrup pumps, (1) Tank mount primary regulator (9 CFM), (2) secondary regulator and Top shelf, includes fittings, clamps, ¼ hose for CO2, 3/8" hose for water connections. (20 pumps will be on one regulator for fountain drinks 4 pumps will be on a separate regulator for lower pressure applications)

Dimensions: 39" W x 20" D x 85" H

**BIB Connectors must be ordered separately, listed on page 15.**

020008236

300 lbs

\$5,103

NOTE: Syrup boxes are installed in a vertical position. Rack can accommodate 16 five-gallon boxes, 20 three-gallon boxes, or 32-2.5 gallon boxes. Not all syrup flavors are available in all box sizes in all regions of the country.

Standard Box Dimensions: 5 Gallon Box 8"H x 11-¼"W x 16"D;

3 Gallon Box 5¾"H x 11¼"W x 16"D; 2.5 Gallon Box 4¾"H x 11¼"W x 16"D

## INDIVIDUAL BEVERAGE INSTALLATION COMPONENTS

Beverage installation kits include installation components for carbonator, ice and beverage dispenser and regulator plumbing: (washers, nut and stem assemblies, barbed cross, barbed tees, clamps, and barbed splicers). Beverage tubing for syrup and carbonator should be ordered separately.

MODEL/ITEM NUMBER	DETAILS	APPROX. SHIP WEIGHT	LIST PRICE
<b>BEVERAGE INSTALLATION KITS</b>			
5008911	Bag-In-Box installation kit - for 6 to 8 valves, post mix	3 lbs	\$188
5008912	Bag-In-Box installation kit - for 10 to 12 valves, post mix	3 lbs	\$263.55

## INDIVIDUAL BEVERAGE INSTALLATION COMPONENTS

MODEL/ITEM NUMBER	DETAILS	APPROX. SHIP WEIGHT	LIST PRICE
<b>BAG-IN-BOX RACKING AND ACCESSORIES</b>			
020008218	Syrup Rack 2/3 Box wide 28"w x 14"h x 17"d	11 lbs	\$100.80
020008247	Syrup Rack 3/4 Box wide 39"w x 14"h x 17"d	17 lbs	\$140.70
Includes end caps and connectors			
<b>MCCANN'S CARBONATORS</b>			
43-6002	Standard Flow Carbonator with vented check valve 115V	25 lbs	\$947.10
E200393	Economy Carbonator 220V	25 lbs	\$1,123.50
E400397	Fastflow Carbonator with ventable check valve 115V	26 lbs	\$742.35
<b>REGULATORS</b>			
3741	Post-mix primary Bag-in-Box regulator		\$122.85
YQT-731A1	Post-mix secondary Bag-in-Box regulator		\$101.85
<b>BEVERAGE TUBING</b>			
Beverage tubing ordered separately to accommodate specific beverage installation requirements Beverage tubing minimum ordering lengths are listed as roll length			
<b>SINGLE LINE BRAIDED BEVERAGE TUBING</b>			
172-04102-77	100' roll of 1/4" beverage tubing - white	5 lbs	\$0.64/foot
172-04502-00	500' roll of 1/4" beverage tubing - white	26 lbs	\$0.62/foot
172-06100-77	100' roll of 3/8" beverage tubing - white	8 lbs	\$1.01/foot
172-06300-00	300' roll of 3/8" beverage tubing - white	25 lbs	\$0.95/foot
<b>BUNDLED BEVERAGE TUBING (BUNDLED LINES OF BEVERAGE TUBING FOR QUICKER INSTALL)</b>			
974-00080-01	100' roll of (8) 3/8" line sealed beverage tubing - <b>recommended for 6 valve units</b>	52 lbs	\$8.42/foot
974-00100-01	100' roll of (10) 3/8" line sealed beverage tubing - <b>recommended for 8 valve units</b>	60 lbs	\$9.98/foot
974-00120-01	100' roll of (12) 3/8" line sealed beverage tubing - <b>recommended for 10 valve units</b>	66 lbs	\$10.76/foot
974-00140-01	100' roll of (14) 3/8" line sealed beverage tubing - <b>recommended for 12 valve units</b>	72 lbs	\$13.77/foot
<b>BIB CONNECTORS</b>			
QCD-II	QCD gray bayonet style		\$20.28
00211061	Coca-Cola screw-on connector		\$8.96
33230	Encore Pepsi screw-on connector		\$15.17
33231	Dr. Pepper connector		\$15.94



## FLOMATIC® BEVERAGE VALVES

(NOTE: Excludes back block)

MODEL/ITEM NUMBER	DETAILS	APPROX. SHIP WEIGHT	W	D	H	LIST PRICE
<b>424 - BEVERAGE (EXCLUDES BACK BLOCK)</b>						
424-CF-E36-1521	1.5 to 3 oz./sec, dual flow controls Sanitary Lever - Molded Plastic	2 lbs	2.5"	4.75"	9"	<b>\$167.25</b>
424-CF-SL36-1521	1.5 to 3 oz./sec, dual flow controls Sanitary Lever - Stainless Steel	2 lbs	2.5"	4.75"	9"	<b>\$186.08</b>
424-CF-S36-1525	1.5 to 3 oz./sec, dual flow controls Push Button	2 lbs	2.5"	4.75"	4.75"	<b>\$169.95</b>
424-CF-A36-1521	1.5 to 3 oz./sec, dual flow controls Automatic Fill Lever	2 lbs	2.5"	4.75"	12"	<b>\$256.73</b>
424-CF-1521	1.5 to 3 oz./sec, dual flow controls Manual Sanitary Lever	2 lbs	2.5"	4.75"	9"	<b>\$129.68</b>
<b>424 - JUICE (EXCLUDES BACK BLOCK)</b>						
424-CF-E36-1521-WI	1.5 to 3 oz./sec dual flow controls HV-Juice Valve (WI) - plastic sanitary lever	2 lbs	2.5"	4.75"	9"	<b>\$191.55</b>
424-CF-E36-1521-WJ	1.5 to 3 oz./sec dual flow controls Juice Valve (WJ) plastic sanitary lever	2 lbs	2.5"	4.75"	9"	<b>\$186.08</b>
424-CF-S36-1525-WJ	1.5 to 3 oz./sec dual flow controls Juice Valve (WJ) push button	2 lbs	2.5"	4.75"	4.75"	<b>\$186.08</b>
424-CF-SL36-1521-WJ	1.5 to 3 oz./sec dual flow controls Juice Valve (WJ) stainless steel sanitary lever	2 lbs	2.5"	4.75"	9"	<b>\$186.08</b>
<b>464 - BEVERAGE (EXCLUDES BACK BLOCK)</b>						
464-GP-E36-1621	2-4 oz./sec: dual flow controls Sanitary Lever - Molded Plastic	2 lbs	2.5"	5.63"	9.5"	<b>\$189.86</b>
464-GP-SL36-1621	2-4 oz./sec: dual flow controls Sanitary Lever - Stainless Steel	2 lbs	2.5"	5.63"	9.5"	<b>\$187.73</b>
464-GP-S36-1625	2-4 oz./sec: dual flow controls Push Button	2 lbs	2.5"	5.63"	5.25"	<b>\$207.67</b>
464-GP-P36-1600	2-4 oz./sec: dual flow controls Portion Control	2 lbs	5.5"	5.63"	5.25"	<b>\$298.73</b>
464-GP-A36-1621	2-4 oz./sec: dual flow controls Automatic Fill Lever	2 lbs	2.5"	5.63"	12.25"	<b>\$290.09</b>
464-GP-1621	2-4 oz./sec: dual flow controls Manual Sanitary Lever	2 lbs	2.5"	5.63"	9.5"	<b>\$141.92</b>
380-Q	Mounting block: .38" inlet port	2 lbs	2.5"	1.2"	2.12"	<b>\$26.61</b>
<b>VARIETY VALVE (MOUNTING BLOCK IS INCLUDED)</b>						
030000069	Autofill	2 lbs	2.5"	5.72"	10.84"	<b>\$1,103.60</b>
030000070	Sanitary Lever	2 lbs	2.5"	5.72"	9.44"	<b>\$1,077.14</b>
030000071	Push Button	2 lbs	2.5"	5.72"	5.45"	<b>\$1,045.17</b>
030000072	Portion Control	2 lbs	2.5"	2.72"	5.45"	<b>\$1,081.55</b>

\*Approximate ship weight for items sold separately without pallets.





## CREATING A MULTIPLEX SODA OR CHILLER SYSTEM

The information below will allow you to pick beverage system components to satisfy the majority of your prospective customers. There are three main areas that drive the configuration of a soda system.

### 1 | TYPE, SIZE AND VALVES FOR THE TOWER OR DISPENSING STATIONS

### 2 | TYPE, SIZE AND LENGTH OF BEVERAGE CONDUIT

### 3 | TYPE, SIZE AND STYLE (COOLING) OF BEVERAGE REFRIGERATION OR WATER CHILLER UNIT

## 1 TOWERS OR DISPENSING STATIONS (PAGES 22-25)

There is a wide variety to select from:

### A | Style of Dispensing Station

#### CREW-SWERVE DISPENSING

1. Portion control keyboard.
2. Portion control individual valve covers.
3. Auto fill lever (Foam-over Device).

#### SELF-SERVE DISPENSING

1. Lever attached.
2. Push button activated.
3. Ice or Ice/Beverage dispenser.

### B | What type of valve is required?

- E = Eaton/Wilshire FFV
- L = Lancer/Coca-Cola
- F = Flomatic/Pepsi
- C = Cornelius/Pepsi

## 2 CONDUIT SELECTION (PAGES 26-28)

### SODA CONDUIT:

### A | Select insulated conduit by number of lines needed.

1. Number of syrup flavors desired.
2. One plain water for non-carbs and/or water.
3. Two carbonated water lines for Models 28 and 11 (3/8" (1 cm) lines required)
4. Two carbonated water lines for Model 42 and Icecore 44G (1/2" (1.3 cm) lines required)
5. Four carbonated water lines for Icecore 50G (1/2" (1.3 cm) lines for both syrup and water are recommended).

### B | Select non-insulated conduit by number of lines needed.

### C | Measure the distance to the closest dispenser and add the distance from that dispenser to all other dispensing stations and add 20 feet (for rise and fall) to obtain your conduit run length.

### PRE-CHILLER CONDUIT:

### A | Select conduit by number of lines needed.

1. Plain water and carbonated lines required.
2. Insulated or non-insulated conduit required.
3. Measure the distance to the refrigeration unit to be supported and select conduit.

## 3 SODA REFRIGERATION UNIT (PAGES 29-31)

Selection is based on syrup volume and Towers / Dispensing Stations required. (Use "Quick Pick Selection Chart" pg. 5).

### A | Find number of Dispensing Stations.

### B | Find the closest business level syrup usage expected.

### C | Where the column chosen intersects the business level row you will find the unit required and a maximum conduit length. If your length exceeds the Maximum, go to the right and down (if necessary) until you have found a match for your requirement.

NOTE: Models 2803 and 11 available in air. Icecore 44G and 50G available in air, water and remote cooled. Base your decision on store requirement or preference.

NOTE: See notes below chart referring to climate (75oF / 24oC). Higher than rated ambient temperatures will require you to go to the next larger size Soda Unit or to add a water chiller to reduce incoming water temperatures.

NOTE: **One Syrup Coil is required per flavor** (see additional coil part numbers listed after Soda refrigeration units).

**CHILLER REFRIGERATION UNIT** Selection is based on three applications: (Use Chiller Selection Chart pg. 6).

### A | Remote Recirculation Soda Factory is too small for the application due to incoming water temperature or volume is higher than anticipated.

1. Refer to Chilled Water to Multiplex Soda Factory Unit Applications section in the Chiller Selection Chart pg. 6.
2. Find Soda unit row and move to the right until you see 100%.
3. Find the Water Chiller for your situation.

NOTE: The Model SC340 is capable of reducing incoming water temperatures for all Multiplex Soda units listed. The SC1000 and SC2000 units would be used to Pre-Chill water to multiple Soda Factory Units as shown in the "Max Soda Units Supported" row.

**B** | Restaurant/Outlet is unwilling or unable to add additional ice making capacity for a **Coldplate Soda Dispenser**.

1. Refer to Chilled Water or Soda to Coldplate Applications section in the Chiller Selection Chart pg. 6.
2. Find capacity row and move to the right until you see the number of 12 oz drinks per minute you will need to support.
3. Find the Water Chiller for your situation.

**C** | **Bakery or General application** has a requirement for chilled water.

1. Refer to Bakery Applications section in the Chiller Selection Chart pg. 6.
2. Find capacity row and move to the right until you see the numbers of pounds of water required per hour or gallons of water per hour needed to support the process.
3. Find the Water Chiller for your situation.

NOTE: The SC Water Chiller line reduces incoming water temperature from 90oF to 40oF (32.2oC to 4.4oC) at the ratings listed. If the ambient incoming water temperatures are less than 90oF (32.2oC) you will have a proportionate excess of capacity.

### 4 STAND OR WALL MOUNT RACK (PAGE 33)

Stand or Wall Mount Rack selection is based on the Soda refrigeration units used and by syrup tank or Bag-In-Box syrup storage required.

### 5 AIR/CO2 CONTROL PANELS AND WATER CONTROLS

Air/CO2 Control Panels and Water Controls are selected based on the use of syrup tanks or Bag-In-Box syrup supplies.

### 6 BAG-IN-BOX PUMPS (PAGES 34)

**A** | Minimum one pump per flavor.

**B** | Fittings required by particular customers.

1. QCD Fittings are used for General line syrups.
2. Coke (Red) fittings are required for Coca-Cola products.
3. **Encore Fittings** are used for Pepsi line syrups.

### 7 TEE KITS, ADAPTER KITS, INSTALLATION ACCESSORIES AND SUPPORT EQUIPMENT (PAGES 28,32,35)

**A** | How to choose the Tee Kit, Adapter Kit and Installation Accessories required.

1. Check Conduit ordered in step two for tubing sizes included and pick tee fitting kit which matches internal conduit tubing diameters.
2. Add additional adapter kits as necessary (splicers).

NOTE: Number of Conduit Tee Fitting kits required (number of towers or dispensing stations minus one = the number of tee kits required) - model 2803 and 11 have 3/8" water and 1/4" syrup fittings.

3. Select optional conduit straps for in-ceiling installation of conduit.
4. Select optional conduit shrouds to hide conduit in kitchen or customer areas from the ceiling to the counter.

**B** | Water Boosters are used when incoming water pressures fall below the 40 PSI minimum requirement at any operational time of the day (Proper ratio of the finished beverage is the issue here).

**C** | **Air Compressors** are used to push tank or Bag-In-Box syrups from the back room to the soda refrigeration unit and eventually to the tower or dispensing station rather than using purchased CO2 gas. (Long term savings of CO2 gas and the ability to serve plain water drinks when the outlet is out of CO2 gas are the benefits.

**D** | **Remote Condensers** are installed on rooftops or away from the work area and used with remote cooled refrigeration units as a means of venting all the hot air exhausted by the refrigeration compressor. This method is especially beneficial in warm climates where excessive heat or air conditioning loads are not desirable.

**E** | **Refrigerant Pre-Charged Line Sets** are used to connect the remote soda refrigeration unit to the remote condensers.

NOTE: Measure the run length from refrigeration unit to condenser location (normal allowed elevation without P-trap is 25 feet - if P-trap required, add five feet to refrigerant line length).

# REFRIGERATION UNIT "QUICK-PICK" SELECTION CHART

NUMBER OF DISPENSING STATIONS				
BUSINESS LEVEL*	1	2	3	4
Up to 6 gal (3 L) of syrup/day or 280 drinks/day (2,000 gal/yr)	<b>MODEL 2803</b> 40 ft (12 m) Maximum Conduit Length	<b>MODEL 11M</b> 100 ft (30 m) Maximum Conduit Length	<b>ICECORE 44G</b> 250 ft (80 m) Maximum Conduit Length	<b>ICECORE 44G</b> 250 ft (80 m) Maximum Conduit Length
Up to 12 gal (45 L) of syrup/day or 560 drinks/day (4,000 gal/year)	<b>MODEL 11M</b> 100 ft (30 m) Maximum Conduit Length	<b>MODEL 11M</b> 100 ft (30 m) Maximum Conduit Length	<b>ICECORE 44G</b> 250 ft (80 m) Maximum Conduit Length	<b>ICECORE 44G</b> 250 ft (80 m) Maximum Conduit Length
Up to 21 gal (79 L) of syrup/day or 980 drinks/day (7,500 gal/year)	<b>ICECORE 44G</b> 250 ft (80 m) Maximum Conduit Length	<b>ICECORE 44G</b> 250 ft (80 m) Maximum Conduit Length	<b>ICECORE 44G</b> 250 ft (80 m) Maximum Conduit Length	<b>ICECORE 44G</b> 250 ft (80 m) Maximum Conduit Length
Up to 32 gal (121 L) of syrup/day or 1,400 drinks/day (11,500 gal/yr)	<b>ICECORE 44G</b> 250 ft (80 m) Maximum Conduit Length	<b>ICECORE 44G</b> 250 ft (80 m) Maximum Conduit Length	<b>ICECORE 50G</b> 350 ft (107 m) Maximum Conduit Length	<b>ICECORE 50G</b> 350 ft (107 m) Maximum Conduit Length
Up to 42 gal (159 L) of syrup/day or 2,000 drinks/day (15,000 gal/yr)	<b>ICECORE 50G</b> 350 ft (107 m) Maximum Conduit Length	<b>ICECORE 50G</b> 350 ft (107 m) Maximum Conduit Length	<b>ICECORE 50G</b> 350 ft (107 m) Maximum Conduit Length	<b>ICECORE 50G</b> 350 ft (107 m) Maximum Conduit Length

\*Care must be taken when selecting the proper refrigeration unit. Above selections are for 75°F (24°C) conditions, 16 ounce (470 ml) drinks, and average business cycles. Other factors such as lunch or dinner peak periods, large drinks, or high ambient conditions may require the next larger size unit. Contact your Welbilt authorized distributor for more information.

## CHILLER SELECTION CHARTS

### Application Details

CHILLER MODEL NUMBER				
	SC180	SC340	SC1000	SC2000
Evaporator Rating (BTUH)	3060	4250	7400	14900
Cabinet Heat Gain (BTUH)	260	361	710	925
Ice Bank Weight (Lb. Avg.)	26.5	50	100	175

### Chilled Water to Multiplex Soda Unit Applications

Chiller working at Inlet 90oF (32.2oC) and Outlet 75oF (23.8oC) for 2 hours

CHILLER MODEL NUMBER				
	SC180	SC340	SC1000	SC2000
MAX SODA UNITS SUPPORTED	(1) MODEL 11	(2) MODEL 2803	(1) ICECORE 50G	(2) ICECORE 50G
Capacity increase for Model 2803	100%	100%	100%	100%
Capacity increase for Model 11	90%	100%	100%	100%
Capacity increase for Model 42	96%	100%	100%	100%
Capacity increase for Model 44	96%	100%	100%	100%
Capacity increase for Model 50	67%	100%	100%	100%

NOTE: Any chiller will support the model or models listed or any unit of a lesser capacity.

### Chilled Water or Soda to Cold Plate Applications

Number of 12-fl.oz Drinks/Minute supported at Inlet 90oF (32.2oC) and Output 40oF (4.4oC)

CHILLER MODEL NUMBER				
	SC180	SC340	SC1000	SC2000
Two-hour peak at Inlet 90oF (32.2oC)	2.4	4	6.7	12.7
Sustained at Inlet 90oF (32.2oC)	1.6	2.5	3.4	7.2

### Bakery Applications


Inlet 90oF (32.2oC) and Outlet 35oF (1.7oC)

CHILLER MODEL NUMBER				
	SC180	SC340	SC1000	SC2000
Two-hour peak at Inlet 90oF (32.2oC) - Lb./Hr.	84.7	141.8	237.6	452
Sustained at Inlet 90oF (32.2oC) - Lb./Hr.	57.2	87.8	121.8	254.4
Two-hour peak - Gal./Hr.	10.2	17	28.5	54.3
Sustained Flow - Gal./Hr.	6.9	10.5	28.5	54.3

(Water weighs 8.3 pounds (3.8 kg) per gallon)

## MULTIPLEX SODA SYSTEMS LAYOUT

Numbers and letters on this page refer to specific sections for the specific components. Refer to the extreme left or right hand column on each catalog page.



## DISPENSING TOWERS

1


### MODEL 136 6 VALVE TOWERS

6 Beverage Valves

Manifolded for 5 carbonated and 1 non carbonated drinks.

Includes calibration kit.

7 1/2" cup clearance

EQUIPMENT	PART NO.	DETAILS	APPROX. SHIP WEIGHT	W	D	H	PRICE (\$)
<b>PORTION CONTROL</b>							
	00913600	<b>MODEL 136EDA</b> Wilshire/Dole FFV 3.0 oz/sec valves single transformer 120 VAC primary, 24 VAC secondary, 50/60 Hz	70 lbs (31.8 kg)	24"	12.25"	17.75"	<b>\$6,156</b>
	00913601	<b>MODEL 136EDA</b> Wilshire/Dole FFV 3.0 oz/sec valves single transformer 220 VAC primary, 24 VAC secondary, 50/60 Hz	70 lbs (31.8 kg)	24"	12.25"	17.75"	<b>\$6,298</b>
	00913608	<b>MODEL 136LDAX</b> Lancer LVV 3.0 oz/sec valves Single transformer, 230VAC primary, 24VAC secondary, 50/60 Hz	70 lbs (31.8 kg)	24"	12.25"	17.75"	<b>\$10,202</b>

### SANITARY LEVER

00913674	<b>MODEL 136CDL</b> Cornelius SFV1 3.0 oz/sec valves Single transformer, 120VAC primary, 24 VAC secondary, 50/60 Hz	70 lbs (31.8 kg)	24"	12.25"	17.75"	<b>\$5,240</b>
----------	--	---------------------	-----	--------	--------	----------------

## DISPENSING TOWERS (CONTINUED)

1

### MODEL 138 8 VALVE TOWERS

8 Beverage Valves

Manifolded for 6 carbonated and 2 non carbonated drinks.

Includes calibration kit.

7 1/2" cup clearance

EQUIPMENT	PART NO.	DETAILS	APPROX. SHIP WEIGHT	W	D	H	PRICE (\$)
-----------	----------	---------	---------------------	---	---	---	------------

#### PORTION CONTROL



<b>00913801</b>	<b>MODEL 138EDA</b> Wilshire/Dole FFV 424 3.0 oz/sec valves, Single transformer, 120 VAC primary, 24 VAC secondary, 50/60 Hz	85 lbs (38.6 kg)	24"	12.375"	17.75"	<b>\$6,718</b>
<b>00913802</b>	<b>MODEL 138EDAX</b> Wilshire/Dole FFV 424 3.0 oz/sec valves, Single transformer, 220 VAC primary, 50/60 Hz	85 lbs (38.6 kg)	24"	12.375"	17.75"	<b>\$6,939</b>
<b>00913807</b>	<b>MODEL 138EDAX</b> Wilshire/Dole FFV 3.0 oz/sec valves, Single transformer, 220 VAC primary, 24 VAC secondary, 50/60 Hz	85 lbs (38.6 kg)	24"	12.375"	17.75"	<b>\$6,939</b>
<b>00913800</b>	<b>MODEL 138EDA2</b> Wilshire/Dole FFV 3.0 oz/sec valves Two, dual-flavor valves, Single transformer, 120 VAC primary, 24 VAC secondary, 50/60 Hz	85 lbs (38.6 kg)	24"	12.375"	17.75"	<b>\$9,414</b>
<b>00913809</b>	<b>MODEL 138LDAX</b> Lancer LVV 3.0 oz/sec valves, Dual transformer, 230VAC primary, 24VAC secondary, 50/60 Hz	85 lbs (38.6 kg)	24"	12.375"	17.75"	<b>\$13,760</b>
<b>00913814</b>	<b>MODEL 138LDAX</b> Lancer LVV 3.0 oz/sec valves, Dual transformer, 230VAC primary, 24VAC secondary, 50/60 Hz	85 lbs (38.6 kg)	24"	12.375"	17.75"	<b>\$13,760</b>
<b>00913829</b>	<b>MODEL 138LDAX</b> Lancer LVV 3.0 oz/sec valves, Dual transformer, 230VAC primary, 24VAC secondary, 50/60 Hz	85 lbs (38.6 kg)	24"	12.375"	17.75"	<b>\$13,760</b>
<b>00913835</b>	<b>MODEL 138LDAX</b> Lancer LVV 3.0 oz/sec valves, Dual transformer, 230VAC primary, 24VAC secondary, 50/60 Hz	85 lbs (38.6 kg)	24"	12.375"	17.75"	<b>\$13,760</b>
<b>00913893</b>	<b>MODEL 138LDAX</b> Lancer LVV 1.5 oz/sec valves, Dual transformer, 230VAC primary, 24VAC secondary, 50/60 Hz	85 lbs (38.6 kg)	24"	12.375"	17.75"	<b>\$13,760</b>

#### SANITARY LEVER

<b>00913866</b>	<b>MODEL 138LDL</b> Lancer LEV 3.0 oz/sec valves, Single transformer, 120 VAC primary, 24 VAC secondary, 50/60 Hz	85 lbs (38.6 kg)	24"	12.375"	17.75"	<b>\$6,699</b>
-----------------	--	---------------------	-----	---------	--------	----------------

## DISPENSING TOWERS (CONTINUED)

**MODEL 1310  
10 VALVE TOWERS**

10 Beverage Valves

Manifolded for 5 carbonated and 5 non carbonated drinks.

Includes calibration kit.

7 1/2" cup clearance

PART NO.	DETAILS	APPROX. SHIP WEIGHT	W	D	H	PRICE (\$)
<b>SANITARY LEVER</b>						
<b>00913101</b>	<b>MODEL 136EDA</b> Wilshire/Dole FFV 3.0 oz/sec valves Single transformer 120 VAC primary, 24 VAC secondary, 50/60 Hz	70 lbs (31.8 kg)	30"	12.375"	17.75"	<b>\$8,864</b>
<b>PORTION CONTROL</b>						
<b>00913102</b>	<b>MODEL 1310EDC</b> Wilshire/Dole FFV 3.0 oz/sec valves Single transformer, 120VAC primary, 24 VAC secondary, 50/60 Hz	70 lbs (31.8 kg)	30"	12.375"	17.75"	<b>\$14,165</b>



## DISPENSING TOWERS (CONTINUED)

1

### MODEL 158 10 VALVE TOWERS

8 Beverage Valves

Manifolded for 7 carbonated and 1 non carbonated drinks.

Includes calibration kit and out of CO2 light.

7 1/2" cup clearance

PART NO.	DETAILS	APPROX. SHIP WEIGHT	W	D	H	PRICE (\$)
00915826	MODEL 158DLHX Wilshire/Dole FFV 3.0 oz/sec valves, Single transformer 120 VAC primary 24 VAC secondary, 50/60 Hz	110 lbs (49.9 kg)	26"	17.25"	35.625"	\$10,686
00915828	MODEL 158LDLHX Lancer LVV 3.0 oz/sec valves, Dual transformer 220 VAC primary, 24 VAC secondary, 50/60 Hz, 8" (20.3 cm) cup clearance	110 lbs (49.9 kg)	26"	17.25"	35.625"	\$17,245
00915833	MODEL 158EDRHX Wilshire/Dole FFV 3.0 oz/sec valves, Dual transformer, 230VAC primary, 24 VAC secondary, 50/60 Hz, 8" (20.3 cm) cup clearance	110 lbs (49.9 kg)	26"	17.25"	35.625"	\$10,687

## LID HOLDERS

PART NO.	DETAILS	APPROX. SHIP WEIGHT	W	D	H	PRICE (\$)
00210908	VERTICAL CUP LID HOLDER Mounts on top or beside dispensing towers	7 lbs (3.2 kg)	20"	3.25"	8"	\$357
00219219	WAVE STYLE CUP LID HOLDER Mounts on top of 30" wide dispensing towers	12 lbs (5.4 kg)	30"	11.25"	8"	\$749.70
00218755	KIT WAVE STYLE CUP LID HOLDER Use with Model 138 and 156	10 lbs (4.5 kg)	24.7"	11.1"	7.9"	\$581.70



## INSULATED CONDUIT

2

PART NO.	DETAILS	DIAMETER	PRICE (\$)
MC025016	2 LINE CONDUIT (2) ½" hose, 1" insulation	3.1" (7.9 cm)	\$15.75
MC045516	4 LINE CONDUIT (4) ½" hose, foil wrap, 1" insulation	3.9" (9.9 cm)	\$19.62
MC055366	5 LINE CONDUIT (4) 1/2" tube, (1) 3/8" tube, foil wrap, 1" insulation	5.7" (14.4 cm)	\$24.40
MC075386	7 LINE CONDUIT (3) 1/2" tube, (4) 3/8" tube, foil wrap, 1 1/2" insulation	5.1" (12.9 cm)	\$33.05
MC105536	10 LINE CONDUIT (3) 1/2" hose, (7) 3/8" tube, foil wrap, CO2 out wire, 1 3/4" insulation	5.5" (14.0 cm)	\$52.75
MC105586	10 LINE CONDUIT (3) ½" hose, (7) ½" tube, foil wrap, 1 1/2" insulation	5.7" (14.4 cm)	\$52.22
MC125556	12 LINE CONDUIT (5) ½" hose, (7) ½" tube, foil wrap, CO2 out wire, 1 1/2" insulation	5.5" (14.0 cm)	\$50.13
MC125586	12 LINE CONDUIT (5) ½" hose, (7) ½" tube, foil wrap, 1 1/2" insulation	5.5" (14.0 cm)	\$53.71
MC145586	14 LINE CONDUIT (5) ½" hose, (9) ½" tube, foil wrap, 1 1/2" insulation	5.5" (14.0 cm)	\$55.07
MC165326	16 LINE CONDUIT (3) ½" hose, (1) ½" tube, (12) ¾" tube, foil wrap, 1" insulation	4.9" (12.4 cm)	\$42.08
MC165366	16 LINE CONDUIT (16) cabled tube, foil wrap, 1" insulation	5.1" (12.9 cm)	\$51.20
MC165486	16 LINE CONDUIT (3) 1/2" hose, (13) 3/8" tube, foil wrap, 1" insulation	5.7" (14.4 cm)	\$47.78
MC175326	17 LINE CONDUIT (14) 3/8" tube, (3) 1/2" hose, foil wrap, 1" insulation	4.9" (12.4 cm)	\$44.88
MC205306	20 LINE CONDUIT (10) ½" hose, (10) ¾" tube, foil wrap, ¾" insulation	5.1" (12.9 cm)	\$48.09

NOTE: Custom conduit configurations available for orders of 1000 ft. minimum.

NOTE: Maximum continuous double insulated conduit lengths as follows:

- 7 lines or less: 300 ft. continuous
- 8-13 lines: 200 ft. continuous
- 14 lines or more: 150 ft. continuous

NOTE: 25 foot minimum order with 15 foot increments.



## AMBIENT CONDUIT

2

PART NO.	DETAILS	DIAMETER	PRICE (\$)
MC053396	5 LINE CONDUIT (5) 3/8" tube, no insulation	1.5" (3.8 cm)	\$11.90
MC063396	6 LINE CONDUIT (6) 3/8" tube, no insulation	1.5" (3.8 cm)	\$13.45
MC103396	10 LINE CONDUIT (10) 3/8" tube, no insulation	2.0" (5.1 cm)	\$14.31
MC123396	12 LINE CONDUIT (12) 3/8" tube, no insulation	2.5" (6.3 cm)	\$17.64
MC143396	14 LINE CONDUIT (14) 3/8" tube, no insulation	1.7" (4.3 cm)	\$23.66

NOTE: Custom conduit configurations available for orders of 1000 ft. minimum.

NOTE: Maximum continuous double insulated conduit lengths as follows:

- 7 lines or less: 300 ft. continuous
- 8-13 lines: 200 ft. continuous
- 14 lines or more: 150 ft. continuous

NOTE: 25 foot minimum order with 15 foot increments.

## CONDUIT ACCESSORIES

PART NO.	DETAILS	APPROX. SHIP WEIGHT	PRICE (\$)
00208609	CONDUIT TEE KIT For conduit with 3/8" water and 3/8" syrup lines Includes (11) 3/8" tees, (2) 3/8" elbows and insulation	3 lbs (1.4 kg)	\$291.90
00208610	CONDUIT TEE KIT For conduit with 1/2" water and 3/8" syrup lines Includes (16) 3/8" tees, (4) 1/2" elbows and insulation	3 lbs (1.4 kg)	\$617.40
00205801	CONDUIT TEE KIT For conduit with 1/2" water and 1/2" syrup lines Includes (14) 1/2" tees, (4) 1/2" elbows and insulation	5 lbs (2.3 kg)	\$617.40
00217206	CONDUIT ADAPTER KIT Includes (10) 3/8" x 1/4" splicers, insulation, tape and tab clamps	5 lbs (2.3 kg)	\$203.70
00217205	CONDUIT ADAPTER KIT Includes (10) 1/2" x 1/4" splicers, insulation, tape and tab clamps	5 lbs (2.3 kg)	\$277
00217207	CONDUIT ADAPTER KIT Includes (10) 1/2" x 3/8" splicers, insulation, tape and tab clamps	5 lbs (2.3 kg)	\$208
00205968	LARGE CONDUIT STRAP KIT (5) straps, for conduit with 11 or more lines	3.5 lbs (1.6 kg)	\$197.40

EQUIPMENT	PART NO.	DETAILS	APPROX. SHIP WEIGHT	PRICE (\$)
-----------	----------	---------	---------------------	------------

**SODA FACTORY MODEL 2803**



Shown with optional 6" Leg Kit (00761810)

<b>SS902850-161</b>	<b>MODEL 2803A04</b> Air-Cooled, 120 VAC/60 Hz/1 Ph, 20.3 Amp	153 lbs (69.3 kg)	<b>\$7,056</b>
---------------------	--	----------------------	----------------

**SODA FACTORY MODEL 11**



Shown with optional 6" Leg Kit (00761810)

<b>SS901120-161</b>	<b>MODEL 11MA04</b> Air-Cooled, 120 VAC/60 Hz/1 Ph, 21.5 Amp	204 lbs (92.5 kg)	<b>\$8,509</b>
---------------------	---	----------------------	----------------

<b>00217910</b>	<b>SYRUP COIL KIT</b> Model 11, Up to 2 additional coils may be added	1 lb (.5 kg)	<b>\$135.45</b>
-----------------	--	-----------------	-----------------

**SODA FACTORY MODEL 11**



Shown with optional 6" Leg Kit (00761810)

<b>TS904480G-261</b>	<b>ICECORE 44GA04</b> Air-Cooled, 208/230VAC/60 Hz/1 Ph, 20 Amp	352 lbs (159.6 kg)	<b>\$12,438</b>
----------------------	--	-----------------------	-----------------

<b>TS904496G-251</b>	<b>MODEL 44GAX04</b> Air-Cooled, TUV approved carbonator tank 230VAC/50 Hz/1 Ph, 22 Amp	348 lbs (157.8 kg)	<b>\$12,803</b>
----------------------	---	-----------------------	-----------------


<b>TS904482G-261</b>	<b>ICECORE 44GW04</b> Water-Cooled, 208/230VAC/60 Hz/1 Ph, 20 Amp	351 lbs (159.2 kg)	<b>\$13,044</b>
----------------------	--	-----------------------	-----------------

<b>TS904498G-251</b>	<b>ICECORE 44GWX04</b> Water-Cooled, TUV approved carbonator tank 230VAC/50 Hz/1 Ph, 22 Amp	334 lbs (151.5 kg)	<b>\$13,426</b>
----------------------	---	-----------------------	-----------------

<b>TS904481G-261</b>	<b>ICECORE 44GR04</b> Remote Condenser, High-volume, priority carbonation system, 208/230VAC/60 Hz/1 Ph, 20 Amp	362 lbs (164.2 kg)	<b>\$12,803</b>
----------------------	--	-----------------------	-----------------

<b>TS904497G-251</b>	<b>ICECORE 44GRX04</b> Remote Condenser, TUV approved carbonator tank 230VAC/50 Hz/1 Ph, 22 Amp	360 lbs (163.2 kg)	<b>\$13,426</b>
----------------------	---	-----------------------	-----------------

<b>00216680</b>	<b>SYRUP COIL KIT</b> Icecore 44G	15 lbs (6.8 kg)	<b>\$155.40</b>
-----------------	--------------------------------------	--------------------	-----------------

EQUIPMENT	PART NO.	DETAILS	APPROX. SHIP WEIGHT	PRICE (\$)
<b>ICECORE MODEL 50G</b>				
 <p>Shown with optional 6" Leg Kit (00761810)</p> <p><b>30% REDUCTION IN ENERGY USE!</b></p>	<b>TS905050G-263</b>	<b>ICECORE 50GA04</b> Air-Cooled 208/230VAC/60 Hz/3 Ph, 25.5 Amp	399 lbs (180.9 kg)	<b>\$15,377</b>
	<b>TS905053G-353</b>	<b>ICECORE 50GAX04</b> Air-Cooled 340/440VAC/50 Hz/3 Ph, 22 Amp	386 lbs (175 kg)	<b>\$16,455</b>
	<b>TS905051G-263</b>	<b>ICECORE 50GR04</b> Remote Condenser 208/230VAC/60 Hz/3 Ph, 25.5 Amp	397 lbs (180 kg)	<b>\$15,839</b>
	<b>TS905054G-353</b>	<b>ICECORE 50GRX04</b> Remote Condenser 340/440VAC/50 Hz/3 Ph, 16 Amp	383 lbs (173.7 kg)	<b>\$17,043</b>
	<b>TS905052G-263</b>	<b>ICECORE 50GW04</b> Water-Cooled 208/230VAC/60 Hz/3 Ph, 25.5 AmpAmp	395 lbs (179.2 kg)	<b>\$16,146</b>
	<b>00216835</b>	<b>SYRUP COIL KIT</b> Model 50 & Icecore 50G Up to 6 additional coils may be added	15 lbs (6.8 kg)	<b>\$155.40</b>
	<b>TS905046G-263</b>	<b>ICECORE 50MR04 - 24 COILS</b> Remote Condenser 230VAC/60 Hz 3 Ph, 25.5 Amp	399 lbs (180.9 kg)	<b>\$17,635</b>
	<b>00215715</b>	<b>EXTENSION ASSEMBLY FOR LARGE CONDUIT</b> Model 50 & Icecore 50G		<b>\$674</b>

## REFRIGERATION UNITS (CONTINUED)

3

PART NO.	DETAILS	APPROX. SHIP WEIGHT	PRICE (\$)
<b>MODEL SC180</b>			
SS902829-161	MODEL SC180A04 Air-Cooled, 120VAC/60 Hz/1 Ph	130 lbs (59.0 kg)	<b>\$5,775</b>
<b>MODEL SC340</b>			
SS901129-161	MODEL SC340A04 Air-Cooled, 120VAC/60 Hz/1 Ph	160 lbs (72.5 kg)	<b>\$6,417</b>
<b>MODEL SC1000</b>			
TS904460E-261	MODEL SC1000A Air-Cooled, 208/230VAC/60 Hz/1 Ph, 15 Amp	276 lbs (125.1 kg)	<b>\$9,548</b>
<b>MODEL SC2000</b>			
TS905060E-263	MODEL SC2000A04 Air-Cooled, 208/230VAC/60 Hz/3 Ph, 25.5 Amp	318 lbs (144.2 kg)	<b>\$12,801</b>
TS905061E-263	MODEL SC2000R04 Remote Condenser, 208/230VAC/60 Hz/3 Ph, 25.5 Amp	321 lbs (145.6 kg)	<b>\$13,184</b>

PART NO.	DETAILS	APPROX. SHIP WEIGHT	PRICE (\$)
----------	---------	---------------------	------------

## REFRIGERATION UNITS OPTIONS

00214400	CIRCULATING PUMP KIT Models SC180, SC340 and SC1000	35 lbs (15.9 kg)	\$1,035.30
00218575	CIRCULATING PUMP KIT Model SC20000 only	35 lbs (15.9 kg)	\$1,130.85
00214401	PRE-CHILLER INSTALLATION KIT All Super Chiller models	15 lbs (6.8 kg)	\$498.75

## REFRIGERATION UNITS ACCESSORIES

00761810	6" (15.2 CM) LEG KIT	35 lbs (15.9 kg)	\$156.45
TS0895-271	For use with Model 44MR, Icecore 44MR, Model 50MR, Icecore 50MR, SC2000R, and all Beermaster™ Units	35 lbs (15.9 kg)	\$2,503
RT20R404	LINE SET R404a 20 ft	10 lbs	Call for Pricing
RT35R404	LINE SET R404a 35 ft	15 lbs	Call for Pricing
RT50R404	LINE SET R404a 50 ft	22 lbs	Call for Pricing

## WALL MOUNT SHELVES

00214299	WALL MOUNT SHELF Stainless steel, supports Soda Factory Model 2803 or Super Chiller Model SC180	35 lbs (15.9 kg)	\$511.35
SS206730	WALL MOUNT SHELF Stainless steel, supports Soda Factory Model 11 or Super Chiller Model SC340	45 lbs (20.4 kg)	\$674.10

## SUPPORT STANDS



00445009	MODEL 4450 SUPPORT STAND with shelves to hold 9 BIB boxes 39½" (H) x 42" (W) x 28" (D) 100 cm (H) x 106.7 cm (W) x 71.1 cm (D)	250 lbs (113.3 kg)	\$2,417.10
----------	---	-----------------------	------------



00445012	MODEL 4450 SUPPORT STAND with shelves to hold 12 BIB boxes 54" (H) x 42" (W) x 28" (D) 137.2 cm (H) x 106.7 cm (W) x 71.1 cm (D)	162 lbs (73.4 kg)	\$2,835
----------	---	----------------------	---------

PART NO.	DETAILS	APPROX. SHIP WEIGHT	PRICE (\$)
<b>CONTROL PANELS AND WATER REGULATORS</b>			
00215569	<b>BULK CO2 CONTROLS FOR BAG-IN-BOX</b> Mounts on wall or refrigeration unit. Includes panel, single tank mounted regulator. No CO2 alarm.	12 lbs (5.4 kg)	<b>\$998.55</b>
00215757	<b>CO2 CONTROLS FOR BAG-IN-BOX</b> Mounts on wall or refrigeration unit. Includes panel, dual tank mounted regulators. No CO2 alarm.	14 lbs (6.3 kg)	<b>\$1,178.10</b>
00206959	<b>CO2 CONTROLS FOR SYRUP TANKS</b> Mounts on wall or refrigeration unit. Includes panel, out of CO2 alarm, dual tank-mounted regulators and air/CO2 changeover valve. Does not include syrup disconnects. 220VAC	16 lbs (7.2 kg)	<b>\$2,274.30</b>
00683129	<b>WATER SUPPLY REGULATOR</b> for incoming water pressures greater than 70 psi (4.8 bar)	3 lbs (1.3 kg)	<b>\$321.30</b>
<b>BAG-IN-BOX PUMP PANELS</b>			
00219056	<b>TWO PUMP PANEL</b> Includes mounting panel, (2) Flojet BIB syrup pumps and (2) QcD BIB connectors	15 lbs (6.8 kg)	<b>\$554</b>
00216563	<b>THREE PUMP PANEL</b> Includes mounting panel, (3) Flojet BIB syrup pumps, (3) changeover valves, (6) Coke screw-type BIB connectors. 230VAC/50 Hz/1 Ph, 22 Amp	25 lbs (11.3 kg)	<b>\$1,102.50</b>
00216045	<b>THREE PUMP PANEL</b> Includes mounting panel, (3) Flojet BIB syrup pumps and (3) QcD BIB connectors	20 lbs (9.1 kg)	<b>\$849.45</b>
00214281	<b>THREE PUMP PANEL</b> Includes mounting panel, (3) SHURflo BIB syrup pumps, (3) changeover valves and (6) Coke screw-type BIB connectors	12 lbs (5.4 kg)	<b>\$1,215.90</b>
00217225	<b>THREE PUMP PANEL</b> Includes mounting panel, (3) Coke screw-type BIB connectors	10 lbs (4.5 kg)	<b>\$834.75</b>



PART NO.	DETAILS	APPROX. SHIP WEIGHT	PRICE (\$)
<b>WATER BOOSTERS</b>			
00215639	MODEL WBK10 120VAC/60 Hz/1 Ph/5.6 Amp	68 lbs (30.8 kg)	\$2,362.50
00216382	MODEL WBK10X 220VAC/50 Hz/1 Ph/2.8 Amp	68 lbs (30.8 kg)	\$2,362.50
<b>AIR COMPRESSORS</b>			
00214970	MODEL APH3 120VAC/60 Hz/1 Ph/5.6 Amp	50 lbs (22.7 kg)	\$2,251.20
00214972	MODEL APH3X 220VAC/50 Hz/1 Ph/2.8 Amp	50 lbs (22.7 kg)	\$2,166.15
5031021	AUTOMATIC DRAIN KIT	5 lbs (2.3 kg)	\$371.70
00212506	AIR COMPRESSOR INSTALLATION KIT Plastic Lines	5 lbs (2.3 kg)	\$168

## BEER CONDUITS

PART NO.	DETAILS	APPROX. SHIP WEIGHT	PRICE (\$)
MC023346	TWO LINE GLYCOL ONLY CONDUIT Two Glycol Lines	.5 lbs (.2 kg)	\$17.50/ft.

## HIGH PERFORMANCE BEER CONDUITS WITH SUPERIOR CLEANABILITY

PART NO.	DETAILS	APPROX. SHIP WEIGHT	PRICE (\$)
MC043346	FOUR LINE BEER CONDUIT Two Beer Lines, Two Glycol Lines	.5 lbs (.2 kg)	\$18.15/ft.
MC053346	FIVE LINE BEER CONDUIT Three Beer Lines, Two Glycol Lines	.5 lbs (.2 kg)	\$20.28/ft.
MC063346	SIX LINE BEER CONDUIT Four Beer Lines, Two Glycol Lines	.8 lbs (.4 kg)	\$21.77/ft.
MC083346	EIGHT LINE BEER CONDUIT Six Beer Lines, Two Glycol Lines	.8 lbs (.4 kg)	\$26.60/ft.
MC123346	TWELVE LINE BEER CONDUIT Eight Beer Lines, Four Glycol Lines	1 lbs (0.5 kg)	\$35.41/ft.
MC143346	FOURTEEN LINE BEER CONDUIT Ten Beer Lines, Four Glycol Lines	1 lbs (0.5 kg)	\$37.35/ft.
MC163346	SIXTEEN LINE BEER CONDUIT Twelve Beer Lines, Four Glycol Lines	1 lbs (0.5 kg)	\$39.63/ft.

## BEER INSTALLATION KITS

PART NO.	DETAILS	APPROX. SHIP WEIGHT	PRICE (\$)
----------	---------	---------------------	------------

### SMALL

<b>00211505</b>	<b>KIT, SMALL CONDUIT INSTALLATION FITTINGS</b> Use with up to ten faucets. Includes 29 Unions, eight Elbows, three U-bends, 80 Covers, five Tailpieces, five Nuts, one Roll Foil Tape, one Roll PVC Tape, and one Faucet Wrench. Use for up to ten faucets (total), and up to three towers with no more than ten total faucets.	5 lbs (2.3 kg)	<b>\$803.25</b>
-----------------	---	-------------------	-----------------

### LARGE

<b>00211507</b>	<b>KIT, LARGE CONDUIT INSTALLATION FITTINGS</b> Use with up to thirteen faucets. Includes 42 Unions, 15 Elbows, four U-bends, 100 Covers, eight Tailpieces, eight Nuts, two rolls Foil Tape, one roll PVC Tape, and one Faucet Wrench. Use for up to thirteen faucets (total), and up to four towers with no more than thirteen total faucets.	6 lbs (2.7 kg)	<b>\$1,153.95</b>
-----------------	---	-------------------	-------------------

## BEERMASTER™ GLYCOL CHILLER UNITS

PART NO.	DETAILS	APPROX. SHIP WEIGHT	W	D	H	PRICE (\$)
<b>S0907531-161</b>	<b>MODEL 75A04</b> Maintains constant beer temperature up to 75 feet from the beer cooler. Includes one glycol circulating pump. Air-Cooled 120 VAC, 60 Hz, 15 Amp, 1/3 hp, 1 Phase R404A Refrigerant (CFC free 3,400 BTUH net)	107 lbs (48.5 kg)	16.25"	27.75"	14.25"	<b>\$4,866</b>
<b>S0915021-161</b>	<b>MODEL 150A04, AIR COOLED</b> Maintains constant beer temperature up to 150 feet from the beer cooler. Includes one glycol circulating pump. Air-Cooled 120 VAC, 60 Hz, 30 Amp, 1/2 hp, 1 Phase R404A Refrigerant (CFC free 4,250 BTUH net)	182 lbs (82.5 kg)	18.5"	35.5"	21.5"	<b>\$6,771</b>

## BEERMASTER™ GLYCOL KITS FOR UNITS

PART NO.	DETAILS	APPROX. SHIP WEIGHT	PRICE (\$)
<b>00214510</b>	<b>KIT, MODEL 75 GLYCOL</b> Contains 3 gallons propylene glycol.	30 lbs (13.6 kg)	<b>\$338.10</b>
<b>00211268</b>	<b>KIT, MODEL 150 ADDITIONAL CIRCULATION PUMP AND MOTOR (OPTIONAL)</b> Includes tape, insulation, cord with plug, 70 GPH (220 LPH) circulator pump (with 120 VAC motor), circulator discharge cooling tube, and circulator pump pickup tube.	25 lbs (11.3 kg)	<b>\$768.60</b>
<b>00211306</b>	<b>KIT, MODEL 150 GLYCOL</b> Contains 5 gallons propylene glycol.	47 lbs (21.3 kg)	<b>\$523</b>

## BEER PUMPS, PANELS AND ACCESSORIES - BEER PUMPS AND PANELS

PART NO.	DETAILS	WEIGHT	PRICE (\$)
G5612-02E	FLOJET STANDARD BEER PUMP Includes straight brass gas shutoff and 3/8" and 1/2" combination in/out fittings.	1 lbs (.5 kg)	\$176.40

## AIR COMPRESSOR

PART NO.	DETAILS	WEIGHT	PRICE (\$)
00214970	MODEL APH3 AIR COMPRESSOR Includes a 3 gallon tank. Disposable Replacement Air Filter for Air Compressor (P.N. 00201085) requires periodic replacement.	50 lbs (22.7 kg)	\$2,251.20

## BEERMASTER™ ACCESSORIES

EQUIPMENT	PART NO.	DETAILS	WEIGHT	PRICE (\$)
-----------	----------	---------	--------	------------

### EMPTY BEER DETECTOR KITS



SF-07

EMPTY BEER DETECTOR WITH "Y" ADAPTOR KIT

2.5 lbs  
(1.1 kg)

\$330.75

### CONDUIT HANGAR BRACKETS KITS

00205968

KIT, FIVE LARGE CONDUIT HANGAR BRACKETS

3.5 lbs  
(1.6 kg)

\$197.40



PRODUCT INFORMATION

- EcoBlend® technology featuring the next generation of blending in a cup, which reduces water and product waste.
- Integrated nugget ice maker
- Integrated refrigerated product storage
- 45 drinks/hour
- Intuitive 21.5" touch screen UI
- High performance single blade
- Automated cup shuttle
- Volumetric pump system for improved product consistency and product waste
- Clean in place sanitation system
- Wireless ready
- ADA compliance panel controls
- Locking front casters
- Cloud control and machine monitoring
- Network or USB software update ability

PART NO.	DETAILS	VOLTAGE/CYCLE/ PHASE/AMPS	APPROX. SHIP WEIGHT	W	D	H	PRICE (\$)
FB08ETF-R-GEN1	Fresh Blender® RH General Market EcoBlend®	120/60/1/16	660 lbs	38.79"	20.26"	78.53"	\$45,455.26

## PRODUCT INFORMATION



- Allows for both still drinks and nitrogenated drinks to be poured from a common source (keg) with its patented in-line nitrogenator, reducing product cost and time (kegs can take up to 14 hours to nitrogenate by traditional infusion methods)
- Nitro dispense creates a true "Theater of the Pour" with a soft, frothy head and a waterfall effect that fascinates customers and drives higher ticket purchases.
- A fully integrated, standalone system requiring just a source of food-grade nitrogen and the beverage you wish to dispense. The refrigerated base insures that product is kept below 41° F for a cool, consistent pour.
- This unit isn't just about coffee! All kinds of beverages, from teas to juices can be infused with nitrogen for a delicious, unique experience that customers will share online with friends.
- 2 taps, drip pan

PART NO.	DETAILS	VOLTAGE/CYCLE/ PHASE/AMPS	APPROX. SHIP WEIGHT	W	D	H	PRICE (\$)
<b>STANDALONE SYSTEM</b>							
<b>ND21TS00</b>	Standalone system with drain not pre-welded to the drip pan	115/60/1/6	168 lbs	27.3"	28.4"	44.6"	<b>\$16,527</b>
<b>REMOTE TOWER SYSTEM</b>							
<b>ND21RS00</b>	Remote Tower System	115/60/1/6	168 lbs	27.3"	28.4"	44.6"	<b>\$16,527</b>
<b>ND21RS00B</b>	Remote Tower System	115/60/1/6	168 lbs	27.3"	28.4"	44.6"	<b>\$16,527</b>

Equipment does not include regulator, if your configuration requires a regulator the part number is 3239832

## ACCESSORIES AND MODIFICATIONS

<b>AS3547976</b>	Keg						<b>\$406</b>
------------------	-----	--	--	--	--	--	--------------

## N2MOBILE™ NITROGEN INFUSION SYSTEM



### PRODUCT INFORMATION

- N2Mobile is a unique solution for your cold brew, nitro and iced coffee needs. By combining an innovative cooler design, on-board nitrogen storage and in-line infusion, cafe quality nitro coffee is now more accessible than ever before!

PART NO.	DETAILS	VOLTAGE/CYCLE/ PHASE/AMPS	APPROX. SHIP WEIGHT	W	D	H	PRICE (\$)
<b>N2MOBILE™</b>							
<b>ND21TS59</b>	Mobile standalone system	n/a	168 lbs	17.1"	17.1"	49.1"	<b>\$5,535</b>

SCAN THE CODE BELOW TO CONTACT US FOR A SALES REPRESENTATIVE IN YOUR AREA.



OR GO TO  
[HTTPS://WWW.CREM.COFFEE/CONTACT](https://www.crem.coffee/contact)



SCAN THE CODE BELOW TO LOCATE A DEALER, DISTRIBUTOR OR SALES REPRESENTATIVE IN YOUR AREA.



OR GO TO  
[WWW.MULTIPLEXBEVERAGE.COM/SALES/SALES-LOCATORS](http://WWW.MULTIPLEXBEVERAGE.COM/SALES/SALES-LOCATORS)

