

Suggested List Price Standard Equipment and Accessories



**TIMELESS QUALITY,  
TRUSTED FOR LIFE**



Effective: July 1, 2021

## Why Buy Cleveland?

1. **Cleveland is Steam** - Our sole focus is on Steam Cooking Equipment. Our three locations boast over 550 years of shared steam experience. We are North America's largest steam equipment provider.

2. Our state of the art Concord facility is both **ASME** and **ISO 9001** approved.

- ISO9001 Quality System, Since 1997
- ASME - 100 PSI High Pressure Vessel Certified since 1977
- CE Mark Pressure Vessel Approval for Europe since 2002
- SELO of AQSIIQ Pressure Vessel Approval for China.

**ASME**  
SETTING THE STANDARD



3. We offer an **Extensive Product Line** - More models to suite any application.

4. Cleveland's

**QuickShip™**  
**Warehouse Program**

QS - QuickShip Items (48 hours)  
EX - Express Items (10 work day lead time)

5. **"Best in Class"** winner by FE&S Magazine for 16 years; in 2017 winning 10 of 12 Categories.



**Steamers**  
(16 times)

Overall Winner  
Operators Winner  
Consultant Winner  
Dealer Winner



**Kettles**  
(8 times)

Overall Winner  
Operators Winner  
Dealer Winner



**Tilt Skillets**  
(9 times)

Overall Winner  
Consultant Winner  
Dealer Winner

6. Steam focused **Customer & Technical Support** via an experienced team ready to help, **both pre-sale and aftermarket!**

7. A **Unique Warranty** with low industry rates offering the best overall warranty coverage. Our product reliability creates low rates.

July 1, 2021

# Cleveland Equipment Price List TABLE OF CONTENTS

Page #

## Steamers

SteamCub, SteamCub Plus, 5 Pans (1SCE, 1SCMCS)	1
SteamChef Electric, 3 & 6 Pans (22CCT6, 22CET3.1 22CET6.1)	1
SteamChef Gas, 3 & 6 Pans (22CGT3.1, 22CGT6.1)	2
SteamCraft 3 & 5 Pan (21CET8, 21CET16, 21CGA5)	3
SteamCraft, Gemini 10-Pan Steamers (24CGA, 24CEA, 24CGP, 24CDP10)	4
Classic Line Steamers, 15 PSI Boilers, Convection, Pressure Steamers	5
Classic Line Boiler Base with Kettles	6
Installation Program, Water Filters	7
Steamer Accessories	8

## Kettles

Countertop Electric Kettles & Stands (KET, TKET Series)	9
Countertop Gas Kettles & Stands (KGT Series)	10
Floor Model Gas Kettles Stationary (KGL Series)	11
Floor Model Gas Kettles, Tilting (KGL-T Series)	12
Floor Model Electric Kettles, Stationary (KEL Series)	13
Floor Model Electric Kettles, Tilting (KEL-T Series)	14
Countertop Direct Steam kettles, Modular Stands (KDT-T Series, SD Series)	15
Floor Model Direct Steam Kettles, Stationary (KDL Series)	16
Floor Model Direct Steam Kettles, Tilting (KDL-T Series)	17
Kettle Accessories	18-20
Mixer Kettles, Vertical Sweep & Fold Series, Direct Steam (MKDL, TMKDL Series)	21
Mixer Kettles, Vertical Sweep & Fold Series, Electric (MKEL, TMKEL Series)	22
Mixer Kettles, Vertical Sweep & Fold Series, Gas (MKGL Series)	23

## Tilt Skillets

Countertop Electric	24
Floor Model, DuraPan, (SEL, SGL- TR Series)	25
Floor Model, Power Pan, (SEL-SGL-T1 Series)	26
Tilt Skillet Accessories	27

## Product Reference Section

Model Number Legend	28
---------------------	----

## The Cleveland Advantage – Key Products and Features

### Steamers

SteamCraft 3/5, Gemini 10 Feature Callouts	29
SteamChef Boilerless Convection Steamers (22CET, 22CGT, 22CCT Series)	30
SteamChef Patented KleanShield (22CET, 22CGT, 22CCT Series)	31
SteamCraft 3/5 Steamers (21CET8, 21CET16)	32
Gemini 10 Pan Convection Steamer (24CGA10.2)	33
Classic Line Steamers (24CGM, 24CEM Series)	34
Steamer Warranty	35

### Steam Jacketed Kettles

Gas and Electric Feature Kettle Callouts (KEL, KGL Series)	36
Benefits of Steam Jacket Kettle Cooking	37
Countertop Steam Jacketed Kettles (KET, TKET-T Series)	38

July 1, 2021

# Cleveland Equipment Price List TABLE OF CONTENTS

Page #








---

## The Cleveland Advantage – Key Products and Features Continued

Steam Jacketed Kettles	
Gas Floor Model Steam Jacketed Kettles (KGL Series)	39
Guide to Kettle Drain Valves	40
Swing Drain Funnels	41
Pan Carriers (PCK) and Flow Diverters (FD) for Tilting Kettles	42
Tilting Skillets	
SGL-T1 Series Features Callouts	43
DuraPan - TR Series Tilt Skillets (SGL, SEL-TR)	44
PowerPan, T1 Series Tilt Skillets (SEL, SGL-T1)	45
Cook Chill Systems	
Mixer Kettles, HA Series, Vertical Sweep and Fold Series	46
Self-Contained Cook Chill Systems	47
<b>EasyDial Controls</b> for Self-Contained Tilting Kettles, T1 Series Tilt Skillets	48
<b>Correctional Packages</b>	49-50
<b>Marine Shipboard Packages</b>	51
<b>Technical Information</b>	
Recommend Pipe Capacity for Direct Steam Kettles	52
Recommended Piping Schematic for direct Steam Kettles	52
Steam Requirement Data - Boiler Sizing Information	52
Steam Flow Rates for Direct Steam Kettles	53
Pressure Temperature Chart	53
Kettle and Tilt Skillet Capacity Serving Calculator	54
Energy Star and LEED information for Steamers	55
<b>Statement of Policies</b>	56
<b>Warranty &amp; Extended Warranty Program</b>	57-58
<b>Steamer Installation Program</b>	59
<b>Water Treatment Selection Guidelines</b>	60
<b>Quick Ship Program</b>	61
<b>Shipping Weights, Dimensions, Cubic Feet, Freight Class</b>	62-63

Cleveland Range July 1, 2021 Price List

**CONVECTION STEAMERS, ELECTRIC BOILERLESS**

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
<b>STEAMCUB BOILERLESS STANDARD CONNECTIONLESS STEAMER</b> 	SteamCub Electric Boilerless Steamer, 208-240 Volt, 3 Phase, Capacity For 5 each 12" X 20" X 2.5" Pans, Self Adjusting Two-Piece Compartment Door, Door Steam Shut Off Switch, Heavy 14 Gauge Stainless Steel Construction, 6" Adjustable Legs, Meets Energy Star®, Certified to Applicable UL, CSA and NSF Standards			
	<b>SteamCub Connectionless, 208-240 Volt, 3 Phase Standard</b>			
	1SCMCS	5 - Pan SteamCub - Connectionless Non Convection	260/118	\$16,458
	1SCE	5 - Pan SteamCub - Connectionless - Non Convection with Hold Feature, Digital Controls	260/118	\$18,402
	(2)1SCMCS 109194	5 - Pan SteamCub - Connectionless Stacked <i>Mounting Kit Required For Single Unit To Stand</i>	600/272	\$37,182 \$263
<b>STEAMCHEF BOILERLESS CONVECTION STEAMERS WITH KLEANSHIELD</b>      	Steamchef™ Convection Steamer, Electric Boilerless 208-240 Volt 3 Phase , 60 Minute Electro-Mechanical Timer & Manual (Continuous Steaming) Bypass Switch, Surecook Load Compensating Timer, Self Adjusting Two-Piece Compartment Door, Patented KleanShield Compartment Design Eliminates Flavor Transfer, Door Steam Shut Off Switch, Capacity For Three Or Six 12" X 20" X 2.5" Pans, Heavy 14 Gauge Stainless Steel Construction, 4" Adjustable Legs, Meets Energy Star®, UL197/NSF Certification			
	<b>Electric Connectionless SteamChef, 208-240 Volt, 3 Phase Standard</b>			
	22CCT6 KE004074	6-Pan SteamChef Electric Connection-less Convection Steamer With KleanShield <i>Mounting Kit For 22CCT6 (Required For Mounting To Unistand34 And ES263044E)</i>	335/153	\$19,309
	<b>Electric Connected SteamChef 208-240 Volt, 3 Phase Standard</b>			
	22CET3.1	3-Pan Electric Boilerless Convection Steamer (Drain And Water Connection Required)	235/107	\$15,109
	22CET6.1	6-Pan Electric Boilerless Convection Steamer (Drain And Water Connection Required)	335/153	\$19,987
	(2) 22CET33.1	(2) 22CET3.1 Stacked With ES263044E Stacking Stand		\$32,850
	(2) 22CET63.1	(1) 22CET3.1, (1) 22CET6.1 Stacked With ES263044E Stacking Stand		\$39,142
	(2) 22CET66.1	(2) 22CET6.1 Stacked With ES263044E Stacking Stand		\$43,497
	<b>SteamCub, SteamChef Options</b>			
	VOS2	440-480 Volt 3 Phase		\$905
	SPH	Single Phase Option		\$0
	ELEVATION	Specify Elevation If Over 3,500 Feet Electric Models,		\$0
	DHR	Door Hinged Right, Controls On The Left , (22CET3.1, 22CET6.1 Only)		\$747
	1114941	Right Side Heat Shield For 22CET3.1 - 3 Pan SteamChef		\$1,232
	ETC1	Electronic Controls With Load Compensating Thermostat (22CET3.1, 22CET6.1 only)		\$788
	LPG	L.P. Gas Option (Gas Models)		
	<b>Common Accessories (For More Accessories See Page 8)</b>			
	NHT60	5 Foot Long FDA Garden Hose Style Water Connection (2 Required - P/N 110999)		\$328
	SPW	Single Point Water Connection (P/N 111009) Not Available On Stacked Units		\$328
	LPCK	Natural To LP Gas Conversion Kit For Gas SteamChef (P/N114678)		\$590
	PR	Additional Pan Rack Guides (Set) For 3 Pan		\$763
<b>Water Filters</b>				
WBT-QT11-CR	Optipure Water Filter	12/6	\$824	
<b>Equipment Stands</b>				
UNISTAND34	34" High Equipment Stand For Single Unit (P/N 111721)	85/39	\$2,908	
UNISTAND25	25" High Equipment Stand For Single Unit or Direct Stacking a 22CET3.1(P/N111717)	75/34	\$2,908	
POSK	Pull Out Shelf Kit For Unistands (P/N 111724)		\$782	
URK	Pan Rack Kit For Unistand (P/N 111726)		\$591	
CHEFSTACK3	Stack Kit (Spacer , Water, Drain Kit) For Two 3-Pan SteamChef S (Unistand25 Required) (PN 111771)		\$1,088	
ES2469	Stacking Stand For Stacking SteamCub (1SCMCS) (Pan 111728)	77/35	\$4,753	
ES263044E	Stacking Stand For Stacking 3-6 Pan Electric SteamChef 22CET3.1, 22CET6.1, 22CCT6) (P/N 111467E)	100/44	\$4,053	

Cleveland Range July 1, 2021 Price List

**CONVECTION STEAMERS, GAS BOILERLESS**

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
----------------	-------	-------------	--------------------	------------

**GAS STEAMCHEF BOILERLESS  
CONVECTION STEAMERS WITH  
KLEANSHIELD**

SteamChef™ Convection Steamer, Gas Boilerless, 32,000 Btu'S, 60 Minute Electro-Mechanical Timer & Manual (Continuous Steaming) Bypass Switch, Surecook Load Compensating Timer, Self Adjusting Two-Piece Compartment Door, Patented KleanShield Compartment Design Eliminates Flavor Transfer, Door Steam Shut Off Switch, Capacity For Three Or Six 12" X 20" X 2.5" Pans, Heavy 14 Gauge Stainless Steel Construction, 4" Adjustable Legs, Meets Energy Star®, Certified to Applicable UL, CSA and NSF Standards



**Gas SteamChef Standard With 115 Volt, Natural Gas**

22CGT3.1	3-Pan Gas Boilerless Convection Steamer (Drain And Water Connection Required)	255/116	\$18,955
22CGT6.1	6-Pan Gas Boilerless Convection Steamer (Drain And Water Connection Required)	355/161	\$24,490
(2) 22CGT3.1	(2) 22CGT3.1 Stacked With ES26304433G Stacking Stand Connected		\$42,784
(2) 22CGT6.1	(1) 22CGT3.1, (1) 22CGT6.1 Stacked With ES26304466G Stacking Stand		\$48,007
(2) 22CGT6.1	(2) 22CGT6.1 Stacked With ES26304466G Stacking Stand		\$53,007
111895	Mounting Kit Required For Single Unit On Stand		\$0



**Options**

ELEVATION	Specify Elevation If Over 2,000 Feet For Gas Models	\$0
LPG	L.P. Gas Option	\$0



**Common Accessories (For More Accessories See Page 8)**

NHT60	5 Foot Long FDA Approved Garden Hose Style Water Connection (2 Required - P/N 110999)	\$328
SPW	Single Point Water Connection (P/N 111009) Not Available On Stacked Units	\$328
LPCK	Natural To LP Gas Conversion Kit For Gas SteamChef (P/N114678)	\$590
PR	Additional Pan Rack Guides (Set) For 3 Pan	\$368



**Water Filters**










WBT-QT11-CR	Optipure Water Filter	12/6	\$824
-------------	-----------------------	------	-------




**Equipment Stands**

UNISTAND34	34" High Equipment Stand For Single Unit (P/N 111721)	85/39	\$2,908
UNISTAND25	25" High Equipment Stand For Single or Stacked Unit (P/N111717)	75/34	\$2,908
POSK	Pull Out Shelf Kit For Unistands (P/N 111724)		\$782
URK	Pan Rack Kit For Unistand (P/N 111726)		\$590
ES26304466G	Stacking Stand For Stacking 6-Pan Gas SteamChef, 22CGT6.1 (P/N) 113130G)	100/44	\$4,053
ES26304433G	Stacking Stand For Stacking 3- Pan Gas SteamChef 22CGT3.1(P/N) 113131G)	100/44	\$4,053

**CONVECTION STEAMERS, COUNTER TOP, STAINLESS STEEL GENERATORS**

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
<b>STEAMCRAFT COUNTER TOP CONVECTION GENERATOR MODELS</b>		SteamCraft® Generator Style Convection Steamer, 60 Minute Electro-Mechanical Timer & Manual (Continuous Steaming) Bypass Switch, Capacity For three or five 12" X 20" X 2.5" Pans, Self Adjusting Two-Piece Compartment Door, Auto Water Fill And Drain, Firebar Style Self Cleaning Heating Element With Special Low Watt Drying Element For Dry Steam (Electric Models), Steam Shut Off Door Switch, Heavy 14 Gauge Stainless Steel Construction, 4" Adjustable Legs Standard, Easy Access Descaling Port, Certified to Applicable UL, CSA and NSF Standards			
	<b>Electric &amp; Gas Models Available</b>				
		21CET8	3-Pan Convection Steamer with Electric Steam Generator, 8 Kw	210/50	\$13,596
		(2)21CET8	(2) 21CET8 Stacked, Includes Stacking Kit And Stand, Field Assembled, 8 W Each	600/272	\$32,253
	21CET16	5-Pan Convection Steamer with Electric Steam Generator, 16 Kw	248/58	\$20,023	
	21CGA5	5-Pan Convection Steamer with Gas Generator, 70, 000 Btu's, Natural Gas, 115 Volt	275/125	\$26,855	
	<b>Options</b>				
	VOS1	208 Or 240 Volt 3 Phase (Must Specify One On Electric Models)		\$0	
	VOS2	440-480 Volt 3 Phase (Electric Models)		\$905	
	SPH	Single Phase Option (21CET8 Only)		\$0	
	ETC1	Digital Controls (Minutes/Seconds) With Surecook Load Compensating Timer		\$788	
	DHR	Door Hinged Right, Controls On The Left (Not Available On 21CGA5)		\$747	
	1114941	Heat Shield For 21CET8 Only Right Side		\$1,232	
	LPG	LP Gas Option (21CGA5)		\$0	
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0	
	CPSCG	Prison Packages, Tamper Proof Pan Racks, Tamper Proof Exterior Sheeting, Tamper Proof Descaling Port, Protective Cover for Controls, Hasp Lock by others. (See Page 49 for Details)		\$2,265	
<b>Common Accessories (For More Accessories See Page 8)</b>					
	SMDCK	(P/N FK104658) Drain Cooling Kit For Counter Top Steamers, (21CET8, 21CET16, 21CGA5)		\$464	
	DISSOLVE	Dissolve Descaling Solution Case Of 6 - One Gallon Containers (106174)		\$537	
	BDPK1	Boiler Descaling Pump Kit - For Generators With Descale Port (1071421)		\$1,484	
	QDC60	60" Quick Disconnect Hose (Gas Models)		\$1,328	
	PR	Additional Pan Rack Guides - 3 Pan Models		\$368	
	SPH1	Single Phase Conversion Kit For 21CET8		\$1,565	
<b>Water Filters</b>					
	WBT-QT11-CR	QT11-CR Optipure Water Filter	12/6	\$825	
	WBT-QTSX-2PG	QTSX-2PG High Hardness Optipure Water Filter	12/6	\$971	
	1150360	Water Quality Test Kit		\$51	
<b>Equipment Stands</b>					
	UNISTAND34	34" High Equipment Stand (P/N 111721)	85/39	\$2,908	
	UNISTAND25	25" High Equipment Stand Or Direct Stacking A 21CET8 (P/N 111717)	75/34	\$2,908	
	POSK	Pull Out Shelf Kit For Unistands (P/N 111724)		\$782	
	URK	Pan Rack Kit For Unistand (P/N 111726)		\$590	
	STK1	Stacking Kit For Direct Stacking Two 21CET8'S (P/N 107166) Requires Unistand25		\$2,154	
	ES2446	Steamcraft Stacking Stand For Stacking Two 21CET8, Or Two 21CET16 (Not Available On 21CGA5) (P/N 1054521)	77/34	\$4,938	
					
					
	Model (2)21CET8: Direct stacking two 21CET8 requires using Stacking Kit STK1 (PN 107166) and Unistand25. Contact factory for pricing and installation instructions.				

**CONVECTION STEAMERS, 10 PAN, STAINLESS STEEL GENERATORS**

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
<b>10-PAN CONVECTION STEAMERS - FLOOR MODEL WITH GENERATORS</b>		Steamcraft® 10 Convection Steamer, 2 Compartment Generator Style Steamer. Turbo Charged Forced Air Gas Combustion Design (Gas Models) Capacity For Ten 12" X 20" X 2.5" Pans, 60-Minute Electro-Mechanical Timer & Manual (Continuous Steaming) Bypass Switch, Self Adjusting Two-Piece Compartment Door, Door Steam Shut Off Switch, Heavy Gauge Stainless Steel Construction, 6" Level Adjustable Flanged Feet, Easy Access Descaling Port, Certified to Applicable UL, CSA and NSF Standards			
	<b>Gas, Electric, Direct Steam Models Available</b>				
		24CGA6.2S	6 -Pan Convection, Gas Gemini Series Twin Generator, 50M Btu's Each	565/256	\$40,923
		24CGA10	10-Pan Convection, Gas Single Generator, 125M Btu	565/256	\$37,756
		24CGA10.2	10-Pan Convection, Gas Gemini Series Twin Gas Generator 72M Btu'S Each	565/256	\$41,634
		24CGA10.2ES	10-Pan Convection, Gas Gemini Series Twin Gas Generator 50M Btu'S Each, Meets Energy Star	565/256	\$46,614
		24CGP10	10-Pan Convection, Gas 15-Psi Gas Boiler, 240M Btu	830/376	\$59,755
		24CEA10	10-Pan Convection, Electric Gemini Series Twin Generator, 16 Kw Each	528/240	\$39,425
		24CDP10	10-Pan Convection, Direct Steam (Must Use Clean Potable Steam Source, 20 - 50- PSI Incoming Required)	495/224	\$37,360
	<b>Options</b>				
		ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0
		LPG	LP - Propane Gas (Gas Models)		\$0
		FF	Level Adjustable Flanged Feet For Floor Bolting Standard		STD
		VOS1	208 Or 240 Volt 3 Phase (Must Specify One 24CEA10 Only)		\$0
		VOS2	440-480 Volt 3 Phase (24CEA10 Only)		\$1,040
	LWO	Low Wattage Option 8 Kw Per Compartment (24CEA10 Only)		\$179	
	DHR2	Door Hinged Right, Controls On The Right (Not Available On 24CGA10, 24CDP10)		\$1,428	
	ETC2	Digital Timer With Load Compensating Feature (Not Available On 24CDP10)		\$1,548	
	CPSCG	Prison Packages, Tamper Proof Pan Racks, Tamper Proof Exterior Sheeting, Tamper Proof Descaling Port, Protective Cover for Controls, Hasp Lock by others. (See Page 49 for Details)		\$2,265	
<b>Common Accessories (For More Accessories See Page 8)</b>					
	DISSOLVE	Dissolve Descaling Solution 6 - One Gallon Containers (106174)		\$537	
	BDPK	Boiler Descaling Pump Kit - For 15 Psi Boiler Models (24CGP10 Only) (PN 107142)		\$1,485	
	BDPK1	Boiler Descaling Pump Kit - For Generators With Descale Port (1071421)		\$1,485	
	QDC60	5 Foot Long 3/4" Long Gas Quick Disconnect Hose, Gas Models Only (P/N 1007841)		\$1,328	
	GPTO10	Gas Power Take Off Kit To Operate Direct Steam Kettles (P/N 40946 - 24CGP10 Only)		\$778	
	IMK6	6 Foot Long Kettle Interconnect Hose (409351) Requires Power Take Off Kit, (Model 24CGP10 Only)		\$666	
	IMK10	10 Foot Long Kettle Interconnect Hose (409355) Requires Power Take Off Kit, (Model 24CGP10 Only)		\$920	
	IMK15	15 Foot Long Kettle Interconnect Hose (409358) Requires Power Take Off Kit, (Model 24CGP10 Only)		\$1,160	
	LGDCK	Large Drain Cooling Kit Floor Model Steamers (Requires 115 Volt)		\$967	
	113716	Heat Shield For 24CGA10, 24CEA10, 24CGP10 Right Side Only		\$1,948	
	113717	Heat Shield For 24CGA10.2 Right Side Only		\$1,948	
<b>Water Filters</b>					
	WBT-QT11-CR	QT11-CR Optipure Water Filter		\$825	
	WBT-QTSX-2PG	QTSX-2PG High Hardness Optipure Water Filter		\$971	
	WBT-OPS350/50	Reverse Osmosis Filter, 350 Gal. Day, 50 Gallon Tank For 24CGA10.2, 24CGA10, 24CEA10		\$8,761	
	WBT-BWS1500/50	Reverse Osmosis Filter, 1,500 Gal. Day, 50 Gallon Stor. Tank For 24CGP10		\$16,096	
	115036O	Water Quality Test Kit		\$51	








Cleveland Range July 1, 2021 Price List

**CONVECTION & PRESSURE STEAMERS, BOILER BASE (15 PSI)**

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
<b>CLASSIC LINE STEAMERS - BOILER BASE STEAMERS</b>	Cleveland Classic Convection & Pressure Steamers, 15 PSI Boiler Base (Gas, Electric, Steam Coil) Steamer With 5-Year Prorated Boiler Warranty, Heavy 14 Gauge Stainless Steel Construction, 6" Level Adjustable Flanged Feet, Heavy Stainless Steel Frame, 60 Minute Mechanical Timer, Certified to Applicable UL, CSA and NSF Standards				
	<b>6-Pan Convection, Electric, Gas, Direct Steam, Steam Coil Models Available</b>				
		24CGM200	6-Pan Convection Steamer, 200M Btu Gas 15 PSI Boiler, 24" Wide Base	610/277	\$53,058
		24CEM24	6-Pan Convection Steamer, Electric 24Kw 15 PSI Boiler, 24" Wide Base	530/240	\$50,978
		24CSM	6-Pan Convection Steamer, Steam Coil 15 PSI Boiler, 24" Wide Base	635/288	\$56,940
		36CGM300	6-Pan Convection Steamer, 300M Btu Gas 15 PSI Boiler, 36" Wide Base	755/342	\$60,039
	<b>16-Pan Convection, Electric, Gas, Direct Steam, Models Available</b>				
		36CGM16300	16-Pan Convection Steamer, 300M Btu Gas 15 PSI Boiler, 36" Wide Base	1080/499	\$71,461
		36CEM1648	16-Pan Convection Steamer, Electric 48Kw 15 Boiler, 36 Wide Base	1080/499	\$59,317
		36CDM16	16-Pan Convection Steamer, Direct Steam (Requires Clean Steam, 35-50 PSI), 36" Base	1080/499	\$47,882
	<b>2 &amp; 3 Compartment Pressure Steamers, Electric, Gas, Direct Steam</b>				
		PEM242	2-Compartment Pressure Steamer, 24Kw Electric 15 PSI Boiler, 36" Wide Base	830/426	\$55,800
		PEM243	3-Compartment Pressure Steamer, 24Kw Electric 15 PSI Boiler, 36" Wide Base	830/426	\$57,679
		PGM3002	2-Compartment Pressure Steamer, 300M Btu Gas 15 PSI Boiler, 36" Wide Base	874/397	\$60,701
		PGM3003	3-Compartment Pressure Steamer, 300M Btu Gas 15 PSI Boiler, 36" Wide Base	1040/472	\$72,532
	PDL2	2-Compartment Pressure Steamer, Direct Steam, 36" Wide Base	510/231	\$33,577	
	PDL3	3-Compartment Pressure Steamer, Direct Steam, 36" Wide Base	600/272	\$44,093	
<b>Options</b>					
	FF	Level Adjustable Flanged Feet For Floor Bolting Standard		STD	
	LPG	LP Gas Option, Gas Models		\$0	
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0	
	36KW	36Kw Option For Electric Boilers		\$1,630	
	48KW	48 Kw Option For Electric Boilers		\$3,332	
	VOS2	440-480 Volt, 60 Hz, 3 Phase (Electric Models Only)		\$1,060	
	PKO	PKO - Power Take Off Option For Pressure Steamers To Operate Kettles		\$1,842	
	CP-CCX	Prison Packages, Tamper Proof Pan Racks, Tamper Proof Exterior Sheeting, Tamper Proof Cabinet Base with Hasp, Protective Cover for Control with Hasp, Hasp Lock by others. (See Page 49 for Details)		\$2,489	
<b>Common Accessories (For Detailed Accessories See Page 8)</b>					
	GPTO	Power Take Off Kit For Gas Boilers - 6 Pan Convection Models Only (40946)		\$792	
	EPTO	Power Take Off Kit For Electric Boilers 6 Pan Convection Models Only (40947)		\$792	
	IMK6	6 Foot Long Kettle Interconnect Kit (409351)		\$678	
	IMK10	10 Foot Long Kettle Interconnect Kit (409355)		\$938	
	IMK15	15 Foot Long Kettle Interconnect Kit (409358)		\$1,182	
	DISSOLVE	Descaling Solution 6 - One Gallon Containers (106174)		\$548	
	BDPK	Boiler Descaling Pump Kit - 15 Psi Boilers (107142)		\$1,512	
	LGDCK	Large Drain Cooling Kit Floor Model Steamers (Requires 115 Volt)		\$986	
	QDC60	5 Foot 3/4" Long Gas Quick Disconnect Hose, Gas Models Only 24CGM200, 36CGM300 Models (P/N 1007841)		\$1,353	
<b>Water Filters</b>					
	WBT-QTI1-CR	Optipure Water Filter	12/6	\$832	
	WBT-QTSX-2PG	High Hardness Optipure Water Filter	12/6	\$980	
	WBT-OPS350/50	Reverse Osmosis Filter, 350 Gal. Day, 50 Gallon Storage Tank (For 24 Kw Boilers Only)	25/12	\$8,845	
	WBT-BWS1500/50	Reverse Osmosis Filter, 1,500 Gal. Day, 50 Gallon Storage Tank (200M, 300M Btu Boilers)	25/12	\$16,249	
	1150360	Water Quality Test Kit		\$52	

## Cleveland Range July 1, 2021 Price List


### MODULAR BASES WITH KETTLES, BOILER BASE (15 PSI)

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
<b>MODULAR BASES WITH KETTLES - BOILERS</b>		Cleveland Classic Boiler Base, 15 PSI Boiler Base (Gas, Electric, Direct Steam) With 5-Year Prorated Boiler Warranty, Heavy 14 Gauge Stainless Steel Construction, 6" Level Adjustable Flanged Feet, Heavy Stainless Steel Frame, Full Width Drain Trough And Grate, Splash Guard, 6 & 10 Gallon Direct Steam Combinations, Double Pantry Faucet, 316 Stainless Steel Interior On Kettle, Certified to Applicable UL, CSA and NSF Standards			
		24EMK624	One 6-Gallon Kettle, 24Kw 15-PSI Boiler	565/256	\$35,942
		36EMK6624	Two 6-Gallon Kettles, 24Kw 15-PSI Boiler	610/276	\$53,213
		24GMK6200	One 6-Gallon Kettle, 200M Btu Gas 15-PSI Boiler	565/256	\$41,261
		36GMK66300	Two 6-Gallon Kettles, 300M Btu Gas 15-PSI Boiler	630/286	\$57,956
		36GMK1010300	Two 10-Gallon Kettles, 300M Btu Gas 15-PSI Boiler	630/286	\$60,157
		24DMK6	One 6-Gallon Kettle, Direct Steam	565/256	\$21,933
		36DMK66	Two 6-Gallon Kettles, Direct Steam	630/286	\$36,642
		36DMK1010	Two 10-Gallon Kettles, Direct Steam	630/286	\$40,557
				\$0	
	24GM200	200M Btu Gas 15-PSI Boiler Base	465/210	\$27,770	
	36GM300	300M Btu Gas 15-PSI Boiler Base	520/235	\$33,964	
	24EM24	24 Kw Electric 15-PSI Boiler Base	390/176	\$23,072	
<b>Options</b>					
	FF	Level Adjustable Flanged Feet For Floor Bolting Standard			
	36KW	36Kw Option For Electric Boilers		\$1,630	
	48KW	48 Kw Option For Electric Boilers		\$3,332	
	VOS1	208 Or 240 Volt 3 Phase (Electric Models Only)			
	VOS2	440-480 Volt, 60 Hz, 3 Phase (Electric Models Only)		\$1,060	
	LPG	LP Gas Option (Gas Models)		\$0	
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0	
<b>Common Accessories (For Detailed Accessories See Page 8)</b>					
	GPTO	Power Take Off Kit For Gas Boilers - (40946)		\$777	
	EPTO	Power Take Off Kit For Electric Boilers (40947)		\$777	
	IMK6	6 Foot Long Kettle Interconnect Kit (409351)		\$666	
	IMK10	10 Foot Long Kettle Interconnect Kit (409355)		\$920	
	IMK15	15 Foot Long Kettle Interconnect Kit (409358)		\$1,160	
	DISSOLVE	Descaling Solution 6 - One Gallon Containers (106174)		\$537	
	BDPK	Boiler Descaling Pump Kit - 15 Psi Boilers (107142)		\$1,484	
	QDC60	5 Foot 3/4" Long Gas Quick Disconnect Hose, Gas Models Only 24CGM200, 36CGM300 Models (P/N 1007841)		\$1,328	
<b>Water Filters</b>					
	WBT-QT11-CR	Optipure Water Filter	12/6	\$832	
	WBT-QTSX-2PG	High Hardness Optipure Water Filter	12/6	\$980	
	WBT-OPS350/50	Reverse Osmosis Filter, 350 Gal. Day, 50 Gallon Storage Tank (For 24 Kw Boilers Only)	25/12	\$8,845	
	WBT-BWS1500/50	Reverse Osmosis Filter, 1,500 Gal. Day, 50 Gallon Storage Tank (200M, 300M Btu Boilers)	25/12	\$16,249	
	1150360	Water Quality Test Kit		\$52	

Cleveland Range July 1, 2021 Price List






**INSTALLATION PROGRAM, WATER FILTERS**

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
<b>STEAMERS</b>	Installation Program For Steamers: Factory Authorized Servicer (FAS) Will Arrange And Oversee The Complete Installation And Start Up Process To Ensure Proper Operation. See Installation Program Policy Document For Program Details. <u><a href="#">Installation Program Prices Are A Net Price - No Discounts</a></u>			
	<b>Installation Of First Unit</b>			
	11000115896	Table Top Steamers: 22CET3/6.1, 22CGT3/6.1, 21CET8, 21CET16, 21CGA5		\$1,221
	11000115898	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA10.2, 24CGA6.2S		\$1,960
	11000115900	Floor Model Steamer: 24CGP10		\$2,473
	<b>Installation Of Second Unit</b>			
	110000115897	Table Top Steamers: 22CET3/6.1, 22CGT3/6.1, 21CET8, 21CET16, 21CGA5		\$664
	11000115899	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA10.2, 24CGA6.2S		\$1,253
	11000115901	Floor Model Steamer: 24CGP10		\$1,843
	<b>Additional Installation Program Services</b>			
	11000115830	Pre Installation Site Survey (Required)		\$212
	11000115833	Water Filter Installation - Standard System, Only Filters Include Models In Price List		\$186
	11000115837	Disposal Of Old Equipment		\$265
	<b>Installation Kits</b>			
	INSTKITCET1	Installation Kit, Electric Steamers 22CET3/6, 21CET8, 208-240 Volt Series		\$529
INSTKITCET2	Installation Kit, Electric Steamers 22CET3/6, 21CET8/16, 480 Volt Series		\$425	
INSTKITCET3	Installation Kit, Electric Steamers 21CET16, 208, 220, 240 Volt Series		\$434	
INSTKITCEA4	Installation Kit, Electric Steamers 24CEA10 208, 240, 480 Volt Series		\$577	
INSTKITCGA5	Installation Kit, Gas Steamers 21CGA5, 22CGT3/6 Series		\$649	
INSTKITCGA6	Installation Kit, Gas Steamers 24CGA, 24CGP Series		\$768	

WATER FILTERS	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
	<b>Standard Filters</b>			
	WBT-QT11-CR	Optipure Water Filter #160-52081 (QT11+CR)	12/6	\$824
	WBT-CTO-Q10	Replacement Cartridge #300-05828 (1 Required)		\$162
	WBT-CTO-QCR	Replacement Cartridge #300-05831 (1 Required)		\$244
	1150360	H2O Water Quality Test Kit		\$51
	<b>High Hardness Water Filters (+170 Ppm)</b>			
	WBT-QTSX-2PG	Optipure Water Filter #160-52822	12/6	\$971
	WBT-CTO-Q	Replacement Cartridge #300-05830 (1 Required)		\$162
	WBT-SCLX2-Q	Replacement Cartridge (1 Required)		\$308
	1150360	H2O Water Quality Test Kit		\$51
	<b>Reverse Osmosis Filters</b>			
	WBT-OP/350/50	350 Gallon Per Day R.O. Filter With 50 Gallon Storage Tank	25/12	\$8,761
	CTO-Q	Replacement Cartridge (300-05830) 2 Required		\$162
	AMS-QT	Replacement Cartridge (204-53040) 1 Required		\$1,161
	MA-Q15	Replacement Cartridge (300-95855) 1 Required		\$184
WBT-BWS1500/50	1500 Gallon Per Day R.O. Filter With 50 Gallon Storage Tank		\$16,096	
CTO-Q	Replacement Cartridge (300-05830) 3 Required		\$162	
AMS-QT4021XLE	Replacement Cartridge (204-44021) 1 Required		\$1,446	
MA-Q15	Replacement Cartridge (300-95855) 1 Required			

## Cleveland Range July 1, 2021 Price List

### ALL STEAMER ACCESSORIES

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
<b>Descaling Solution, Pump Kits</b>					
	DISSOLVE	(P/N106174) Dissolve Descaling Solution, 6 One Gallon Containers		\$537	
	BDPK	(P/N 107142) Boiler Descaling Pump Kit For 15 Psi Boilers		\$1,485	
	BDPK1	(P/N 1071421) Boiler Descaling Pump Kit For Generators		\$1,485	
<b>Power Take Off Kits</b>					
	GPTO	(P/N 40946) Power Take Off Kit, Gas Boiler Base Classic Line Steamers and Boiler Bases		\$777	
	EPTO	(P/N 40947) Electric Power Take Off Kit, Classic Line Steamers and Boiler Bases		\$777	
	GPTO10	(P/N 107082) Power Take Off Kit, SteamCraft Power 10		\$778	
	IMK6	(P/N 409351) 6" Long Kettle Interconnecting Kit		\$666	
	IMK10	(P/N 409355) 10" Long Kettle Interconnecting Kit		\$920	
	IMK15	(P/N 409358) 15" Long Kettle Interconnecting Kit		\$1,160	
<b>Drain Cooling Kits</b>					
	SMDCK	(P/N Fk104658) Drain Cooling Kit For Counter Top Steamers, (Steamcraft Only)		\$464	
	LGDC	(P/N 106290) Large Drain Cooling Kit For Floor Model Steamers		\$967	
<b>Heat Shields</b>					
	113716	Heat Shield 10 Pan Steamers Models 24CGA10, 24CEA10 (P/N 113716)		\$1,948	
	113717	Heat Shield 10 Pan Steamers Models 24CGA10.2 (P/N 113717)		\$1,948	
	1114941	Heat Shield 3 Pan Steamchef, Add 4" To Right Side (P/N 1114941)		\$1,232	
<b>Gas Conversion Kits</b>					
	114768	Natural To LP Conversion Kit, 22CGT3.1/6.1, 2,000 Ft Elevation, UL Certified		\$590	
	114772	Natural To LP Conversion Kit, 21CGA5, 2,000 Ft Elevation, UL Certified		\$590	
	114594	Natural To LP Conversion Kit, 24CGA6.2, 24CGA6.2ES, 24CGA10.2ES, (P/N 114594)		\$1,232	
	114596	Natural To LP Conversion Kit, 24CGA10.2, 2,000 Ft Elevation, UL Certified		\$590	
	114774	Natural To LP Conversion Kit,, 24CGA10, 2,000 Ft Elevation, Certified		\$590	
	114776	Natural To LP Conversion Kit, 24CGP10, 2,000 Ft Elevation, UL Certified		\$590	
	114778	Natural To LP Conversion Kit, 200M Btu Boiler Base		\$590	
	114780	Natural To LP Conversion Kit, 300M Btu Boiler Base		\$590	
	114767	LP To Natural Conversion Kit 22CGT3.1/6.1, 2,000 Ft Elevation, UL Certified		\$590	
	114771	LP To Natural Conversion Kit, 21CGA5, 2,000 Ft Elevation, UL Certified		\$1,232	
	114775	LP To Natural Conversion Kit, 24CGP10, 2,000 Ft Elevation, UL Certified		\$1,232	
	114593	LP To Natural Conversion Kit, 24CGA6.2, 24CGA10.2ES, 24CGA6.2ES,		\$1,232	
	114595	LP To Natural Conversion Kit , 24CGA10.2, 2,000 Ft Elevation, UL Certified		\$1,232	
	114773	LP To Natural Conversion Kit, 24CGA10, 2,000 Ft Elevation, UL Certified		\$1,232	
	<b>Miscellaneous</b>				
		QDC60	5 Foot long 3/4" Long Gas Quick Disconnect Hose, Gas Models Only 24CGM200, 36CGM300 Models (P/N 1007841)		\$1,328
		MS	Moisture Separator Trap (P/N 19020)		\$1,023
		PRV	Pressure Reducing Valve		\$1,023
	TRF	Step Down Transformer (P/N 107040)		\$1,035	
	SPH1	Single Phase Field Conversion Kit 21CET8 (P/N 104393)		\$1,565	
	PR	Additional Pan Rack Guide For 3 Pan Steamer		\$520	
	PP25	2.5" X 12" X 20" Perforated Pan (P/N 16868)		\$437	
	PP4	4" X 12" X 20" Perforated Pan (P/N 16854)		\$504	
	SP25	2.5" X 12" X 20" Solid Pan (P/N 16869)		\$409	
	SPW	Single Point Water Connection, Garden Hose Style		\$328	
	NHT60	5 Foot Garden Hose Style Water Connection Kit (P/N 11009999)		\$328	
	LF4	4" Adjustable Legs Standard (P/N 2501018) Price Each		\$51	
	LF41	4" Legs For Counter Top Steamers ( 1 Ea) 21CGA5 (P/N 2501018)		\$51	
	LF42	4" For Counter Top Steamers ( 1 Ea) Steamcraft 21CET8 (Black) (P/N 1014501)		\$51	
	LF43	4" Legs For Counter Top Steamers ( 1 Ea) Steamchef (P/N 1110021)		\$51	
	LF6	6" Legs For Counter Top Steamers ( 1 Ea) SteamCub (P/N 115328)		\$51	
	LF10	10" Legs For Floor Model Steamers (Pan 111288)		\$0	
	105994	Additional Pan Rack set for pressure steamers, 1 set per compartment		\$685	
	POS	Pull out Shelves for Pressure Steamers, 1 set each compartment		\$825	
	69616	Splash Guard For 42" Bases		\$96	






Cleveland Range July 1, 2021 Price List

**KETTLES, COUNTER TOP, ELECTRIC**




PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
<b>COUNTER TOP ELECTRIC KETTLES</b>	<b>Electric Models</b>				
		KET3T	3 Gallon (11 Liter) Electric Tilting With Standard Controls	95/43	\$11,031
		KET6T	6 Gallon (23 Liter) Electric, Tilting With Standard Controls	160/73	\$12,435
		KET6TGB	6 Gallon (23 Liter) Electric, Gear Box Style Tilting With Standard Controls	170/77	\$15,989
		KET12T	12 Gallon (45 Liter) Electric, Tilting with Standard Controls	180/82	\$15,191
		KET12TGB	12 Gallon (45 Liter) Electric Gear Box Style Tilting With Standard Controls	190/86	\$17,112
		KET20T	20 Gallon (90 Liter) Electric, Tilting (Floor Model) With Standard Controls	260/118	\$23,508
		KE003874	Field Installed Drain Drawer (For KET20T only)		\$974
		TKET3T	Twin 3 (11 Liter Ea) Gallon Electric, Tilting With Standard Controls	135/60	\$23,664
		TKET6T	Twin 6 (23 Liter Ea) Gallon Electric, Tilting With Standard Controls	226/103	\$28,442
		TKET12T	Twin 12 (45 Liter Ea) Gallon Electric, Tilting With Standard Controls	315/143	\$38,008
	<b>EasyDial Control Option</b>				
		EZD	EasyDial Control Option (Not Available On TKET'S)		\$1,683
		TCP1	Core Temperature Probe, EasyDial Controls Only (Not Available On TKET'S)		\$1,206
	<b>Additional Options</b>				
		ELEVATION	Specify Elevation If Over 3,000 Feet Electric Models		\$0
		KM1G	Kettle Gallon Markings - 1 Gallon Increments (Use KM1L Liters Increments)		\$1,115
		HW1	High Wattage Option (6,12, 20 KET Electric Models)		\$0
		HW20	High Wattage Option (KET20T Electric Models)		\$515
		VOK1	380 Or 415 Volt, 50 Hz, 3 Phase For Electric Export (N/A On KET3T)		\$1,053
		VOK2	440/480 Volt, 60 Hz, 3 Phase (N/A On KET3T)		\$1,873
		PCE	Protective Control Cover		\$501
		KTTT	Correctional Package For Counter Top Electric Kettles		\$1,550
	<b>Common Accessories (For More Accessories See All Kettle Accessories Page 18-20)</b>				
		CL3	Lift Off Cover With Build In Condensate Seal		\$761
	CL6	Lift Off Cover With Build In Condensate Seal		\$761	
	CL12	Lift Off Cover With Build In Condensate Seal		\$986	
	CL20	Lift Off Cover With Build In Condensate Seal		\$1,042	
	DPKT	DPKT Double Pantry Faucet /Bracket		\$1,153	
	SPKT	SPKT Single Pantry Faucet /Bracket		\$892	
	KE003874	Field Installed Drain Drawer (For KET20T only)		\$974	
<p><b>ST Series Equipment Stands:</b> Heavy Stainless Steel Construction With 1-1/4' Square Tubing, Adjustable Feet, (Rear Flanged Feet For Bolting To Floor) Standard With Sliding Drain Drawer And Splash Screen, Can Be Hard Piped To Floor Drain, UL197, NSF-4 Certification</p>					
<b>Equipment Stands</b>					
	EST28	28" Economy Equipment Stand, No Drain Drawer For Single Kettle	28/13	\$2,541	
	ST28	28" Wide Equipment Stand W/ Drain Drawer And Splash Screen For Single Kettle	35/16	\$3,848	
	ST42	42" Wide Equipment Stand W/ Drain Drawer And Splash Screen (TKET3T, TKET6T)	65/29	\$6,704	
	ST55	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For (2) KET3T, KET6T, KET12T, SET10, SET15, KDT3, KDT6T, KDT12T)	70/32	\$7,216	
	ST55T	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For (1) TKET12T)	70/32	\$7,216	
	SG28	Large Flow Folding Splash Guard For ST28, ST55		\$416	
	SG42	Large Flow Folding Splash Guard For ST42 Equipment Stand		\$409	

## Cleveland Range July 1, 2021 Price List

### KETTLES, COUNTER TOP, GAS






PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
<b>COUNTER TOP GAS KETTLES</b>				
Cleveland Self Contained Counter Top Kettles, Electric Models Standard With 120 Volt With Cord & Plug, 50 Psi Steam Jacket Rating, 316 Stainless Steel Interior, 2/3 Steam Jacket, Built In Diagnostics, Reinforced Rolled Rim, Marine Style Self Locking Safety Latch, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge. Certified to Applicable UL, CSA and NSF Standards				
<b>Gas Models</b>				
	KGT6T	6 Gallon (23 Liter) Gas Tilting With Standard Controls	130/59	\$22,591
	KGT12T	12 Gallon (45 Liter) Gas Tilting With Standard Controls	190/86	\$27,107
	KGT12TGB	12 Gallon (45 Liter) Gas Gear Box Style Tilting With Standard Controls	215/98	\$29,775
<b>EasyDial Control Option</b>				
	EZD	EasyDial Control Option		\$1,683
	TCP1	Core Temperature Probe, EasyDial Controls Only		\$1,206
<b>Additional Options</b>				
	ELEVATION	Specify Elevation If Over 2,000 Feet Gas Models		\$0
	LPG	LP Gas Option (KGT Series)		\$0
	KM1G	Kettle Gallon Markings - 1 Gallon Increments (Use KM1L for Liter Increments)		\$1,115
	VOK1G	220 Volt, 50 Hz, 1 Phase (KGT Series For Export)		\$1,113
	PCE	Protective Control Cover		\$501
	KTTT	Correctional Package For Counter Top Electric Kettles		\$1,550
	<b>Common Accessories (For More Accessories See All Kettle Accessories Page 18-20)</b>			
	CL6	Lift Off Cover With Build In Condensate Seal		\$761
	CL12	Lift Off Cover With Build In Condensate Seal		\$986
	DPKT	DPKT Double Pantry Faucet /Bracket		\$1,153
	SPKT	SPKT Single Pantry Faucet /Bracket		\$892
	FS6GAS	Food Strainer For 6 Gallon Gas Kettle		\$634
	FS12GAS	Food Strainer For 12 Gallon Gas Kettle		\$634
	QDC60	5 Foot Long 3/4" Long Gas Quick Disconnect Hose (P/N 1007841)		\$1,341

**ST Series Equipment Stands:** Heavy Stainless Steel Construction With 1-1/4' Square Tubing, Adjustable Feet, (Rear Flanged Feet For Bolting To Floor) Standard With Sliding Drain Drawer And Splash Screen, Can Be Hard Piped To Floor Drain, UL197, NSF-4 Certification

<b>Equipment Stands</b>				
	EST28	28" Economy Equipment Stand, No Drain Drawer For Single Kettle	28/13	\$2,541
	ST28	28" Wide Equipment Stand W/ Drain Drawer And Splash Screen For Single Kettle	35/16	\$3,848
	ST42	42" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For Two KGT6T)	65/29	\$6,704
	ST55	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For Two KGT12T)	70/32	\$7,216
	SG28	Large Flow Folding Splash Guard For ST28, ST55		\$409
	SG42	Large Flow Folding Splash Guard For ST42 Equipment Stand		\$409
				







Cleveland Range July 1, 2021 Price List

**KETTLES, GAS FLOOR MODEL - STATIONARY**

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
<b>SELF CONTAINED GAS KETTLES - STATIONARY</b>		Cleveland Self Contained Floor Model Steam Jacketed Kettles, Gas Operated, Patented Forced Air "Double Pass" Self Contained Gas Steam Generator, 120 Volt With Cord & Plug, 50 PSI Steam Jacket Rating, Solid State Temperature Control, 316 Stainless Steel Jacket Interior, 2" Tangent Draw-Off And Spring Assist Cover Standard, 2/3 Steam Jacketed, Full Jacketed On Short Series, Built In Diagnostics, Reinforced Rolled Rim, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification			
	<b>STATIONARY MODELS</b>		<b>Stationary Models - Standard With 2" Tangent Draw-Off And Spring Assist Cover</b>		
		KGL25	25 Gallon (95 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	320/144	\$31,682
		KGL40	40 Gallon (150 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	520/235	\$35,583
		KGL40SH	40 Gallon (150 Liter) Gas Kettle, Short Series Full Steam Jacket, 2" Tangent Draw-Off And Spring Assist Cover	520/235	\$36,785
		KGL60	60 Gallon (225 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	560/255	\$44,371
		KGL60SH	60 Gallon (225 Liter) Gas Kettle, Short Series Full Steam Jacket, 2" Tangent Draw-Off And Spring Assist Cover	560/255	\$48,158
		KGL80	80 Gallon (300 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	600/270	\$50,343
	KGL100	100 Gallon (375 Liter) Gas Kettle, 2" Tangent Draw-Off And Spring Assist Cover	620/280	\$60,977	
	<b>Gas Models Stationary Options</b>				
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0	
	LPG	LP Gas Option		\$0	
	KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter increments)		\$1,126	
	HS0001	Front Mounted Removable Heat Deflector Shield		\$1,352	
	VOK4	220 Volt, 60Hz, 1 Phase (KGL Series Only)		\$871	
	VOK5	220 -240 Volt, 50 Hz, 1 Phase (For Export KGL Series Only)		\$2,681	
	CP-STATKT	Prison Package For Stationary Kettles, Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard (See Page 50 for Details)		\$3,448	
	CP-RB	Prison Package Bar Rim		\$2,675	
<b>Tangent Draw- Off &amp; Pumpable Options For Stationary Gas Models</b>					
	2ACME	Acme Thread Added To 2" Tangent Draw-Off On Stationary Kettle (Special Order)		\$973	
	TD3S	3" Tangent Draw-Off With Strainer Upgrade Add On Price		\$3,034	
	TD3SA	3" Tangent Draw-Off With Acme Thread, For Pumping Capability		\$3,263	
	BV3AC	3" Butterfly Valve With Acme Thread (Except KGL25T), For Pumping Capability		\$3,606	
	FPVA3	3" Air Piston Valve For Pumping (KE003775-2) (Gas Models 60 Gallon And Larger) - For Pumping		\$11,734	
<b>Common Accessories (For More Accessories See All Kettle Accessories Page 18-20)</b>					
	DPKS	DPKS Double Pantry Faucet		\$1,153	
	SPKS	SPKS Single Pantry Faucet		\$892	
	QDC60	5 Foot Long 3/4" Long Gas Quick Disconnect Hose (P/N 1007841)		\$1,341	
<b>Accessories (Food Grade Hoses) 45 &amp; 90 Degree Adapters see page 20</b>					
	MFSHO3	3" Diameter Food Grade Hose, 3 Feet Long		\$5,648	
	MFS-HO-6	3" Diameter Food Grade Hose, Two 3 Feet Long Hoses		\$7,646	

## Cleveland Range July 1, 2021 Price List

### KETTLES, GAS FLOOR MODEL - TILTING

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
<b>SELF CONTAINED GAS KETTLES - TILTING</b>	Cleveland Self Contained Tilting Floor Model Steam Jacketed Kettles, Gas Operated, Patented Forced Air "Double Pass" Self Contained Gas Steam Generator, 120 Volt With Cord & Plug, Solid State Temperature Control, 50 PSI Steam Jacket Rating, 316 Stainless Steel Kettle Interior, 2/3 Steam Jacketed, Built In Diagnostics, Reinforced Rolled Rim, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification				
	<b>TILTING MODELS</b>		<b>Tilting Models Standard - (2" Tangent Draw-Off And Spring Assist Cover Is Optional)</b>		
		KGL25T	25 (95 Liter) Gallon Gas Tilting With Standard Controls	320/144	\$49,730
		KGL40T	40 (150 Liter) Gallon Gas Tilting With Standard Controls	520/235	\$52,505
		KGL40TSH	40 (150 Liter) Gallon Gas Tilting - Short Series 38" Rim Height With Standard Controls, Full Steam Jacket	520/235	\$61,884
		KGL60T	60 (225 Liter) Gallon Gas Tilting With Standard Controls	560/225	\$65,289
		KGL80T	80 Gallon (300 Liter) Gas Tilting With Standard Controls	600/270	\$71,979
		KGL100T	100 (375 Liter) Gallon Gas Tilting With Standard Controls (Special Order- Contact Factory )	690/313	\$127,358
		<b>EasyDial Control Options Tilting Gas Models</b>			
		EZD	EasyDial Control Option - Tilting Models Only		\$1,683
TCP1		Core Temperature Probe, EasyDial Controls Only		\$1,206	
<b>Gas Models Stationary &amp; Tilting Additional Options</b>					
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0	
	LPG	LP Gas Option		\$0	
	KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter Increments)		\$1,126	
	HS0001	Front Mounted Removable Heat Deflector Shield		\$1,352	
	VOK4	220 Volt, 60Hz, 1 Phase (KGL Series Only)		\$871	
	VOK5	220 -240 Volt, 50 Hz, 1 Phase (For Export KGL Series Only)		\$2,681	
	CP-TILTCTD	Prison Package For Tilting Kettles With TD Valve: Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, Hasp Lock by Others (See Page 50 for Details)		\$3,635	
	CP-TILTCT	Prison Package For Tilting Kettles With No TD Valve: Tamper Proof Spring Assist Cover with HASP, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, HASP Lock by Others (See Page 50 for Details)		\$2,743	
	CP-RB	Prison Package Bar Rim		\$2,675	
	<b>Tangent Draw-Off &amp; Pumpable Options For Tilting Gas Models</b>				
	TD2	2" Tangent Draw Off With Strainer		\$2,322	
	TD2A	2" Tangent Draw Off With Acme Thread And Strainer For Pumping Capability		\$2,690	
	TD3	3" Tangent Draw-Off With Strainer (60 Gallon And Larger Only)		\$7,137	
	TD3A	3" Tangent Draw-Off Valve With Acme Thread, (60 Gallon And Larger) For Pumping Capability		\$8,991	
	BV3AC	3" Butterfly Valve With Acme Thread (Except KGL25T) For Pumping Capability		\$8,991	
	FPVA3	3" Air Piston Valve For Pumping (KE003775-2) (Gas Models 60 Gallon And Larger) For Pumping		\$11,734	
	<b>Spring Assist Covers, Tilting Models</b>				
	CHS25	25 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$2,482	
	CHS40	40 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,022	
	CHS40GTSH	40 Short Series Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,251	
	CHS60	60 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,144	
	CHS80	80 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,544	
CHS100	100 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$6,265		
<b>Common Accessories (For More Accessories See All Kettle Accessories Page 18-20)</b>					
	DPKT	DPKT Double Pantry Faucet and Bracket		\$1,153	
	SPKT	SPKT Single Pantry Faucet and Bracket		\$892	
	PCK	Self Leveling Pan Carrier (Tilting Models)		\$1,283	
<b>Accessories (Food Grade Hoses) 45 &amp; 90 Degree Elbows see page 20</b>					
MFSHO3	3" Diameter Food Grade Hose, 3 Feet Long			\$5,648	
MFS-HO-6	3" Diameter Food Grade Hose, Two 3 Feet Long Hoses			\$7,646	



**KETTLES, ELECTRIC FLOOR MODEL STATIONARY**

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
<b>SELF CONTAINED ELECTRIC KETTLES - STATIONARY</b>	Cleveland Self Contained Floor Model Stationary And Tilting Kettles, Electric Standard 208 - 240 Volt, 3 Phase (Field Convertible To 1 Phase), 316 Stainless Steel Kettle Interior, Solid State Temperature Controls, IPX6 Water Rated, 50 PSI Steam Jacket Rating, 2/3 Steam Jacketed, Built In Diagnostics, Reinforced Rolled Rim, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification				
	<b>STATIONARY MODELS</b>				
	<b>Stationary Models Standard With 2" Tangent Draw-Off And Spring Assist Cover</b>				
		KEL25	25 Gallon (95 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	210/95	\$28,130
		KEL30	30 Gallon (110 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	230/105	\$28,386
		KEL40	40 Gallon (150 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	280/127	\$28,973
		KEL40SH	40 Gallon (150 Liter) Electric Kettle Short Series, Full Steam Jacket, 2" Tangent Draw-Off, Spring Assist Cover	280/127	\$34,621
		KEL60	60 Gallon (225 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	330/150	\$37,379
KEL60SH		60 Gallon (225 Liter) Electric Kettle Short Series, Full Steam Jacket, 2" Tangent Draw-Off, Spring Assist Cover	340/155	\$45,503	
KEL80		80 Gallon (300 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	385/175	\$47,887	
KEL100		100 Gallon (375 Liter) Electric Kettle, 2" Tangent Draw-Off, Spring Assist Cover	415/195	\$54,996	
<b>Electric Model Stationary Additional Options</b>					
ELEVATION	Specify Elevation If Over 3,000 Feet For Electric Models			\$0	
HW2	High Wattage Option (Floor Model Electric Models KEL Series)			\$2,574	
VOK1	380 Or 415 Volt, 50 Hz, 3 Phase For KEL Electric Models - Export			\$1,042	
VOK2	440/480 Volt, 60 Hz, 3 Phase For KEL Electric Models			\$1,873	
KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter Increments)			\$1,126	
HS001	Front Mounted Removable Heat Deflector Shield			\$1,352	
CP-STATKT	Prison Package For Stationary Kettles, Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard (See Page 50 for Details)			\$3,448	
CP-RB	Prison Package Bar Rim			\$2,675	
<b>Tangent Draw- Off &amp; Pumpable Options For Stationary Models (For Use With Food Pump)</b>					
2ACME	Acme Thread Added To 2" Tangent Draw-Off On Stationary Kettle (Special Order)			\$973	
TD3S	3" Tangent Draw-Off With Strainer Upgrade/Add On Price (60 Gallon And Larger Only)			\$3,034	
TD3SA	3" Tangent Draw-Off With Acme Thread Upgrade, Add On Price (60 Gallon And Larger Only)			\$3,263	
<b>Food Hose Kits (All Models) 45 &amp; 90 DEGREE ELBOWS SEE PAGE 20</b>					
MFSHO3	3" Diameter Food Grade Hose, 3 Feet Long			\$5,648	
MFS-HO-6	3" Diameter Food Grade Hose, Two 3 Feet Long Hoses			\$7,646	
<b>Common Accessories (For More Accessories See All Kettle Accessories Page 18-20)</b>					
DPKS	DPKS Double Pantry Faucet			\$1,153	
SPKS	SPKS Single Pantry Faucet			\$892	






## Cleveland Range July 1, 2021 Price List

### KETTLES, ELECTRIC FLOOR TILTING

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
<b>SELF CONTAINED ELECTRIC KETTLES - TILTING</b>		Cleveland Self Contained Floor Model Tilting Kettles, Electric Standard 208 - 240 Volt, 3 Phase (Field Convertible To 1 Phase), 316 Stainless Steel Kettle Interior ,50 PSI Steam Jacket Rating, 2/3 Steam Jacketed, Solid State Temperature Controls, IPX6 Water Rated, Built In Diagnostics, Reinforced Rolled Rim, 1 - 10 Steam Control Dial, Low Water LED Indicator, Color Coded Pressure Vacuum Gauge, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification			
	<b>Tilting Models (2" Tangent Draw-Off And Spring Assist Cover Is Optional)</b>				
	KEL25T	25 (95 Liter) Gallon Electric Tilting With Standard Controls	290/132	\$38,480	
	KEL40T	40 (150 Liter) Gallon Electric Tilting With Standard Controls	360/163	\$41,143	
	KEL40TSH	40 Gallon (150 Liter) Electric Tilting - Short Series 35" Rim Height With Standard Controls, Full Steam Jacket	360/163	\$42,662	
	KEL60T	60 Gallon (225 Liter) Electric Tilting With Standard Controls	415/188	\$47,057	
	KEL60TSH	60 Gallon (225 Liter) Electric Tilting - Short Series 35" Rim Height With Standard Controls, Full Steam Jacket	415/188	\$60,417	
	KEL80T	80 Gallon (300 Liter) Electric Tilting With Standard Controls	470/213	\$54,299	
	KEL100T	100 Gallon (375 Liter) Electric Tilting With Standard Controls	520/235	\$64,655	
	<b>EasyDial Control Options Tilting Models Only</b>				
		EZD	EasyDial Control Option - Tilting Models Only		\$1,652
		TCP1	Core Temperature Probe, Easy Dial Controls Only		\$1,206
	<b>Electric Tilting Models Additional Options</b>				
	ELEVATION	Specify Elevation If Over 3,000 Feet		\$0	
	HW2	High Wattage Option (Floor Model Electric Models KEL Series)		\$2,574	
	VOK1	380 Or 415 Volt, 50 Hz, 3 Phase For KEL Electric Models - Export		\$1,042	
	VOK2	440/480 Volt, 60 Hz, 3 Phase For KEL Electric Models		\$1,873	
	KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter Increments)		\$1,126	
	HS001	Front Mounted Removable Heat Deflector Shield		\$1,352	
	CP-TILTKTTD	Prison Package For Tilting Kettles With TD Valve: Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, Hasp Lock by Others (See Page 50 for Details)		\$3,635	
	CP-TILTKT	Prison Package For Tilting Kettles With No TD Valve: Tamper Proof Spring Assist Cover with HASP, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, HASP Lock by Others (See Page 50 for Details)		\$2,743	
	CP-RB	Prison Package Bar Rim		\$2,675	
	<b>Tangent Draw-Off And Pumpable Options For Tilting Electric Models</b>				
	TD2	2" Tangent Draw Off With Strainer		\$2,322	
	TD3	3" Tangent Draw-Off With Strainer (60 Gallon And Larger Only)		\$7,137	
	TD2A	2" Tangent Draw Off With Acme Thread And Strainer For Pumping (Special Order)		\$2,690	
	TD3A	3" Tangent Draw-Off Valve With Acme Thread, (60 Gallon And Larger) For Pumping		\$8,991	
	<b>Accessories (Food Hose Kit) 45 &amp; 90 Degree Elbows see page 20</b>				
	MFSHO3	3" Diameter Food Grade Hose, 3 Feet Long		\$5,648	
	MFS-HO-6	3" Diameter Food Grade Hose, Two 3 Feet Long Hoses		\$7,646	
	<b>Spring Assist Covers, Tilting Models</b>				
	CHS25	25 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$2,482	
	CHS40	40 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,022	
	CHS40TSH	40 SH Series Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,251	
	CHS60	60 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,145	
	CHS60TSH	60 SH Series Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,263	
	CHS80	80 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$3,544	
CHS100	100 Gallon Rotatable Spring Assist Cover With Built In Condensate Seal		\$6,265		
	<b>Common Accessories (For More Accessories See All Kettle Accessories Page 18-20)</b>				
	DPKT	DPKT Double Pantry Faucet & Bracket, Large 3/4" Spout		\$1,153	
	SPKT	SPKT Single Pantry Faucet & Bracket Large 3/4" Spout		\$892	
	PCK	Self Leveling Pan Carrier (Tilting Models)		\$1,283	




Cleveland Range July 1, 2021 Price List

**KETTLES, COUNTER TOP DIRECT STEAM & KETTLE COMBINATIONS ON 18" STANDS**

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
 <p><b>COUNTER TOP KETTLES, DIRECT STEAM</b></p>		Cleveland Self Direct Steam Counter Top Kettles, 50 PSI Steam Jacket Rating, 316 Stainless Steel Interior, 2/3 Steam Jacketed, 316 Stainless Steel Kettle Interior, Reinforced Rolled Rim, Right Hand Steam Control Valve, Certified to Applicable UL, CSA and NSF Standards, CE Certification			
	KDT1T	.5 Gallon (2 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	20/9	\$10,026	
	KDT6T	6 Gallon (23 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	40/18	\$8,899	
	KDT10T	10 Gallon (38 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	55/25	\$8,899	
	KDT12T	12 Gallon (45 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	55/25	\$14,200	
	KDT20T	20 Gallon (80 Liter) Direct Steam Tilting, 2/3 Steam Jacketed	90/41	\$19,043	
	ST28KDT12T	KDT12T, 12 Gallon Direct Steam Kettle mounted on ST28 Stand with using AK12-ST28 Adapter Kit		\$18,050	
	<b>Common Accessories (For More Accessories See All Kettle Accessories Page)</b>				
	SCK2	SCK2 - Steam Controls Kit (Steam Trap, Strainer, Check Valve)		\$1,692	
	CL1 (3,6)	Lift Off Cover With Built In Condensate Seal		\$760	
CL12	Lift Off Cover With Built In Condensate Seal		\$987		
CL20	Lift Off Cover With Built In Condensate Seal		\$1,042		
<b>Adapter Tops For KDT Series, Used on ST Series Stands</b>					
AK12-ST28	Adapter Top For ST Stands, 12 Gallon Models, For Mounting To ST28 Stand		\$1,926		
AK20-ST28	Adapter Top For ST Stands, 20 Gallon Models, For Mounting To ST28 Stand		\$1,926		
AK3/3-ST42	Adapter Top For ST Stands, 3 Gallon Models, For Mounting To ST42 Stand		\$1,926		
AK3/6-ST42	Adapter Top For ST Stands, 6 Gallon Models For Mounting To ST42 Stand		\$1,926		
AK3-ST28	Adapter Top For ST Stands, 3 Gallon Models For Mounting To ST28 Stand		\$1,926		
AK6/12-ST42	Adapter Top For ST Stands, 6 and 12 Gallon Models For Mounting To ST42 Stand		\$1,926		
AK6/6-ST42	Adapter Top For ST Stands, Two 6 Gallon Models For Mounting To ST42 Stand		\$1,926		
AK6-ST28	Adapter Top For ST Stands, 6 Gallon Models For Mounting To ST28 Stand		\$1,926		
AK12-ST55	Adapter Top For ST Stands, (2) 12 Gallons Models For Mounting To ST55 Stand		\$1,926		
<p><b>ST Series Equipment Stands:</b> Heavy Stainless Steel Construction With 1-1/4' Square Tubing, Adjustable Feet, (Rear Flanged Feet For Bolting To Floor) Standard With Sliding Drain Drawer And Splash Screen, Can Be Hard Piped To Floor Drain, Certified to Applicable UL, CSA and NSF Standards</p>					
	<b>Equipment Stands</b>				
	EST28	28" Economy Equipment Stand, No Drain Drawer For Single Kettle	28/13	\$2,541	
	ST28	28" Wide Equipment Stand W/ Drain Drawer And Splash Screen For Single Kettle	35/16	\$3,848	
	ST42	42" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For Two KDT6T's - Must order Adapter Top)	65/29	\$6,704	
	ST55	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For (2) KDT6T, KDT12T - Must order Adapter Top)	70/32	\$7,216	
	SG28	Large Flow Folding Splash Guard For ST28, ST55		\$409	
SG42	Large Flow Folding Splash Guard For ST42 Equipment Stand		\$409		
 <p><b>DIRECT STEAM KETTLES - 18" HIGH MODULAR STAND</b></p>		Cleveland Direct Steam Modular Bases, 18" High Base With Full Width Drain Trough And Grate with Sliding Drain Pan (SDP1), 316 Stainless Steel Interior, Double Pantry Faucet, Splash Guard, Level Adjustable Flanged Feet, 316 Stainless Steel Standard, Certified to Applicable UL, CSA and NSF Standards			
	SD450K6	One 6-Gallon Kettle On 18" Wide Modular Base	40/64	\$22,790	
	SD650K12	One 12-Gallon Kettle On 18" Wide Modular Base	160/73	\$26,168	
	SD760K12	One 6-Gallon Kettle On 26" Wide Modular Base	175/79	\$27,309	
	SD1050K66	Two 6-Gallon Kettles On 42" Wide Modular Base	210/95	\$34,627	
	SD1200K612	One 6, One 12 Gallon Kettle On 48" Wide Modular Base	230/104	\$39,097	
	SD1600K620	One 6, One 20 Gallon Kettle On 63" Wide Modular Base	290/132	\$48,828	
	SD1600K1212	Two 12 Gallon Kettle On 63" Wide Modular Base	250/114	\$48,828	
	SD1800K2020	Two 20 Gallon Kettles On 71" Wide Modular Base	340/154	\$59,330	






Cleveland Range July 1, 2021 Price List

**KETTLES, DIRECT STEAM FLOOR MODEL STATIONARY**

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
<b>DIRECT STEAM STATIONARY KETTLES</b>		Cleveland Self Direct Steam Floor Model Stationary Kettles, 50 PSI Steam Jacket Rating, 316 Stainless Steel Kettle Interior, 2/3 Steam Jacketed, 2" Tangent Draw Off Valve, Rotatable Spring Assist Cover, Reinforced Rolled Rim, Steam Control Valve, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification		
		KDL25 25 Gallon (95 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	170/77	\$18,091
		KDL30F 30 Gallon (110 Liter) Direct Steam Tri-Leg, Full Steam Jacketed	135/61	\$31,453
		KDL40 40 Gallon (150 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	230/104	\$18,564
		KDL40SH 40 Gallon (150 Liter) Direct Steam Tri-Leg, Full Steam Jacketed - Short Series, Full Steam Jacket	230/104	\$25,986
		KDL60 60 Gallon (225 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	260/150	\$22,315
		KDL60SH 60 Gallon (225 Liter) Direct Steam Tri-Leg, Full Steam Jacketed - Short Series Full Steam Jacket	260/150	\$31,204
		KDL80 80 Gallon (300 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	290/130	\$26,563
		KDL80SH 80 Gal. (300 Liter) Direct Steam Tri-Leg, Full Steam Jacketed -Short Series Full Steam Jacket	290/180	\$35,554
		KDL100 100 Gallon (375 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	350/150	\$35,880
		KDL100F 100 Gallon (375 Liter) Direct Steam Tri-Leg, Full Steam Jacketed	360/163	\$68,663
		KDL125 125 Gallon (475 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	410/170	\$45,672
		KDL125F 125 Gallon (475 Liter) Direct Steam Tri-Leg, Full Steam Jacketed	410/185	\$82,567
		KDL150 150 Gallon (575 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	490/196	\$50,698
		KDL200 200 Gallon (757 Liter) Direct Steam Tri-Leg, 2/3 Steam Jacketed	560/255	\$69,968
		KDP40 40 Gallon (150 Liter) Direct Steam, Pedestal Base, 2/3 Steam Jacketed	230/104	\$23,167
		KDP60 60 Gallon (225 Liter) Direct Steam, Pedestal Base, 2/3 Steam Jacketed	260/150	\$27,644
		KDP80 80 Gallon (300 Liter) Direct Steam, Pedestal Base, 2/3 Steam Jacketed	290/130	\$32,709
		KDP100 100 Gallon (375 Liter) Direct Steam, Pedestal Base, 2/3 Steam Jacketed	360/150	\$40,266
	<b>Pumpable Options (For Use With MSFs Model Food Pump)</b>			
	BV3A	3" Butterfly Valve With Acme Thread (Except KGL25T), 90 Degree Elbow, 8' Long Food Grade Hose		\$3,606
<b>Options</b>				
	CHS	Spring Assist Rotatable Cover With Built In Condensate Seal Standard		STD
	TD2	2" Tangent Draw Off With Strainer		STD
	KM2G	Gallon Markings - 5 Gallon Increments (Use KM2L for Liter Increments)		\$1,126
	HS001	Front Mounted Removable Heat Deflector Shield		\$1,352
	CP-STATKT	Prison Package For Stationary Kettles, Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard (See Page 50 for Details)		\$3,448
	CP-RB	Prison Package Bar Rim		\$2,675
<b>Common Accessories (For More Accessories See All Kettle Accessories Page 18-20)</b>				
	DPKS	DPKT Double Pantry Faucet, Large 3/4" Spout		\$1,153
	SPKS	SPKT Single Pantry Faucet, Large 3/4" Spout		\$892
	SCK2	Steam Controls Kit (Stesm Trap, Strainer, Check Valve)		\$1,692




## Cleveland Range July 1, 2021 Price List

### KETTLES, FLOOR MODEL, DIRECT STEAM TILTING

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
<b>DIRECT STEAM KETTLES - TILTING</b>					
Cleveland Self Direct Steam Floor Model Tilting Kettles, 50 PSI Steam Jacket Rating, 2/3 Steam Jacketed, 316 Stainless Steel Kettle Interior, Reinforced Rolled Rim, Steam Control Valve, Level Adjustable Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification					
	KDL25T	25 Gallon (95 Liter) Direct Steam Tilting, Steam Jacketed Tri-Leg Design	220/110	\$20,551	
	KDM25T	25 Gallon (95 Liter) Direct Steam Tilting, Steam Jacketed Modular Cabinet Base	330/150	\$45,761	
	KDL40T	40 Gallon (150 Liter) Direct Steam Tilting, Steam Jacketed Tri-Leg Design	275/125	\$21,631	
	KDL40TSH	40 Gal. (150 Liter) Direct Steam Tilting, Full Steam Jacketed -Tri Leg Short Series 35"	230/104	\$30,852	
	KDM40T	40 Gallon (150 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Modular Cabinet Base	385/175	\$51,031	
	KDL60T	60 Gallon (225 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Tri-Leg Design	345/157	\$25,564	
	KDL60TSH	60 Gal.(225 Liter) Direct Steam Tilting, Full Steam Jacketed -Short Series 35" Rim	260/150	\$36,633	
	KDM60T	40 Gallon (225 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Modular Cabinet Base	430/195	\$59,397	
	KDL80T	80 Gal. (300 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Quad Leg Design	415/188	\$29,013	
	KDL80TSH	80 Gal. (300 Liter) Direct Steam Tilting, Full Steam Jacketed -Short Series 35" Rim	290/255	\$42,034	
	KDL100T	100 Gallon (375 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Quad Leg Design	475/216	\$36,574	
	KDL125T	125 Gal. (475 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Quad Leg Design	535/244	\$44,089	
	KDL150T	150 Gal. (575 Liter) Direct Steam Tilting, 2/3 Steam Jacketed Quad Leg Design	595/270	\$52,054	
	KDP25T	25 Gallon (100 Liter) Direct Steam Tilting, 2/3 Steam Jacketed, Pedestal Base	220/100	\$22,702	
	KDP40T	40 Gallon (150 Liter) Direct Steam Tilting, 2/3 Steam Jacketed, Pedestal Base	275/125	\$24,940	
	KDP60T	60 Gallon (225 Liter) Direct Steam Tilting, 2/3 Steam Jacketed, Pedestal Base	345/157	\$29,228	
<b>Tangent Draw-Off Options</b>					
	TD2	TD2 -2" Tangent Draw Off Drain Strainer		\$3,830	
	TD3	3" Tangent Draw-Off With Strainer (60 Gallon And Larger Only, (Not Available On KDM'S)		\$7,137	
<b>Pumpable Options (For Use With MFS Model Food Pump)</b>					
	BV3AC	3" Butterfly Valve With Acme Thread, 90 Degree Elbow, 8' Long Food Grade Hose (Special Order)		\$7,803	
<b>Spring Assist Cover Options Tilting Models</b>					
	CHS25	25 Gallon Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$2,481	
	CHS40	40 Gallon Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,022	
	CHS40DTSH	40 Gallon Short Series Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,251	
	CHS60	60 Gallon Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,144	
	CHS60DTSH	60 Gallon Short Series Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,263	
	CHS80	80 Gallon Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,544	
	CHS80DTSH	80 Gallon Short Series Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$3,545	
	CHS100-150	100, 125, 150 Gal. Spring Assist Rotatable Cover With Built In Condensate Seal Standard		\$6,265	
	<b>Options</b>				
		KM2G	KM2G Gallon Markings (Use KM2L for Liter Increments)		\$1,127
	HS001	Front Mounted Removable Heat Deflector Shield		\$1,352	
	SCK2	Steam Controls Kit (Steam Trap, Strainer, Check Valve)		\$1,692	
	CP-TILTKTTD	Prison Package For Tilting Kettles With TD Valve: Tamper Proof Spring Assist Cover with HASP, Tangent Draw-Off Bar Style Protection, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, Hasp Lock by Others (See Page 50 for Details)		\$3,635	
	CP-TILTKT	Prison Package For Tilting Kettles With No TD Valve: Tamper Proof Spring Assist Cover with HASP, Switch Guard, Protect Box for Controls, Pressure Gauge Guard, Sight Glass Gauge Guard, HASP Lock by Others (See Page 50 for Details)		\$2,716	
	CP-RB	Heavy Duty Bar Rim		\$2,675	
<b>Common Accessories (For More Accessories See All Kettle Accessories Page 18-20)</b>					
	DPKT	DPKT Double Pantry Faucet & Bracket, Large 3/4" Spout		\$1,153	
	SPKT	SPKT Single Pantry Faucet & Bracket Large 3/4" Spout		\$892	
	PCK	Self Leveling Pan Carrier (Tilting Models)		\$1,283	




## Cleveland Range July 1, 2021 Price List

### ALL KETTLE ACCESSORIES

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
<b>Lift Off Covers - Lid Holders</b>				
	CL1	1 Gallon Lift Off Cover		\$760
	CL3	3 Gallon Lift Off Cover with Built In Condensate Seal		\$760
	CL6	6 Gallon Lift Off Cover with Built In Condensate Seal		\$760
	CL12	12 Gallon Lift Off Cover with Built In Condensate Seal		\$987
	CL10	10 Gallon Lift Off Cover with Built In Condensate Seal		\$789
	CL20	20 Gallon Lift Off Cover with Built In Condensate Seal		\$1,043
	CL25	25 Gallon Lift Off Cover with Built In Condensate Seal		\$1,529
	CL40	40 Gallon Lift Off Cover with Built In Condensate Seal		\$1,809
	CL60	60 Gallon Lift Off Cover with Built In Condensate Seal		\$2,005
	CL80	80 Gallon Lift Off Cover with Built In Condensate Seal		\$2,300
	CL100	100 Gallon Lift Off Cover with Built In Condensate Seal		\$2,594
	LCHE3	3 Gallon Lid Holder For KET3T (KE003927-3)		\$370
	LCHE6	6 Gallon Lid Holder Lid Holder KET6T (KE003927-2)		\$370
	LCHE12	12 Gallon Lid Holder KET12T (KE003927-1)		\$370
	LCHE20	20 Gallon Lid Holder KET20T (KE003927-4)		\$370
	LCH6G	6 Gallon Lid Holder Lid Holder KGT6T (KE003980-2)		\$370
LCH12G	12 Gallon Lid Holder Lid Holder KGT12T (KE003980-1)		\$370	
<b>Faucets</b>				
	SPK1	Single Pantry Faucet (KDT12T, KDT20T SD Or ST Stand Mounted)		\$892
	DPK1	Double Pantry Faucet (KDT12T, KDT20T SD Or ST Stand Mounted)		\$1,153
	SPK2	Single Pantry Faucet And Bracket Kit (KDL/P60T, KDL/P80T, KDL/P100T, MKET12/20T)		\$892
	DPK2	Double Pantry Faucet And Bracket Kit (KDL/P60T, KDL/P80T, KDL/P100T, MKET12/20T)		\$1,153
	SPK3	Single Pantry Faucet And Bracket Kit (KDL/P25T, KDL/P40T)		\$892
	DPK3	Double Pantry Faucet And Bracket Kit (KDL/P25T, KDL/P40T)		\$1,153
	SPK5	Single Pantry Faucet (All Stationary Kettles Except HA-MKGL)		\$892
	DPK5	Double Pantry Faucet And Bracket Kit (All Stationary Kettles Except HA-MKGL)		\$1,153
	SPK6	Single Pantry Faucet (KDM25, KDM40T)		\$892
	DPK6	Double Pantry Faucet (KDM25, KDM40T)		\$1,153
	SPK7	Single Pantry Faucet And Bracket (KDL40, 60, 80Tsh ,ELI40,60TSH)		\$892
	DPK7	Double Pantry Faucet And Bracket Kit (KDL40, 60, 80TSH ,KEL40,60TSH)		\$1,153
	SPK8	Single Pantry Faucet And Bracket Kit (KDT6T SD Or ST Stand Mounted)		\$892
	DPK8	Double Pantry Faucet And Bracket Kit (KDT6T SD or ST Stand Mounted)		\$1,153
	SPK10	Single Pantry Faucet And Bracket Kit(KDL100T, KDL125T)		\$892
	DPK10	Double Pantry Faucet And Bracket Kit (KDL100T, KDL125T)		\$1,153
	SPK11	Single Pantry Faucet And Bracket Kit (HAMKGL60T, 80T, 100-T)		\$935
	DPK11	Double Pantry Faucet And Bracket Kit (HAMKGL60T, 80T, 100-T)		\$1,209
	SPK17	Single Pantry Faucet And Bracket Kit (HAMKGL60, 80, 100)		\$935
	DPK17	Double Pantry Faucet And Bracket Kit (HAMKGL60, 80, 100)		\$1,209
SPK18	Single Pantry Faucet And Bracket Kit (KDM60T)		\$892	
DPK18	Double Pantry Faucet And Bracket Kit (KDM60T)		\$1,153	
SPK19	Single Pantry Faucet And Bracket Kit (KET3T, 6T, 12T, TKET3T, 6T, 12T)		\$892	
DPK19	Double Pantry Faucet And Bracket Kit (KET3, 6, 12T, TKET3T, 6T, 12T)		\$1,153	
SPK20	Single Pantry Faucet And Bracket Kit (KEL40,60,80,100-T, KGT6T, 12-T)		\$892	
DPK20	Double Pantry Faucet And Bracket Kit (KEL40,60,80,100-T, KGT6, 12-T)		\$1,153	

Cleveland Range July 1, 2021 Price List

ALL KETTLE ACCESSORIES (CONTINUED)

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
<b>Faucets (Continued)</b>				
	SPK21	Single Pantry Faucet And Bracket Kit (KEL25T)		\$892
	DPK21	Double Pantry Faucet And Bracket Kit (KEL25T)		\$1,153
	SPK22	Single Pantry Faucet And Bracket Kit (KGL40,60,80-T, KGL40TSH)		\$892
	DPK22	Double Pantry Faucet And Bracket Kit (KGL40,60,80-T, KGL40TSH)		\$1,153
	SKFK	Single Pantry Kettle Filler (P/N 105978)		\$2,061
	DKFK	Double Pantry Kettle Filler (P/N 105979)		\$2,478
	PRSK	Pre-Rinse Spray Hose (P/N B-0113)		\$2,458
	KE54159	Faucet Bracket Kettles - This Is Item FBKT Not KE54159		\$404
<b>Pan Carrier, Food &amp; Drain Strainers, Cooking Baskets</b>				
	PCK	Pan Carrier Kettles For Tilting Kettles		\$1,283
	FD	Flow Diverter		\$1,618
	DRAINPAN6	6" Deep 12" X 20" Stainless Steel Pan With Drain		\$843
	SDP1	Sliding Drain Pan for SD Stands		\$890
	DS2	Perforated Drain Strainer, 2" Draw-Off, 3/16" Strainer Holes		\$626
	DS2S	Solid Drain Strainer, 2" Draw-Off, 3/16" Strainer Holes		\$626
	DS3	Perforated Drain Strainer, 3" Draw-Off, 3/16" Strainer Holes		\$626
	DS3S	Solid Drain Strainer, 3" Draw-Off, 3/16" Strainer Holes		\$626
	MKDS2/316A	Drain Strainer For Vertical Mixer Kettles 2" Draw-Off		\$576
	MKDS3/316A	Drain Strainer For Vertical Mixer Kettles 3" Draw-Off		\$576
	SH25	Drain Strainer Hook, 25 gallon (100 Liter) Kettle (PN KE51462)		\$542
	SH40	Drain Strainer Hook, 40 gallon (150 Liter) Kettle (PN KE51464)		\$542
	SH60	Drain Strainer Hook, 60 gallon (225 Liter) Kettle (PN KE51465)		\$542
	SH80	Drain Strainer Hook, 80 gallon (300 Liter) Kettle (PN KE51466)		\$542
	SH100	Drain Strainer Hook, 100 gallon (375 Liter) Kettle (PN KE51467)		\$542
	SH125	Drain Strainer Hook, 125 gallon (475 Liter) Kettle (PN KE51468)		\$542
	SH150	Drain Strainer Hook, 150 gallon (575 Liter) Kettle (PN KE51469)		\$542
	FS3	FS3 - 3 Gallon Food Strainer		\$634
	FS6	FS6 - 6 Gallon Food Strainer, Electric, DirectSteam Models		\$634
	FS6GAS	FS6 - 6 Gallon Food Strainer, gas models		\$634
	FS12	FS12 - 12 Gallon Food Strainer, Electric, Direct Steam Models		\$634
	FS12GAS	FS12 - 12 Gallon Food Strainer, Gas models		\$634
	FS20	FS20 - 20 Gallon Food Strainer		\$634
	FS25	FS25 - 25 Gallon Food Strainer		\$634
	FS40	FS40 - 40 Gallon Food Strainer		\$1,818
	FS60	FS60 - 60 Gallon Food Strainer		\$1,818
	FS80	FS80 - 80 Gallon Food Strainer		\$4,538
	FS100	FS100 - 100 Gallon Food Strainer		\$4,538
	FS150	FS150 - 100 Gallon Food Strainer		\$4,538
	FS125	FS125 - 125 Gallon Food Strainer		\$4,538
	FS40SH	FS40SH - 40 Gallon Food Strainer SH Series		\$2,253
	FS60SH	FS60SH - 60 Gallon Food Strainer SH Series		\$2,253
	FS80SH	FS80SH - 80 Gallon Food Strainer SH Series		\$2,253
	FS40SHG	FS40SHG - 40 Gallon Food Strainer SH Series Gas Models		\$2,253
	FS60HA	FS60HA 60 Gallon Food Strainer For HA Series Mixers		\$2,251
	FS80HA	FS80HA 80 Gallon Food Strainer For HA Series Mixers		\$4,538
	FS100HA	FS100HA 100 Gallon Food Strainer For HA Series Mixers		\$4,538
	BS-3	3 Gallon Basket		\$1,386
	BS-6	6 Gallon Basket		\$1,462
	BS-12	12 Gallon Basket		\$1,844
	TBS-20	Tri Basket System 20 Gallon Models (Includes Three BS-3'S)		\$4,938
	TBS-25	Tri Basket System 25 Gallon Models (Includes Three BS-3'S)		\$4,940
	TBS-40	Tri Basket System 40 Gallon Models (Includes Three BS-6'S)		\$4,985
	TBS-60	Tri Basket System 60 Gallon Models (Includes Three BS-6'S)		\$6,114
	TBS-80	Tri Basket System 80 Gallon Models (Includes Three BS-6'S)		\$6,114
	TBS-100	Tri Basket System 100 Gallon Models (Includes Three BS-12'S)		\$6,114
	TBS-40SH	Tri Basket System 40 Gallon Models SH Series (Includes Three BS-6'S)		\$6,114
	TBS-60SH (GAS)	Tri Basket System 60 Gallon Models SH Series Gas (Includes Three BS-6'S)		\$6,114
	TBS-80SH	Tri Basket System 80 Gallon Models SH Series (Includes Three BS-6'S)		\$6,114



ALL KETTLE ACCESSORIES (CONTINUED)

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
<b>Kettle Accessory Kit</b>				
	KAK	Kettle Accessory Kit (P/N 40880) Includes All Items Below		\$2,337
	KBK	Kettle Brush Kit (P/N 408802)		\$843
	CB	Clean Up Brush (P/N 00856)		\$215
	KP	Kettle Paddle (P/N 102405)		\$386
	KW	Kettle Whip (P/N 00961)		\$774
	KB	Kettle Brush (P/N 00853)		\$370
	DB	Draw-Off Brush (P/N 00852)		\$218
	KL	Kettle Ladle (P/N 00904)		\$623
<b>Measuring Strips</b>				
	MS-6	6 Gallon Measuring Strip		\$746
	MS-12	12 Gallon Measuring Strip		\$746
	MS-20	20 Gallon Measuring Strip		\$746
	MS-25	25 Gallon Measuring Strip		\$746
	MS-40	40 Gallon Measuring Strip		\$746
	MS-60	60 Gallon Measuring Strip		\$746
	MS-80	80 Gallon Measuring Strip		\$746
MS-100	100 Gallon Measuring Strip		\$746	
<b>Miscellaneous</b>				
	SCK1	Steam Control Kit - Direct Steam Stationary Kettle (Steam Trap, Strainer, Check Valve)		\$1,692
	SCK2	Steam Control Kit - Direct Steam Tilting Kettle, (Steam Trap, Strainer, Check Valve)		\$1,692
	SCK3	Steam Control Kit - Direct Steam 200 Gallons (Steam Trap, Strainer, Check Valve)		\$1,693
	SF3	Swing Drain Funnel For Tilting Kettles (KE003891-1, Floor Mounted)		\$1,174
	SF4	Swing Drain Funnel For Stationary Kettles. (KE003891-2 Kettle Mounted)		\$1,174
	TDDC	Drain Cup With Hose, For Use With Tangent Draw-Off		\$970
	ELK	Leg Extensions		\$1,370
	TD2A45	45 Degree Elbow with 8 Foot Hose To Be Used For 2" Tangent With Acme Thread		\$469
	TD2A90	90 Degree Elbow with 8 Foot Hose To Be Used For 2" Tangent With Acme Thread		\$487
	TD3A45	45 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$830
	TD3A90	90 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$927
	KE55336-1	90 Degree Reducer, 3" Acme Tread To 2" Sani Clamp (Tri-Clover) Reducer		\$2,278
	KE55336-2	90 Degree Reducer, 3" Sani Clamp To 2" Sani Clamp (Tri-Clover) Reducer		\$3,034
	KE55336-3	45 Degree Reducer, 3" Sani Clamp To 2" Sani Clamp (Tri-Clover) Reducer		\$2,541
	KE55336-4	90 Degree Elbow, 2" Sani Clamp To 2" Sani Clamp (Tri-Clover) Reducer		\$1,007
KE55336-5	45 Degree Elbow, 2" Sani Clamp To 2" Sani Clamp (Tri-Clover) Reducer		\$904	
KE55336-6	90 Degree Elbow, 3" Acme Thread To 3" Sani Clamp (Tri-Clover)		\$1,460	
KE003716-1	KGT6T Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,244	
KE003716-2	KGT12T Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,244	
KE003716-3	KGL25T Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,244	
KE003716-4	KGL60T & Up Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,244	
KE003716-5	KGL40T Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UI Certified		\$1,244	
<b>Large Pasta Baskets and Dolly's</b>				
	PBD-40	Dolly For 40 Gallon Pasta Basket		\$10,547
	PBD-40SH	Dolly For 40 Gallon Pasta Basket Short Series		\$10,733
	PBD-60	Dolly For 60 Gallon Pasta Basket		\$11,183
	PBD-80	Pasta Dolly For 80 Gallon Pasta Basket		\$11,289
	PBD-100	Pasta Dolly For 100 Gallon Pasta Basket		\$12,561
	PBD-200	Pasta Dolly For 200 Gallon Pasta Basket		\$13,462
	PBK-40	40 Gallon Pasta Basket		\$31,217
	PBK-40SH	40 Gallon Pasta Basket Short Series		\$33,390
	PBK-60	60 Gallon Pasta Basket		\$34,450
	PBK-80	80 Gallon Pasta Basket		\$35,510
PBK-100	100 Gallon Pasta Basket		\$36,570	
PBK-200	200 Gallon Pasta Basket		\$54,590	
<b>Water Meter, Water Cooling</b>				
	AWC1	Automatic Water Cooling For Direct Steam Kettles (P/N AWC1120/60)		\$9,428
	GMC/LMC1	Water Meter (P/N WM0001)		\$11,467
	SWM	Stand For Water Meter		\$1,357








Cleveland Range July 1, 2021 Price List

**MIXER KETTLES, DIRECT STEAM, VERTICAL SWEEP & FOLD SERIES**


PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
<b>STEAM JACKETED MIXER KETTLES</b>				
Cleveland Direct Steam Counter Top Mixer Kettle: 2/3 Steam Jacketed, 50 PSI, Two Piece Hinged Cover With Safety Screen, 316 Stainless Steel, Gallon Markings On Mixer Shaft (2 Gal./5 L marks for 12 gal model, 5 Gal, 10 L marks for 20 gal model), Steam Control Valve, Right Side, 115 Voltage Standard, Level Adjustable Legs with Flanged Feet, Certified to Applicable UL, CSA and NSF Standards, CE Certification				
	MKDT12T	12 Gallon (45 Liter) Floor Model Direct Steam Mixer Kettle, Lever Style Hand Tilt	370/186	\$41,549
	MKDT20T	20 Gallon (80 Liter) Floor Model Direct Steam Mixer Kettle Lever Style Hand Tilt	410/186	\$57,058
	<b>Options</b>			
	SLD20	Sliding Drain Drawer With Splash Screen		\$2,029
	240V	208 or 240 Volt Option		\$0
STM	Steam Valve Left Side Location (Right Side Standard)		\$0	
SCK2	Steam Control Kit (Steam Trap, Strainer and Check Valve)		\$1,596	
<b>STEAM JACKETED MIXER KETTLES</b>				
Cleveland Floor Model Direct Steam Mixer Kettles, 3" Butterfly Valve With Acme Thread, Built In Two Piece Hinged Cover With Built In Safety Screen, 50 PSI Steam Jacket Rating, Variable Speed Agitator With 0-70 RPM Scraper Blade, 0-210 RPM Secondary Agitator, 208-240 Volt - 3/4 Horse Power Belt Drive, Gallon or Liter Markings On Mixer Shaft (10 Gallon/40 Liter Increments), DPK Double Pantry Faucet, Manual Hand Tilt, 316 Stainless Steel Liner, Certified to Applicable UL, CSA and NSF Standards, CE Certification				
	MKDL40T	40 Gallon (150 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	700/315	\$133,775
	MKDL60T	60 Gallon (225 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	740/333	\$138,038
	MKDL80T	80 Gallon (300 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	830/373	\$141,953
	MKDL100T	100 Gallon (375 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	910/409	\$157,334
	MKDL125T	125 Gallon (475 Liter) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1000/450	\$158,221
	MKDL150T	150 Gallon (575 Liter) Floor Model Direct Steam Mixer Kettle Power Tilt Std	1100/495	\$159,493
	TMKDL40T	Twin 40 Gallon (150 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1360/612	\$230,365
	TMKDL60T	Twin 60 Gallon (225 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1610/730	\$229,146
	TMKDL80T	Twin 80 Gallon (300 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1700/771	\$234,476
	TMKDL100T	Twin 100 Gallon (375 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1800/817	\$262,875
	TMKDL125T	Twin 125 Gallon (475 Liter Ea) Floor Model Direct Steam Mixer Kettle Hand Tilt Std	1890/857	\$271,426
	TMKDL150T	Twin 150 Gallon (575 Liter Ea) Floor Model Direct Steam Mixer Kettle, Power Tilt Std	1990/903	\$274,894
	<b>Options &amp; Accessories (MKDL, TMKDL) Twin Mixer (Add Option Price 2X)</b>			
	VOK1	380 Or 415 Volt, 50 Hz, 3 Phase For Electric Export		\$1,042
	VOK2	440/480 Volt, 60 Hz, 3 Phase		\$1,819
PT3	Power Tilt (Standard On 150 Gallon Model Only)		\$7,952	
FBV2	2" Flush Bottom Ball Style Valve		CALL	
FPVA3	3" Air Operated Flush Piston Valve (KE003775-2) (Requires Air Compressor) For Pumping		\$11,734	
TD3A45	45 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$830	
TD3A90	90 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$927	
HS001	Front Mounted Removable Heat Deflector Shield		\$1,353	
SCK2	Steam Controls Kit (Trap, Strainer, Check Valve)		\$1,692	
MKDS2/316A	2" Mixer Drain Strainer 1/4" Holes		\$565	
MKDS3/316A	3" Mixer Drain Strainer 1/4" Holes		\$565	
CP-MKDL	Correctional Package -MKDL, TMKDL Mixer Kettles (Prison Screws And Screw Driver, Switch Guard, TD Valve Strap, Pressure Gauge Guard, Prison Control Cover)		\$3,635	
<b>Control Options (MKDL, TMKDL)</b>				
GMC1/LMC1	Automatic Water Meter, Built Into Console Mounted (Specify Gallons or Liters) Used With 3/4" Filler Hose, Replaces DPK Double Pantry Faucet		\$11,467	
AWC1	Automatic Water Cooling, Built Into Console (Direct Steam Kettles Only)		\$9,428	
DTCI	Digital Temperature Control & Indicator (Console Mounted)		\$13,303	
TCR-DTCI	Temperature Chart Recorder With Digital Temperature Control & Indicator (Console Mounted)		\$17,557	
<b>Accessories (See All Kettle Accessories Page 19-20)</b>				

**MIXER KETTLES, ELECTRIC, VERTICAL SWEEP & FOLD SERIES**

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
<b>STEAM JACKETED MIXER KETTLES</b>		Cleveland Counter Top Electric Mixer Kettles: 208-240 V, 3 PH Standard, Solid State Temperature Controls, Built In Two Piece Hinged Cover With Built In Safety Screen, 50 PSI Steam Jacket Rating, Variable Speed Agitator With 0-70 RPM Scraper Blade, 0-210 RPM Secondary Agitator, 3/4 Horsepower Belt Drive, Gallon or Liter Markings On Mixer Shaft (2 Gal/5 L marks for 12 gal model, 5 Gal/10 L marks for 20 gal model), Low Water LED Indicator Light, Manual Lever Hand Tilt, 316 Stainless Steel Liner Standard, Certified to Applicable UL, CSA and NSF Standards, CE Certification			
		MKET12T 12 Gallon (45 Liter) Floor Model Electric Mixer Kettle Lever Style Hand Tilt	340/153	\$47,858	
		MKET20T 20 Gallon (80 Liter) Floor Model Electric Mixer Kettle Lever Style Hand Tilt	340/153	\$66,544	
	<b>Options MKET</b>				
		ELEVATION Specify Elevation If Above 3,000 Feet		\$0	
		VOK1 380 or 415 Volt, 50 Hz, 3 Phase For Electric Export		\$1,042	
		VOK2 440 or 480 Volt, 60 Hz, 3 Phase		\$1,819	
		HW1 High Wattage Standard On MKET Mixer Kettles		STD	
		SLD20 Sliding Drain Drawer with Splash Screen		\$2,151	
		PCE Protective Control Cover		\$501	
	CP-MKET Correctional Packages, MKET (Control Cover, Prison Screws, Prison Screw Driver, Pressure Gauge Guard)		\$1,497		
<b>ELECTRIC SWEEP &amp; FOLD VERTICAL STEAM JACKETED MIXER KETTLES</b>		Cleveland Floor Model Electric Mixer Kettles, Solid State Temperature Controls, 2" Tangent Draw-Off, Two Piece Hinged Cover With Built In Safety Screen, 50 PSI Steam Jacket Rating, Variable Speed Agitator With 0-70 RPM Scraper Blade, 0-210 RPM Secondary Agitator, 208-240 Volt - 3/4 Horse Power Belt Drive, Gallon or Liter Markings On Mixer Shaft (10 gallon/ 40 liters increments), Low Water LED Indicator Light, Manual Hand Tilt, 316 Stainless Steel Liner Standard, High Wattage Standard, DPK Double Pantry Faucet, Certified to Applicable UL, CSA and NSF Standards, CE Certification			
		MKEL40T 40 Gallon (150 Liter) Floor Model Electric Mixer Kettle Hand Tilt Std	820/369	\$139,924	
		MKEL60T 60 Gallon (225 Liter) Floor Model Electric Mixer Kettle Hand Tilt Std	870/391	\$143,020	
		MKEL80T 80 Gallon (300 Liter) Floor Model Electric Mixer Kettle Hand Tilt Std	1060/477	\$153,169	
		MKEL100T 100 Gallon (375 Liter) Floor Model Electric Mixer Kettle Hand Tilt Std	1250/525	\$163,979	
		TMKEL40T Twin 40 Gal. (150 Liter Ea) Floor Model Gallon Electric Mixer Kettle Hand Tilt Std	1600/720	\$176,694	
		TMKEL60T Twin 60 Gal. (225 Liter Ea) Floor Model Gallon Electric Mixer Kettle Hand Tilt Std	1670/751	\$178,912	
		TMKEL80T Twin 80 Gal. (300 Liter Ea) Floor Model Gallon Electric Mixer Kettle Hand Tilt Std	1840/828	\$201,360	
		TMKEL100T Twin 100 Gal. (375 Liter Ea) Floor Model Gallon Electric Mixer Kettle Hand Tilt Std	2150/975	\$222,490	
	<b>Pumpable Options (For Use With MFS Model Food Pump)</b>				
		TD2A 2" Tangent Draw-Off Valve With Acme Thread (Special Order)		CALL	
		TD3A 3" Tangent Draw-Off Valve With Acme Thread (60 Gallon And Larger Only)		\$8,991	
		TD2A45 45 Degree Elbow with 8 Foot Hose To Be Used For 2" Tangent With Acme Thread		\$469	
		TD2A90 90 Degree Elbow with 8 Foot Hose To Be Used For 2" Tangent With Acme Thread		\$487	
		TD3A45 45 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$830	
		TD3A90 90 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Thread		\$927	
		MKDS2/316A 2" Mixer Drain Strainer 1/4" Holes		\$565	
		MKDS3/316A 3" Mixer Drain Strainer 1/4" Holes		\$565	
	<b>Options &amp; Accessories (MKEL, TMKEL)</b>				
		ELEVATION Specify If Over 3,000 Feet		\$0	
	VOK1 380 Or 415 Volt, 50 Hz, 3 Phase For Electric Export		\$1,042		
	VOK2 440/480 Volt, 60 Hz, 3 Phase		\$1,819		
	HW2 High Wattage Option (Standard On Mixer Kettles)		STD		
	PT3 Power Tilt Option		\$7,952		
	HS001 Front Mounted Removable Heat Deflector Shield		\$1,353		
	CP-MKEL Correctional Package -MKEL, TMKEL Mixer Kettles (Prison Screws And Screw Driver, Switch Guard, TD Valve Strap, Pressure Gauge Guard, Prison Control Cover)		\$3,635		
	<b>Control Options (MKEL, TMKEL)</b>				
	GMC1/LMC1 Automatic Water Meter, Built Into Console Mounted (Specify Gallons Or Liters) Used With 3/4" Filler Hose, Replaces DPK Double Pantry Faucet		\$11,467		
	DTCI Digital Temperature Control & Indicator (Console Mounted)		\$13,303		
	TCR-DTCI Temperature Chart Recorder With Digital Temperature Control & Indicator (Console Mounted)		\$17,557		
<b>Accessories (See All Kettle Accessories Page 19-20)</b>					








Cleveland Range July 1, 2021 Price List

**MIXER KETTLES, GAS, VERTICAL SWEEP & FOLD SERIES**

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
<b>SELF CONTAINED GAS SWEEP &amp; FOLD VERTICAL STEAM JACKETED MIXER KETTLES</b>		Cleveland Floor Model Gas Mixer Kettles, Solid State Temperature Controls, 3" Butterfly Valve With Acme Thread, Built In Two Piece Hinged Cover With Built In Safety Screen, 50 PSI Steam Jacket Rating, Variable Speed Agitator With 0-70 RPM Scraper Blade, 0-210 RPM Secondary Agitator, 3/4 Horse Power Belt Drive, Gallon or Liter Markings On Agitator Shaft (10 Gallon/40 Liter Increments), Low Water LED Indicator Light, DPK Double Pantry Faucet, Manual Hand Tilt, 316 Stainless Steel Liner Standard. Certified to Applicable UL, CSA and NSF Standards, CE Certification		
		MKGL40T 40 Gallon (150 Liter) Floor Model Gas Mixer Kettle Hand Tilt STD	850/386	\$157,070
		MKGL60T 60 Gallon (225 Liter) Floor Model Gas Mixer Kettle Hand Tilt STD	925/420	\$160,943
		MKGL80T 80 Gallon (300 Liter) Floor Model Gas Mixer Kettle Hand Tilt STD	1000/454	\$164,965
<b>Options &amp; Accessories (MKGL)</b>				
	208-240	208-240 Volt, 60 Hz, 3 Phase Standard		\$0
	VOK1	380 Or 415 Volt, 50 Hz, 3 Phase For Electric Export		\$983
	VOK2	440/480 Volt, 60 Hz, 3 Phase (N/A On KET3T)		\$1,819
	GAS TYPE	Specify: Natural, Propane, Butane, Manufactured, Town, Other		\$0
	ELEVATION	Specify Altitude If Over 2,000 Feet		\$0
	PT3	Power Tilt Option		\$7,952
	FBV2	2" Ball Style Valve (Contact Factory, 80, 100 Gallons Only)		CALL
	FPVA3	3" Air Operated Flush Piston Valve (KE003775-2) (Requires Air Compressor) For Pumping		\$11,734
	TD3A45	45 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Th		\$830
	TD3A90	90 Degree Elbow with 8 Foot Hose To Be Used For 3" Tangent Draw Off or Butterfly Valve with Acme Th		\$927
	MKDS-3/316AS	3" Butterfly Valve Solid Drain Strainer - No Holes		\$825
	MKDS-3/316A	3" Butterfly Valve Drain Strainer - 1/4" Holes		\$825
	HS001	Front Mounted Removable Heat Deflector Shield		\$1,353
	CP-MKGL	Correctional Package -MKGL Mixer Kettles (Prison Screws And Screw Driver, Switch Guard, Water Level Gauge Guard, Prison Control Cover)		\$3,635
<b>Control Options (MKGL)</b>				
	GMC1/LMC1	Automatic Water Meter, Built Into Console Mounted (Specify Gallons Or Liters) Used With 3/4" Filler Hose, Replaces DPK Double Pantry Faucet		\$11,467
	DTCI	Digital Temperature Control & Indicator (Console Mounted)		\$13,303
	TCR-DTCI	Temperature Chart Recorder With Digital Temperature Control & Indicator (Console Mounted)		\$17,557
<b>Accessories (See All Kettle Accessories Page 19-20)</b>				

## Cleveland Range July 1, 2021 Price List

### TILTING SKILLETS, COUNTER TOP

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="margin-bottom: 10px;"></div> <div style="margin-bottom: 10px;"></div> <div></div> </div>	<b>TILT SKILLETS COUNTER TOP ELECTRIC</b>				
		SET10	10 Gallon (42 Liter) Electric Lever Style Manual Tilt (208 Volt, 3 Phase)	200/91	\$22,210
		SET15	15 Gallon (68 Liter) Electric Lever Style Manual Tilt (208 Volt, 3 Phase) (CE)	201/93	\$19,539
	<b>Options (Built-On At The Factory)</b>				
		VOSK1	240 Volt, 60 Hz, 3 Phase (For SET Electric Models)		\$0
		VOSK2	380/415 Volt, 50 Hz, 3 Phase For Export (SET Electric Models)		\$1,045
		VOSK3	440-480 Volt, 60 Hz, 3 Phase (For SET Electric Models)		\$1,045
		SPH	Single Phase Option		\$0
	<b>Common Accessories (For More Accessories See Page 29)</b>				
		SCL10	10 Gallon Left Off Cover Standard On SET10		\$1,460
		SCL15	15 Gallon Left Off Cover Standard On SET15		\$1,097
		LCHS15	Lid Holder For SET15		\$350
		FS15S	Pour Spout Strainer For SET15		\$660
		DPK15	Double Pantry Faucet & Bracket For SET10		\$1,153
		DPK16	Double Pantry Faucet & Bracket For SET15		\$1,153
	SPK15	Single Pantry Faucet & Bracket For SET10		\$1,077	
	SPK16	Single Pantry Faucet & Bracket For SET15		\$1,077	
	BSSET15	Pasta Basket For SET15		\$1,906	
	MS-15	15 Gallon Measuring Strip For SET15		\$830	
<p><b>ST Series Equipment Stands:</b> Heavy Stainless Steel Construction With 1-1/4' Square Tubing, Adjustable Feet, (Rear Flanged Feet For Bolting To Floor) Standard With Sliding Drain Drawer And Splash Screen, Can Be Hard Piped To Floor Drain, Certified to Applicable UL, CSA and NSF Standards</p>					
<b>Equipment Stands</b>					
<div style="display: flex; flex-direction: column; align-items: center;"> <div style="margin-bottom: 10px;"></div> <div style="margin-bottom: 10px;"></div> <div style="margin-bottom: 10px;"></div> <div></div> </div>		EST28	28" Wide Economy Equipment Stand, No Drain Drawer For Single Skillet	\$2,541	
		ST28	28" Wide Equipment Stand W/ Drain Drawer And Splash Screen For Single Skillet		\$3,848
		ST55	55" Wide Equipment Stand W/ Drain Drawer And Splash Screen (For SET10, Or Two SET15)		\$7,216
		SG28	Large Flow Folding Splash Guard For ST28, ST55		\$409


## Cleveland Range July 1, 2021 Price List


### TILTING SKILLETS, FLOOR MODEL, TR SERIES "DURAPAN"

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE	
		Cleveland Durapan TR Series Tilt Skillet, Front Hinge Style Tilting Skillet, Hydraulic Hand Tilt With Quick Lowering Feature, Bead Blasted Cooking Surface Prevents Sticking, Solid State "Imbedded" Temperature Thermostats For Even Temperature Distribution, IPX6 Water Rated, 100 - 425 F. Temperature Control Knob, Stainless Steel Gas Burners on gas models, Reinforced Rolled Rim Eliminates Pan Warping, Vented Spring Assist Cover, IPX6 Water Rating Protection, Certified to Applicable UL, CSA and NSF Standards, CE Certification for Gas TR Models			
		SGL30TR	30 Gallon (117 Liter) Gas Manual Tilt - Open Base	498/227	\$35,492
		SGL40TR	40 Gallon (156 Liter) Gas Manual Tilt - Open Base	622/318	\$38,400
		SGM30TR	30 Gallon (117 Liter) Gas Manual Tilt - Modular Base	500/227	\$45,022
		SGM40TR	40 Gallon (156 Liter) Gas Manual Tilt - Modular Base	635/228	\$46,633
		SEL30TR	30 Gallon (117 Liter) Electric Manual Tilt - Open Base	485/220	\$28,555
		SEL40TR	40 Gallon (156 Liter) Electric Manual Tilt - Open Base	620/282	\$31,671
		SEM30TR	30 Gallon (117 Liter) Electric Manual Tilt - Modular Base	490/223	\$37,366
		SEM40TR	40 Gallon (156 Liter) Electric Manual Tilt - Modular Base	625/284	\$35,578
	<b>Options (Built On At The Factory)</b>				
	GM1	Gallon and Liter Markings Standard		\$0	
	LPG	LP Gas		\$0	
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0	
	SLD	Sliding Drain Drawer With Splash Screen (Pour Spout moves to left side if No Tangent Draw-Off is ordered, SGL/SEL-TR Models Only)		\$2,309	
	SGSLDTR	Folding Splash Guard For TR Tilt Skillet Drain Drawer (For heavy pours)		\$385	
	TDS2K	2" Tangent Draw Off With Drain Strainer, mounted on left side (Pan Carrier Not Available On 30 Gal. Models)		\$1,358	
	PT2	Power Tilt With Manual Override Option		\$876	
	VOSK1	240 Volt, 60 Hz, 3 Phase (Specify For SEL Electric Models)		\$0	
	VOSK2	380/415 Volt, 50 Hz, 3 Phase For Export (SEL Electric Models)		\$1,045	
	VOSK3	440-480 Volt, 60 Hz, 3 Phase (For SEL Electric Models)		\$1,045	
	VOSK4	220/240 Volt, 50 Hz, 1 Phase For Export (For SGL Gas Models)		\$1,045	
	CPPCBTR	Protective Control Cover		\$739	
	CP-SKTD	Prison Package For Tilt Skillets (See Page 49 for Details)		\$2,212	
<b>Common Accessories (For More Accessories See Page 29)</b>					
	FSSK	Pour Spout Strainer		\$565	
	DPK14	Double Pantry Faucet & Bracket For SEL/SGL-TR Series		\$1,153	
	SPK14	Single Pantry Faucet & Bracket For SEL/SGL-TR Series		\$1,077	
	PCS	PCS - Pan Carrier (Not Available On 30 Gallon With 2" Tangent)		\$1,275	
	QDC60	5 Foot Long 3/4" Long Gas Quick Disconnect Hose (P/N 1007841)		\$1,341	
	SSLD-30TR	Sliding Drain Drawer Field Install Kit For 30 Gallon SGL/SEL-TR Models (Must Have 2" Tangent Draw-Off Or Pour Spout On Left Side)		\$1,088	
	SSLD-40TR	Sliding Drain Drawer Field Install Kit For 40 Gallon SGL/SEL-TR Models (Must Have 2" Tangent Draw-Off Or Pour Spout On Left Side)		\$1,191	

## Cleveland Range July 1, 2021 Price List

### TILTING SKILLETS, FLOOR MODEL, T1 SERIES "POWERPAN"

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP WT LBS/KGS	LIST PRICE
		Cleveland PowerPan T1 Series Tilt Skillet, Center Trunnion Style Tilting Skillet, Gear Style Hand Tilt, All Stainless Steel Construction Including Gas Burners (gas models), Bead Blasted Cooking Surface Prevents Sticking, Solid State "Imbedded" Temperature Thermostats For Even Temperature Distribution, 100 F - 425 F Temperature Control Knob, Reinforced Rolled Rim Eliminates Pan Warping, Vented Spring Assist Cover, System Gas Models Feature Patented Forced Air Gas Combustion System with Dual Power Control With Standard And Turbocharged Power Settings, Certified to Applicable UL, CSA and NSF Standards, CE Certification		
	SGL30T1	30 Gallon (117 Liter) Gas Manual Tilt	520/237	\$37,740
	SGL40T1	40 Gallon (156 Liter) Gas Manual Tilt	610/277	\$40,638
	SEL30T1	30 Gallon (117 Liter) Electric Manual Tilt, IPX6 Water Rated	390/178	\$29,199
	SEL40T1	30 Gallon (156 Liter) Electric Manual Tilt, IPX6 Water Rated	645/187	\$31,828
<b>T1 Series Tilt Skillet Options</b>				
	GM1	Gallon and Liter Markings Standard		STD
	LPG	LP Gas		\$0
	ELEVATION	Gas Models Specify Elevation If Over 2,000 Feet		\$0
	EZD	EasyDial Control Option (SGL-T1 Models Only - Contact Factory For SEL-T1)		\$1,683
	TCP1	Core Temperature Probe, EasyDial Controls Only		\$1,206
	FF	Level Adjustable Flanged Feet For Floor Bolting Standard		STD
	TDS2K	2" Tangent Draw Off With Drain Strainer, mounted on left side (Pan Carrier Not Available On 30 Gal. Models)		\$1,358
	PT2	Power Tilt With Manual Override Option		\$876
	VOSK1	240 Volt, 60 Hz, 3 Phase (For SEL Electric Models)		\$1,045
	VOSK2	380/415 Volt, 50 Hz, 3 Phase For Export (SEL Electric Models)		\$1,045
	VOSK3	440-480 Volt, 60 Hz, 3 Phase (For SEL Electric Models)		\$1,045
	VOSK4	220/240 Volt, 50 Hz, 1 Phase For Export (For SGL Gas Models)		\$1,045
	HWS	High Wattage Option (16 Kw For 30 Gal, 24 Kw For 40 Gal) SEL-T1 Electric Models		\$683
	CPPCBTR	Protective Control Cover		\$743
	CP-SKTD	Prison Package For Tilt Skillets (See Page 49 for Details)		\$2,222
<b>Common Accessories (For More Accessories See Page 29)</b>				
	FSSK	Pour Spout Food Strainer (P/N KE603840)		\$647
	DPK13	Double Pantry Faucet & Bracket For SEL/SGL-T1 Series		\$1,153
	SPK13	Single Pantry Faucet & Bracket For SEL/SGL-T1 Series		\$1,077
	PCS	PCS - Pan Carrier (Not Available On 30 Gallon With 2" Tangent)		\$1,275
	CST1	Casters, Set Of Four, Two Locking (P/N 0308787) Field Installed		\$1,304
	QDC60	5 Foot 3/4" Long Gas Quick Disconnect Hose (P/N 1007841)		\$1,341



Cleveland Range July 1, 2021 Price List

TILTING SKILLETS - ACCESSORIES

PRODUCT SERIES	MODEL	DESCRIPTION	SHIP. WT LBS/KGS	LIST PRICE
<b>Faucets</b>				
	DPK16	Double Pantry Faucet And Bracket For SET15		\$1,153
	SPK16	Single Pantry Faucet And Bracket For SET15		\$1,077
	DPK15	Double Pantry Faucet And Bracket For SET10		\$1,153
	SPK15	Single Pantry Faucet And Bracket For SET10		\$1,077
	DPK13	Double Pantry Faucet And Bracket For PowerPan T1 Skillets		\$1,153
	SPK13	Single Pantry Faucet And Bracket For PowerPan T1 Skillets		\$1,077
	DPK14	Double Pantry Faucet And Bracket For Durapan TR Skillets		\$1,153
	SPK14	Single Pantry Faucet And Bracket For Durapan TR Skillets		\$1,077
	FBSL1	Faucet Bracket SET15		\$404
	FBSL2	Faucet Bracket SET10		\$404
	FBST1	Faucet Bracket T1 Series Skillets		\$404
	FBSTR	Faucet Bracket TR Series Skillets		\$404
	B0176	T&S Double Pantry Faucet With Swing Spout And PRS Spray Hose		\$2,642
	SKFS	Single Pantry Faucet Skillet Filler With 60" Hose (P/N 105978)		\$1,965
	DKFS	Double Pantry Faucet Skillet Filler With 60" Hose (P/N 105979)		\$2,533
PRSS	Pre-Rinse Spray Hose (B-0113)		\$2,577	
<b>Pan Carriers - Drain Pans</b>				
	PCS	Pan Carrier (P/N 2499999 For T1 Models, Can't Use On 30 Gallon With Tangent)		\$1,275
	PCS	Pan Carrier (P/N 2240099 For TR Skillet Models, Can't Use On 30 Gallon With Tangent)		\$1,275
	DRAINPAN6	6" Deep 12" X 20" Stainless Steel Pan With Drain		\$843
	H08.2	2" Dia., 8 For Long Drain Hose For Use With Drain Pan 6		
<b>Cooking Baskets, Food Strainers, Poaching Pans, Flow Diverter</b>				
	BSSET15	Basket For SET 15 Tilt Skillet		\$1,931
	VS	Vegetable Steamers (2 ea for 30 gal., 3 ea for 40 gallon)		\$1,335
	FDS	Flow Diverter for 30 and 40 Gallon Skillets		\$945
	FSSK	Food Strainer, 30/40 Gallon Skillets (P/N KE603840)		\$646
	FS15S	For Strainer For SET15		\$660
	PP	Poaching Pan (Pan SK2242000) For 30 (Holds 2) & 40 Gallon (Holds 3) Models, SET10		\$1,251
	PPR	Poaching Pan - SET15(P/N SK2242000)		\$1,514
<b>Lift Off Covers, Cover Holders</b>				
	SCL10	Lift Off Cover For SET 10		\$1,459
	SCL15	Lift Off Cover For SET15		\$1,097
	LCH15	Lift Off Cover Hold SET15		\$350
<b>Miscellaneous</b>				
	SSLD-30TR	Sliding Drain Drawer Field Install Kit For 30 Gallon SGL/SEL-TR Models (Must Have 2" Tangent Draw-Off Of Left Side)		\$1,088
	SSLD-40TR	Sliding Drain Drawer Field Install Kit For 40 Gallon SGL/SEL-TR Models (Must Have 2" Tangent Draw-Off On Left Side)		\$1,191
	SGLDTR	Folding Splash Guard For TR Tilt Skillet Drain Drawer		\$385
	LTKS	4" Stainless Steel Legs For SET15 (Must be built on at Factory)		\$963
	0308787	Caster Set For T1 Series Skillets - P/N 0308787		\$1,304
	FFSTR	Front Flanged Feet For TR Series Skillets (SK00414-1 Flanged Foot, SK078160-1 Insert)		
	FFST1	Front Mounted Flanged Feet For T1 Series Skillets Only (KE50249-2)		\$928
	KE01173-4	Extended Legs 4"L, 1-14" Pipe For T1 Tilt Skillets Only (P/N KE01173-4)		\$223
	KE01173-5	Extended Legs 5"L, 1-14" Pipe For T1 Tilt Skillets Only (P/N KE01173-5)		\$223
	KE01173-6	Extended Legs 6"L, 1-14" Pipe For T1 Tilt Skillets Only (P/N KE01173-6)		\$223
	KE003716-6	SGL30TR Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UL Certified		\$1,244
	KE003716-7	SGL40TR Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UL Certified		\$1,244
	KE003716-6	SGL30T1 Nat. To L.P. Conversion Kit 2,000 Ft Elevation, Certified		\$1,244
	KE003716-7	SGL40T1 Nat. To L.P. Conversion Kit 2,000 Ft Elevation, UL Certified		\$1,244

# Model Number Legend

**1** – **2** **3** **4** – **5** – **6**

## POSITION 1 (followed by dash)

Width of cabinet base in inches for Counter Type Convection steamers, Floor Model Convection steamers, Convection Pros<sup>®</sup> and SteamPros<sup>®</sup>. (Not used for Kettles, Skillets, or Combi-Oven)

## POSITION 2

Type of equipment:

- C = **C**onvection Steamer
- CK = **C**onvection Steamer and **K**ettle combined
- K = **K**ettle
- C = **C**onvection Steamer
- S = **S**killet
- P = **P**ressure Steamer
- PC = **P**ressure / **C**onvection Steamer
- MFS = **M**etering **F**illing **S**tation
- MK = **M**ixer **K**ettle
- TMK = **T**win **M**ixer **K**ettle
- HA-MK = **H**orizontal **A**gitator **M**ixer **K**ettle

## POSITION 3

Type of power or energy source:

- E = **E**lectricity
- G = **G**as – natural – other, if specifically identified
- D = **D**irect steam (connected to a separate source)
- S = **S**tream Coil Generator – use where steam available from another source is not clean enough to use on food.

(Only one size exists).

## POSITION 4

Type of mount or generator:

- L = **L**egs, open stand or frame
- P = **P**ressure generator
- M = **M**odular; cabinetized; enclosed
- T = **T**able top mounted on stand cabinet, table, counter, etc.
- A = **A**tmospheric generator (stainless steel)

## POSITION 5

Designation of capacity or input. For kettles, it will indicate "Gallons." For electric or gas steam generators, it will indicate input of energy in either "KW" or "M BTU." (Number is preceded by a dash). For SteamCraft<sup>®</sup> Series this number will indicate the pan capacity for 21/2" steam table pans.

## POSITION 6 (following last dash)

Additional detailed information or action.

- F = Indicates a **F**ull steam jacket on a kettle.
- T = Indicates a **T**ilting kettle, either manual or power pour.

## Examples of Model Number usage:

36-CGM-200 is a 36 inch wide base, Convection Steamer, Gas powered, Modular cabinet mounted, 200M BTU.

or:

TMKEL-100-T is a Twin Mixer-Kettle, Electric, Leg mounted, 100 Gallon, Tilting. But, being a twin kettle model, it has two 100 Gallon kettles.

**NOTE:** Model Number Legend not valid for Options and Accessories.



## Steamcraft® 3, 5, 10 & Gemini™ Convection Steamers

Generator Style, Ideal for High Volume A La Carte and Batch Type

### SteamCraft®

Series High  
Speed  
Convection  
Steamers

*"When you  
need a lot and  
need it fast".*



Easy-access  
descaling port...  
if it's easy to do, it's  
more likely to get  
done.

Compartment interior  
has coved corners for  
better steam  
circulation and easy  
cleaning.

Free-floating inner  
door makes a positive  
seal every time, will  
never leak and isolates  
the outer door,  
keeping it cool to  
touch.

Reversible door gasket  
lasts twice as long.

Heavy gauge stainless  
steel door and cooking  
compartment.

4" adjustable legs are  
standard.



**Steamcraft® 5**

Additional heating  
element above the  
waterline dries the  
steam to reduce  
condensation on foods  
and speeds cooking.

Water level control  
located outside boiler,  
(where scale forms),  
preventing scale  
related control failure.

Power flush system  
not only drains the  
boiler automatically  
when the power is off,  
but actually flushes  
the water down the  
drain to ensure it  
never plugs with scale.

Electronic timer with  
load compensating  
feature automatically  
adjusts cook time to  
the load size for  
consistent results  
every time.

Manual by-pass switch  
for constant steaming.

- Cooking Capacity for up to ten 12" x 20" x 2 1/2" deep Cafeteria Pans, five each compartment.
- Totally independent cooking compartments, each has its' own generator, gas valve and water level controls - no shared components
- Exclusive High Efficiency Gas Power Burner (forced air) Generator: Produces more steam for faster cooking while lowering operating costs (72M BTU's per compartment)
- Easy Access Cleaning Port: Each generator has a delimiting port located on the outside, top of the unit
- Generator Cleaning Light for each compartment warns the operator to delime generator
- Generator Steam Standby Mode: Holds generator at a steaming temperature, allows unit to start cooking quickly
- Each compartment has one, 60-Minute Electro-Mechanical Timer with "SureCook" load compensating feature. Manual Bypass Switch for constant steaming.
- Durable Heavy Gauge, 304 Stainless Steel construction for compartment door, cooking cavity and steam generator
- Exclusive Two-Piece Compartment door: Slammable, self-adjusting door provides and airtight seal, reversible door gasket for extended life
- Exclusive Gemini™ Drain/Power Control System: Simple, reliable 1/2" ball valve style drain automatically turns power ON/OFF
- Exclusive Brass Steam Jets distribute even, high velocity steam throughout cooking compartment for faster cooking times
- Easy, Front -Access Generator Controls comes with a pullout drawer for simple servicing of unit
- Compartment Steam Shut-Off Switch when compartment door is opened



**SteamCraft® Gemini™ 10**

## SteamChef 3 & 6 - Boilerless Convection Steamers



Connectionless Model  
22CCT6



Connected Electric Models  
22CET3.1 22CET6.1



Connected Gas Models  
22CGT3.1 22CGT6.1

### Easy as 3-2-1...

#### 3-YEAR COMPARTMENT DOOR WARRANTY STANDARD

- Rugged 14-gauge stainless steel holds up to abuse.
- Heavy gauge door hinges maintains tight leak proof seal.

#### 2-PIECE EXCLUSIVE COMPARTMENT DOOR DESIGN

- "Free Floating" inner door is self adjustable, maintains steam tight seal.
- Removeable for easy cleaning and sanitizing, stays "Cool to the Touch".

#### 1-YEAR DOOR GASKET WARRANTY STANDARD

- Door gasket last "4-Times Longer" than competitive models.

### ... Plus

#### PATENTED KLEANSHIELD COOKING COMPARTMENT DESIGN

- Provides "Clean Steam" - eliminates foaming and cross contamination.
- Eliminates flavor transfer, easy to clean and sanitize.

#### EXCLUSIVE CONVECTION STYLE Baffle SYSTEM


- High velocity "Convection Steam" for even energy distribution.
- Faster cooking and recovery times for superior performance.

## SteamChef 3 & 6 - Featuring Patented KleanShield



22CCT6:  
6 Pan Electric Connectionless

SteamChef's patented **KleanShield** compartment design eliminates foaming, flavor transfer and cross contamination caused by the water reservoir typically found in connectionless steamers.



**Typical Connectionless Steamer**



Steam generating water from SteamChef with **KleanShield** (left) and typical connectionless steam water (right) after 3 loads of potatoes.

## SteamCraft 3 & 5 Convection Gas & Electric Steamers

Heavy Gauge Stainless Steel Generators



21CET8



21CET16

### When You Need A Lot and Need it Fast!

#### Maintenance Free “Steam Jets” for high velocity steam.

- No fans needed, superior temperature distribution, fast cooking, instant recovery and maintenance free.

#### Self Cleaning Firebar Style element

- Shed’s off scale and improves energy efficiency

#### Exclusive “drying element” for moisture-free steam

- No flavor transfer or cross contamination

#### Two-piece compartment door

- Self adjusting free floating inner for air-tight seal
- Reversible door gasket, quadruples the life of the gasket.

### Best Overall Warranty Program

#### 5 - Year prorated generator warranty

#### 3 - Year Exclusive Steamer Door Warranty

- Full 3-years parts and labor coverage on 3, 5, 6 & 10 Pan Models.

#### 3 - Year K-12 School Warranty on Steamer with Filter

- 2-Year K-12 standard warranty Steamers, Kettles, Skillets.

#### 2 - Year Steamer Warranty with Filter

- Full 2-years parts and labor coverage.

#### 1 - Year Steamer Door Gaskets and Adjustments

- 3, 5, and 6 compartment steamers.

#### Free Performance Start Up included

- Water Quality Lab Analysis available for ‘FREE’.

## Gemini 10 Convection Steamers

### Heavy Gauge Stainless Steel Generators



#### 10-Pan Models:

- 24CGA10.2 – Twin systems
- 24CGA10.2ES – Energy Star
- 24CGA10 – Single generator system
- 24CEA10 – Electric model

#### Twin Independent Cooking Compartments

- Separate generator, gas combustion system, water level control and cooking controls for each compartment.

#### High Efficiency “Turbo-Charged” Gas Power Burner Design

- For increased steam production, cooking speed and recovery.
- Approved for use over combustible floors.

#### Single Frame Unibody Construction Design

- Heavy gauge stainless steel single frame construction holds up to abuse, allows for proper airflow, reducing downtime.

#### Maintenance Free “Steam Jets” for High Velocity Steam

- No fans needed, superior temperature distribution, fast cooking and instant recovery.

#### Remote Water Level Controls

- Located outside the generator for simplified maintenance and service.

#### Two-Piece Compartment Door

- Self adjusting free floating inner for air-tight seal
- Reversible door gasket, quadruples the life of the gasket.

#### 5 - Year Prorated Generator Warranty

#### 3 - Year Exclusive Steamer Door Warranty

- Full 3-years parts and labor coverage.

#### 3 - Year K-12 School Warranty on Steamer with Filter

- 2-Year K-12 standard warranty Steamers, Kettles, Skillets.

#### 1 - Year Steamer Door Gaskets and Adjustments

- 3, 5, and 6 compartment steamers.

#### Free Performance Start Up Included

- Water Quality Lab Analysis available for “FREE”.

## Classic Series Steamers

15 PSI Boilers, Gas & Electric Models



Model 24CGM200



Boiler Descaling System

### Industry's Best Warranty

- 5 - year prorated boiler warranty featuring nickelguard boiler protection.
- 3 - year 100% k-12 school warranty with filter.
- 3 - year door warranty.
- 1 - year door gasket warranty.

### Exclusive TWO-PIECE Door Design

- Two-piece compartment door with free floating inner door provides air-tight, leak proof seal.
- Reversible, rotatable door gasket extends life 4 - times longer than competitors.
- Cool to the touch, won't burn operators.

### Heavy 14-Gauge Stainless Steel Construction

- Build for life design with heavy duty 14-gauge stainless construction for cooking compartment, door and base frame.

### Easier Maintenance

- Optional boiler descaling pump system simplifies descaling, saving time while providing improved safety and superior cleaning results.

## Steamer Warranty Offers More Value & Added Benefits\*



### 5 - Year Prorated Boilers and Generator Warranty

- 100% covered for first 2 years with filter purchase.

### 3 - Year Exclusive Steamer Door Warranty

- Full 3-years parts and labor coverage on 3,5,6, 10 Pan Models.

### 3 - Year K-12 School Warranty on Steamer with Filter

- 2-Year K-12 standard warranty Steamers, Kettles, Skillets.

### 2 -Year Steamer Warranty with Filter Purchase

- Full 2-years parts and labor coverage.

### 1 - Year Steamer Door Gaskets and Adjustments

- 3, 5, and 6 compartment steamers.

### Free Performance Start Up included

- Water Quality Lab Analysis available for 'FREE'.


*\*See warranty policy for details.*



**Electric, Gas & Direct Steam Kettles -**  
 50 Psi High Pressure Steam Jacket Rating (3.5 Bar Boiling Pans)

**Cleveland  
 Steam  
 Jacketed  
 Kettles**

*Set the  
 Standard for  
 Comparison.*



**Gas Kettles**



**Electric Kettles**



**Direct Steam Kettles**

Rotateable, domed cover with spring assist for easy cleaning.

Sealed roller bearing pivot for easy tilting and longer life than brass bushings.

50 PSI (3.5 Bar) Steam Jacket Rating for higher temperatures and faster cooking and superior browning.

Easy to replace O-ring gasket on tangent stem.

High-efficiency power burner (on Gas models), provides efficient heat transfer, making for extremely fast heat-up and recovery with economical gas consumption.

Hardened, adjustable tilt gears for long life and easy tilting.

Water resistant controls and splash-proof design prevent water damage from spillage or cleaning.

Solid State Temperature controls are accurate to within 1°C, and do not wander; perfect for delicate products and tightly controlled simmering.

Additional leg, (4 total) on electric models with 80 gallon+ capacity for greater stability (all gas models come standard with 4 legs).

**Gas Kettles**

Rotateable, domed cover with spring assist for easy cleaning.

Sealed roller bearing pivot for easy tilting and longer life than brass bushings.

50 PSI (3.5 Bar) Steam Jacket Rating for higher temperatures and faster cooking and superior browning.

Easy to replace O-ring gasket on tangent stem.

IPX6 rated controls and splash-proof design prevent water damage from spillage or cleaning.

Solid State Temperature controls are accurate to within 1°C, and do not wander; perfect for delicate products and tightly controlled simmering.

Hardened, adjustable tilt gears for long life and easy tilting.

Additional leg, (4 total) on models with 80 gallon+ capacity for greater stability.

**Electric Kettles**



## Steam Jacketed Kettle Benefits

50 Psi High Pressure Steam Jacket Rating (3.5 Bar Boiling Pans)



### Stow Away your Stock Pots and Get Cooking with Steam

Cleveland steam jacketed kettles offer ultra efficient heat transfer, uniform heating and superior product handling. Steam jacketed kettles offer faster cooking times because two thirds of the cooking surface comes into contact with the product at a much lower temperature, compared to stock pots that use a much higher temperature only at the bottom of the pot. In addition, accurate temperature controls eliminate constant monitoring and resetting. Foods won't burn or scorch and you can hold product at a simmer without over cooking. Tilting models makes product handling simple. Clean up is easy since food isn't burned or over cooked like stock pots.

#### Ideal For:

Soups, delicate sauces, pasta, gravies, desserts, stews, braising meats, rice, reheating dishes and holding them until serving.

#### Increases Quality and Productivity:

- ✓ Heats from all sides and has 3-4 times larger heat surface than stock pots.
- ✓ Gentle uniform cooking.
- ✓ Faster cooking times using high energy steam.
- ✓ Precision temperature controls from a simmer to a rolling boil.
- ✓ No hot spots.
- ✓ Eliminates pot watching, constant stirring and large stock pots.

#### Improves Operator's Profits By:

- ✓ Reduces food waste due to over cooking and burning.
- ✓ Reheat meals without over cooking.
- ✓ Simmer food all day without over cooking.
- ✓ Simplifies and standardizes recipe and enhances recipe development.

#### Improves Worker Safety:

- ✓ Tilting models make pouring safe.
- ✓ Eliminates heavy lifting and carrying hot stock pots.

#### Saves Energy:

Kettles use 35% less energy than stock pots on an open burner.  
Keeps kitchens cooler.

#### Saves Time:

- ✓ Eliminates scrubbing of messy stock pots.
- ✓ Butterfly shaped pouring lip accurately pours product into containers for serving.

## KET Series Countertop Electric Kettles



KET-3-T                      TKET-3-T  
KET-6-T    KET-6-TGB    TKET-6-T  
KET-12-T    KET-12-TGB    TKET-12-T

### Meets IPX6 Water Rating Protection Guidelines

- Meets IPX6 for both standard and easyDial controls models.
- Prevents downtime and expensive water related damages.

### Built In Self Diagnostics Standard

- 6 diagnostic error codes continuously monitors internal functions.
- Easy to service, promotes first time fix rates.

### Energy Efficient Low Watt Density Heating Elements

- Low watt density element extends element life longer
- 100% vacuum sealed, no gaskets requires, leaks eliminated, no element failures.

### Color Coded Pressure Vacuum Gauge

- Green zone allows operators to easily identify kettle vacuum for optimum performance.
- Vent air zone easily identifies when vacuum is lost.

### “Marine Style” Safety Latch Standard

- Built in safety latch prevents accidental spills.

### Solid State Temperature Controls

- Less than 5° F (1° C) temperature variance for superior cooking control from simmering to rapid boil, no burning or scorching.

## New easyDial™ Control Option

- Digital time and temperature control and indicator.
- Three cooking modes - Cook/Simmer, Cook/Off, Cook/Cook.
- Meets IPX6 water rating protection guideline.
- Six built in diagnostic indicator readouts.
- Optional core temperature probe.
- Available on KET, KGT Series countertop self contained kettles.



## KGL Series Gas Floor Model Kettles

Model KGL40T  
(40 Gallon Tilting)



Model KGL40SH  
(Short Series Stationary)



### Most Powerful Gas Kettle Available\*

- 160,000 Btu's on 40-gallon models.
- 190,000 Btu's on 60, 80, 100-gallon models.
- 50 PSI steam jacket rating achieves high temperatures.

### Patented "Turbo Charged" Gas Heating Design

- High efficiency patented forced air gas combustion system.
- Fastest in cooking speed and recovery.
- Boils up to 40% faster than competitors.
- Certified for use over combustible floors.

### Built-In Self Diagnostics Standard

- 6 diagnostic error codes continuously monitors internal functions
- Easy to service, promotes first time fix rates

### Color Coded Pressure Vacuum Gauge

- Green zone allows operators to easily identify kettle vacuum for optimum performance.
- Vent air zone easily identifies when vacuum is lost.

### Solid State Temperature Controls

- Less than 5° F (1° C) temperature variance for superior cooking control from simmering to rapid boil, no burning or scorching.

## New easyDial™ Control Option

(For Tilting Models Only)

- Digital time and temperature control and indicator.
- Three cooking modes - Cook/Simmer, Cook/Off, Cook/Cook.
- Meets IPX6 water rating protection guideline.
- Six built in diagnostic indicator readouts.
- Optional core temperature probe.
- Available on KET, KGT Series countertop self contained kettles.



## Guide To Kettle Drain Valves and Pumpable Options

### TANGENT DRAW OFF VALVE

- Comes out the front of the kettle.
- 2" or 3" diameter size outlets.
- GOOD for pumping, only way to pump on electric models since Butterfly and Air Piston Valve not available on electric kettles.



Tangent Draw-Off with Acme Thread

### 3" BUTTERFLY VALVE

- Comes out the bottom of the kettle.
- BETTER for pumping since locate on bottom of kettle.
- Available on gas and direct steam, not available on electric kettle.



3" Butterfly Valve with Sani Style (Tri Clover) Clamp

### 3" AIR PISTON VALVE

- Air operated piston opens/closes on the bottom of the kettle, flush mounted at the bottom for Air-Tight Seal.
- BEST method for pumping.
- Available on gas and direct steam, not available on electric kettles.

### TYPES OF CONNECTIONS FOR PUMPING

1. Sani Clamp (Tri Clover Clamp): Drain Valve is flanged on the bottom, Tri-Clover clamp used to connect hose to valve, easiest of the connections to attached and clean, accepted in USDA facilities.
  2. Acme Thread: Large threads on end of valve to screw on hoses. Very cleanable and accepted in USDA facilities
- When pumping, specify Sani Clamp or Acme Thread options, must be built on at factory.



3" Air Piston Valve with Acme Thread (Kettle bottom with valve in closed position)

## Swing Drain Funnels for Kettles without a Floor Trough

### MODEL SF3 FOR TILTING KETTLES

- For Use With Kettles With a 2" Tangent Draw Off Valve.
- Swivel Style Drain Cup Swings Under Or Away from Tangent Draw Off Valve Opening.
- Includes Drain Screen.
- Mounts To Leg Of The Kettle.
- Can Hard Piped to Floor Drain.
- Heavy Stainless Steel Construction.



SF3 Swing Drain Funnel for Tilting Kettles

### MODEL SF4 FOR STATIONARY KETTLES

- For Use With Kettles With a 2" Tangent Draw Off Valve.
- Swivel Style Drain Cup swings Under Or Away from Tangent Draw Off Valve Opening.
- Includes Drain Screen.
- Mounts To Leg Of The Kettle.
- Can Be Hard Piped to a Floor Drain.
- Heavy Stainless Steel Construction.



SF4 Swing Drain Funnel for Stationary Kettles



## Pan Carriers and Flow Diverter for Tilting Kettles

### PAN CARRIER – MODEL PCK

- Made from heavy gauge stainless steel.
- Bracket under pour spout connects Pan Carrier, for all Cleveland floor model tilting kettles.
- Stays level when kettle is tilted, allows the product to be poured directly in 12" x 20" pans.



Model PCK Pan Carrier when tilted

### FLOW DIVERTER– MODEL FD

- Made from heavy gauge stainless steel.
- Bracket under pour spout connects Flow Diverter, for all Cleveland floor model tilting kettles.
- Hinged style diverter allows operator to accurately direct pour when tilting with to minimize splashing.



Model FD Pan Flow Diverter when tilted

# Gas & Electric Tilting Braising Pans -

High Productivity, Unmatched Performance - The Workhorse of the Kitchen

## Cleveland Braising Pans

*Value-Added Features Built Into Every Model.*

- Gallon/Liter Markings.
- Durable 12 gauge, 304 Stainless Steel pan construction.
- 5/8" / 16mm mild steel clad bottom plus a 1/16" / 1.6mm Stainless Steel plate prevents warping and provides even temperature distribution.
- Bead Blasted cooking surface prevents food from sticking.

Low 35" rim height for easy operation and cleaning.

Exclusive Dual Power Settings: 90,000 and 125,000 Btu for 30 gallons, 160,000 Btu and 200,000 Btu for 40 gallons provides superior heat-up and recovery.

Exclusive Ultra Efficient Power Burner (Forced-Air) Gas Combustion System with Automatic Ignition.

Vented Spring Assist Cover is standard.

## T1 - Power Pan™ Series


10° Cooking Feature, tilt unit up to 10° without the power being turned off.

Add IPX6 Water Rated Controls and construction.

Easy-to-turn manual hand tilt, optional power tilt with manual override available.

Supplied with Cord & Plug for 115-volt controls.

Open base design for easy cleaning and maintenance.



SET10



SET15



SEL40TR  
Shown with Sliding Drain Pan (SLD)



SGL40T1

## TR - DuraPan Series Tilt Skillets SEL-TR & SGL-TR SERIES

### Superior Temperature Control

#### Imbedded Temperature Sensors

- Imbedded" temperature sensors drilled into pan bottom for precise even cooking (see comparison below).

#### Multiple Stainless-Steel Burner Design

- Large stainless-steel burners with "multiple rows of rosette's.
- Evenly spaced throughout the pan bottom for quick response and greater temperature control and even browning pattern.

#### Hydraulic Hand Tilt With Quick Lowering Feature


- Easy to turn hydraulic hand tilt requires fewer turn.
- Quick Lowering feature eliminates hand tilting down.

#### Meets IPX6 Water Rating Protection Guidelines


- Meets IPX6 for both standard and easyDial controls.
- Prevents downtime and expensive water related repairs.

#### Reinforced Rolled Rim


- Eliminates warping of skillet pan allowing skillet cover to close properly.



Cleveland **SGL40TR**



**Competitor A**



**Competitor B**

Results of thermal imaging testing on three leading tilt skillets surfaces heated to 350°F.

### Compare The Difference

Cleveland solid state temperature control sensors are "drilled" into the skillet's surface and provides an even temperature across entire pan surface, eliminating hot

and cold spots for better browning pattern. Competitors clamped on version has a wider temperature variance which causes greater uneven temperatures across the pan surface.



## T1 - PowerPan Series Tilt Skillets SGLT-1, SEL-T1 Series

### More Power, Speed And Recovery

#### MOST POWERFUL TILT SKILLET

##### AVAILABLE\*

- Up to 60% more power on 30 gallon models.
- Up to 100% more power on 40 gallon models.

#### PATENTED "TURBO CHARGED" GAS HEATING DESIGN

- High efficiency forced air gas combustion system.
- Fastest in cooking speed and recovery.

#### EXCLUSIVE "DUAL POWER" SETTINGS

- High/Low power setting for speed and energy savings.
- 200,000/160,000 btu's for 40 gallon models.
- 125,000/90,000 btu's for 30 gallon models.

#### Low 35" Rim Height

- Easier to safely handle food and cleaning process.

#### Reinforced Rolled Rim

- Eliminates warping of skillet pan allowing skillet cover to close properly.

#### Solid State Temperature Controls

- "Imbedded" temperature sensors for precise cooking.
- 10° tilt cooking feature.



\*Cleveland gas models SGL30T1, SGL40T1.  
Based on competitors spec sheets.  
SEL30T1, SEL40T1 electric models.

### New easyDial™ Control Option

- Digital time and temperature control and indicator.
- Three cooking modes - Cook/Simmer, Cook/Off, Cook/Cook.
- Meets IPX6 water rating protection guideline.
- Six built in diagnostic indicator readouts.
- Optional core temperature probe.




## Cook Chill Mixer Kettles

### Horizontal (HA) Series C/C Mixer Kettles Tilting & Stationary

Ideal for all applications, especially heavier foods like ground beef, meat sauces, mashed potatoes that requires superior mixing capabilities.

50 PSI steam jacket rating. Optional higher PSI steam jackets available.



#### Direct Steam

##### Tilting -

- HAMKDL60TCC
- HAMKDL100TCC
- HAMKDL200TCC

##### Stationary -

- HAMKDL60CC
- HAMKDL100CC
- HAMKDL200CC

#### Self-Contained Gas

##### Tilting -

- HAMGL60TCC
- HAMGL80TCC
- HAMGL100TCC

##### Stationary -

- HAMGL60CC
- HAMGL80CC
- HAMGL100CC

#### Exclusive Horizontal Agitator Design

Lifts and folds heavy, delicate, chunky, thick or thin products.

#### Totally Enclosed Spring Loaded Agitator Blades

Hold tight against kettle surface for effective scraping.

#### No Cold Zones

Continuously scoops and folds the center of the product for faster cooking.

#### Variable Speed Control and Indicator

Adjustable from 5-24 RPM for a variety of applications.

#### Superior Temperature Probe Design

Located at the bottom of the kettle for accuracy down to the final emptying of the product.

#### Designed for Easy Cleaning

Easy to rotate and remove agitator paddles without tools.

#### Single Piece Dome Hinged Cover

Increases productivity by retaining heat, improves food quality by keeping air out and steam in, improves safety because kettle cover is closed during cooking.

### Sweep & Fold Series Tilting & Stationary C/C Mixer Kettles

Standard with 3" air operated flush piston valve for pumping, 316 stainless steel, console mounted Digital Time/Temperature Control, Chart Recorder and Automatic Water Meter.

Ideal for soups, sauces, gravies, salad dressings, pie fillings.

50 PSI up to 100 gallons, 35 PSI on 125 gallons & larger).


#### Electric

##### Tilting -

- MKEL40T • MKEL60T
- MKEL80T • MKEL100T

#### Direct Steam

- MKDL40TCC • MKDL100TCC
- MKDL60TCC • MKDL125TCC
- MKDL80TCC • MKDL150TCC



#### Self-Contained Gas

- MKGL40TCC • MKGL60TCC • MKGL80TCC

## C<sub>3</sub> / SC System “New Self-Contained Cook System”

### Completely Self - Contained Cook Chill System

Featuring a 60, 80 or 100 Gal. Self Contain Gas Horizontal Mixer Kettle and Self Container Product Chiller

Cleveland Cook Chill Systems can now be designed for smaller to mid-size operators looking to start a USDA and FDA cook chill food processing operation. Cleveland HA-G Self Contained Cook Chill Systems cooks food to a “just done state” packaged in heavy duty casings at pasteurization temperature, then rapidly chilling to 40°F in less than one hour, enabling the “Fresh” product to be stored in a refrigerated food bank at 28°F to 32°F up to 4 weeks. No external steam boiler or ice builder is required for the HA-G Cook Chill System.

#### 1. Mixing / Cooking



#### HA SERIES MIXER KETTLES (HAMKGLTCC)

Cleveland’s self-contain high efficiency gas fired horizontal mixer kettles eliminates the need for an expensive large industrial boiler. Available in 60, 80 & 100 gallon models, tilting or stationary. Cleveland’s patented HA series horizontal agitator lifts and folds heavy, delicate, chunky, thin or thin products.

#### 2. Packaging



#### FOOD PUMP (MFS)


Cleveland’ MFS model food pump provides a gentle but efficient transfer of hot and cold food from the mixer kettle into heavy duty casing pouches at the desired set amount, then safety seals the casing for chilling. The MFS-U100 model food pump can also fill retail cups and jars.

#### 3. Chilling



#### PRODUCT CHILLER (HBC075, HBC100 & HBC200)

Cleveland HBC series Product Chiller has built in direct - expansion refrigeration that rapidly reduces the temperature of the filled casings. No ice builder is required. Turbulent circulated flow provides full agitation to provide the most optimum rapid cooling. Available in 75, 100 & 200 gallon tank sizes.



#### SUPPORT REQUIREMENTS

The Cleveland Self Contained Cook Chill system requires no Ice Builder refrigeration or remote boilers, only a condensing unit for the product chiller. Compressed air is required for pumping from the kettle to the food pump. Leasing program available estimated payback is 18 - 24 months based on labor and food cost savings

## easyDial - Optional Controls with Advanced Features for World Class Performance

Cleveland **standard controls** for tabletop kettles and T1 skillets offer simple precise, consistent solid state temperature controls with minimal temperature variance and superior cooking times.

The fully digital **easyDial® control** option is enclosed in a splashproof ergonomically angled console and offers the following key features -



**Meets  
IPX6 Water  
Resistance**



### Accurate Time & Temperature Control

- Water related service issues are dramatically reduced.

- Precise temperature controls for consistent results and to help prevent overcooking and damaging the unit with burnt food.
- An loud audible buzzer indicates cooking is complete.

### Diagnostics

1. Safety	OK
2. Main Heater	OK
3. Second Heater	OK
4. Water Level	OK
5. Jacket Sensor	OK
6. Product Sensor	OK

**EXIT: in 5 sec**

### Built-In Diagnostic Readout

- 6 Built-In Self Diagnostics Indicators and Digital Readout. Simplifies troubleshooting, reduces maintenance costs and promotes first time fix.

Units	F
Buzzer	Cook/HOLD
Display	Double
Diagnostic	No
Exit	No

### Three Cooking Modes

**Cook/HOLD** - Ideal cook and simmering applications brings food to a boil and then automatically goes into a simmering temperature. Eliminates waste due to overcooking and scorching.

**Cook/ON** - For cooking by time and temperature. The temperature will run continuously until manually turned off.

**Cook/OFF** - For cooking by time and temperature, the timer countdown turns off the heat.



### Core Temperature Probe Option

- Optional Core Temperature Probe can be used as an internal product probe for multiple products monitoring the core internal temperature for superior food quality.

## Correctional Packages

For Classic Series Convection Steamers:  
24", 36" and 42" wide models.

Model #	Description	List Price
CP-LCBD	Tamper Proof Lockable Cabinet Base Door for 24" 36" and 42" wide Convection Steamers, and Boiler Bases. * Locks provided by others.	
CP-PR	Non-Removable-Tamper proof pan racks for interior cooking compartment for all floor model steamers.	
CP-EXT	Tamper Proof exterior compartment and cabinet base sheeting using Tamper Proof Spanner Drilled Head Screws for all floor model steamers.	
CP-SCRD	Set of Screwdrivers: For tamper proof screws.	
CP-COVER	Tamper Proof Hasp-Type* Hinged Cover for controls. * For 24" and 36" & 42" Convection Steamers only. * Locks provided by others.	
<b>TOTAL COMPLETE CORRECTIONAL PACKAGE PRICE (Includes all of the above options).</b>		<b>\$2,326</b>



CP-LCBD

For SteamCraft® 3, 5, 10, Gemini™ 6, 10 Models:

Model #	Description	List Price
CP-SC10	Tamper Proof exterior with Tamper Proof Spanner Drilled Head Screws for all SteamCraft® 10 models.	
CP-SCRD	Set of Screwdrivers: For tamper proof screws.	
CP-PR	Non-Removable Tamper proof pan racks for interior cooking compartment for all floor model steamers.	
CP-PORT	Tamper Proof Hasp-Type Hinged Cover for descaling port. * Locks provided by others.	
CP-COVER	Tamper Proof Hasp-Type Hinged Cover for controls and power switch. * Locks provided by others.	
CP-SCG	<b>TOTAL COMPLETE CORRECTIONAL PACKAGE PRICE (Includes of the above options).</b>	<b>\$2,157</b>



CP-COVER


For Floor Model Tilting Braising Pans:

Model #	Description	List Price
CP-SCB	Tamper Proof exterior side and rear panels with Spanner Drilled Head Screws, R-Series Skillets	
CP-SCRD	Set of three Spanner Drilled Head Screwdrivers.	
CP-PCB-T1	Protective Control Cover, T-1 Series Skillets * Locks provided by others.	
CP-PCB-TR	Protective Control Cover, TR Series Skillets.	
CP-TDM	Tangent Draw-Off Valve Modification.	
CP-SKTD	Correctional Package includes Tangent Draw-Off protection package CP-TDM, plus CP-SCB, CP-SCRD, CP-PCB-T1	<b>\$1,932</b>

## Correctional Packages

For Steam Jacketted Kettles:  
Gas, Electric and Direct Steam models.


Model #	Description	List Price
CP-CHS	<i>Tamper Resistant Spring Assist Cover: Tamper proof screws used to prevent hinge removal. Anti rotational bracket welded to cover to prevent removal and rotation. Price does not include the cover. *Locks provided by others.</i>	
CP-HASP	<i>Hasp style Lockable Spring Assist Cover. * Locks provided by others</i>	
CP-RB	<i>Heavy Duty Reinforced Rim Bar: 1/2" X 1" stainless steel bar continuously welded around the rim.</i>	
CP-TDPB	<i>Tangent Draw-Off Valve Protection: Bar type Stainless steel bar welded to kettle. Prevents operator from standing on valve.</i>	
CP-TDM	<i>Tangent Draw-Off Valve Modification: Selected valve will be modified by having the valve handle fastened to stem with tamper proof screws.</i>	
CP-TD-STRAP	<i>Cable attached to TD valve stem.</i>	
CP-FBKT	<i>Tamper Proof Faucet Bracket: Non removable, reinforced faucet bracket. Standard on stationary models.</i>	
CP-SCR	<i>Tamper Proof Screws: Standard screws replaced by tamper proof screws for fastening all removable covers and panels.</i>	
CP-SCRD	<i>Set of Screwdrivers: For tamper proof screws</i>	
SG	<i>Switch Guard: 3/16" dia. Stainless steel rod bolted over controls to prevent damage from impacts. Gas and electric models only.</i>	
CP-PCB	<i>Protective Box for Controls: Completely covers controls. Gas and electric models only. *Locks Provided by others.</i>	
CP-PG	<i>Pressure Gauge Guard: ¼" x ½" stainless steel bar bolted over gauge to prevent damage from impacts. Gas and electric models only.</i>	
SGP	<i>Sight glass guard</i>	
CP-STATKT	<i>Complete correctional package for stationary kettles, options include CP-CHS tamper proof spring assist cover, CP-HASP style lockable cover, CP-TDPB Bar type tangent protection, CP TDM tamper proof TD valve, CT-TD STRAP for TD valve, CP-SCR tamper proof exterior screws and CP-SCRD set of screw drivers, SG - Bar Type Switch Guard for controls, SGCP-PCB protective control box cover, CP-PG pressure gauge guard, SGP sight glass guard. (Locks by others).</i>	\$3,253
CP-TILTKTTD	<i>Complete correctional package Tilting Kettles WITH Tangent Draw-off option, options include CP-CHS tamper proof spring assist cover, CP-HASP style lockable cover, CP-TDPB Bar type tangent protection, CP TDM tamper proof TD valve, CT-TD STRAP, CP-SCR tamper proof exterior screws and CP-SCRD screw drivers, SG - bar type switch guard for controls, CP-FBKT tamper proof faucet bracket, SGCP-PCB protective control box cover, CP-PG pressure gauge guard, SGP sight glass guard. (Locks by others).</i>	\$3,429
CP-TILTKT	<i>Complete correctional package Tilting Kettles with NO Tangent Draw-Off, options include CP-CHS tamper proof spring assist cover, CP-HASP style lockable cover, CP-SCR tamper proof exterior screws and CP-SCRD set of screw drivers, SG - bar type switch guard for controls, SGCP-PCB protective control box cover, CP-PG pressure gauge guard, SGP sight glass guard, CP-FBKT tamper proof faucet bracket (Locks by others).</i>	\$2,588
CP-RB	<i>Heavy Duty Reinforced Rim Bar: 1/2" X 1" stainless steel bar continuously welded around the rim.</i>	\$2,076




CP-CHS




CP-HASP



CP-RB



CP-TDPB



SG



CP-PCB



SGP

## Marine Options for Kettles & Skillets



*Features built-in marine options designed specifically for harsh marine and shipboard environments.*

- Built to comply with USPHS Vessel Sanitation Program 2018 Construction Guidelines.
- Hex Style Exposed Screws with Silicone Seal.
- Anti-Corrosion Nickel Chrome Plated Left Side Trunnion Assembly (Tilting Models).
- Chrome Plated Safety Valve (Kettles).
- Hex Bolt Style Stainless Steel Tangent Draw-Off Handle (optional).
- Protective Stainless Cover over controls.
- Meets IPX6 Water Rating Requirements.

### Self-Contained Electric Tabletop Model Kettles

- 23, 45, 80 Liters (6, 12, 20 U.S. Gallons)
- Models KET6TMV, KET12TMV, KET20TMV with Marine Options
- 440-480-volt, 60 Hz. 3 Phase
- Safety Tilt Lock prevents accidental spills
- 50 PSI Steam Jacket Rating, 2/3rd Steam Jacketed



### Direct Steam Floor Models Kettles

- 150, 225, 300, 380, 475, Liters (25, 40, 60, 80, 100, 125 U.S. Gallons)
- Models KDL- (40, 60, 80, 100, 125) -TMV with Marine Options
- Direct Steam, no electric required
- Self-Locking Manual Worm Gear Style Tilt, 2/3rd steam jacketed
- 50 PSI Steam Jacket Rating up to 100-gallon models, 35 PSI on 125 gallons.



### Self-Contained Electric Floor Models Kettles

- 100, 150, 225, 300, 380, Liters (25, 40, 60, 80, 100, U.S. Gallons)
- Models KEL- (40, 60, 80, 100) -TMV with Marine Options
- Electric 440-480-volt, 60 Hz. 3 Phase
- Self-Locking Manual Worm Gear Style Tilt, 2/3rd steam jacketed
- 50 PSI Steam Jacket Rating



### Self-Contained Electric Tilt Skillets (Braising Pans)

- 100, 150 Liters (30, 40 U.S. Gallons)
- Models SEL- (30, 40) -T1MV with Marine Options
- Electric 440-480-volt, 60 Hz., 3 Phase
- Self-Locking Manual Worm Gear Style Tilt




## Recommended Pipe Capacity

The figures below are based on 100 feet of clean iron pipe, allowing 10% pressure drop. The presence of valves, elbows, etc. was not considered in calculating the values shown. If the length of pipe is less than 100 ft., the pressure drop will be proportionately less than 10%. If the rate of flow shown for a given pressure and pipe size is increased, the pressure drop will be greater. If the rate of flow is decreased, the pressure drop will be less. The pressure drops to use depends on the circumstance

MAXIMUM FLOW RATE OF DRY STEAM IN LBS. PER HOUR						
Standard Pipe Sizes						
Supply Pressure	1/2"	3/4"	1"	1-1/4"	1-1/2"	2"
5	20	40	70	140	210	380
10	30	60	110	220	320	600
15	40	80	150	290	430	
20	50	100	180	360	530	
25	60	120	220	430		
30	70	140	250	500		
35	80	160	290	570		
50	100	210	380	760		

## Recommended Piping Schematic for Direct Steam Kettles





## Steam Requirement Data, Boiler Sizing Information

Use the following information to determine the steam flow rate requirements for any combination OF Cleveland kettles or any combination of Cleveland steamers and kettles.

Example: First, determine the total steam flow requirement using the charts below. Cleveland boilers operate at 8-10 PSI, a 40-gallon kettle will require 70 lbs. of steam per hour, a 2-compartment steamer will require 60 lbs. of steam per hour. Total steam required is 130 lbs. of steam per hour.

Using the Steam Flow Rate of Cleveland Steam Generators, a 300,000 Btu generator will product 180 lbs. of steam per hour, and the 24CGP10 also produces 180 lbs. of stem per hour, enough to run both the 2-compartment steamer and 40-gallon kettle.

STEAM FLOW OF CLEVELAND STEAM GENERATORS		
Gas Input BTU per Hour	Steam Output BTU (lbs. per Hour)	Steam Generator
200,000	125	3.6 BHP
300,000	180	5.2 BHP
Electric KW Input		
24	70	2.0 BHP
36	120	3.5 BHP
48	150	4.4 BHP
SteamCraft Power 10		
240,000	180	5.2 BHP

STEAM FLOW RATE REQUIREMENT FOR CLEVELAND STEAMERS (lbs. per hour, per compartment)		
STEAM FLOW RATE	RATE REQUIRED AT START UP	RATE REQUIRED DURING COOKING
Convection Steamers	30	30
Pressure Steamers	30	15
ConvectionPro	75	75
SteamCraft 10 (24CGP10)	45	45

## Steam Flow Rate Requirements for Cleveland Kettles

CLEVELAND KETTLES - STEAM FLOW RATE REQUIREMENTS										
KETTLE CAPACITY		Kettle Diameter	8-10 PSI Steam (lbs/hr)	240° F Steam (HP/hr)	15 PSI Steam (lbs/hr)	250° F Steam (HP/hr)	25 PSI Steam (lbs/hr)	267° F Steam (HP/hr)	40 PSI Steam (lbs/hr)	287° F Steam (HP/hr)
U.S Gallons	Liters									
5	17	12"	9	0.26	11	0.32	12.8	0.37	15.9	0.46
10	42	16"	18	0.52	21.9	0.64	25.7	0.75	32.1	0.93
20	95	21"	35	1	43.9	1.27	51.4	1.49	64.1	1.86
30	114	24"	55	1.59	65.9	1.91	77.1	2.24	96.2	2.79
40	151	26"	70	2	85.9	2.49	102.8	2.98	123.5	3.72
60	227	30"	105	3.1	131.7	3.82	154.2	4.47	192.4	5.58
80	300	33"	145	4.2	175.6	5.09	205.7	5.96	256.6	7.44
100	379	36"	175	5.1	219.5	6.36	257.1	7.45	320.7	9.3
125	473	40"	220	6.4	274	7.95	321.3	9.31	400.8	11.6
150	568	40"	250	7.25	329	9.54	385.6	11.1	481	13.9

## Pressure Temperature Chart

OPERATING PRESSURE AND TEMPERATURE GUIDE					
OPERATING PRESSURE (PSI)	MAX TEMPERATURE	OPERATING PRESSURE	MAX TEMPERATURE	OPERATING PRESSURE	MAX TEMPERATURE
0	212°F	10	239°F	35	281°F
2	219°F	15	250°F	40	287°F
4	224°F	20	259°F	45	292°F
6	230°F	25	267°F	50	298°F
8	235°F	30	274°F	70	316°F

## Kettle and Tilt Skillet Capacity Servings Calculator Charts

CLEVELAND KETTLES CAPACITY SERVING CALCULATOR										
Kettle Size			Total Gallon Capacity	Batch Size	Portions: No. of Servings					
Gallons	Quart	Liter			30 ml 1 oz	60 ml 2 oz	90 ml 3 oz	120 ml 4 oz	180 ml 6 oz	240 ml 8 oz
3	12	11	3.25	2.75	352	176	177	88	58	44
6	20	19	6	5	640	320	213	160	106	80
12	40	38	12	10	1,280	640	426	320	213	160
20	80	76	21	18	2,304	1,152	768	576	384	288
25	100	95	25.5	22	2,186	1,408	938	704	469	352
30	120	114	31	26	3,328	1,664	1,109	832	554	416
40	160	152	42	35	4,480	2,240	1,493	1,120	746	560
60	240	228	62	52	6,656	3,328	2,218	1,664	1,109	832
80	320	304	83	70	8,960	4,480	2,986	2,240	1,493	1,120
100	400	380	103	85	10,880	5,440	3,626	2,720	1,813	1,360
125	500	475	129	105	13,440	6,720	4,480	3,360	2,240	1,680
150	600	570	155	125	16,000	8,000	5,333	4,000	2,666	2,000

TILT SKILLET CAPACITY SERVING CALCULATOR										
Tilt Skillet Size					Total Gallon Capacity	Batch Size	Portions: No. of Servings			
Gallon	Quarts	Liters	30 ml 1 oz	60 ml 2 oz			90 ml 3 oz	120 ml 4 oz	180 ml 6 oz	240 ml 8 oz
10	40	38	10	10	1,280	640	426	320	213	160
15	60	60	15	15	1,920	960	639	480	320	240
30	120	114	31	26	3,328	1,664	1,109	832	554	416
40	160	152	42	35	4,480	2,240	1,493	1,120	746	560

TILT SKILLET CAPACITY SERVING CALCULATOR										
Tilt Skillet Size			Total Gallon Capacity	Batch Size	Portions: No. of Servings					
Gallon	Quarts	Liters			30 ml 1 oz	60 ml 2 oz	90 ml 3 oz	120 ml 4 oz	180 ml 6 oz	240 ml 8 oz
10	40	38	10	10	1,280	640	426	320	213	160
15	60	60	15	15	1,920	960	639	480	320	240
30	120	114	31	26	3,328	1,664	1,109	832	554	416
40	160	152	42	35	4,480	2,240	1,493	1,120	746	560

## Energy Star Steamer Data

Use the Information below for energy and water consumption information on Cleveland Energy Star Steamers and LEED requirement information

MODEL NUMBER	1SCE	1SCEMCS	22CCT6	22CET3.1	22CET6.1	22CGT3.1	22CGT3.1	24CGA10.2ES
Pan Capacity	5	5	6	3	6	3	6	10
Primary Fuel Source	Electric	Electric	Electric	Electric	Electric	Gas	Gas	Gas
Type	Boilerless	Boilerless	Boilerless	Boilerless	Boilerless	Boilerless	Boilerless	Generator
Cooking Energy Efficiency (%)	71%	71%	70%	67%	64%	39%	43%	45%
Water Consumption (Gal/Hr)	3.49	3.49	3.6	4	10	0.31	0.97	16
Water Consumption (Gal/Hr) - Per Pan	0.70	0.70	0.6	1.33	1.67	0.10	0.16	1.6
Idle Energy Rate (Watts)	567	567	670	310	390			
Idle Energy Rate (Btu/Hr)						2440	3640	3711

## LEED Requirements

LEED Requirements 4.1	BD+C (Healthcare, Retail Schools, Hospitality)	BD+C (Commercial Kitchens at least 100 meals per day)
(WE) Water Efficiency Credit		
Food Steamer - Batch Cooking,	$\leq 6$ gal/Hr/Pan	
Food Steamer - Cook to Order	$\leq 10$ gal/Hr/Pan	
LEED Requirements 4.1		
Food Steamer - Batch Cooking, No Drain		$\leq 2$ gal/Hr/Pan*
Food Steamer - Cook to Order, With drain		$\leq 5$ gal/Hr/Pan*
* Includes drain condensing water		
(EA) Energy Performance Credit	Must Meet Energy Star	Must Meet Energy Star

## Cleveland Range - Statement of Policy

### STATEMENT OF POLICY

Cleveland Steam Cooking Equipment is intended for Commercial use only by professionally trained personnel.

Cleveland Steam Cooking Equipment is built to comply with applicable standards of manufacturers. Included among these approval agencies are: U.L., N.S.F., A.S.M.E./Ntl. Bd., C.S.A., A.G.A., C.G.A., E.T.L., C.E., and others. Many local codes exist, and it is the responsibility of the Owner and Installer to comply with these codes. Constant product improvement makes it necessary for new or improved models to be suited for testing by these various agencies. Therefore, not all models may always have all agency approvals. Cleveland Steam Boilers (Steam Generators) and Kettles are National Board registered and carry the approved stampings and listing of the American Society of Mechanical Engineers (A.S.M.E.).

Cleveland Steam Cooking Equipment, when properly installed according to instructions, complies with the intent of the O.S.H.A. Act.

### SALES POLICIES

All orders are subject to acceptance at Cleveland Range's Home Office.

All quotations are subject to acceptance within 60 days unless otherwise noted at the time of quotation.

All shipments must be made within 90 days from date of quotation or may be subject to increase in price, unless price is protected in writing by the Factory.

All damaged shipments should be inspected immediately upon receipt and, any damage should be reported to carrier. All claims must be filed by consignee with carrier, not by or with Cleveland Range, LLC.

Payment Terms: Net 30 days only.

### ORDERING INFORMATION

All orders must have the Dealer's name and address; shipping address; and installation location, including name, address and phone number before the order can be processed.

All orders should indicate model number, electrical characteristics, type of gas, altitude (if installation is over 2000 feet) and, when required, the incoming steam pressure.

Approved drawings, when required, and firm shipping date must be received before equipment can be scheduled for production.

Specify left or right door hinging for cooking compartments on Convection and SteamCraft® Steamers.

### RETURN POLICY

1. All returned product must have an RMA number from Customer Service prior to sending the product back.
2. The product must be standard product, still crated and within 90 days from date invoiced. Standard products are defined as product configurations that are saleable to the general market. Custom Products are product configurations that are unique to a specific customer and cannot be sold to other customers. Obsolete/discontinued products cannot be returned.
3. If return is approved for standard product, the standard restock charge is 30% or 20% if a replacement order is made.
4. Custom product is non-returnable.
5. Applicable freight charges and re-crating will be the customer's responsibility.
6. RMA number must be clearly written on all shipping paperwork to factory/warehouse.
7. RMA will be valid for 45 days from date of issue.

## Cleveland Range: Limited Warranty

CLEVELAND RANGE products are warranted to the original purchaser to be free from defects in materials and workmanship under normal use and service for the standard warranty period of one year from date of installation or 18 months from date of shipment, whichever comes first.

CLEVELAND RANGE agrees to repair or replace, at its option, f.o.b. factory, any part which proves to be defective due to defects in material or workmanship during the warranty period, providing the equipment has been unaltered, and has been PROPERLY INSTALLED, MAINTAINED, AND OPERATED IN ACCORDANCE WITH THE CONVOTHERM BY CLEVELAND OWNER'S MANUAL.

CLEVELAND RANGE agrees to pay any FACTORY AUTHORIZED SERVICE (FAS) AGENCY (within the continental United States, and Hawaii) for reasonable labor required to repair or replace, at our option, f.o.b. factory, any part which proves to be defective due to defects in material or workmanship, during the labor warranty period. This warranty includes travel time not to exceed two hours and mileage not to exceed 50 miles (100 miles round-trip), BUT DOES NOT INCLUDE POST START-UP, TIGHTING LOOSE FITTINGS, MAINTENANCE, CLEANING OR DESCALING.

The standard labor warranty allows factory payment of reasonable labor required to repair or replace such defective parts. CLEVELAND RANGE will not reimburse the expense of labor required for the repair or replacement of parts after the standard warranty period, unless an Extended Labor Warranty Contract has been purchased to cover the equipment for the balance of the warranty period from the date of equipment installation, start-up, or demonstration.

PROPER INSTALLATION IS THE RESPONSIBILITY OF THE DEALER, THE OWNER-USER, OR INSTALLING CONTRACTOR, AND IS NOT COVERED BY THIS WARRANTY. Many local codes exist, and it is the responsibility of the owner and installer to comply with these codes. CLEVELAND equipment is built to comply with applicable standards for manufacturers, including UL, AGA, NSF, ASNE/Ntl. Bd, CSA, CGA, ETL and others.

PRESSURE BOILER AND STEAM GENERATOR MAINTENANCE IS THE RESPONSIBILITY OF THE OWNER-USER AND IS NOT COVERED BY THIS WARRANTY. The use of good quality feed water is the responsibility of the Owner-User (see Water Quality Recommendations below). THE USE OF POOR QUALITY FEED WATER WILL VOID EQUIPMENT WARRANTIES. Boiler maintenance supplies, including boiler hand gaskets, are not warranted beyond the first 90 days after the date the equipment is placed into service. Preventive maintenance records must be available showing descaling per applicable Cleveland Operator Manual for Boiler Proration Program considerations.

### WATER QUALITY RECOMMENDATIONS

Total Dissolved Solids (TDS)	50 – 250 ppm	SiO <sub>4</sub> 2 (sulfate)	max 150 ppm
Hardness	50 – 200 ppm (3-12 gpg)	NH <sub>2</sub> Cl (mono-chloramine)	max 0.1 ppm
pH Value	7.0 – 8.5	Total Alkalinity	50 – 100 ppm
CL (Chloride)	max 50 ppm	Water Pressure	35 – 80 PSI
Cl <sub>2</sub> (free Chlorine)	max 0.1 ppm	Water Temperature	max 104oF.

The foregoing shall constitute the sole and exclusive remedy of original purchaser and the full liability of Cleveland Range for any breach of warranty. THE FOREGOING IS EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER WRITTEN, ORAL OR IMPLIED, INCLUDING ANY WARRANTY OF PERFORMANCE, MERCHANTABILITY, OR FITNESS FOR PURPOSE, AND SUPERSEDES AND EXCLUDES ANY ORAL WARRANTIES OR REPRESENTATIONS, OR WRITTEN WARRANTIES OR REPRESENTATIONS, NOT EXPRESSLY DESIGNATED IN WRITING AS A "WARRANTY" OR "GUARANTEE" OF CLEVELAND RANGE MADE OR IMPLIED IN ANY MANUAL, LITERATURE, ADVERTISING BROCHURE OR OTHER MATERIALS.

CLEVELAND RANGE'S liability on any claim of any kind, including negligence, with respect to the goods or services covered hereunder, shall in no case exceed the price of the goods or services, or part thereof, which gives rise to the claim. IN NO EVENT SHALL CLEVELAND RANGE BE LIABLE FOR SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES IN THE NATURE OF PENALTIES.

## Limited Warranty (Continued)

### PRESSURE BOILER - STEAM GENERATOR WARRANTY

All Pressure boilers and steam generators will receive an additional 4 year prorated limited parts warranty after one year from effective warranty date. The user shall pay a prorated share of the selling price based on number of months in service. Prorated Coverage: 1 Year 100% - 2 Year 80% (100% with purchase of filter) - 3 Year 60% - 4 Year 40% - 5 year 20%.

### PERFORMANCE START UP & DEMONSTRATION

Performance Start up by Factory Authorized Servicer included at customer request after equipment is installed to ensure equipment is installed properly and performing as designed. Included in the startup is a Free Water Quality Check. (Contact Cleveland sales representative for details).

### TWO YEAR WARRANTY K-12 SCHOOL WARRANTY

For K-12 Schools, extended two-year limited warranty at no additional charge, not to exceed 24 months from date of installation. 3rd Year Water Filter Warranty included, see details below.

### 3-YEAR STEAMER DOOR WARRANTY, DOOR GASKETS AND ADJUSTMENTS

3-year limited parts warranty on 3, 5, 6 compartment steamer doors (Gaskets covered under 1-year limited warranty). Non part replacement adjustments on steamers, kettles and tilt skillets (lose wires, clamps, leaks) covered under 1-year limited warranty.

### EXTENDED WATER FILTER WARRANTY

When purchasing a steamer and Cleveland specified water filter from Cleveland Ranged at the same time, a second year limited extended warranty on will be included at no charge, must include a completed Performance Start-Up and water quality check. Must maintain equipment and filter replacements.

Extended Warranty

The purchase of a Limited Extended Warranty Contract extends the standard warranty coverage to the purchased period demonstration, or 18 months from date of shipment, whichever comes first. Individual warranties may vary by model, part or application. Major components have labor extended an additional year with the purchase of an extended warranty, but not parts. Extended warranties are non-transferable. Only available in the 48 contiguous US states (Hawaii and Alaska are excluded).

- Performance Start up required for extended warranty coverage.
- Extended Warranty must be purchased at the same time the equipment is purchased.
- Extended Warranty has the same exclusions as stated in our standard warranty.

#### Prices for Extended Warranty are net prices

- 10% off net prices when purchased with Welbilt Kitchencare Installation
- 20% off net prices when purchased with Welbilt Kitchen Preventative Maintenance (PM) Program
- 30% off net prices when purchased with Welbilt Kitchencare Installation and PM Program

PRODUCT	PART NUMBER	ITEM DESCRIPTION	NET PRICE
SteamCub	EW SteamCub	+1YR Warranty SteamCub	\$292.95
SteamChef	EW Steamchef	+1YR Warranty Steamchef	\$576.45
SteamCraft 3	EW SCraft 3.1	+1YR Warranty Steamcraft31	\$460.95
SteamCraft 5	EW SCraft 5.1	+1YR Warranty Steamcraft51	\$912.45
SteamCraft 10	EW Steam 10	+1YR Warranty Steam10 Pan	\$985.95
<b>ALL KETTLES</b>	EW Kettle	+1YR Warranty Kettle	\$576.45
<b>ALL TILT SKILLETS</b>	EW Skillet	+1YR Warranty Skillet	\$523.95

## Steamers - Cleveland Certified Installation Program and Kits

Cleveland's Factory Authorized Servicer (FAS) will arrange and oversee the complete installation and start-up process to ensure proper operation.

### Standard Installation Pricing Includes:

- Travel to and from installation location by Factory Authorized Servicer (FAS) – up to 200 miles round trip
- Professionally reviewed and managed install process
- Delivery of purchased equipment
- Uncrating of purchased equipment
- Inspection of purchased equipment prior to install
- Assembly of purchased equipment
- Stacking of purchased equipment
- Placement of unit
- Leveling of unit
- Connection of existing utilities within 3 feet of unit
- Operational/functional test
- Disposal of new equipment packaging and dunnage
- Operator functional training on day of installation
- Equipment startup

### Standard installation pricing does not Include:

- Pre-installation site survey (required)
- Installation kit (recommended)
- Installation of water filtration, additional charges as shown below
- FAS travel over 200 miles round trip
- Special licensing and permits
- Installation outside normal business hours
- Site modifications
- Some installation locations will require additional materials to be purchased by customer
- In the event the pre-installation site survey or installation visit is aborted due to the site not being ready, the customer will be required to pay the FAS directly for any additional labor and travel charges for subsequent visits.
- Disposal of old equipment, additional charge as shown below.

### Available Cleveland Installation Programs (see page 7 for pricing)

#### Installation of First Unit\*

##### Part Number Description

11000115896	Tabletop Steamers: 22CET3/6, 22CGT3/6, 21CET, 21CGA5 Series
11000115898	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA6.2, 24CGA10.2
11000115900	Floor Model Steamer: 24CGP10

#### Installation of Second Unit Same Location, Same Time\*

11000115897	Tabletop Steamers: 22CET, 22CGT, 21CET, 21CGA5 Series
11000115899	Floor Model Steamers: 24CGA10, 24CEA10, 24CGA6.2, 24CGA10.2
11000115901	Floor Model Steamer: 24CGP10

#### Additional Installation Program Service Prices\*

11000115830	Pre installation Site Survey (Required)
11000115833	Water Filter Installation – standard system, only for filters include in Cleveland Price List
11000115837	Disposal of Old Equipment

**Installation Kits\*** *Installation Kits contain the necessary parts to connect utilities to the equipment. Installation of the equipment requires common tools that are not included in the kits, one per unit.*

INSTKITCET1	Install Kit for 22CET, 21CET 208, 220/240 Volt, 3 Phase
INSTKITCET2	Install Kit for 22CET, 21CET 440/480 Volt, 3 Phase
INSTKITCET3	Install Kit for 21CET16, 208,220, 240 Volt Series
INSTKITCET4	Install Kit for 24CEA10, 208,240, 480 Volt Series
INSTKITCGA5	Install Kit for 21CGA5, 22CGT3/6 Series
INSTKITCGA6	Install Kit for 24CGA 24CGP Series

## Water Treatment Selection Guidelines

### STEP 1 - Understand the basic water characteristics of your water

Compare water quality at your location to the Cleveland Water Quality Requirements listed here.

- Contact your water company for information about the quality of your water.
- Cleveland can provide a complete water analysis through an independent laboratory

#### WATER QUALITY REQUIREMENTS

CLEVELAND WATER QUALITY REQUIREMENT			
TDS:	50-250 ppm	Cl2 (free chlorine):	max 0.1 ppm
Hardness:	50 - 200 ppm (3 - 12 gpg)	Fe (iron):	max 0.1 ppm
pH value:	7.0 - 8.5	SiO2 (silica):	max 13 ppm
CL (Chloride):	max 50 ppm	NH2Cl (monochloramine):	max 0.1 ppm

### STEP 2 - Selecting the right system for your equipment

- Determine if your water meets or does not meet Cleveland water quality requirements and select the right system for your applications.

CLEVELAND STEAMER MODEL	WATER QUALITY		
	MEETS STANDARD		DOES NOT MEET STANDARD
	ALL APPLICATIONS	HARDNESS ABOVE 170 PPM, pH IS below 8.5 ph.	ALL APPLICATIONS
<b>STEAMCHEF SERIES (BOILERLESS)</b>			
22CET3.1, (6.1), 22CGT3.1 (6.1)	QT11-CR	QTSX-2PG	OPS175CR/16
<b>STEAMCRAFT (GENERATORS)</b>			
21CET8,	QT11-CR	QTSX-2PG	OPS175CR/16
21CET16	QT11-CR	QTSX-2PG	OP350/16
21CGA5	QT11-CR	QTSX-2PG	OP350/16
<b>6-10 PAN MODELS (GENERATORS)</b>			
24CGA6.2S	QT11-CR	QTSX-2PG	OP350/16
24CGA10.2ES (Energy Star)	QT11-CR	QTSX-2PG	OP350/16
24CGA10	QT11-CR	QTSX-2PG	OP350/50
24CGA10.2	QT11-CR	QTSX-2PG	OP350/50
24CEA10	QT11-CR	QTSX-2PG	OP350/50
24CGP10	QT11-CR	QTSX-2PG	BWS1500/50
<b>CLASSIC CONVECTION SERIES (BOILER)</b>			
200,000 BTU Boilers (24CGM200)	QT11-CR	QTSX-2PG	BWS1500/50
300,000 BTU Boilers (36CGM300)	QT11-CR	QTSX-2PG	BWS1500/50
24kW Boilers (24CEM)	QT11-CR	QTSX-2PG	OP350/50
36kW, 48 kW Boilers (24CEM)	QT11-CR	QTSX-2PG	BWS1500/50
24 kW Boilers PEM24	QT11-CR	QTSX-2PG	OP350/50
36kW Boilers PEM36	QT11-CR	QTSX-2PG	BWS1500/50
48 kW Boilers PEM48	QT11-CR	QTSX-2PG	BWS1500/50

Optipure OP Series systems utilize reverse osmosis (RO) to remove total dissolved solids (TDS) from water, including chlorides and hardness mineral. Then balance of minerals is introduced into the pure water to provide desirable "Optimized" water with a stable, non -aggressive nature that can significantly reduce water-related equipment problems including corrosion and scale.












Optipure QT11-CR recommended for Cleveland steamers with steam generators reduces chlorine/chloramines and takes out sediment down to ½ micro and includes IsoNet™ scale inhibitor.

Optipure QTSX2-PG recommended for use with steam generators, reduces chlorine and takes out sediment down to ½ micron. ScaleX2 uses "template assisted crystallization" to effectively minimize scale formation at high.

Water Quality Test Kit Part No: 1150360



## Cleveland Range Quickship

PRODUCT SERIES	ITEM NUMBER	MODEL NUMBER - DESCRIPTION	SHIP WT LBS/KGS	JULY 2021 LIST PRICE
<b>STEAMERS</b>				
	1SCEM208240312KW	Model 1SCEMCS - Steamcub 5 Pan Boilerless, Connectionless Steamer, Electric 208-240 Volt 3 Phase, Mechanical Controls	260/118	\$16,458
	22CCT62082403C	Model 22CCT6 - Steamchef, 6-Pan Boilerless, Connectionless Steamer, 208-240 Volt, 3 Phase, With Cord & Plug	335/153	\$19,039
	22CET3208240MCS	Model 22CET3.1, Steamchef, 6-Pan Boilerless Steamer, 208-240 Volt, 3 Phase, Mechanical Controls	235/107	\$15,108
	22CET6208240MCS	Model 22CET6.1, Steamchef, 6-Pan Boilerless Steamer, 208-240 Volt, 3 Phase, Mechanical Controls	335/153	\$19,987
	22CGT6.1NATMCS	Model 22CGT6.1 - Steamchef 6 -Pan Boilerless Steamers, Natural Gas, 120 Volt, Mechanical. Controls	355/161	\$24,490
	21CET82083MCS	Model 21CET8 - Steamcraft 3, 3-Pan Steamer, Electric Generator, 208 Volt, 3 Phase	210/50	\$13,596
	21CET162083MCS	Model 21CET16- Steamcraft 3, 5-Pan Steamer, Electric Generator, 208 Volt, 3 Phase	248/58	\$20,023
	21CGA5NMCS	Model 21CGA5, Steamcraft, 5-Pan Gas Steamer, Natural Gas With Generator, 120 Volt, Mechanical Controls	275/125	\$26,855
	24CGA10NMCS	Model 21CGA10, Steamcraft, 10-Pan Gas Steamer, Natural Gas, With Generator, 120 Volt, Mechanical Controls	565/256	\$37,756
	24CEA102083MCS	Model 21CEA10, Steamcraft, 10-Pan Gas Steamer, Natural Gas, With Electric Generator, 208 Volt, 3 Phase, Mechanical Controls	528/240	\$39,425
	24CGA10.2NMCS	Model 21CGA10.2, Gemini Series , 10-Pan Gas Steamer, Natural Gas, With Generator, 120 Volt, Mechanical Controls	565/256	\$41,635
<b>KETTLES</b>				
	KET6THWP	Model KET6T - 6 Gallon Electric Kettle, 208-240 Volt, 3 Phase, Field Adjustable To Single Phase	160/73	\$12,435
	KET12TP	Model KET12T - 12 Gallon Electric Kettle, 208-240 Volt, 3 Phase, Field Adjustable To Single Phase	180/82	\$15,191
	KET12THWHTSP	Model KET12T - 12 Gallon Electric Kettle, High Wattage, 208-240 Volt, 3 Phase, Field Adjustable To Single Phase, Single Pantry Faucet	180/82	\$16,082
	KGT6TP	Model KGT6T - 6 Gallon Gas Kettle, Natural Gas, 120 Volt With Cord And Plug	130/59	\$22,591
	KGT12TP	Model KGT12T - 12 Gallon Gas Kettle, Natural Gas, 120 Volt With Cord And Plug	190/86	\$27,107
	KGL40P	Model KGL40 - 40 Gallon Stationary Gas Fired Kettle, Natural Gas, 120 Volt, Cord & Plug, 2" Tangent Draw-Off, Spring Assist Cover	520/235	\$35,583
	KGL60P	Model KGL60 - 60 Gallon Stationary Gas Fired Kettle, Natural Gas, 120 Volt, Cord & Plug, 2" Tangent Draw-Off, Spring Assist Cover	560/255	\$44,371
	KGL40TP	Model KGL40T - 40 Gallon Tilting Gas Fired Kettle, Natural Gas, 120 Volt, Cord & Plug, 2" Tangent Draw-Off, Spring Assist Cover, Manual Hand Tilt	520/235	\$57,848
<b>TILT SKILLETS</b>				
	SET15208P	Model SET15- 15 Gallon Electric Tilt Skillet, 208 Volt, 3 Phase	201/93	\$19,539
	SGL30T1NATHTP	Model SGL30T1, 30 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug	520/237	\$37,739
	SGL30T1NATHTD2P	Model SGL30T1, 30 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug, With 2' Tangent Draw-Off	520/237	\$39,097
	SGL40T1NATHTP	Model SGL40T1, 40 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug	610/277	\$40,638
	SGL40T1NATHTD2P	Model SGL40T1, 40 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug, With 2" Tangent Draw-Off	528/240	\$41,996
	SGL30TNATHTP	Model SGL30TR, 30 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug	498/227	\$35,874
	SGL40TNATHTP	Model SGL40TR, 40 Gallon Gas Fired Tilt Skillet, Natural Gas, 120 Volt, With Cord & Plug	528/240	\$39,800

## Shipping Weights, Dimensions, Cubic Feet, Freight Class

MODEL NUMBER	PRODUCT LINE	WEIGHT (LBS)	LENGTH (IN)	WIDTH (IN)	HEIGHT (IN)	CUBIC FEET	FREIGHT CLASS
SD1050K66	Kettle, Direct Steam	302	45	44	55	12.0	85
SD450K6	Kettle, Direct Steam	145	45	44	55	12.0	85
SD650K12	Kettle, Direct Steam	240	45	44	55	12.0	85
SD760K12	Kettle, Direct Steam	320	45	44	55	12.0	85
SD760K20	Kettle, Direct Steam	330	45	44	55	12.0	85
TKET12T	Kettle, Electric	304	28	54	39	10.1	85
TKET3T	Kettle, Electric	135	28	54	39	10.1	85
TKET6T	Kettle, Electric	220	28	54	39	10.1	85
24EMK6	Kettle, Electric	403	30	43	67	11.7	85
KDL25T	Kettle, Direct Steam	170	38	38	54	10.8	85
KDL25T	Kettle, Direct Steam	285	38	38	54	10.8	85
KDL40	Kettle, Direct Steam	241	44	44	54	11.8	85
KDL40T	Kettle, Direct Steam	291	44	44	54	11.8	85
KDL60	Kettle, Direct Steam	279	48	48	54	12.5	85
KDL60T	Kettle, Direct Steam	364	48	48	54	12.5	85
KDM40T	Kettle, Direct Steam	377	44	44	54	11.8	85
KDM60T	Kettle, Direct Steam	430	44	44	54	11.8	85
KDT10T	Kettle, Direct Steam	50	23	26	27	6.3	85
KDT12T	Kettle, Direct Steam	74	23	26	27	6.3	85
KDT1T	Kettle, Direct Steam	20	16	16	14	3.8	85
KDT20T	Kettle, Direct Steam	90	24	24	24	91.0	85
KDT3T	Kettle, Direct Steam	34	23	26	17	5.5	85
KDT6T	Kettle, Direct Steam	40	23	26	27	6.3	85
KEL100	Kettle, Electric	467	48	48	54	12.5	85
KEL25	Kettle, Electric	240	38	38	54	10.8	85
KEL25T	Kettle, Electric	304	39	39	54	11.0	85
KEL30	Kettle, Electric	282	38	38	55	10.9	85
KEL40	Kettle, Electric	296	38	38	55	10.9	85
KEL40SH	Kettle, Electric	280	44	44	54	11.8	85
KEL40T	Kettle, Electric	365	44	44	54	11.8	85
KEL40T	Kettle, Electric	455	44	44	54	11.8	85
KEL60	Kettle, Electric	380	48	48	54	12.5	85
KEL60T	Kettle, Electric	471	48	48	54	12.5	85
KEL80	Kettle, Electric	411	48	48	54	12.5	85
KEL80T	Kettle, Electric	470	54	54	54	12.5	85
KET12T	Kettle, Electric	177	28	38	39	8.8	85
KET20T	Kettle, Electric	273	38	38	54	10.8	85
KET3T	Kettle, Electric	123	28	39	39	8.8	85
KET6T	Kettle, Electric	134	28	38	39	8.8	85
KGL25	Kettle, Gas	384	38	38	54	10.8	85
KGL25T	Kettle, Gas	462	38	38	54	10.8	85
KGL40	Kettle, Gas	454	44	44	54	11.8	85
KGL40SH	Kettle, Gas	552	49	49	54	12.7	85
KGL40T	Kettle, Gas	552	49	49	54	12.7	85
KGL60	Kettle, Gas	510	44	44	54	11.8	85
KGL60T	Kettle, Gas	645	44	44	59	12.3	85
KGL80	Kettle, Gas	597	56	55	59	14.2	85
KGT12T	Kettle, Gas	271	38	38	54	10.8	85
KGT6T	Kettle, Gas	198	28	38	39	8.8	85
1SCEMCS	Steamer, Electric	255	30	35	36	8.4	85
21CET16	Steamer, Electric	248	30	35	36	8.4	85
21CET8	Steamer, Electric	181	30	35	30	7.9	85
21CGA5	Steamer, Electric	260	31	41	37	9.1	85

## Shipping Weights, Dimensions, Cubic Feet, Freight Class

MODEL NUMBER	PRODUCT LINE	WEIGHT (LBS)	LENGTH (IN)	WIDTH (IN)	HEIGHT (IN)	CUBIC FEET	FREIGHT CLASS
21CGA5	Steamer, Electric	260	31	41	37	9.1	85
22CET3.1	Steamer, Electric	238	30	40	36	8.8	85
22CET6.1	Steamer, Electric	282	30	41	40	9.3	85
22CGT6.1	Steamer, Gas	341	30	41	36	8.9	85
24CDP10	Steamer, Direct Steam	470	49	41	78	14.0	85
24CEA10	Steamer, Electric	518	49	41	78	14.0	85
24CEM24	Steamer, Electric	541	30	43	68	11.8	85
24CGA10.2	Steamer, Gas	584	49	41	78	14.0	85
24CGA10	Steamer, Gas	540	49	41	78	14.0	85
24CGA6.2	Steamer, Gas	553	49	41	78	14.0	85
24CGM200	Steamer, Gas	617	30	43	68	11.8	85
24CGP10	Steamer, Gas	852	49	41	78	14.0	85
24CSM	Steamer, steam coil	635	30	43	68	11.8	85
36CEM1648	Steamer, Electric	990	44	42	80	13.8	85
36CGM300	Steamer, Electric	755	44	42	80	13.8	85
24GM	Boiler Base, Gas	454	30	43	67	11.7	85
36GM	Boiler Base, Gas	610	30	43	67	11.7	85
PDL2	Pressure Steamer	510	44	42	80	13.8	85
PDL3	Pressure Steamer	600	44	42	80	13.8	85
PDL4	Pressure Steamer	809	44	42	80	13.8	85
PEM242	Pressure Steamer	830	44	42	80	13.8	85
PEM243	Pressure Steamer	940	44	42	80	13.8	85
PGM2002	Pressure Steamer	974	44	42	80	13.8	85
PGM3003	Pressure Steamer	1100	44	42	80	13.8	85
SEL30T1	Tilt Skillet, Electric	565	44	44	54	11.8	100
SEL30TR	Tilt Skillet, Electric	503	44	44	55	11.9	100
SEL40T1	Tilt Skillet, Electric	610	48	58	54	13.3	100
SEL40TR	Tilt Skillet, Electric	610	48	58	54	13.3	100
SET10	Tilt Skillet, Electric	212	34	34	34	8.5	100
SET15	Tilt Skillet, Electric	195	34	34	34	8.5	100
SGL30T1	Tilt Skillet, Gas	500	44	44	54	11.8	100
SGL30TR	Tilt Skillet, Gas	504	44	44	54	11.8	100
SGL40T1	Tilt Skillet, Gas	666	48	58	55	13.4	100
SGL40TR	Tilt Skillet, Gas	624	48	58	54	13.3	100
SGM30TR	Tilt Skillet, Gas	540	44	44	55	11.9	100
SGM40TR	Tilt Skillet, Gas	691	48	58	55	13.4	100



Welbilt offers fully-integrated kitchen systems with award-winning product brands: **Cleveland™**, **Convotherm®**, **Crem™**, **Delfield®**, **Frymaster®**, **Garland®**, **Kolpak®**, **Lincoln®**, **Manitowoc® Ice**, **Merco®**, **Merrychef®** and **Multiplex®**. Supported by service brands: **KitchenCare®**, aftermarket parts and service; **FitKitchen®**, fully-integrated kitchen systems; and **KitchenConnect®**, cloud-based open digital platform.

*Bringing innovation to the table* • **welbilt.com**