

SUGGESTED LIST PRICE STANDARD EQUIPMENT AND ACCESSORIES



EXPANDING YOUR
OPPORTUNITIES

At the touch of an **eikon**®

There are no limits with the new Merrychef **eikon**® series. From fresh, hot and delicious convenience foods, to high quality fine dining, you can cook practically anything fast and to perfection - all with the ease of a touch screen.

▶ EASY TO USE

- Exclusive easyTouch icon-driven touchscreen cooks the same high quality result with every order.
- MenuConnect® software enables instant USB menu updates

▶ GUARANTEED PERFECT RESULTS EVERY TIME

- Precise power levels to cook the most delicate products
- Programs downloaded across multiple outlets via USB memory stick

▶ REDUCED WAIT AND SERVICE TIMES

- Increase speed, service, quality and freshness
- Three heating technologies (convected heat, impingement air and microwave energy)
- Cooks up to twenty (20) times faster than traditional cooking methods

▶ IMPROVED SAFETY

- The cool-to-touch oven exterior means food heats quickly while the outside stays cool
- Monitored air filter

▶ COST EFFECTIVE

- Cooking to order reduces waste
- Latest catalytic technology eliminates grease and reduces cook odors, avoiding the need for separate extraction and ventilation systems

▶ MINIMIZE LIFETIME OPERATION COSTS

- Reduced training times
- Easy to use and clean
- Built-in diagnostics to avoid unnecessary service calls



BREAKFAST



SANDWICHES



DESSERTS



MEAT



FISH



POULTRY



VEGETABLES



BREAD/PASTRY



AT THE TOUCH OF AN EIKON® 2

ACCELERATED COOK OVENS:

EIKON® SERIES | E1S 4

EIKON® SERIES | E2S 6

EIKON® SERIES | E4 OVEN 8

EIKON® SERIES | E4S OVEN 10

RAPID COOK OVENS:

EIKON® SERIES | E3 OVEN 12

EIKON® SERIES | E5 OVEN 14

LIMITED WARRANTY INFORMATION 16

IMPORTANT ORDERING INFORMATION 17

STANDARD FEATURES

- Accelerated Cooking Technology® combines three heat technologies - tuned impingement, microwave and convection
- Ventless* Cooking capabilities through built-in catalytic converter
- Rapid cooking up to 10-12 times faster than a conventional oven
- 12" cavity in a 16" width footprint
- Cool to touch exterior
- Very easy to clean seam welded cavity with large rounded corners
- Quiet operation
- EasyTouch®, icon driven touchscreen controls
- Easy access front-mounted air filter
- USB memory stick data transfer of up to 1,024 cooking profiles
- Built-in diagnostic testing
- Accessory storage on top of the oven
- Fits on a 25" worktop
- Black exterior on stainless steel
- Soft edge front design



*Local codes prevail. These are the "authority having jurisdiction" as stated by the National Fire Protection Association, Inc., in NFPA96-1994.

MODEL	HEIGHT	WIDTH	DEPTH	DEPTH (OVERALL WITHOUT HANDLE)	DEPTH (DOOR OPEN 90 DEGREES)	AMPS	VOLTS	HZ	PHASE	SHIPPING WEIGHT	SHIPPING CUBIC FEET	PLUG TYPE	PRICE
e1s	23.2" (588 mm)	16.0" (407 mm)	22.6" (573 mm)	25.05" (636.5 mm)	33.15" (841.9 mm)	15	208/240	60	1	122 lbs. (55.33 kg)	12.5 cu. ft (0.35 cu. m)	NEMA 6-15P	\$9,190

E1S GENERAL MARKET MODELS COME STANDARD WITH THESE ACCESSORIES LISTED BELOW:

QTY	PART NO.	DESCRIPTION
1	DC0322	Flat Cook Plate
1	SR318	Guarded Pizza Paddle
1	32Z4080	Solid Base Basket
1	32Z4088	Cook Plate Liner

EIKON® SERIES - E1S OVEN | ACCESSORIES

CAT. NO.	DESCRIPTION	DIMENSIONS	LIST PRICE EACH
32Z4119	1/2L Container 1/6GN	6.8" x 6.9" x 2.5"	\$307
32Z4032	Air Frying Basket	11" x 11" x 2"	\$126
32Z4079	Cool Down Pan	1/4 size 2.5" deep	\$92
DV0390	Egg Ring	3.3" x 0.7" H	\$160
DC0322	e1s Flat Cook Plate	5/32" H x 12" W x 12" D	\$148
32Z4116	Gyoza Tray 12x	11" x 11" x 1.25"	\$390
32Z4117	Gyoza Tray 2x	4.7" x 4.4" x 1.25"	\$229
32Z4099	Half Size, 1"H Cooking Tray, Blue	11" x 7" x 1" H	\$156
32Z4098	Half Size, 1"H Cooking Tray, Green	11" x 7" x 1" H	\$156
32Z4097	Half Size, 1"H Cooking Tray, Red	11" x 7" x 1" H	\$156
32Z4144	High Speed Oven Cleaner Spray	6 x 946 ml (1 box)	\$126
32Z4145	High Speed Oven Protector Spray	6 x 946 ml (1 box)	\$207
32Z4134	Large Lided Solid Basket	11.4" x 11.4" x 1.4"	\$298
31Z1335	Menu Key, USB	—	\$42
32Z4148	Merrychef Cleaner & Protector, (1) each	—	\$104
32Z4088	"Non-stick Cook Plate Liner (Beige Color) *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	11.2" x 11.2"	\$23
32Z4096	"Non-stick Cook Plate Liner (Green Color) *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	11.2" x 11.2"	\$23
32Z4126	Non-stick Mould 2x	9.25" x 4.6" x 1.3"	\$229
32Z4113	Non-stick Mould 4x	10" x 10" x 0.8"	\$218
32Z4132	Non-stick Mould 9x	11" x 11" x 0.8"	\$459
SR318	Paddle with Hand Guard and Sides	11.7" x 11.8"	\$126
32Z4034	Slotted Turner	4" x 3" x 11.8"	\$57
32Z4115	Small Bowl	1.4" x 7"	\$229
SR3-25	e1s or e2s Stacking Cart	—	\$2,424
32Z4080	Teflon Basket, Black, Solid Base, e1s / e2s	11" x 11" x 0.5"	\$160
32Z4089	Teflon Basket, Black, Solid Base, e1s / e2s	5.5" x 5.5" x 0.5"	\$126
32Z4090	Teflon Basket, Black, Solid Base, e1s / e2s	11" x 5.5" x 0.5"	\$149
32Z4157	Teflon Basket, Black, Solid Base (full size, black), e1s / e2s	11" x 11" x 1"	\$178
32Z4093	Teflon Basket, Green, Solid Base, e1s / e2s	11" x 11" x 0.5"	\$160
32Z4094	Teflon Basket, Green, Solid Base, e1s / e2s	11" x 5.5" x 0.5"	\$149
32Z4095	Teflon Basket, Green, Solid Base, e1s / e2s	5.5" x 5.5" x 0.5"	\$126
32Z4081	Teflon Basket, Perforated Base, e1s / e2s	11" x 11" x 0.5"	\$160
32Z4125	Teflon Basket, Blue, Solid Bottom (Quarter Size), e1s / e2s	5.5" x 5.5" x 0.5"	\$160
32Z4123	Teflon Basket, Red, Solid Bottom (Quarter Size), e1s / e2s	5.5" x 5.5" x 0.5"	\$160
32Z4101	Teflon Basket, Blue, Solid Bottom, e1s / e2s	11" x 11" x 0.5"	\$195
32Z4100	Teflon Basket, Red, Solid Bottom, e1s / e2s	11" x 11" x 0.5"	\$160
P80011	Teflon Screen, Large Mesh Liner	12" x 12"	\$114
DV0344	Tray Handle for use with PSA1108 and PSB3117	—	\$81
DV0327	e1s Wire Rack	12" x 12"	\$74



STANDARD FEATURES

- Accelerated Cooking Technology® combines three heat technologies - tuned impingement, microwave and convection
- “Ventless* Cooking” capabilities through built-in catalytic converter
- Rapid cooking up to 20 times faster than a conventional oven
- 12" cavity in a 14" width footprint with zero (0) side clearance
- Cool to touch exterior
- Very easy to clean seam welded cavity with large rounded corners
- Quiet operation
- EasyTouch®, icon driven touchscreen controls
- Easy access front-mounted air filter
- USB memory stick data transfer of up to 1,024 cooking profiles
- Built-in diagnostic testing
- Accessory storage on top of the oven
- Fits on a 23.6" (600 mm) worktop

*Local codes prevail. These are the “authority having jurisdiction” as stated by the National Fire Protection Association, Inc., in NFPA96-1994.

MODEL	HEIGHT	WIDTH	DEPTH	DEPTH (OVERALL W/O HANDLE)	DEPTH (DOOR OPEN 90 DEGREES)	AMPS	VOLTS	HZ	PHASE	SHIPPING WEIGHT	SHIPPING CUBIC FEET	PLUG TYPE	PRICE
e2s Standard Classic	24" (610 mm)	14" (356 mm)	23.4" (594 mm)	35" (902 mm)	20	208/240	60	1	137 lb (62 kg)	6 cu. ft. (0.16 cu. m)	NEMA 6-20P	NEMA 6-20P	\$14,846
e2s Standard Trend	25" (635 mm)	14" (356 mm)	23.4" (594 mm)	35" (902 mm)	20	208/240	60	1	137 lb (62 kg)	6 cu. ft. (0.16 cu. m)	NEMA 6-20P	NEMA 6-20P	\$15,270
e2s High Classic	24" (610 mm)	14" (356 mm)	23.4" (594 mm)	35" (902 mm)	30	208/240	60	1	157 lb (71 kg)	6 cu. ft. (0.16 cu. m)	NEMA 6-30P	NEMA 6-30P	\$17,380
e2s High Trend	25" (635 mm)	14" (356 mm)	23.4" (594 mm)	35" (902 mm)	30	208/240	60	1	157 lb (71 kg)	6 cu. ft. (0.16 cu. m)	NEMA 6-30P	NEMA 6-30P	\$17,804
e2s Marine Standard Classic	24.4" (620mm)	14.0" (356mm)	24.8" (631mm)	35.5" (902 mm)	15	208/240	60	1	137 lb (62 kg)	6 cu. ft. (0.16 cu. m)	NEMA L6-15P	NEMA L6-15P	\$19,401

E2S GENERAL MARKET MODELS COME STANDARD WITH THESE ACCESSORIES LISTED BELOW:

QTY	PART NO.	DESCRIPTION
1	DB0719	Flat/Griddle Cook Plate
1	SR318	Paddle
1	32Z4080	Solid Basket
2	32Z4088	Sheet Pan Liner
1	32Z4079	Cool Down Pan
1	32Z4148	Cleaner Kit
1	32Z4081	Mesh Basket

E2S MARINE MODELS COME STANDARD WITH THESE ACCESSORIES LISTED BELOW:

QTY	PART NO.	DESCRIPTION
1	DB0719	Flat/Griddle Cook Plate
1	SR318	Paddle
1	32Z4080	Solid Basket
2	32Z4088	Sheet Pan Liner
1	32Z4079	Cool Down Pan

E2S TWO (2) YEAR PLANNED MAINTENANCE PROGRAMS (PM)*

PBPM1-E2SE4E4S	PM Basic-1 Unit e2s,e4,e4s, No parts	\$545
PBPM5-E2SE4E4S	PM Basic-2+ Units E2S,E4,E4S, No parts - Additional units on site	\$325 EACH ADDITIONAL UNIT
PMS1-E2S	PM Standard-1 Unit E2S, Incl Specific Parts	\$895
PMS2-E2S	PM Standard-2+ Units E2S, Incl Specific Parts - Additional units on site	\$675 EACH ADDITIONAL UNIT
PMO1-E2S	PM Optimal-1 Unit E2S, Incl Specific Parts	\$1,245
PMO2-E2S	PM Optimal-2+ Units E2S, -, Incl Specific Parts - Additional units on site	\$1,010 EACH ADDITIONAL UNIT

*PM programs and products are NET priced and non-discountable | *Additional charges may apply, see program details

EIKON® SERIES - E2S OVEN | ACCESSORIES

CAT. NO	DESCRIPTION	DIMENSIONS	LIST PRICE EACH
32Z4088	"Non-stick Cook Plate Liner (Natural) *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	285 mm x 285 mm (11.2" x 11.2")	\$23
32Z4096	"Non-stick Cook Plate Liner (Green) *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	285 mm x 285 mm (11.2" x 11.2")	\$23
32Z4080	e2s Solid Base Basket (Full Size, Black)	13 mm x 279 mm x 279 mm (0.5" x 11" x 11")	\$160
32Z4100	e2s Solid Base Basket (Full Size, Red)	13 mm x 279 mm x 279 mm (0.5" x 11" x 11")	\$160
32Z4093	e2s Solid Base Basket (Full Size, Green)	13 mm x 279 mm x 279 mm (0.5" x 11" x 11")	\$160
32Z4101	e2s Solid Base Basket (Full Size, Blue)	13 mm x 279 mm x 279 mm (0.5" x 11" x 11")	\$195
32Z4090	e2s Solid Base Basket (Half Size, Black)	13 mm x 279 mm x 140 mm (0.5" x 11" x 5.5")	\$149
32Z4094	e2s Solid Base Basket (Half Size, Green)	13 mm x 279 mm x 140 mm (0.5" x 11" x 5.5")	\$149
32Z4089	e2s Solid Base Basket (Quarter Size, Black)	13 mm x 140 mm x 140 mm (0.5" x 5.5" x 5.5")	\$126
32Z4123	e2s Solid Base Basket (Quarter Size, Red)	13 mm x 140 mm x 140 mm (0.5" x 5.5" x 5.5")	\$160
32Z4095	e2s Solid Base Basket (Quarter Size, Green)	13 mm x 140 mm x 140 mm (0.5" x 5.5" x 5.5")	\$126
32Z4125	e2s Solid Base Basket (Quarter Size, Blue)	13 mm x 140 mm x 140 mm (0.5" x 5.5" x 5.5")	\$160
32Z4081	e2s Mesh Base Basket (Full Size, Black)	13 mm x 279 mm x 279 mm (0.5" x 11" x 11")	\$160
32Z4032	Air Frying Basket	50 mm x 280 mm x 280 mm (2" X 11" X 11")	\$126
PSB3108	e2s Solid Cook Plate (for e2S units with serial# up to and including 1812)	308 mm x 306 mm (12.1" x 12.0")	\$229
PSB3117	e2s Grill Cook Plate	308 mm x 306 mm (12.1" x 12.0")	\$276
SR318	e2s Paddle with Hand Guard and Sides	298 mm x 300 mm (11.7" x 11.8")	\$126
DV0344	Tray Handle for use with PSA1108 and PSB3117	25 mm x 250 mm x 76 mm (1" x 9.8" x 3")	\$81
32Z4034	Slotted Turner	100 mm x 79 mm x 300 mm (4" x 3" x 11.8")	\$57
DV0390	Egg Ring	0 85 mm (3.3") H: 19 mm (0.7")	\$160
32Z4126	Non-stick Mould 2x	4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6")	\$229
32Z4113	Non-stick Mould 4x	20.3 mm x 254 mm x 254 mm (0.8" x 10.0" x 10.0")	\$218
32Z4132	Non-stick Mould 9x	20.3 mm x 279 mm x 279 mm (0.8" x 11.0" x 11.0")	\$459
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$229
32Z4097	e1s / e2s Half Size, 1"H Cooking Tray, Red	7" x 11" x 1" H	\$156
32Z4098	e1s / e2s Half Size, 1"H Cooking Tray, Green	7" x 11" x 1" H	\$156
32Z4099	e1s / e2s Half Size, 1"H Cooking Tray, Blue	7" x 11" x 1" H	\$156
32Z4117	Gyoza Tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$229
32Z4116	Gyoza Tray 12x	31.7 mm x 279 mm x 279 mm (1.25" x 11.0" x 11.0")	\$390
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$307
32Z4134	Large Lided Solid Basket	35 mm x 290 mm x 290 mm (1.4" x 11.4" x 11.4")	\$298
32Z4079	e2s Cool Down Pan	1/4 size 65 mm (2.5") deep	\$92
SB248	e2s Merchandising Panel (Black)	50 mm x 591 mm x 355 mm (2" x 23.2" x 14")	\$264
SB247	e2s Merchandising Panel (Red)	50 mm x 591 mm x 355 mm (2" x 23.2" x 14")	\$264
SB272	e2s Merchandising Panel (Stainless steel)	50 mm x 591 mm x 355 mm (2" x 23.2" x 14")	\$264
32Z4144	High Speed Oven Cleaner Spray	6 x 946 ml (1box)	\$126
32Z4145	High Speed Oven Protector Spray	6 x 946 ml (1box)	\$207
32Z4148	Merrychef Cleaner & Protector, (1) each		\$104
USBKEY	Blank Menu Key (USB)		\$42
31Z1335	Stacking Cart e2s		\$42
PSB267	e2s Dual Oven Sealer Kit		\$367
DB0719	Flat/Griddle Cook Plate (for e2S units with serial# starting at 1901)		\$413
32Z4157	e2S Solid Basket (Full size,black)	11" x 11" x 1"	\$178
DB0739	Flat/Flat Cook Plate (for e2S units with serial# starting at 1901)		\$249



STANDARD FEATURES

- Accelerated Cooking Technology® combines three heat technologies of convection, air impingement, and microwave for fast even heating of food product
- Up to fifteen (15) times faster than conventional cooking methods
- "Ventless* Cooking" capability through standard built-in catalytic converter
- Ability to use a standard, ¼ size metal baking pan while in convection mode
- Automatic voltage detection (U.S. only)
- Cool to touch door exterior
- 14.8" (375 mm) wide x 12.3" (312 mm) deep x 8.6" (218 mm) high cooking chamber

*Local codes prevail. These are the "authority having jurisdiction" as stated by the National Fire Protection Association, Inc., in NFPA96-1994.



MODEL	HEIGHT	WIDTH	DEPTH	DEPTH (DOOR OPEN 90 DEGREES)	AMPS	VOLTS	HZ	PHASE	SHIPPING WEIGHT	SHIPPING CUBIC FEET	PLUG TYPE	PRICE
e4	23.3" (591 mm)	23" (584 mm)	25.3" (643 mm)	39.3" (999 mm)	30	208/240	60	1	216 lb (98 kg)	29.5 cu. ft. (0.8 cu. m)	NEMA 6-30P	\$19,190

E4 GENERAL MARKET MODELS COME STANDARD WITH THESE ACCESSORIES LISTED BELOW:

QTY	PART NO.	DESCRIPTION
1	DV0907	Wire Rack
1	32Z4028	Cool Down Pan
1	32Z4148	Cleaner Kit
1	PSR310	Oven Paddle
1	32Z4031	Teflon Basket, Large Mesh
1	32Z4070	Teflon Basket, Solid Bottom

E4 TWO (2) YEAR PLANNED MAINTENANCE PROGRAMS*

BPBM1-E2SE4E4S	PM Basic-1 Unit e2s,e4,e4s, No parts	\$545
PBPM5-E2SE4E4S	PM Basic-2+ Units E2S,E4,E4S, No parts - Additional units on site	\$325 EACH ADDITIONAL UNIT
PMS1-E4E4S	PM Standard-1 Unit E4,E4S, Incl Specific Parts	\$995
PMS2-4E4S	PM Standard-2+ Units E4,E4S, Incl Specific Parts - Additional units on site	\$765 EACH ADDITIONAL UNIT
PMO1-E4E4S	PM Optimal-1 Unit E4,E4S, Incl Specific Parts	\$1,685
PMO2-4E4S	PM Optimal-2+ Units E4,E4S, - , Incl Specific Parts - Additional units on site	\$1,450 EACH ADDITIONAL UNIT

*PM programs and products are net priced and non-discountable

*Additional charges may apply, see program details

**Additional unit(s) must be all within 5-mile radius location, on same visit.

EIKON® SERIES - E4 OVEN | ACCESSORIES

CAT. NO.	DESCRIPTION	DIMENSIONS	LIST PRICE EACH
DX0254	Non-stick tray liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates.	277 mm x 236 mm (10.9" x 9.3")	\$12
32Z4070	e4 Solid Base Basket(full size, Black)	25 mm x 356 mm x 305 mm (1" x 14.0" x 12.0")	\$160
32Z4054	e4 Mesh Base Basket(full size, Black)	25 mm x 343 mm x 292 mm (1" x 13.5" x 11.5")	\$160
32Z4032	Air Frying Basket	50 mm x 280 mm x 280 mm (2" X 11" X 11")	\$126
PSA1248	e4 Solid Cook Plate	26 mm x 369 mm x 305 mm (1" x 14.6" x 12")	\$321
40H0230	e3, e4 & e4s Non-stick Baking/Roasting Tray	15 mm x 300 mm x 271 mm (0.6" x 11.8" x 10.7")	\$126
DX0117	e3, e4 & e4s Vitreous Baking/Roasting Tray	25 mm x 321 mm x 297 mm (1" x 12.7" x 11")	\$183
PDV0907	e4 Wire Rack (Boxed)	32 mm x 362 mm x 290 mm (1.3" x 14.3" x 11.4")	\$195
PSR310	e4, e4s & e5 Paddle without Sides (Replaces 400P)	328 mm x 311 mm (13" x 12.3")	\$160
SR320	e4, e4s & e5 Paddle with Hand Guard and Sides	328 mm x 311 mm (13" x 12.3")	\$173
DV0342	Griddle Cook Plate	25 mm x 346 mm x 279 mm (1" x 13.6" x 11")	\$264
DV0343	Griddle Frame - Grease Catcher	30 mm x 340 mm x 296 mm (1.2"x 13.4" x 11.7")	\$264
PSA1108	Griddle Accessory Pack (4x Griddle Plate, 4x Handle, 2x Griddle Frame)		\$1,502
SR313	Tray Handle for use with P40C1423, P40C1151, P40C1157, 40H0347, and DX0117	25 mm x 264 mm x 91 mm (1" x 10.4" x 3.6")	\$126
DV0344	Tray Handle for use with PSA1108 and PSB3117	25 mm x 250 mm x 76 mm (1" x 9.8" x 3")	\$81
32Z4034	Slotted Turner	100 mm x 79 mm x 300 mm (4" x 3" x 11.8")	\$57
DV0390	Egg Ring	0 85 mm (3.3") H: 19 mm (0.7")	\$160
32Z4126	Non-stick Mould 2x	4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6")	\$229
32Z4113	Non-stick Mould 4x	20.3 mm x 254 mm x 254 mm (0.8" x 10.0" x 10.0")	\$218
32Z4132	Non-stick Mould 9x	20.3 mm x 279 mm x 279 mm (0.8" x 11.0" x 11.0")	\$459
32Z4131	Non-stick Mould 12x	20.3 mm x 368 mm x 279 mm (0.8" x 14.5" x 11.0")	\$447
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$229
32Z4117	Gyoza Tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$229
32Z4116	Gyoza Tray 12x	31.7 mm x 279 mm x 279 mm (1.25" x 11.0" x 11.0")	\$390
32Z4118	1L Container 1/3GN	63.5 mm x 325.1 mm x 175.3 mm (2.5" x 12.8" x 6.9")	\$505
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$307
32Z4128	Large Cook Tray	22.9 mm x 355.6 mm x 298.5 mm (0.9" x 14.0" x 11.75")	\$333
32Z4133	Small Lided Solid Basket	19.0 mm x 294.6 mm x 294.6 mm (0.75" x 11.6" x 11.6")	\$287
32Z4134	Large Lided Solid Basket	35 mm x 290 mm x 290 mm (1.4" x 11.4" x 11.4")	\$298
32Z4028	e4, e4s & e5 Cool Down Pan	1/2 size 100 mm (4") deep	\$126
40H0098	High Speed Oven Stacking Trolley	1200 mm x 700 mm x 690 mm (47.2" x 27.5" x 24.8")	\$4,219
PSA2208	e4/e4s Oven Spacer Kit	51 mm x 520 mm x 588 mm (2" x 20.5" x 23.2")	\$700
PSA2150	e4/e4s Paddle Storage	70 mm x 445 mm x 565 mm (2.75" x 17.5" x 22.25")	\$906
32Z4144	High Speed Oven Cleaner Spray	6 x 946 ml (1box)	\$126
32Z4145	High Speed Oven Protector Spray	6 x 946 ml (1box)	\$207
32Z4148	Merrychef Cleaner & Protector, (1) each		\$104
31Z1335	Blank Menu Key (USB)		\$42
PSA2101	Upper Impingement Plate		\$573
PSA266	Lower Impingement Plate		\$573
4460	Griddle Plate	9" x 5.5"	\$160
SA3127	Air Filter Assembly		\$471
DV0752	Grease Filter Housing		\$287
SA3126	Grease Filter Cartridge		\$321
H5220	HardCoat Quarter-Size Sheet Pan	9.5" x 13" x 1"	\$126
32Z4031	Teflon Basket, Large Mesh (Mfg Part Number P80022)	28-48 Weave 25 mm x 343 mm x 292 mm (1" x 13.5" x 11.5")	\$126
P80011	Teflon Screen, Large Mesh	28-48 weave, 12" x 12"	\$114
STACK-19	19" Stacking Cart - MUST use with PSA2208	480 mm x 702 mm x 760 mm (18.9" x 27.6" x 29.9")	\$1,606
STACK-36	36" SINGLE Oven Cart	915 mm x 585 mm x 610 mm (36" x 23.03" x 24.01")	\$2,836
STACK-48	48" Stacking Cart	Overall Dimension at Highest Setting: 1226 mm x 717 mm x 663 mm (48.3" x 28.2" x 26.1")	\$4,711

*Double stacking only with e4 or e4s and requires the PSA2208 Oven Spacer Kit.



e4s

STANDARD FEATURES

Accelerated Cooking Technology® combines three heat technologies of convection, air impingement, and microwave for fast even heating of food product
Up to fifteen (15) times faster than conventional cooking methods

UL® Listed Ventless* Cooking** capability through standard built-in catalytic converter

Ability to use a standard, ¼ size metal baking pan while in convection mode

Automatic voltage detection (U.S. only)

Cool to touch door exterior

14.8" (375 mm) wide x 14.6" (370mm) deep x 8.6" (218 mm) high cooking chamber

Local codes prevail. These are the "authority having jurisdiction" as stated by the National Fire Protection Association, Inc., in NFPA96-1994.



MODEL	HEIGHT	WIDTH	DEPTH	DEPTH (DOOR OPEN 90 DEGREES)	AMPS	VOLTS	HZ	PHASE	SHIPPING WEIGHT	SHIPPING CUBIC FEET	PLUG TYPE	PRICE
e4s	23.3" (591 mm)	23" (584 mm)	25.3" (643 mm)	39.3" (999 mm)	30	208/240	60	1	214 lb (97 kg)	29.5 cu. ft. (0.8 cu. m)	NEMA 6-30P	\$20,978

E4S GENERAL MARKET MODELS COME STANDARD WITH THESE ACCESSORIES LISTED BELOW:

QTY	PART NO.	DESCRIPTION
1	DV0908	Wire Rack
1	PSR310	Paddle
2	32Z4031	Large Mesh Basket
1	32Z4028	Cool Down Pan
1	32Z4148	Cleaner Kit

E4S TWO (2) YEAR PLANNED MAINTENANCE PROGRAMS*

PBPM1-E2SE4E4S	PM Basic-1 Unit e2s,e4,e4s, No parts	\$545
PBPM5-E2SE4E4S	PM Basic-2+ Units E2S,E4,E4S, No parts - Additional units on site	\$325 EACH ADDITIONAL UNIT
PMS1-E4E4S	PM Standard-1 Unit E4,E4S, Incl Specific Parts	\$995
PMS2-4E4S	PM Standard-2+ Units E4,E4S, Incl Specific Parts - Additional units on site	\$765 EACH ADDITIONAL UNIT
PMO1-E4E4S	PM Optimal-1 Unit E4,E4S, Incl Specific Parts	\$1,685
PMO2-4E4S	PM Optimal-2+ Units E4,E4S, - , Incl Specific Parts - Additional units on site	\$1,450 EACH ADDITIONAL UNIT

*PM programs and products are net priced and non-discountable

*Additional charges may apply, see program details

EIKON® SERIES - E4S OVEN | ACCESSORIES

CAT. NO.	DESCRIPTION	DIMENSIONS	LIST PRICE EACH
DX0254	"Non-stick Tray Liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates."	277 mm x 236 mm (10.9" x 9.3")	\$12
32Z4086	e4s Solid Base Basket (Full Size, Black)	25 mm x 343 mm x 343 mm (1" x 13.5" x 13.5")	\$160
32Z4032	Air frying Basket	50 mm x 280 mm x 280 mm (2" x 11" x 11")	\$126
DV0870	e4s Solid Cook Plate	25 mm x 371 mm x 355 mm (2" x 14.6" x 14")	\$183
DV0860	e4s Grill Cook Plate	26 mm x 369 mm x 305 mm (1" x 14.6" x 12")	\$505
DV0880	e4s Pizza Plate	16 mm x 371 mm x 355 mm (0.6" x 14.6" x 14")	\$183
40H0230	e3, e4 & e4s Non-stick Baking/Roasting Tray	15 mm x 300 mm x 271 mm (0.6" x 11.8" x 10.7")	\$126
DX0117	e3, e4 & e4s Vitreous Baking/Roasting Tray	25 mm x 321 mm x 297 mm (1" x 12.7" x 11")	\$183
DV0908	e4s Wire Rack	36 mm x 366 mm x 344 mm (1.4" x 14.4" x 13.5")	\$183
PSR310	e4, e4s & e5 Paddle without Sides (Replaces 400P)	328 mm x 311 mm (13" x 12.3")	\$160
SR320	e4, e4s & e5 Paddle with Hand Guard and Sides	328 mm x 311 mm (13" x 12.3")	\$173
SR313	Tray Handle for use with P40C1423, P40C1151, P40C1157, 40H0347, and DX0117	25 mm x 264 mm x 91 mm (1" x 10" x 3.6")	\$126
32Z4034	Slotted Turner	100 mm x 79 mm x 300 mm (4" x 3" x 11.8")	\$57
DV0390	Egg Ring	0 85 mm (3.3") H: 19 mm (0.7")	\$160
32Z4126	Non-stick Mould 2x	4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6")	\$229
32Z4113	Non-stick Mould 4x	20.3 mm x 254 mm x 254 mm (0.8" x 10.0" x 10.0")	\$218
32Z4132	Non-stick Mould 9x	20.3 mm x 279 mm x 279 mm (0.8" x 11.0" x 11.0")	\$459
32Z4131	Non-stick Mould 12x	20.3 mm x 368 mm x 279 mm (0.8" x 14.5" x 11.0")	\$447
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$229
32Z4117	Gyoza Tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$229
32Z4116	Gyoza Tray 12x	31.7 mm x 279 mm x 279 mm (1.25" x 11.0" x 11.0")	\$390
32Z4118	1L Container 1/3GN	63.5 mm x 325.1 mm x 175.3 mm (2.5" x 12.8" x 6.9")	\$505
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$307
32Z4128	Large cook Tray	22.9 mm x 355.6 mm x 298.5 mm (0.9" x 14.0" x 11.75")	\$333
32Z4133	Small Lided Solid Basket	19.0 mm x 294.6 mm x 294.6 mm (0.75" x 11.6" x 11.6")	\$287
32Z4134	Large Lided Solid Basket	35 mm x 290 mm x 290 mm (1.4" x 11.4" x 11.4")	\$298
32Z4028	e4, e4s & e5 Cool Down Pan	1/2 size 100 mm (4") deep	\$126
40H0098	High Speed Oven Stacking Trolley	1200 mm x 700 mm x 690 mm (47.2" x 27.5" x 24.8")	\$4,219
PSA2208	e4/e4s Oven Spacer Kit	51 mm x 520 mm x 588 mm (2" x 20.5" x 23.2")	\$700
PSA2150	e4/e4s Paddle Storage	70 mm x 445 mm x 565 mm (2.75" x 17.5" x 22.25")	\$906
32Z4144	High Speed Oven Cleaner Spray	6 x 946 ml (1box)	\$126
32Z4145	High Speed Oven Protector Spray	6 x 946 ml (1box)	\$207
32Z4148	Merrychef Cleaner & Protector, (1) each		\$104
31Z1335	Blank Menu Key (USB)		\$42
PSA2101	Upper Impingement Plate		\$573
PSA2191	Lower Impingement Plate		\$573
H5220	HardCoat Quarter-Size Sheet Pan	9.5" x 13" x 1"	\$126
32Z4031	Teflon Basket, Large Mesh (Mfg Part Number P80022)	28-48 Weave 25 mm x 343 mm x 292 mm (1" x 13.5" x 11.5")	\$126
STACK-19	19" Stacking Cart - MUST Use with PSA2208	480 mm x 702 mm x 760 mm (18.9" x 27.6" x 29.9")	\$1,606
STACK-36	36" SINGLE Oven Cart	915 mm x 585 mm x 610 mm (36" x 23.03" x 24.01")	\$2,836
STACK-48	48" Stacking Cart	Overall Dimension at Highest Setting: 1226 mm x 717 mm x 663 mm (48.3" x 28.2" x 26.1")	\$4,711

*Double stacking only with e4 or e4s and requires the PSA2208 Oven Spacer Kit.



STANDARD FEATURES

- Up to five (5) times faster than conventional cooking methods
- Ventless* Cooking capability through standard built-in catalytic converter
- Two (2) rack position options
- Ability to use standard metal baking pan or one (1) round carousel pan while in convection mode
- Automatic voltage detection (U.S. only)
- Cool to touch door exterior
- 13" (332 mm) wide x 12.8" (325 mm) deep x 12.6" (320 mm) high cooking chamber

*Local codes prevail. These are the "authority having jurisdiction" as stated by the National Fire Protection Association, Inc., in NFPA96-1994.



MODEL	HEIGHT	WIDTH	DEPTH	DEPTH (DOOR OPEN 90 DEGREES)	AMPS	VOLTS	HZ	PHASE	SHIPPING WEIGHT	SHIPPING CUBIC FEET	PLUG TYPE	PRICE
e3	21.7" (551 mm)	23.5" (598 mm)	24.5" (622 mm)	37" (939 mm)	30	208/240	60	1	155 lb (70 kg)	17.5 cu. ft. (0.5 cu. m)	NEMA 6-30P	\$7,612

E3 GENERAL MARKET MODELS COME STANDARD WITH THESE ACCESSORIES LISTED BELOW:

QTY	PART NO.	DESCRIPTION
2	40H0347ANO	Cast Turntable, Coated, NSF
1	32Z4043	Cool Down Pan
1	32Z4148	Cleaner Kit
1	40H0249	Turntable Disk
1	SR313	Oven Tray Handle
1	40H0190	Teflon Sheet
2	DR0056	Chromium Plated Steel Rack

EIKON® SERIES - E3 OVEN | ACCESSORIES

CAT. NO.	DESCRIPTION	DIMENSIONS	LIST PRICE EACH
40H0190	Non-stick Cook Plate Liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates.	0 287 mm (0 11.3")	\$92
DX0254	Non-stick Tray Liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates.	277 mm x 236 mm (10.9" x 9.3")	\$12
40H0347ANO	e3 Solid Cook Plate	0 312 mm (12.3") H: 40 mm (1.6")	\$412
40H0240	e3 Grill Insert	0 312 mm (12.3") H: 25 mm (1")	\$114
40H0230	e3, e4 & e4s Non-stick Baking/Roasting Tray	15 mm x 300 mm x 271 mm (0.6" x 11.8" x 10.7")	\$126
DX0117	e3, e4 & e4s Vitreous Baking/Roasting Tray	25 mm x 321 mm x 297 mm (1" x 12.7" x 11")	\$183
31Z1234	e3 Wire Rack Insert	0 300 mm (11.8") H: 75 mm (3")	\$160
DR0056	e3 Wire Rack	30 mm x 323 mm x 275 mm (1.2" x 12.7" x 10.8")	\$126
40H0249	e3 Turntable Disk for use with 40H0347ANO	0 191 mm (7.5")	\$114
SR313	Tray Handle for use with P40C1423, P40C1151, P40C1157, 40H0347, and DX0117	25 mm x 264 mm x 91 mm (1" x 10.4" x 3.6")	\$126
32Z4034	Slotted Turner	100 mm x 79 mm x 300 mm (4" x 3" x 11.8")	\$57
DV0390	Egg Ring	0 85 mm (3.3") H: 19 mm (0.7")	\$160
32Z4126	Non-stick Mould 2x	4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6")	\$229
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$229
32Z4117	Gyoza Tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$229
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$307
32Z4043	e3 Cool Down Pan	1/6 size 150 mm (6") deep	\$126
40H0098	High Speed Oven Stacking Trolley	1200 mm x 700 mm x 690 mm (47.2" x 27.5" x 24.8")	\$4,219
32Z4144	High Speed Oven Cleaner Spray	6 x 946 ml (1box)	\$126
32Z4145	High Speed Oven Protector Spray	6 x 946 ml (1box)	\$207
32Z4148	Merrychef Cleaner & Protector, (1) each		\$104
31Z1335	Blank Menu Key (USB)		\$42
SX328	Air Filter Assembly		\$345



STANDARD FEATURES

- Accelerated Cooking Technology® combines two heat technologies of convection and microwave for fast, even heating of food product
- Up to five (5) times faster than conventional cooking methods
- Ventless* Cooking capability through standard built-in catalytic converter
- Ability to use a standard, ½ size metal baking pan while in convection mode
- Automatic voltage detection (U.S. only)
- Cool to touch door exterior
- Removable baking rack with optional two positions
- Cooks multiple items at the same time perfectly
- 19.5" (495 mm) wide x 14.1" (358 mm) deep x 10.2" (259 mm) high cooking chamber

*Local codes prevail. These are the "authority having jurisdiction" as stated by the National Fire Protection Association, Inc., in NFPA96-1994.



MODEL	HEIGHT	WIDTH	DEPTH	DEPTH (DOOR OPEN 90 DEGREES)	AMPS	VOLTS	HZ	PHASE	SHIPPING WEIGHT	SHIPPING CUBIC FEET	PLUG TYPE	PRICE
e5	25.3" (642 mm)	28" (712 mm)	27.8" (705 mm)	39" (990 mm)	30	208/240	60	1	245 lb (111 kg)	11 cu. ft. (0.3 cu. m)	NEMA 6-30P	\$15,213

E5 GENERAL MARKET MODELS COME STANDARD WITH THESE ACCESSORIES LISTED BELOW:

QTY	PART NO.	DESCRIPTION
1	40C1011	Wire Rack
1	32Z4028	Cool Down Pan
1	32Z4148	Cleaner Kit

EIKON® SERIES - E5 OVEN | ACCESSORIES

CAT. NO.	DESCRIPTION	DIMENSIONS	LIST PRICE EACH
40C1218	Non-stick Tray Liner *Liners should be placed directly on the cookplate. Designed to increase the non-stick capability of the cook plates.	390 mm x 295 mm (15.4" x 11.6")	\$126
32Z4032	Air Frying Basket	50 mm x 280 mm x 280 mm (2" X 11" X 11")	\$126
P40C1423	e5 Vitreous Baking/Roasting Tray (Black)	25 mm x 432 mm x 336 mm (1" x 17" x 13.2")	\$160
P40C1151	e5 Vitreous Baking/Roasting Tray (Green)	25 mm x 432 mm x 336 mm (1" x 17" x 13.2")	\$149
P40C1157	e5 Vitreous Baking/Roasting Tray (Blue)	25 mm x 432 mm x 336 mm (1" x 17" x 13.2")	\$149
DR0057	e5 Wire Rack	32 mm x 435 mm x 332 mm (1.3" x 17.1" x 13")	\$138
PSR310	e4, e4s & e5 Paddle without Sides (Replaces 400P)	328 mm x 311 mm (13" x 12.3")	\$160
SR320	e4, e4s & e5 Paddle with Hand Guard and Sides	328 mm x 311 mm (13" x 12.3")	\$173
SR313	Tray Handle for use with P40C1423, P40C1151, P40C1157, 40H0347, and DX0117	25 mm x 264 mm x 91 mm (1" x 10.4" x 3.6")	\$126
32Z4034	Slotted Turner	100 mm x 79 mm x 300 mm (4" x 3" x 11.8")	\$57
DV0390	Egg Ring	0 85 mm (3.3") H: 19 mm (0.7")	\$160
32Z4126	Non-stick Mould 2x	4 mm x 304 mm x 304 mm (1.3" x 9.25" x 4.6")	\$229
32Z4113	Non-stick Mould 4x	20.3 mm x 254 mm x 254 mm (0.8" x 10.0" x 10.0")	\$218
32Z4132	Non-stick Mould 9x	20.3 mm x 279 mm x 279 mm (0.8" x 11.0" x 11.0")	\$459
32Z4131	Non-stick Mould 12x	20.3 mm x 368 mm x 279 mm (0.8" x 14.5" x 11.0")	\$447
32Z4115	Small Bowl	35.6 mm x 180 mm (1.4" x 7")	\$229
32Z4117	Gyoza Tray 2x	31.7 mm x 119.4 mm x 111.7 mm (1.25" x 4.7" x 4.4")	\$229
32Z4116	Gyoza Tray 12x	31.7 mm x 279 mm x 279 mm (1.25" x 11.0" x 11.0")	\$390
32Z4118	1L Container 1/3GN	63.5 mm x 325.1 mm x 175.3 mm (2.5" x 12.8" x 6.9")	\$505
32Z4119	1/2L Container 1/6GN	63.5 mm x 172.7 mm x 175.3 mm (2.5" x 6.8" x 6.9")	\$307
32Z4128	Large Cook Tray	22.9 mm x 355.6 mm x 298.5 mm (0.9" x 14.0" x 11.75")	\$333
32Z4133	Small Lided Solid Basket	19.0 mm x 294.6 mm x 294.6 mm (0.75" x 11.6" x 11.6")	\$287
32Z4134	Large Lided Solid Basket	35 mm x 290 mm x 290 mm (1.4" x 11.4" x 11.4")	\$298
32Z4028	e4, e4s & e5 Cool Down Pan	1/2 size 100 mm (4") deep	\$126
32Z4144	High Speed Oven Cleaner Spray	6 x 946 ml (1box)	\$126
32Z4145	High Speed Oven Protector Spray	6 x 946 ml (1box)	\$207
32Z4148	Merrychef Cleaner & Protector, (1) each		\$104
31Z1335	Blank Menu Key (USB)		\$42
5303	Half-Size Sheet Pan, Aluminum	17.75" x 12.88" x 1"	\$160
5303P	Half-Size Sheet Pan, Perforated, Aluminum	17.75" x 12.88" x 1"	\$160
40C1011	Wire Baking Rack	13.5" x 18.25" x .25"	\$173
41C0018	Air Filter Assembly		\$343

LIMITED WARRANTY, TERMS AND CONDITIONS

LIMITED WARRANTY

Merrychef® USA, ("Merrychef®") warrants this product to be free from defects in material and workmanship for a period of one (1) year from the date the product is installed or eighteen (18) months from the date of shipment from our facility, whichever comes first.

During the warranty period, *Merrychef* shall, at *Merrychef's* option, repair or replace parts determined by *Merrychef* to be defective in material or workmanship, and with respect to services, shall re-perform any defective portion of said services. The foregoing shall be the sole obligation of *Merrychef* under this Limited Warranty with respect to the equipment, products and services. With respect to equipment, materials, parts and Accessories manufactured by others, *Merrychef's* sole obligation shall be to use reasonable efforts to obtain the full benefit of the manufacturer's warranties. *Merrychef* shall have no liability, whether in contract, tort, negligence, or otherwise, with respect to non-*Merrychef* manufactured products.

WHO IS COVERED

This Limited Warranty is available only to the original purchaser of the product and is not transferable.

EXCLUSIONS FROM COVERAGE

- Repair or replacement of parts required because of misuse, improper care or storage, negligence, alteration, accident, use of incompatible supplies or lack of specified maintenance shall be excluded;
- Normal maintenance items, including but not limited to, light bulbs, fuses, gaskets, O-rings, interior and exterior finishes, lubrication, de-liming, broken glass, etc.;
- Failures caused by erratic voltages;
- Improper or unauthorized repair;
- Changes in adjustment and calibration after ninety (90) days from equipment installation date;
- This Limited Warranty will not apply to any parts subject to damage beyond the control of Merrychef, or to equipment which has been subject to alteration, misuse or improper installation, accidents, damage in shipment, fire, floods, power changes, other hazards or acts of God that are beyond the control of Merrychef;
- This Limited Warranty does not apply, and shall not cover any products or equipment manufactured or sold by Merrychef when such products or commercial equipment is installed or used in a residential or non-commercial application. Installations not within the applicable building or fire codes render this Limited Warranty and any responsibility or obligations associated therein null and void This includes any damage, costs or legal actions resulting from the installation of any Merrychef commercial cooking equipment in a non-commercial application or installation, where the equipment is being used for applications other than those approved for by Merrychef;
- If any product is cleaned without using an approved *Merrychef* cleaning solution, this Limited Warranty shall be void.

LIMITATIONS OF LIABILITY

The preceding paragraphs set forth the exclusive remedy for all claims based on failure of, or defect in, products or services sold hereunder, whether the failure or defect arises before or during the warranty period, and whether a claim, however instituted, is based on contract, indemnity, warranty, tort (including negligence), strict liability, implied by statute, common-law or otherwise, and Merrychef its servants and agents shall not be liable for any claims for personal injuries or consequential damages or loss, howsoever caused. Upon the expiration of the warranty period, all such liability shall terminate **THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, WHETHER WRITTEN, ORAL, IMPLIED OR STATUTORY NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE SHALL APPLY, MERRYCHEF DOES NOT WARRANT ANY PRODUCTS OR SERVICES OF OTHERS.**

REMEDIES

The liability of *Merrychef* for breach of any warranty obligation hereunder is limited to: (i) the repair or replacement of the equipment on which the liability is based, or with respect to services, re-performance of the services; or (ii) at *Merrychef's* option, the refund of the amount paid for said equipment or services. Any breach by *Merrychef* with respect to any item or unit of equipment or services shall be deemed a breach with respect to that item or unit or service only.

WARRANTY CLAIM PROCEDURE

Customer shall be responsible to:

- Immediately advise the Dealer or *Merrychef's* Authorized Service Agent of the equipment serial number and the nature of the problem;
- Verify the problem is a factory responsibility. Improper installation or misuse of equipment, are not covered under this Limited Warranty;
- Cooperate with the Service Agency so that warranty service may be completed during normal working hours.

GOVERNING LAW

For equipment, products and services sold in the United States this Limited Warranty shall be governed by the laws of the state of Delaware, USA, excluding their conflicts of law principles. The United Nations Convention on Contracts for the International Sale of Goods is hereby excluded in its entirety from application to this Limited Warranty.

Merrychef USA
1200 Airport North Office Park
Ste A&B
Fort Wayne IN 46825

IMPORTANT ORDERING INFORMATION

ABOUT MERRYCHEF

Merrychef products are used throughout the World, across a wide variety of market segments and applications. In partnership with major food manufacturers and hot food retailers, *Merrychef* is constantly investing in research and development. *Merrychef*® LTD, with headquarters and ISO 9001 approved manufacturing facilities in Sheffield, South Yorkshire, Hampshire, UK, is an operating company of Welbilt. For more info, visit www.merrychef.com.

HOW TO ORDER

Merrychef sells its products through Authorized Dealers. Please contact *Merrychef* or your Local Sales Representative for details. Purchase order should include the following information:

- Company Name with complete billing address and telephone number.
- Purchase order number.
- Ship to address.
- Purchasing agents name.
- Requested ship date.
- Specify complete model number of equipment ordered, quantity of each item ordered.
- Specify exact voltage required. (Example: 208/1 or 240/1 phase)
- Specify model and quantity of all options and Accessories required.

TERMS

30 Days Net to customers with an open/credit account with *Cleveland Range LLC DBA Ovens and Advanced Cooking*. Cash discount does not apply on sight draft or C.O.D. shipments. Volume discounts are not allowed on invoices not paid within 30 days. Other penalties may also apply to payments beyond 30 days. Minimum purchase order of \$25.00 on all orders. Prices and specifications are subject to change without notice. All orders accepted subject to government regulations or conditions beyond manufacturers control.

All shipments within the United States F.O.B. from *Merrychef USA* Distribution Center, Covington, TN 38019. Equipment freight classification - Class 85

RETURN POLICY

- 1 | All returned product must have an RMA number from Customer Service prior to sending the product back.
- 2 | The product must be standard product, still crated and within 90 days from date invoiced. Standard products are defined as product configurations that are saleable to the general market. Custom Products are product configurations that are unique to a specific customer and cannot be sold to other customers. Obsolete/discontinued products cannot be returned.

- 3 | If return is approved for standard product, the standard restock charge is 30% or 20% if a replacement order is made.
- 4 | Custom product is non-returnable.
- 5 | Applicable freight charges and recreating will be the customer's responsibility.
- 6 | RMA number must be clearly written on all shipping paperwork to factory/warehouse.
- 7 | RMA will be valid for 45 days from date of issue.

STATEMENT OF POLICY

Merrychef equipment is built to comply with applicable nationally recognized standards for manufacturers. Included among these approval agencies are N.S.F., U.L. and C.S.A. Many local codes exist and it is the responsibility of the owner and installer to comply with these codes. *Merrychef* equipment when properly installed according to instructions, complies with the intent of the O.S.H.A. Act. Constant product improvement makes it necessary for new or improved models to be submitted for testing by these various agencies. Therefore, not all models have agency approvals at all times.

INTERNATIONAL EQUIPMENT

Equipment purchased for international destination is subject to additional charges. For International quotations/approvals contact the appropriate *Merrychef* customer service office.

MERRYCHEF CUSTOMER SERVICE

For shipments within the United States, Mexico & Latin America.

Merrychef USA
Phone: (888) 417-5462
Online: www.merrychef.com
Email: LCNCUSTSERV@Welbilt.com

For shipments within Canada.
Merrychef Canada
Phone: (905) 624-0260
Online: www.welbilt.ca

For shipments throughout the rest of the world.
Merrychef Global
Phone: + 44 (0) 1252 371000
Online: www.merrychef.com

Merrychef is owned and operated by Welbilt.

NOTE: Volume chain and international prices to be negotiated. Call for more details.



Welbilt offers fully-integrated kitchen systems with award-winning product brands: **Cleveland™, Convotherm®, Crem™, Delfield®, Frymaster®, Garland®, Kolpak®, Lincoln®, Manitowoc® Ice, Merco®, Merrychef®** and **Multiplex®**. Supported by service brands: **KitchenCare®**, aftermarket parts and service; **FitKitchen®**, fully-integrated kitchen systems; and **KitchenConnect®**, cloud-based open digital platform.

Bringing innovation to the table • **welbilt.com**