


**CHICAGO
FAUCETS®**
Geberit Group

Food Service

**Faucets and Fittings for
Commercial Kitchens**



Style & Configuration

For Any Application.

Bar & Server Stations

Fillers and sink faucets to help support your wait staff.

Hand Wash & Safety Products

Innovative products designed to improve hygiene and add safeguards in food preparation areas.

Janitorial & Maintenance

Our durable service sink faucets feature integral vacuum breakers, pail hooks, hose threaded outlets, and wall brackets.



Dish Room

Water-conserving, high-performance pre-rinse faucets that reduce utility bills and improve productivity.

Food Prep Areas

Choose from a wide array of durable and sink faucets to match any kitchen layout and budget.

Restrooms

From advanced electronics to time-tested metering faucets, we offer stylish solutions for modern and traditional lavatory designs.

Touchless Solutions for the Front and Back of the House.

Chicago Faucets delivers a comprehensive selection of faucets and fittings, unmatched durability, and the highest performance available. With the most dependable food service fittings in the industry, we're the one company you can count on for every sink in your building.



Why Chicago Faucets Is **The Right Choice** for Your Food Service products.

Our primary business is and always will be commercial faucets. This focus, combined with our commitment to quality, has made us experts on commercial applications and the number one choice of professionals for over a century. With Chicago Faucets, you can count on the highest quality, innovative features, and unparalleled support.

Look for the symbols below on our products and at chicagofaucets.com. They ensure you're getting the right faucets and fittings for your food service application.

ECAST Lead-Free brass construction

Durable and safe: one quarter of one percent (0.25%) or less total lead content by weighted average.

TempShield Scald Protection built-in

Meet code, reduce installation time with products featuring integrated ASSE 1070 compliant scald protection.



Quick Ship program

We're ready when you are with 3-day shipment on many products plus 24-hour and same day shipment availability.



American-Made products

Over 98% of our products are manufactured and assembled in the United States.

Table of Contents

Deck-Mounted Workboard	6-7	Glass Fillers & Dipperwell Faucet	20
Wall-Mounted Workboard	8-9	Pot and Kettle Fillers	21
Deck-Mounted Sink Faucets	10-11	Pre-Rinse Sprays, Filler Valves & Hoses	22
Wall-Mounted Sink Faucets	12-14	Hand Sink Faucets	23
Bar & Sink Pantry	15	Manual Lavatory Faucets	24
Pedal Valve Faucets	16	Touchless Lavatory Faucets	25
Deck-Mounted Pre-Rinse Faucets	17-18	Electronic Accessories	26
Wall-Mounted Pre-Rinse Faucets	19	Janitorial Sink Products	27

Leading The Way To New Standards

ECAST®

Multiple states have implemented laws regarding lead content in plumbing products. In 2014, a nationwide lead law will take effect. Once again, Chicago Faucets is leading the way.

ECAST® is our line of brass products with one quarter of one percent (0.25%) or less total lead content by weighted average. We control the entire manufacturing process, including casting, ensuring that every ECAST fitting we produce meets low-lead requirements. All Chicago Faucets products are certified by an ANSI-approved, third-party testing facility.

A Commitment To Water Conservation and Sustainability

As a member of the U.S. Green Building Council and a partner with WaterSense®, Chicago Faucets actively supports the water efficiency efforts advanced by the Leadership in Energy and Environmental Design (LEED) Green Building Rating System.

LEED v4.1 is the newest version and provides baseline requirements for water efficiency in building design. Chicago Faucets offers numerous products designed to deliver up to a 30% reduction in water usage from the public lavatory (restroom) faucet baseline.

We are a proud partner with WaterSense, a program sponsored by the EPA, designed to protect the future of our nation's water supply by promoting water efficiency and enhancing the market for water efficient products, programs, and practices. We also offer hundreds of products that meet or exceed California's Green Building Standards Code (CALGreen) – a new standard for water conservation, requiring an overall reduction of potable water consumption by at least 20%.

Chicago Faucets is a charter sponsor of the Alliance for Water Efficiency, a broad-based non-profit organization that is dedicated to the efficient and sustainable use of water. It brings together a diverse range of stakeholders to advocate water-use efficiency and conservation.

Finally, we are committed to reducing the amount of waste going to landfill. In our Milwaukee foundry alone, we have reduced the amount of landfill waste by 60% on an annual basis. An amazing 98% of our scrap brass is recycled – more than 1.9 tons per year – and since we utilize a clean, virgin alloy manufacturing process, the scrap can be returned as ingot for casting.



New and Better Options for Food Service

At Chicago Faucets, we are committed to developing new products and improving our existing lines to help support your restaurant business. Here are some recent additions to the Chicago Faucets product family.



Ceramic Cartridge with Integrated Check Valve

An Easy, Integrated Solution for Cross-Flow Prevention in food service, janitorial, and low-flow faucets.



Metering Lavatory Faucets

Adjustable cycle times to save water and user temperature control for convenience.



Glass Fillers

A whole new level of durability, reliability, and convenience for your restaurant.



Low Flow Pre-Rinse Sprays

Adjustable cycle times to save water and user temperature control for convenience.



Workboard Faucets

Kitchen faucets designed for durability with a new level of affordability.



640 Series

Easy serviceability of cartridges with the integration of accessible stop assemblies.



Electronic Faucets

Improve hygiene with a stylish, high-tech solution for restrooms and hand sinks.

Deck-Mounted Workboard Faucets

An affordable, durable, and dependable solution for the heart of your kitchen. 32 deck mount options with a choice of full-flow or water conserving 1.5 GPM flow outlets – plus a wide choice of spout and handle options to meet your exact needs.

 Food Prep Areas

 Hand Wash



ECAST[®]

4" Centers

With 6-1/4" Double Bend Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W4D-DB6AE1-317ABCP
Full Flow	Laminar	2-3/8" Lever	W4D-DB6AE1-369ABCP
1.5 GPM	Softflo Aerator	4" Wristblade	W4D-DB6AE35-317AB
1.5 GPM	Softflo Aerator	2-3/8" Lever	W4D-DB6AE35-369AB



W4D-DB6E1-317ABCP



W4D-DB6E35-369AB



W4D-L9E1-369AB



W4D-L9E1-317ABCP



W4D-GN1AE1-317ABCP



W4D-GN1AE1-369ABCP



W4D-GN2AE1-369ABCP



W4D-GN2AE35-317AB



W4D-LES317AB



W4D-LES369AB

With 9-1/2" L-Type Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W4D-L9E1-317ABCP*
Full Flow	Laminar	2-3/8" Lever	W4D-L9E1-369AB*
1.5 GPM	Softflo Aerator	4" Wristblade	W4D-L9E35-317ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	W4D-L9E35-369AB*

With 3-1/2" Gooseneck Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W4D-L9E1-317ABCP*
Full Flow	Laminar	2-3/8" Lever	W4D-L9E1-369AB*
1.5 GPM	Softflo Aerator	4" Wristblade	W4D-L9E35-317ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	W4D-L9E35-369AB*

With 5-1/4" Gooseneck Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W4D-GN2AE1-317ABCP
Full Flow	Laminar	2-3/8" Lever	W4D-GN2AE1-369ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	W4D-GN2AE35-317AB*
1.5 GPM	Softflo Aerator	2-3/8" Lever	W4D-GN2AE35-369AB*

Less Spout

GPM	Flow Type	Handle	Model Number
-	-	4" Wristblade	W4D-LES317AB*
-	-	2-3/8" Lever	W4D-LES369AB*

- Designed with 1/2" x 1" NSPM shanks for fast and easy installation on stainless steel sinks and bases
- Durable metal faucet construction with a chrome plated finish for installations on 4" or 8" centers

- Cartridges feature precision ground, high polished ceramic discs for long term, consistent performance
- Interchangeability – spouts, outlets, cartridges, and handles easily updated with other Chicago Faucets components



W8D-DB6AE1-369ABCP

W8D-DB6AE35-369AB



W8D-L9E1-369ABCP

W8D-L9E1-317ABCP



W8D-GN1AE1-317ABCP



W8D-GN1AE35-369AB



W8D-GN2AE1-317ABCP



W8D-GN2AE35-369AB



W8D-LES317AB



W8D-LES369AB

8" Centers

With 6-1/4" Double Bend Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W8D-DB6AE1-317ABCP
Full Flow	Laminar	2-3/8" Lever	W8D-DB6AE1-369ABCP
1.5 GPM	Softflo Aerator	4" Wristblade	W8D-DB6AE35-317AB
1.5 GPM	Softflo Aerator	2-3/8" Lever	W8D-DB6AE35-369AB

With 9-1/2" L-Type Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W8D-L9E1-317ABCP
Full Flow	Laminar	2-3/8" Lever	W8D-L9E1-369ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	W8D-L9E35-317ABCP
1.5 GPM	Softflo Aerator	2-3/8" Lever	W8D-L9E35-369ABCP*

With 3-1/2" Gooseneck Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W8D-GN1AE1-317ABCP*
Full Flow	Laminar	2-3/8" Lever	W8D-GN1AE1-369ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	W8D-GN1AE35-317AB*
1.5 GPM	Softflo Aerator	2-3/8" Lever	W8D-GN1AE35-369AB*

With 5-1/4" Gooseneck Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W8D-GN2AE1-317ABCP*
Full Flow	Laminar	2-3/8" Lever	W8D-GN2AE1-369ABCP
1.5 GPM	Softflo Aerator	4" Wristblade	W8D-GN2AE35-317AB
1.5 GPM	Softflo Aerator	2-3/8" Lever	W8D-GN2AE35-369AB

Less Spout

GPM	Flow Type	Handle	Model Number
-	-	4" Wristblade	W8D-LES317AB*
-	-	2-3/8" Lever	W8D-LES369AB*

Wall-Mounted Workboard Faucets

An affordable, durable, and dependable solution for the heart of your kitchen. 32 deck mount options with a choice of full-flow or water conserving 1.5 GPM flow outlets – plus a wide choice of spout and handle options to meet your exact needs.

 Food Prep Areas

 Hand Wash



ECAST

4" Centers

With 6-1/4" Double Bend Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W4W-DB6AE1-317ABCP
Full Flow	Laminar	2-3/8" Lever	W4W-DB6AE1-369ABCP
1.5 GPM	Softflo Aerator	4" Wristblade	W4W-DB6AE35-317AB
1.5 GPM	Softflo Aerator	2-3/8" Lever	W4W-DB6AE35-369AB



W4W-DB6E1-317ABCP



W4W-DB6E35-369AB



W4W-L9E1-369ABCP



W4W-L9E35-317ABCP



W4W-GN1AE35-369AB



W4W-GN1AE1-317ABCP



W4W-GN2AE1-369ABCP



W4W-GN2AE35-317AB



W4W-LES369AB



W4W-LES317AB

With 9-1/2" L-Type Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W4W-L9E1-317ABCP*
Full Flow	Laminar	2-3/8" Lever	W4W-L9E1-369AB*
1.5 GPM	Softflo Aerator	4" Wristblade	W4W-L9E35-317ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	W4W-L9E35-369AB*

With 3-1/2" Gooseneck Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W4W-GN1AE1-317ABCP*
Full Flow	Laminar	2-3/8" Lever	W4W-GN1AE1-369ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	W4W-GN1AE35-317AB*
1.5 GPM	Softflo Aerator	2-3/8" Lever	W4W-GN1AE35-369AB*

With 5-1/4" Gooseneck Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W4W-GN2AE1-317ABCP*
Full Flow	Laminar	2-3/8" Lever	W4W-GN2AE1-369ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	W4W-GN2AE35-317AB
1.5 GPM	Softflo Aerator	2-3/8" Lever	W4W-G2E35-369AB*

Less Spout

GPM	Flow Type	Handle	Model Number
-	-	4" Wristblade	W4W-LES317AB*
-	-	2-3/8" Lever	W4W-LES369AB*

- Designed with 1/2" x 1" NSPM shanks for fast and easy stainless steel backsplash installation with optional 90° supply elbow for additional installation convenience
- Durable metal faucet construction with a chrome plated finish for installations on 4" or 8" centers

- Cartridges feature precision ground, high polished ceramic discs for long term, consistent performance
- Interchangeability – spouts, outlets, cartridges, and handles easily updated with other Chicago Faucets components



8" Centers

With 6-1/4" Double Bend Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W8W-DB6AE1-317ABCP
Full Flow	Laminar	2-3/8" Lever	W8W-DB6AE1-369ABCP
1.5 GPM	Softflo Aerator	4" Wristblade	W8W-DB6AE35-317AB
1.5 GPM	Softflo Aerator	2-3/8" Lever	W8W-DB6AE35-369AB



With 9-1/2" L-Type Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W8W-L9E1-317ABCP
Full Flow	Laminar	2-3/8" Lever	W8W-L9E1-369ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	W8W-L9E35-317ABCP
1.5 GPM	Softflo Aerator	2-3/8" Lever	W8W-L9E35-369ABCP*



With 3-1/2" Gooseneck Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W8W-GN1AE1-317ABCP*
Full Flow	Laminar	2-3/8" Lever	W8W-GN1AE1-369ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	W8W-GN1AE35-317AB*
1.5 GPM	Softflo Aerator	2-3/8" Lever	W8W-GN1AE35-369AB*



With 5-1/4" Gooseneck Spout

GPM	Flow Type	Handle	Model Number
Full Flow	Laminar	4" Wristblade	W8W-GN2AE1-317ABCP*
Full Flow	Laminar	2-3/8" Lever	W8W-GN2AE1-369ABCP
1.5 GPM	Softflo Aerator	4" Wristblade	W8W-GN2AE35-317AB
1.5 GPM	Softflo Aerator	2-3/8" Lever	W8W-GN2AE35-369AB



Less Spout

GPM	Flow Type	Handle	Model Number
-	-	4" Wristblade	W8W-LES317AB*
-	-	2-3/8" Lever	W8W-LES369AB*

Accessories

Description	Model Number
Low-profile 90-degree elbow	520-001KDEAB

Deck-Mounted Sink Faucets

The iconic design is supported by durable solid brass construction, our time-tested Quatum™ cartridge, and the industry's widest selection of spouts, outlets, and handles.



Food Prep Areas



ECAST®



50-DJ24ABCP

Single Hole Deck Faucet, Two Handles

GPM	Flow Type	Handle	Spout	Model Number
Full Flow	Laminar	2-3/8" Lever	21" Double Jointed	50-DJ21ABCP
Full Flow	Laminar	2-3/8" Lever	24" Double Jointed	50-DJ24ABCP
Full Flow	Laminar	2-3/8" Lever	26" Double Jointed	50-DJ26ABCP



350-DJ26ABCP

Single Hole Deck Faucet, Single Handle

GPM	Flow Type	Handle	Spout	Model Number
Full Flow	Laminar	2-3/8" Lever	21" Double Jointed	350-DJ21ABCP
Full Flow	Laminar	2-3/8" Lever	24" Double Jointed	350-DJ24ABCP
Full Flow	Laminar	2-3/8" Lever	26" Double Jointed	350-DJ26ABCP



- Solid, one-piece, cast brass body for maximum strength and stability
- Fewer parts and pre-assembled components for a one-person installation

- Interchangeability – spouts, outlets, cartridges, and handles easily updated with other Chicago Faucets components



Concealed Faucet With Side Spray, 8" Centers

GPM	Flow Type	Handle	Spout	Model Number
1.5 GPM	Softflo Aerator	4" Wristblade	9-1/2" L-Type	200-AE35-317ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	9-1/2" L-Type	200-AE35ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	5-1/4" Integral	200-AGN2AE35-317AB
1.5 GPM	Softflo Aerator	4" Wristblade	8" Gooseneck	200-AGN8AE35-317AB*
1.5 GPM	Softflo Aerator	4" Wristblade	8" L-Type	200-AL8E35-317ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	8" L-Type	200-AL8E35ABCP



Concealed Faucet, 8" Centers

GPM	Flow Type	Handle	Spout	Model Number
1.5 GPM	Softflo Aerator	4" Wristblade	9-1/2" L-Type	201-AE35-317ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	9-1/2" L-Type	201-AE35ABCP*
1.5 GPM	Softflo Aerator	6" Wristblade	8" Gooseneck	201-AGN8AE35-319AB*
1.5 GPM	Softflo Aerator	2-3/8" Lever	8" Gooseneck	201-AGN8AE35ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	8" High Arch	201-AH8AE35ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	3-1/2" Gooseneck	786-GN1AE35ABCP*
1.5 GPM	Softflo Aerator	6" Wristblade	5-1/4" Gooseneck	786-E35-319ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	5-1/4" Gooseneck	786-E35-369ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	5-1/4" Gooseneck	786-E35ABCP*



Exposed Deck Faucet, 8" Centers

GPM	Flow Type	Handle	Spout	Model Number
Full Flow	Laminar	2-3/8" Lever	6-1/4" Double Bend	527-ABCP*
Full Flow	Laminar	2-3/8" Lever	6-1/4" Double Bend	527-XKABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	8" L-Type	1100-E35-317ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	8" Gooseneck	1100-GN8AE35-317AB*



Single Control Faucet, 8" Centers

GPM	Flow Type	Handle	Spout	Model Number
1.5 GPM	Softflo Aerator	Single Lever	9-1/2" Integral	431-ABCP*
1.5 GPM	Softflo Aerator	Single Lever	9-1/2" Integral	432-ABCP*
1.5 GPM	Softflo Aerator	Single Lever	8-1/4" Integral	434-ABCP
2.2 GPM	Softflo Aerator	Single Lever	10" Integral	2300-8ABCP
2.2 GPM	Softflo Aerator	Single Lever	10" Integral	2301-8ABCP

Wall-Mounted Sink Faucets

Added versatility and additional counter space with solid brass construction, our Quatern™ cartridge, and the industry's widest selection of spouts, outlets, and handles.



ECAST



445-DJ13E35ABCP



445-E1ABCP



445-L9E1ABCP



445-DJ21ABCP



521-GN2AE1ABCP

GPM	Flow Type	Handle	Spout	Model Number
2.2 GPM	Laminar	2-3/8" Lever	6" S-Type	445-ABCP*
2.2 GPM	Laminar	2-3/8" Lever	13" Double Jointed	445-DJ13ABCP*
Full Flow	Laminar	2-3/8" Lever	13" Double Jointed	445-DJ13E1ABCP*
1.5 GPM	Laminar	2-3/8" Lever	13" Double Jointed	445-DJ13E35ABCP*
2.2 GPM	Softflo Aerator	2-3/8" Lever	18" Double Jointed	445-DJ18ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	18" Double Jointed	445-DJ18E35ABCP*
Full Flow	Laminar	2-3/8" Lever	21" Double Jointed	445-DJ21ABCP
Full Flow	Laminar	2-3/8" Lever	24" Double Jointed	445-DJ24ABCP
Full Flow	Laminar	2-3/8" Lever	26" Double Jointed	445-DJ26ABCP
Full Flow	Laminar	2-3/8" Lever	6" S-Type	445-E1ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	6" S-Type	445-E35ABCP*
2.2 GPM	Softflo Aerator	2-3/8" Lever	6" S-Type	445-HCABCP
2.2 GPM	Softflo Aerator	2-3/8" Lever	8" L-Type	445-L8ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	8" L-Type	445-L8E35ABCP*
2.2 GPM	Softflo Aerator	2-3/8" Lever	9-1/2" L-Type	445-L9ABCP*
Full Flow	Laminar	2-3/8" Lever	9-1/2" L-Type	445-L9E1ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	9-1/2" L-Type	445-L9E35ABCP*
2.2 GPM	Softflo Aerator	2-3/8" Lever	12" L-Type	445-L12ABCP*
Full Flow	Laminar	2-3/8" Lever	12" L-Type	445-L12E1ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	12" L-Type	445-L12E35ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	14" L-Type	445-L15E35ABCP
Full Flow	Laminar	2-3/8" Lever	6-1/4" Double Bend	521-ABCP*
Full Flow	Laminar	2-3/8" Lever	5-1/4" Gooseneck	521-GN2AE1ABCP*
2.2 GPM	Softflo Aerator	2-3/8" Lever	5-1/4" Gooseneck	521-GN2AE3ABCP



- Solid cast brass construction for maximum strength and stability
- Available with adjustable inlet arms for added installation flexibility

- Interchangeability – spouts, outlets, cartridges, and handles easily updated with other Chicago Faucets components



GPM	Flow Type	Handle	Spout	Model Number
Full Flow	Laminar	2-3/8" Lever	21" Double Jointed	540-LDDJ21ABCP
Full Flow	Laminar	2-3/8" Lever	24" Double Jointed	540-LDDJ24ABCP
Full Flow	Laminar	2-3/8" Lever	26" Double Jointed	540-LDDJ26ABCP
2.2 GPM	Softflo Aerator	2-3/8" Lever	9-1/2" L-Type	540-LDABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	6" S-Type	540-LDE35ABCP*
2.2 GPM	Softflo Aerator	2-3/8" Lever	8" Gooseneck	540-LDGN8AE3ABCP*
2.2 GPM	Softflo Aerator	2-3/8" Lever	8" L-Type	540-LDL8ABCP*
Full Flow	Laminar	2-3/8" Lever	8" L-Type	540-LDL8E1ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	8" L-Type	540-LDL8E35ABCP*
2.2 GPM	Softflo Aerator	2-3/8" Lever	9-1/2" L-Type	540-LDL9ABCP*
Full Flow	Laminar	2-3/8" Lever	9-1/2" L-Type	540-LDL9E1ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	9-1/2" L-Type	540-LDL9E35ABCP*
Full Flow	Laminar	2-3/8" Lever	9-1/2" L-Type	540-LDL9HFAB
2.2 GPM	Softflo Aerator	2-3/8" Lever	12" L-Type	540-LDL12ABCP*
Full Flow	Laminar	2-3/8" Lever	12" L-Type	540-LDL12E1WXFABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	12" L-Type	540-LDL12E35ABCP*
Full Flow	Laminar	2-3/8" Lever	12" L-Type	540-LDL12HFAB
2.2 GPM	Softflo Aerator	2-3/8" Lever	14" L-Type	540-LDL15ABCP
-	-	2-3/8" Lever	-	540-LDLESXKCAB
2.2 GPM	Softflo Aerator	2-3/8" Lever	6" S-Type	540-LDXKABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	3-1/2" Gooseneck	631-ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	3-1/2" Gooseneck	631-E35ABCP*
2.2 GPM	Softflo Aerator	4" Wristblade	5-1/4" Gooseneck	631-GN2AE3ABCP
2.2 GPM	Softflo Aerator	4" Wristblade	8" Gooseneck	631-GN8AE3ABCP*
2.2 GPM	Softflo Aerator	4" Wristblade	3-1/2" Gooseneck	631-RABCP*

Wall-Mounted Sink Faucets

The 640 Series is a wall-mounted kitchen faucet with hot and cold water supply stops built into the faucet body. Stops open and close with a standard screwdriver for fast service and minimal downtime.

- Integrated stops mean there's no need to turn off main water for point-of-use service
- Hassle-free installation with adjustable arms for 6-1/4" to 9-3/4" centers
- Interchangeable with a wide range of standard Chicago Faucets components



ECAST

Food Prep Areas



640-GN1AE35-369YAB



640-L8E1-317YAB



640-L9E35-369YAB



640-L12E1-317YAB



640-S6E35-369YAB

GPM	Flow Type	Handle	Spout	Model Number
Full Flow	Laminar	4" Wristblade	3-1/2" Gooseneck	640-GN1AE1-317YAB
1.5 GPM	Laminar	4" Wristblade	3-1/2" Gooseneck	640-GN1AE35-317YAB
Full Flow	Laminar	2-3/8" Lever	3-1/2" Gooseneck	640-GN1AE1-369YAB
1.5 GPM	Laminar	2-3/8" Lever	3-1/2" Gooseneck	640-GN1AE35-369YAB*
Full Flow	Softflo Aerator	4" Wristblade	8" L-Type	640-L8E1-317YAB
1.5 GPM	Softflo Aerator	4" Wristblade	8" L-Type	640-L8E35-317YAB
Full Flow	Laminar	2-3/8" Lever	8" L-Type	640-L8E1-369YAB
1.5 GPM	Laminar	2-3/8" Lever	8" L-Type	640-L8E35-369YAB*
Full Flow	Laminar	4" Wristblade	9-1/2" L-Type	640-L9E1-317YAB
Full Flow	Softflo Aerator	2-3/8" Lever	9-1/2" L-Type	640-L9E1-369YAB
1.5 GPM	Laminar	4" Wristblade	9-1/2" L-Type	640-L9E35-317YAB
1.5 GPM	Softflo Aerator	2-3/8" Lever	9-1/2" L-Type	640-L9E35-369YAB*
Full Flow	Softflo Aerator	4" Wristblade	12" L-Type	640-L12E1-317YAB
Full Flow	Softflo Aerator	2-3/8" Lever	12" L-Type	640-L12E1-369YAB
1.5 GPM	Softflo Aerator	4" Wristblade	12" L-Type	640-L12E35-317YAB
1.5 GPM	Laminar	2-3/8" Lever	12" L-Type	640-L12E35-369YAB*
Full Flow	Softflo Aerator	4" Wristblade	6" S-Type	640-S6E1-317YAB
Full Flow	Laminar	2-3/8" Lever	6" S-Type	640-S6E1-369YAB
1.5 GPM	Softflo Aerator	4" Wristblade	6" S-Type	640-S6E35-317YAB
1.5 GPM	Softflo Aerator	2-3/8" Lever	6" S-Type	640-S6E35-369YAB*
-	Softflo Aerator	4" Wristblade	-	640-LES317YAB
-	Laminar	2-3/8" Lever	-	640-LES369YAB*

Bar & Pantry Faucets

Our bar and pantry faucets feature a choice of spout and handle options for just about any installation requirement with solid brass construction, and our Quatum™ cartridge.

- Solid cast brass construction for maximum strength and stability
- Available with a choice of single or dual supply configurations for added flexibility
- Interchangeability – easily updated with other spouts, outlets, cartridges, and handles



Bar and Server Stations



Food Prep Areas



Hand Wash



50-E35-317XKABCP



51-E35ABCP



350-E35-317XKABCP



350-DB6AE35ABCP



895-317GN8AE35ABCP



895-L12E35ABCP



772-E35ABCP

Single Hole, Dual Supply

GPM	Flow Type	Handle	Spout	Model Number
1.5 GPM	Softflo Aerator	4" Wristblade	5-1/4" Gooseneck	50-E35-317XKABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	5-1/4" Gooseneck	50-E35ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	8" Gooseneck	50-GN8AE35ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	6" S-Type	51-E35ABCP*

Single Hole, Single Supply

GPM	Flow Type	Handle	Spout	Model Number
1.5 GPM	Softflo Aerator	2-3/8" Lever	6" S-Type	349-E35ABCP
1.5 GPM	Softflo Aerator	2-3/8" Lever	6-1/4" Double Bend	350-DB6AE35ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	5-1/4" Gooseneck	350-E35-317XKABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	5-1/4" Gooseneck	350-E35ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	8" Gooseneck	350-GN8AE35ABCP*

4" Centers, Dual Supply

GPM	Flow Type	Handle	Spout	Model Number
Full Flow	Laminar	2-3/8" Lever	6-1/4" Double Bend	526-ABCP*
Full Flow	Laminar	4" Wristblade	6-1/4" Double Bend	526-317ABCP*
2.2 GPM	Softflo Aerator	4" Wristblade	6-1/4" Double Bend	526-E3-317ABCP*
Full Flow	Laminar	2-3/8" Lever	5-1/4" Gooseneck	526-GN2AE1ABCP*
1.5 GPM	Softflo Aerator	4" Wristblade	8" Gooseneck	895-317GN8AE35ABCP*
1.5 GPM	Softflo Aerator	2-3/8" Lever	12" L-Type	895-L12E35ABCP*
1.5 GPM	Softflo Aerator	2" Single Wing	3-1/2" Gooseneck	1895-E35ABCP*

3-3/8" Centers, Dual Supply

GPM	Flow Type	Handle	Spout	Model Number
1.5 GPM	Softflo Aerator	2-3/8" Lever	6" S-Type	772-E35ABCP

Pedal Valve Faucets

These faucets allow you to keep your hands free for food preparation with convenient foot pedal operation. The self-closing design of these products also helps conserve water.

- Solid cast brass construction for maximum strength and stability
- Available with a choice of single or dual supply configurations for added flexibility
- Low-flow outlets combined with pedal operation increase water conservation



ECAST

 **Food Prep Areas**

 **Hand Wash**



626-E35ABCP



626-GN8AE35ABCP



625-ABCP



628-ABCP



625-LPABCP

Remote Spouts

GPM	Flow Type	Spout	Mount	Model Number
Full Flow	Laminar	21" Double Jointed	Deck	513-ABCP
1.5 GPM	Softflo Aerator	5-1/4" Gooseneck	Deck	626-E35ABCP*
1.5 GPM	Softflo Aerator	8" Gooseneck	Deck	626-GN8AE35ABCP*
1.5 GPM	Softflo Aerator	5-1/4" Gooseneck	Wall	629-E35ABCP*

Pedal Valves

Description	Model Number
Hot and Cold Water Pedal Box with Short Pedals	625-ABCP*
Hot and Cold Water Pedal Box with Long Pedals	625-LPABCP*
Single Supply Pedal Box with Short Pedal	628-ABCP*

Deck-Mounted Pre-Rinse Faucets

The high performance of our pre-rinse spray valves is combined with the unmatched durability of our faucet bodies and cartridges for a workhorse dish room product.



919-VBHS90ANGXKCAB



Single Hole, Dual Supply

Spray Valve	Handle	Spout	Model Number
1.0 GPM 90 Series Spray	2-3/8" Lever	9-1/2" L-Type	919-613XKCAB*
1.0 GPM 90 Series Spray With Inline Vacuum Breaker	2-3/8" Lever	-	919-VBHS90ANGXKCAB
1.0 GPM 90 Series Spray With Inline Vacuum Breaker	2-3/8" Lever	-	919-VBXKCAB
1.0 GPM 90 Series Spray	2-3/8" Lever	-	919-XKCAB*



919-XKCAB



526-919SLXKCABCP

527-919SLXKCABCP

Spray Valve	Handle	Model Number
1.0 GPM 90 Series Spray	2-3/8" Lever	526-919SLXKCABCP
1.0 GPM 90 Series Spray	2-3/8" Lever	527-919SLXKCABCP
1.0 GPM 90 Series Spray	-	919-SLABCP

Deck-Mounted Pre-Rinse Faucets

- Solid cast brass construction for maximum strength and stability
- Available with a choice of single hole, 4", or 8" centers for installation flexibility

- Interchangeability — spouts, outlets, cartridges, and handles easily updated with other Chicago Faucets components
- Flow rates as low as .91 GPM for dramatic utility savings



509-SSVBL12XKCAB



510-SSXKCAB

Spray Valve	Handle	Spout	Model Number
1.0 GPM 90 Series Spray With Inline Vacuum Breaker	2-3/8" Lever	12" L-Type	509-SSVBL12XKCAB
1.0 GPM 90 Series Spray	2-3/8" Lever	15" L-Type	510-G613L15XKCAB
1.0 GPM 90 Series Spray With Inline Vacuum Breaker	2-3/8" Lever	12" L-Type	510-GVB613L12XKCAB
1.0 GPM 90 Series Spray With Inline Vacuum Breaker	2-3/8" Lever	-	510-SSVBXKCAB
1.0 GPM 90 Series Spray	2-3/8" Lever	-	510-SSXKCAB



524-VBABCP

Spray Valve	Handle	Spout	Model Number
1.0 GPM 90 Series Spray With Inline Vacuum Breaker	3" Cross	-	524-VBABCP



2305-ABCP



2305-613AABCP

Spray Valve	Handle	Spout	Model Number
1.0 GPM 90 Series Spray	4-5/8" Lever	9-1/2" Swing	2305-613AABCP
1.0 GPM 90 Series Spray	4-5/8" Lever	-	2305-ABCP
1.0 GPM 90 Series Spray With Inline Vacuum Breaker	4-5/8" Lever	9-1/2" Swing	2305-VB613AABCP
1.0 GPM 90 Series Spray With Inline Vacuum Breaker	4-5/8" Lever	-	2305-VBABCP

Wall-Mounted Pre-Rinse Faucets

The high performance of our pre-rinse spray valves is combined with the unmatched durability of our faucet bodies and cartridges for a workhorse dish room product.

- Solid cast brass construction for maximum strength and stability
- Available with adjustable centers for installation flexibility
- Interchangeability – easily updated with other spouts, outlets, cartridges, and handles
- Flow rates as low as .91 GPM for dramatic utility savings



923-HXKCAB

Spray Valve	Handle	Spout	Model Number
1.0 GPM 90 Series Spray	2-3/8" Lever	9-1/2" L-Type	923-613XKCAB
1.0 GPM 90 Series Spray	2-3/8" Lever	12" L-Type	923-613L12XKCAB
1.0 GPM 90 Series Spray with 3/8" Inline Offset Supply Arm	2-3/8" Lever	-	923-GXKCAB
1.0 GPM 90 Series Spray	2-3/8" Lever	9-1/2" L-Type	923-H613XKCAB
1.0 GPM 90 Series Spray with 2-1/2" Inline Offset Supply Arm	2-3/8" Lever	-	923-HVBXKCAB
1.0 GPM 90 Series Spray	2-3/8" Lever	9-1/2" L-Type	923-HXKCAB
1.0 GPM 90 Series Spray	2-3/8" Lever	-	923-XKCAB*
1.0 GPM 90 Series Spray	2-3/8" Lever	-	923-WSLXKCAB



509-GXKCAB

Spray Valve	Handle	Spout	Model Number
1.0 GPM 90 Series Spray With Inline Vacuum Breaker	2-3/8" Lever	12" L-Type	509-GCVBL12XKCAB
1.0 GPM 90 Series Spray	2-3/8" Lever	9-1/2" L-Type	509-GXKCAB*
1.0 GPM 90 Series Spray	2-3/8" Lever	-	510-GXKCAB*
1.0 GPM 90 Series Spray	2-3/8" Lever	12" L-Type	510-G613L12XKCAB*
1.0 GPM 90 Series Spray	2-3/8" Lever	14" L-Type	510-G613L15XKCAB
1.0 GPM 90 Series Spray	2-3/8" Lever	9-1/2" L-Type	510-G613XKCAB*
1.0 GPM 90 Series Spray With Inline Vacuum Breaker	2-3/8" Lever	12" L-Type	510-GVB613L12XKCAB
1.0 GPM 90 Series Spray With Inline Vacuum Breaker	2-3/8" Lever	14" L-Type	510-GVB613L15XKCAB
1.0 GPM 90 Series Spray With Inline Vacuum Breaker	2-3/8" Lever	-	610-GCLVBABCP



510-G613L12XKCAB

Glass Fillers & Dipperwell Faucet

Designed to deliver a stylish, affordable, and reliable solution – our glass and pot fillers offer a whole new level of durability, reliability, and convenience.

- Solid brass bodies for maximum strength and stability
- Glass fillers feature a heavy-duty metal lever with rubberized coating and an all-brass piston valve for durable, dependable performance



ECAST®

 **Bar and Server Stations**

 **Food Prep Areas**

Description	Model Number
Wall Mounted Glass Filler	312-ABCP*
Wall Mounted Glass Filler	324-665PSHABCP*
Deck Mounted Glass Filler	712-ABCP*



Description	Model Number
Deck Mounted Single Hole Metering Dipperwell Faucet	333-665PSHABCP*

Pot & Kettle Fillers

Our pot and kettle fillers offer unsurpassed durability, reliability, and convenience in the kitchen and make food prep more efficient.

- Solid brass construction for maximum strength and stability
- Choose deck or wall mount configurations with a wide array of spout options to meet your application



Bar and Server Stations



Food Prep Areas



ECAST[®]



GPM	Flow Type	Handle	Spout	Model Number
2.2 GPM	Softflo Aerator	2-3/8" Lever	6" S-Type	332-ABCP*
Full Flow	Laminar	2-3/8" Lever	21" Double Jointed	332-DJ21ABCP
Full Flow	Laminar	2-3/8" Lever	24" Double Jointed	332-DJ24ABCP
Full Flow	Laminar	2-3/8" Lever	26" Double Jointed	332-DJ26ABCP
Full Flow	Laminar	2-3/8" Lever	12" L-Type	334-ABCP*
Full Flow	Laminar	2-3/8" Lever	21" Double Jointed	334-DJ21ABCP
Full Flow	Laminar	2-3/8" Lever	24" Double Jointed	334-DJ24ABCP
Full Flow	Laminar	2-3/8" Lever	26" Double Jointed	334-DJ26ABCP
Full Flow	Laminar	2-3/8" Lever	21" Double Jointed	511-ABCP
Full Flow	Laminar	2-3/8" Lever	Kettle Filler Valve	512-GXKCABCP
Full Flow	Laminar	2-3/8" Lever	18" Double Jointed	515-ABCP*
Full Flow	Laminar	2-3/8" Lever	21" Double Jointed	516-ABCP

Pre-Rinse Sprays, Filler Valves & Hoses

These products are designed for high performance and reliability. Our 90 Series sprays feature high and low volume models, both with exceptional cleaning capabilities.

- Choose 1.0 GPM or 2.5 GPM flow rate
- The 90 Series features durable metal construction to stand up to the daily grind



Description	Model Number
1.0 GPM @ 60 PSI Spray Valve Water Conserving Pre-rinse	90-ANGABCP
2.5 GPM @ 60 PSI Hose Reel Pre-rinse Spray Valve	90-HABCP*
1.0 GPM @ 60 PSI Spray Valve Water Conserving Pre-rinse	90-LABCP*



Description	Model Number
2.2 GPM @ 60 PSI Pre-rinse Glass Filler	90-ANGE3ABCP
Full Flow Kettle Filler Valve	90-GNABCP



Description	Model Number
29" Stainless Steel Hose/Handle Assembly with Competitor Adapters	83-29ABNF
44" Stainless Steel Hose/Handle Assembly with Competitor Adapters	83-44ABNF*
77" Stainless Steel Hose/Handle Assembly with Competitor Adapters	83-77ABNF*



Hand Sink Faucets

Designed to help maintain good hand hygiene habits, we offer a wide selection of faucets with gooseneck spouts for improved accessibility in a choice of styles.

- Electronic faucets offer touch-free operation for added hygiene and convenience
- Manual faucets available with metering operation to eliminate handle contact after hand washing



116.123.AB.1



116.973.AB.1



116.124.AB.1

Deck Mount Electronic With 5-1/4" Gooseneck Spout

GPM	Flow Type	Water Temperature Control	Power Source	Model Number
0.5 GPM	Softflo Aerator	User Adjustable Temperature Control	Hard Wire	116.123.AB.1*
0.5 GPM	Softflo Aerator	User Adjustable Temperature Control	Battery Operated	116.223.AB.1*
1.0 GPM	Softflo Aerator	External Thermostatic Mixing Valve	SSPS	116.973.AB.1*

Wall Mount Electronic With 5-1/4" Gooseneck Spout

GPM	Flow Type	Water Temperature Control	Power Source	Model Number
0.5 GPM	Softflo Aerator	User Adjustable Temperature Control	Hard Wire	116.124.AB.1*
0.5 GPM	Softflo Aerator	User Adjustable Temperature Control	Battery Operated	116.224.AB.1*
1.0 GPM	Softflo Aerator	External Thermostatic Mixing Valve	SSPS	116.974.AB.1*



786-E35-665ABCP



895-E35-665ABCP



2302-E35ABCP

Deck Mount Manual With Gooseneck Spout

GPM	Flow Type	Handle	Spout	Model Number
1.5 GPM	Softflo Aerator	1-3/4" Push	5-1/4" Gooseneck	786-E35-665ABCP
1.5 GPM	Softflo Aerator	1-3/4" Push	3-1/2" Gooseneck	895-E35-665ABCP
1.5 GPM	Softflo Aerator	4-5/8" Lever	5-1/4" Gooseneck	2302-E35ABCP*

Manual Lavatory Faucets

Designed with durable solid brass construction and a choice of cartridges to meet your application, including metering, ceramic, or our time-tested Quatern™ cartridge.

- Solid cast brass construction for maximum strength and stability
- Integral spout design with fewer parts for a one-person installation in just a matter of minutes
- Select products feature integrated TempShield® ASSE 1070 compliant scald protection



Restrooms



Hand Wash



3500-E2805ABCP



3502-E2805ABCP



410-T41E2805ABCP



420-ABCP

GPM	Flow Type	Handle	Water Temperature Control	Model Number
0.5 GPM	Softflo Aerator	Push	Single Supply for Tempered Water	3500-E2805ABCP*
0.5 GPM	Softflo Aerator	Push	Concealed Internal Temperature Control	3501-E2805ABCP*
0.5 GPM	Softflo Aerator	Push	User Adjustable Temperature Control	3502-E2805ABCP*



802-665ABCP



802-1000ABCP

GPM	Flow Type	Handle	Spout	Model Number
0.5 GPM	Softflo Aerator	Single Lever	4-1/2" Integral	410-T41E2805ABCP
0.5 GPM	Softflo Aerator	Single Lever	4-5/8" Integral	420-T41E2805ABCP
1.5 GPM	Softflo Aerator	Single Lever	4-5/8" Integral	420-ABCP*
0.35 GPM	Softflo Aerator	Single Lever	4-5/8" Integral	420-E39VPABCP*
0.5 GPM	Softflo Aerator	Single Lever	4-5/8" Integral	420-E2805ABCP*
1.5 GPM	Softflo Aerator	Single Lever	4-5/8" Integral	420-POABCP*

GPM	Flow Type	Handle	Spout	Model Number
2.2 GPM	Softflo Aerator	4" Wristblade	4" Integral	802-317ABCP*
2.2 GPM	Softflo Aerator	1-3/4" Push	4" Integral	802-665ABCP*
2.2 GPM	Softflo Aerator	2" Canopy	4" Integral	802-1000ABCP*
2.2 GPM	Softflo Aerator	2-3/8" Lever	4" Integral	802-ABCP*

Touchless Lavatory Faucets



The most dependable electronic faucets you can buy – consistently reach over 4 million faultless activations. Our touchless faucets save water, improve hygiene, and provide an upgraded look to any restroom.

- Electronics are housed in the faucet body, above the deck, for easier installation and maintenance than any other faucet on the market
- A choice of 4 power sources: AC, DC, Self-Sustaining Power System (SSPS), or Long Term Power System (LTPS)
- All models feature external user-adjustable temperature control except E-Tronic 40 and HyTronic with SSPS

 Hand Wash

 Restrooms



GPM	Flow Type	Style	Power Source	Model Number
0.5 GPM	Softflo Aerator	HyTronic Traditional	Hard Wire†	116.121.AB.1*
0.5 GPM	Softflo Aerator		Battery Operated	116.221.AB.1*
0.35 GPM	Softflo Aerator		Battery Operated	116.221.AB.4
0.5 GPM	Softflo Aerator		LTPS	116.648.AB.1
0.5 GPM	Softflo Aerator		SSPS	116.971.AB.1*
0.5 GPM	Softflo Aerator	HyTronic Contemporary	Hard Wire	116.102.AB.1*
0.5 GPM	Softflo Aerator		Battery Operated	116.222.AB.1*
0.35 GPM	Softflo Aerator		Battery Operated	116.222.AB.4
0.5 GPM	Softflo Aerator		LTPS	116.649.AB.1
0.5 GPM	Softflo Aerator	HyTronic Curve	SSPS	116.972.AB.1*
0.5 GPM	Softflo Aerator		LTPS	116.717.AB.1
0.5 GPM	Softflo Aerator		Hard Wire	116.777.AB.1
0.5 GPM	Softflo Aerator	HyTronic Edge	Battery Operated	116.877.AB.1
0.5 GPM	Softflo Aerator		SSPS	116.977.AB.1
0.5 GPM	Softflo Aerator		LTPS	116.718.AB.1
0.5 GPM	Softflo Aerator		Hard Wire	116.778.AB.1
0.5 GPM	Softflo Aerator	E-Tronic 40	Battery Operated	116.878.AB.1
0.5 GPM	Softflo Aerator		SSPS	116.978.AB.1
0.5 GPM	Softflo Aerator		Battery Operated	116.606.AB.1*
0.5 GPM	Softflo Aerator		LTPS	116.699.AB.1
0.5 GPM	Softflo Aerator	E-Tronic 80	Hard Wire	116.706.AB.1*
0.5 GPM	Softflo Aerator		SSPS	116.956.AB.1*
0.5 GPM	Softflo Aerator		Hard Wire	E80-A11A-41ABCP
0.5 GPM	Softflo Aerator		Battery Operated	E80-A11A-11ABCP
0.5 GPM	Softflo Aerator	Battery Operated	E80-A11A-17ABCP	
0.5 GPM	Softflo Aerator	LTPS	E80-A11A-61ABCP	

† Note: Plug-in AC models also available; see chicagofaucets.com for details.

Electronic Accessories

Choose genuine Chicago Faucets accessories to enhance the function of your touchless faucets.

- Transformers are available for single or multiple faucet installations.
- Thermostatic mixing valves in a wide range of configurations help protect users against scalding.



EQ-003JKNF

Transformers

Description	Model Number
Hard-wire, multi-use Class 2 transformer with 4" mounting plate, up to 8 faucets. For 116 and E80 Series electronic faucets.	243.259.00.1
Hard-wire, multi-use Class 2 transformer with 4" mounting plate, up to 8 faucets. For 116 and E80 Series electronic faucets.	243.260.00.1
Plug-in, single-use Class 2A transformer for 116 and E80 Series electronic faucets	240.630.00.1
Plug-in, single-use Class 2A transformer for EQ Series electronic faucets	EQ-003JKNF



131-ABNF



131-CABNF

Mixing Valves for Single or Multiple Faucet Installations

Description	Model Number
Thermostatic mixing valve	131-ABNF
Thermostatic mixing valve, rough chrome finish	131-ABRCF
Thermostatic mixing valve, includes compression fittings	131-CABNF
Thermostatic mixing valve, includes compression fittings, rough chrome finish	131-CABRCF
Thermostatic mixing valve with thermal flush option, includes compression fittings	131-CFMAB
Thermostatic mixing valve with thermal flush option, includes compression fittings, rough chrome finish	131-CFMABRCF
Thermostatic mixing valve with thermal flush option	131-FMAB
Thermostatic mixing valve with thermal flush option, rough chrome finish	131-FMABRCF



240.627.21.1



242.164.21.1



3500-001KJKCP



3500-002KJKCP

Deck Plate Assemblies

Description	Model Number
HyTronic 4" Deck Plate Assembly	240.627.21.1
HyTronic 8" Deck Plate Assembly	240.628.21.1
E-Tronic 8" Deck Plate Assembly	242.164.21.1
4" Deck Plate Assembly for E-Tronic 80 and 3500 Series	3500-001KJKCP
8" Deck Plate Assembly for E-Tronic 80 and 3500 Series	3500-002KJKCP

Janitorial Sink Products

Our janitorial sink faucets are engineered for high-use, high-abuse commercial applications and feature:

- Heavy-duty, solid cast brass construction for unsurpassed durability
- Vacuum breakers integrated into the spout to help reduce back-flow risk
- Top-mounted wall bracket for extra stability
- Integrated pail hook and hose threaded outlet available for added convenience



Janitorial & Maintenance



Sink Products

GPM	Outlet	Spout	Handle	Model Number
Full Flow	3/4" Male Hose Thread	897-S	369	445-VBRXKRCRF*
0.5 GPM	3/4" Male Hose Thread	-	369	445-PVBRXKCCP*
0.35 GPM	3/4" Male Hose Thread	-	369	445-PVBCP
0.5 GPM	3/4" Male Hose Thread	897	369	897-ABRCF
0.5 GPM	3/4" Male Hose Thread	897	369	897-CCP*
0.5 GPM	3/4" Male Hose Thread	897	369	897-CP*
0.5 GPM	3/4" Male Hose Thread	897	369	897-CRCF*
0.5 GPM	3/4" Male Hose Thread	897	369	897-RCF*
0.5 GPM	3/4" Male Hose Thread	897-S	369	540-LD897SWXFABCP
0.5 GPM	3/4" Male Hose Thread	897-S	369	540-LD897SWXFACAB
0.5 GPM	3/4" Male Hose Thread	897-S	369	540-LD897SWXFCKCP
0.5 GPM	3/4" Male Hose Thread	897-S	369	540-LD897SGXKCCP*

Hose Reels

Durable metal components and compact design for versatile, space saving performance in any food service application.

- Retractable 35' x 3/8" I.D. durable rubber hose for extra convenience
- 90 Series spray with all metal construction for extra durability
- Available with exposed and concealed valve fittings for extra versatility



Dish Room

Janitorial & Maintenance

Spray Valve	Valve	Handle	Model Number
2.5 GPM 90 Series Spray	Exposed	3" Cross	535-NF
2.5 GPM 90 Series Spray	Concealed	3" Cross	536-NF*
2.5 GPM 90 Series Spray	-	-	537-NF*
2.5 GPM 90 Series Spray	-	-	537-WCNF*

The Smart Choice For Food Service Solutions.

We can help take the hassle out of selecting the right products for your project. To learn more about the options available, visit our website or contact us directly to discuss your requirements today.

Call: 847/803-5000

Write: customerservice.us@chicagofaucets.com

Visit: chicagofaucets.com/support/where-to-buy to find your Sales Representative or a Chicago Faucets plumbing distributor near you.



**CHICAGO
FAUCETS**
Geberit Group

Chicago Faucets, a member of the Geberit Group, is the leading brand of commercial faucets and fittings in the United States, offering a complete range of products for schools, laboratories, hospitals, office buildings, food service, airports, and sports facilities. Whatever your requirements may be, Chicago Faucets offers standard and made-to-order products that are designed to meet any commercial application.

© 2020 The Chicago Faucet Company. Product specifications subject to change without notice.

CF2031 12/20

2100 South Clearwater Drive, Des Plaines, IL 60018

Phone: 847/803-5000 | Fax: 847/803-5454 | Technical: 800/832-8783 | www.chicagofaucets.com

