



2022

LED BULB CATALOG

sunlite®

Providing All of Your Lighting Needs Since 1980



ABOUT US

Sunshine Lighting was founded in 1980 by Morty Kohn as a one-person operation. It evolved into a multinational enterprise, growing at a rapid pace to become one of the leading lighting manufacturers in the United States. Sunshine Lighting takes great pride in maintaining a personal relationship with each customer.

In 1996 Sunshine Lighting began developing and manufacturing the Sunlite® brand. We are producing many lighting technologies, including a vast selection of LED, Compact Fluorescent, Incandescent, HID, Halogen, Decorative, Miniature, Specialty, Stage and Studio lamps, as well as an extensive collection of electrical supplies and Light Fixtures. The Sunlite® brand has gained a reputation for quality and affordability and keeps up with the latest technologies to provide the most advanced products in the lighting industry.

In today's fast-paced world, we understand that availability is vital. With our 100,000+ square feet of warehouse space, we stock more than 13,000 different products so that we can provide immediate service to all our customers. We also carry all major brands, including Osram-Sylvania, General Electric (GE), Philips, Ushio, Universal, and many others.

Through customer interaction and feedback, we work tirelessly to introduce new and innovative products to the marketplace as well as continually improving our existing line of items to meet the high expectations our customers have come to rely on us.

Our dedicated team of technical and product specialists ensures that our products designed with safety and the environment in mind. Many of our products carry the Underwriters Laboratories and Energy Star certifications. Sunlite® partnered with the U.S. Department of Energy (DOE) Lighting Facts program, the Design Lights Consortium (C), and the American Lighting Association (ALA) among others.



Copyright ©2021 Sunlite

For Product inquiries or to place an order, please contact us at:

TOLL FREE PHONE:	800.605. BULB
VISIT:	www.sunlite.com
For general information:	info@sunlite.com
Sales department:	sales@sunlite.com
To Request a catalog:	catalog@sunlite.com

NYC Warehouse
744 Clinton Street
Brooklyn, NY 11231
Tel: 718.768.7000
Fax: 718.768.0970

Florida Warehouse
3698 1/2 NW 16th Street Bay A
Lauderhill, FL 33311
Tel: 954.316.6130
Fax: 954.316.6019

TABLE OF CONTENTS

Filament Style	4
Appliance Bulbs	11
General Purpose Lamps	11
Blacklight A19	13
High Lumen A Bulb	14
Emergnacy Battery A Bulb	14
General Purpose Lamps	15
General Purpose Colored	16
Decorative Lamps	17
Colored Reflector Lamps	19
Reflector Lamps	20
Night Lights	24
Sign Lamps	25
Tubular	25
Elevator Bulb	26
Halogen Alternative	27
Hospitality Series	27
Plant Growth	28
Decorative Lamps	28
Refrigerator Display Strip	30
Plug-In Lamps	30
Linestra Lamps	30
Plug-In Lamps (PLV/PLD)	31
T5 Advanced Bypass Dual End	32
T8 Advanced Bypass Dual End	33
T8 Bypass Single End	34
T5 Plug and Play	34
T8 Plug and Play	35
T8 Plug and Play / Economy Type	35
T8 U-Bend Plug and Play	36
T8 U-Bend Bypass Single End	36
Utility Lamps	36
High Lumen Lamps	37

120 Volts
Medium (E26)
80 CRI

2
YEAR
WARRANTY

Filament Style Standard A-Type



Clear



Silver Bowl

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Clear												
80476-SU	A19/LED/FS/6W/22K	6	40	600	100	80	Clear	2200K	15000	4.25	DIM	6
80188-SU	A19/LED/FS/6W/D/CL/27K	6	40	600	100	80	Clear	2700K	15000	4.25	DIM	6
80223-SU	A19/LED/FS/6W/D/CL/40K	6	40	600	100	84	Clear	4000K	15000	4.25	DIM	6
81109-SU	A19/LED/FS/6W/D/CL/50K	6	40	600	100	85	Clear	5000K	15000	4.25	DIM	6
Silver Bowl												
80497-SU	A19/LED/FS/SB/6W/D/CL/22K	6	40	540	90	90	Silver Bowl	2200K	25000	4.25	DIM	12



120 Volts
Medium Screw (E26)

2
YEAR
WARRANTY

Filament Style Party & Decorative



Blue



Green




Yellow



Red



Orange



Purple

Item#	Description	Watt	Eq. W	Color	Hours	MOL(in)	Features	CTN
81080-SU	A19/LED/FS/4.5W/TB/2PK	4.5	-	Transparent Blue	15000	4	DIM	3
40940-SU	A19/LED/FS/4.5W/TB/6PK	4.5	-	Transparent Blue	15000	4	DIM	4
81083-SU	A19/LED/FS/4.5W/TG/2PK	4.5	-	Transparent Green	15000	4	DIM	3
40941-SU	A19/LED/FS/4.5W/TG/6PK	4.5	-	Transparent Green	15000	4	DIM	4
81085-SU	A19/LED/FS/4.5W/TO/2PK	4.5	-	Transparent Orange	15000	4	DIM	3
40944-SU	A19/LED/FS/4.5W/TO/6PK	4.5	-	Transparent Orange	15000	4	DIM	4
81081-SU	A19/LED/FS/4.5W/TP/2PK	4.5	-	Transparent Purple	15000	4	DIM	3
40945-SU	A19/LED/FS/4.5W/TP/6PK	4.5	-	Transparent Purple	15000	4	DIM	4
81082-SU	A19/LED/FS/4.5W/TR/2PK	4.5	-	Transparent Red	15000	4	DIM	3
40943-SU	A19/LED/FS/4.5W/TR/6PK	4.5	-	Transparent Red	15000	4	DIM	4
81084-SU	A19/LED/FS/4.5W/TY/2PK	4.5	-	Transparent Yellow	15000	4	DIM	3

DIM = Dimmable

SB= Silver Bowl

Filament Style

Torpedo Tip Chandelier



CTC



CFC



ETC



EFC



120 Volts
Candelabra Screw (E12) / Medium Screw (E26)
80 CRI

2
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Candelabra Screw (E12)												
80452-SU	CTC/LED/FS/4W/E12/D/CL/18K	4	40	400	100	80	Clear	1800K	15000	3.93	DIM	6
80663-SU	CTC/LED/FS/4W/E12/D/CL/27K	4	40	400	100	80	Clear	2700K	15000	3.86	DIM	6
80661-SU	CTC/LED/FS/5W/E12/D/CL/27K	5	60	600	120	80	Clear	2700K	15000	3.86	DIM	6
81102-SU	CTC/LED/FS/5W/E12/D/CL/30K	5	60	600	120	80	Clear	3000K	15000	3.85	DIM	6
81101-SU	CTC/LED/FS/5W/E12/D/CL/40K	5	60	600	120	80	Clear	4000K	15000	3.85	DIM	6
81129-SU	CTC/LED/FS/5W/E12/D/CL/50K	5	60	600	120	80	Clear	5000K	15000	3.85	DIM	6
81336-SU	CTC/LED/FS/8.8W/E12/CL/27K	8.8	75	800	91	90	Clear	2700K	15000	3.77	DIM,T20	12
81337-SU	CTC/LED/FS/8.8W/E12/CL/30K	8.8	75	800	91	90	Clear	3000K	15000	3.77	DIM,T20	12
81339-SU	CTC/LED/FS/8.8W/E12/CL/40K	8.8	75	800	91	90	Clear	4000K	15000	3.77	DIM,T20	12
81338-SU	CTC/LED/FS/8.8W/E12/CL/50K	8.8	75	800	91	90	Clear	5000K	15000	3.77	DIM,T20	12
Candelabra Screw (E12) 220-277 Volt												
80445-SU	CTC/LED/FS/5W/E12/CL/27K/220-277V	5	60	630	105	80	Clear	2700K	15000	3.85		12
Medium Screw (E26)												
80448-SU	ETC/LED/FS/4W/E26/DIM/CL/18K	4	25	320	80	78	Clear	1800K	15000	3.93	DIM	6
80428-SU	ETC/LED/FS/4W/E26/D/CL/27K/CD2	4	40	350	88	80	Clear	2700K	15000	3.93	DIM	24
80658-SU	ETC/LED/FS/5W/E26/D/CL/27K	5	60	600	120	80	Clear	2700K	15000	3.42	DIM	6
81106-SU	ETC/LED/FS/5W/E26/D/CL/50K	5	60	600	100	80	Clear	5000K	15000	3.42	DIM	6
Candelabra Screw (E12) Flame Tip												
80679-SU	CFC/LED/FS/4W/E12/D/CL/27K	4	40	400	100	80	Clear	2700K	15000	4.25	DIM	6
80662-SU	CFC/LED/FS/5W/E12/D/CL/27K	5	60	600	120	80	Clear	2700K	15000	4.65	DIM	6
81107-SU	CFC/LED/FS/5W/E12/D/CL/40K	5	40	600	120	80	Clear	4000K	15000	4.28	DIM	6
80674-SU	CFC/LED/FS/5W/E12/D/CL/50K	5	60	650	130	80	Clear	5000K	15000	3.86	DIM	6
Medium Screw (E26) Flame Tip												
80449-SU	EFC/LED/FS/4W/E26/D/CL/18K	4	40	320	80	83	Clear	1800K	15000	4.65	DIM	6
80421-SU	EFC/LED/FS/4W/E26/D/E/CL/27K	4	40	400	100	80	Clear	2700K	15000	4.25	DIM	6

120 Volts
Medium (E26)
80 CRI

2
YEAR
WARRANTY

Filament Style

Standard A-Type



Long Filament

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
25 Watt Equivalent												
80460-SU	S19/LED/AQ/3W/DIM/CL/22K	3	25	240	80	90	Clear	2200K	25000	5.51	DIM	6
40 Watt Equivalent												
80753-SU	S19/LED/FS/4.5W/CL/27K	4.5	40	400	89	85	Clear	2700K	15000	5.04	DIM	6
60 Watt Equivalent												
80461-SU	S19/LED/FS/6W/D/CL/22K/LF	6	60	600	100	80	Clear	2200K	15000	5.51	DIM,LF	6
80890-SU	S19/LED/FS/6W/D/CL/27K/LF	6	60	600	100	80	Clear	2700K	15000	5.51	DIM,LF	6
75 Watt Equivalent												
80749-SU	S19/LED/FS/8.5W/CL/22K/LF	8.5	75	880	104	85	Clear	2200K	15000	5.04	DIM,LF	6
80750-SU	S19/LED/FS/8.5W/CL/27K/LF	8.5	75	880	104	85	Clear	2700K	15000	5.04	DIM,LF	6

120 Volts
Medium Screw (E26)
90 CRI

2
YEAR
WARRANTY

Filament Style

Sign Colored



Clear



Black



Blue



Green



Orange



Purple



Red



Yellow



Smoke

Item#	Description	Watt	Eq. W	Lumen	Color	CRI	Kelvin	Hours	MOL(in)	Features	CTN
Medium Screw (E26)											
81079-SU	S14/LED/FS/2W/22K	2	25	200	Amber Light	80	2200K	15000	3.46	DIM	6
81073-SU	S14/LED/FS/2W/27K	2	25	200	Warm White	80	2700K	15000	3.46	DIM	6
80474-SU	S14/LED/FS/4W/D/CL/22K	4	30	340	Amber Light	90	2200K	15000	3.46	DIM	6
80478-SU	S14/LED/FS/4W/D/CL/27K	4	25	340	Warm White	90	2700K	15000	3.46	DIM	6
Colored											
81091-SU	S14/LED/FS/2W/TBL	2	-	-	Transparent Black	-	-	15000	3.46	DIM	6
40973-SU	S14/LED/FS/2W/TBL/6PK	2	-	-	Transparent Black	-	-	15000	3.46	DIM	8
40972-SU	S14/LED/FS/2W/TB/6PK	2	-	-	Transparent Blue	-	-	15000	3.46	DIM	8
40974-SU	S14/LED/FS/2W/TG/6PK	2	-	-	Transparent Green	-	-	15000	3.46	DIM	8
40975-SU	S14/LED/FS/2W/TO/6PK	2	-	-	Transparent Orange	-	-	15000	3.46	DIM	8
40976-SU	S14/LED/FS/2W/TP/6PK	2	-	-	Transparent Purple	-	-	15000	3.46	DIM	8
40977-SU	S14/LED/FS/2W/TR/6PK	2	-	-	Transparent Red	-	-	15000	3.46	DIM	8
40978-SU	S14/LED/FS/2W/TY/6PK	2	-	-	Transparent Yellow	-	-	15000	3.46	DIM	8
81093-SU	S14/LED/FS/2W/A	2	-	-	Transparent Smoke	-	-	15000	3.46	DIM	6

Filament Style

Globe

120 Volts
Medium Screw (E26) & Candelabra Screw (E12)

2
YEAR
WARRANTY



G16

G16.5



G25



G30
Long Filament



G40
Long Filament



G40 Silver Bowl

8"
7"
6"
5"
4"
3"
2"
1"

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
G16 Medium Screw (E26)												
80454-SU	G16/LED/FS/3W/E26/D/CL/22K	3	25	250	83	85	Clear	2200K	15000	2.95	DIM	6
81112-SU	G16/LED/FS/3W/E26/D/CL/27K	3	25	250	83	85	Clear	2700K	15000	3.34	DIM	6
G16.5 Candelabra Screw (E12)												
80757-SU	G16.5/LED/FS/2.5W/E12/CL/30K	2.5	25	250	100	85	Clear	3000K	15000	3.35	DIM	6
80756-SU	G16.5/LED/FS/2.5W/E12/CL/50K	2.5	25	250	100	85	Clear	5000K	15000	3.35	DIM	1
80788-SU	G16.5/LED/FS/5W/E12/CL/30K	5	60	500	100	85	Clear	3000K	15000	3.35	DIM	6
80789-SU	G16.5/LED/FS/5W/E12/CL/50K	5	60	500	100	85	Clear	5000K	15000	3.35	DIM	6
41547-SU	G16.5/LED/FS/5W/E12/CL/30K/6PK	5	60	500	100	85	Clear	3000K	15000	3.35	DIM	12
41548-SU	G16.5/LED/FS/5W/E12/CL/50K/6PK	5	60	500	100	85	Clear	5000K	15000	3.35	DIM	12
G25 Medium Screw (E26)												
80464-SU	G25/LED/FS/4W/D/CL/22K	4	40	300	75	79	Clear	2200K	15000	3.15	DIM	6
80465-SU	G25/LED/FS/6W/D/CL/22K/LF	6	40	480	80	90	Clear	2200K	15000	4.65	DIM,LF	6
80494-SU	G25/LED/FS/SB/6W/D/CL/27K	6	60	530	88	85	Silver Bowl	2700K	15000	3.14	DIM	6
81115-SU	G25/LED/FS/6W/D/CL/27K/LF	6	75	600	100	85	Clear	2700K	15000	4.53	DIM,LF	6
81116-SU	G25/LED/FS/6W/D/CL/40K/LF	6	75	600	100	85	Clear	4000K	15000	4.53	DIM,LF	6
81117-SU	G25/LED/FS/6W/D/CL/50K/LF	6	75	600	100	85	Clear	5000K	15000	4.53	DIM,LF	6
G30 Medium Screw (E26)												
80450-SU	G30/LED/FS/6W/D/CL/22K	6	40	420	70	77	Clear	2200K	15000	5.31	DIM	6
80600-SU	G30/LED/FS/8W/CL/22K/LF	8	100	880	110	90	Clear	2200K	15000	3.74	DIM,LF	24
80601-SU	G30/LED/FS/8W/CL/27K/LF	8	100	880	110	85	Clear	2700K	15000	5.43	DIM,LF	6
G40 Medium Screw (E26)												
80467-SU	G40/LED/FS/8W/D/CL/22K/LF	8	100	880	110	85	Clear	2200K	15000	6.61	DIM,LF	6
80472-SU	G40/LED/FS/8W/D/CL/27K/LF	8	100	880	110	85	Clear	2700K	15000	7.09	DIM,LF	6
G40 Medium Screw (E26) Silver Bowl												
80506-SU	G40/LED/FS/SB/7W/CL/27K	7	75	600	86	85	Silver Bowl	2700K	15000	6.89	DIM	6

Specifications may change without notice.
We are not responsible for any typographical errors

SUNLITE.COM

CALL 718.768.7000

TOLL-FREE 800.605.BULB

sunlite

120 Volts
Medium Screw (E26) / Mogul Screw (E39)
90 CRI

2
YEAR
WARRANTY

Filament Style

Designer Lamps



version is available



Diamond



LU



FD



PS30



G48

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Medium Screw (E26)												
80469-SU	DIAMOND/LED/FS/6W/D/CL/22K	6	40	480	80	90	Clear	2200K	15000	6.5	DIM	24
80616-SU	LU/LED/FS/6W/D/CL/22K	6	40	430	72	82	Clear	2200K	15000	2.08	DIM	10
80459-SU	FD/LED/FS/6W/D/AMBER/22K	6	60	450	75	90	Smoke	2200K	15000	6.5	DIM	6
81098-SU	PS30/LED/FS/4.5W/22K/AMBER	4.5	25	250	56	80	Smoke	2200K	15000	6.68	DIM	6
Mogul Screw (E39)												
80484-SU	G48/LED/FS/SWIRL/E26-E39/12W/D/22K	12	100	1200	100	90	Clear	2200K	25000	5.9	DIM	4

Filament Style

Pattern Thread



120 Volts
Medium Screw (E26)
80 CRI

2
YEAR
WARRANTY



T14



G30



G40

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
81253-SU	T14/PT/3.5W/20K/AG/110mm	3.5	-	120	34	80	Smoke	2000K	15000	4.3	DIM	6
81254-SU	G30/PT/3.5W/20K/AG	3.5	-	120	34	80	Smoke	2000K	15000	5.55	DIM	6
81255-SU	G40/PT/3.5W/20K/AG	3.5	-	120	34	80	Smoke	2000K	15000	6.3	DIM	6



120 Volts
80 CRI

Filament Style

Tubular



version is available

2
YEAR
WARRANTY



	Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
A	T6 Intermediate Screw (E17)												
	81074-SU	T6.5/LED/FS/2W/E17/CL/27K/139MM/CD	2	25	180	90	80	Clear	2700K	10000	5.51		6
B	T8 Candelabra Screw (E12)												
	80501-SU	T8/LED/FS/2W/E12/D/CL/22K/85MM	2	25	120	60	80	Clear	2200K	10000	1.27	DIM	12
	80502-SU	T8/LED/FS/2W/E12/D/CL/27K/85MM	2	25	130	65	80	Clear	2700K	10000	1.27	DIM	12
	80498-SU	T8/LED/FS/2W/E12/27K/6PK/85MM	2	25	130	65	80	Clear	2700K	10000	32.5	DIM	12
	T8 Medium Screw (E26)												
C	80481-SU	T8/LED/FS/5W/E26/D/CL/22K/300MM	5	40	500	100	80	Clear	2200K	10000	11.6	DIM	1
	80471-SU	T8/LED/FS/5W/DIM/CL/27K/300MM	5	40	430	86	80	Clear	2700K	10000	11.75	DIM	10
D	80490-SU	T8/LED/FS/5W/E26/22K/214MM	5	40	430	86	80	Clear	2200K	10000	8.42	DIM	10
	80482-SU	T8/LED/FS/5W/E26/D/CL/27K/214MM	5	40	430	86	80	Clear	2700K	10000	8.42	DIM	10
	T10 Medium Screw (E26)												
E	80610-SU	T10/LED/FS/2W/E26/CL/22K/126MM	2	25	160	80	85	Clear	2200K	10000	4.92	DIM	12
	80615-SU	T10/LED/FS/2W/E26/CL/27K/126MM	2	25	160	80	80	Clear	2700K	10000	4.96	DIM	12
	40232-SU	T10/LED/FS/2W/E26/CL/27K/126MM/6PK	2	25	160	80	80	Clear	2700K	10000	4.96	DIM	12
F	80612-SU	T10/LED/FS/6W/E26/CL/22K/128MM	6	40	460	77	85	Clear	2200K	10000	4.92	DIM	12
	80611-SU	T10/LED/FS/6W/E26/CL/27K/128MM	6	60	600	100	80	Clear	2700K	10000	5	DIM	12
G	80614-SU	T10/LED/FS/6W/E26/CL/22K/222MM	6	60	570	95	85	Clear	2200K	10000	8.86	DIM	12
	80619-SU	T10/LED/FS/6W/E26/CL/27K/222MM	6	60	570	95	90	Clear	2700K	10000	8.86	DIM	12
	T12 Medium Screw (E26)												
H	80458-SU	T12/LED/FS/3W/E26/D/CL/22K/104MM	3	25	240	80	80	Clear	2200K	10000	4.09	DIM	12
	80892-SU	T12/LED/FS/3W/E26/D/CL/27K/100MM	3	25	350	117	85	Clear	2700K	10000	4.25	DIM	6
I	80488-SU	T12/LED/FS/6W/E26/D/CL/22K/300MM	6	60	540	90	80	Clear	2200K	10000	12.2	DIM	10
	T14 Medium Screw (E26)												
J	80608-SU	T14/LED/FS/6W/22K/AMBER/127MM	6	60	660	102	80	Smoke	2200K	10000	5.04	DIM	12

Appliance Bulbs

40 Watt Equivalent



Frosted



Clear



E17 | Frosted

120 Volts
Medium Screw (E26) / Intermediate Screw (E17)
80 CRI

3
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Medium Screw (E26)												
88378-SU	A15/LED/6W/D/E/FR/27K	6	40	480	80	80	Frosted	2700K	25000	3.27	DIM,ES	6
80133-SU	A15/LED/6W/D/CL/30K	6	40	500	83	80	Clear	3000K	15000	3.26	DIM	6
80175-SU	A15/LED/6W/D/E/FR/30K	6	40	480	80	80	Frosted	2700K	25000	3.27	DIM,ES	6
80218-SU	A15/LED/6W/D/E/FR/40K	6	40	480	80	80	Frosted	4000K	25000	3.27	DIM,ES	6
80224-SU	A15/LED/6W/D/E/FR/50K	6	40	480	80	80	Frosted	5000K	25000	3.27	DIM,ES	6
Intermediate Screw (E17)												
80334-SU	A15/LED/6W/E17/D/FR/30K	6	40	480	80	85	Frosted	3000K	15000	1.89	DIM	6

General Purpose Lamps

GU24 Base



version is available



120 Volts
Twist & Lock (GU24)
80 CRI

2
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
60 Watt Equivalent 90 CRI												
87973-SU	A19/GU24/LED/10W/CRI90/27K	10	60	800	80	90	White	2700K	25000	4.13	DIM,ES,T20	6
82044-SU	A19/GU24/LED/10W/CRI90/D/E/30K/6PK	10	60	800	80	90	White	3000K	25000	4.51	DIM,ES,T20/T24	12
87974-SU	A19/GU24/LED/10W/CRI90/40K	10	60	800	80	90	White	4000K	25000	4.13	DIM,ES,T20	6
87975-SU	A19/GU24/LED/10W/CRI90/50K	10	60	800	80	90	White	5000K	25000	4.13	DIM,ES,T20	6
75 Watt Equivalent												
88254-SU	A19/GU24/LED/12W/27K	12	75	1100	92	80	White	2700K	25000	4.13	DIM,ES	6
82102-SU	A19/GU24/LED/12W/CRI90/30K/6PK	12	75	1100	92	90	White	3000K	25000	4.13	DIM,T24	12
88255-SU	A19/GU24/LED/12W/40K	12	75	1100	92	80	White	4000K	25000	4.13	DIM,ES	6
88256-SU	A19/GU24/LED/12W/50K	12	75	1100	92	80	White	5000K	25000	4.13	DIM,ES	6
100 Watt Equivalent												
88257-SU	A19/GU24/LED/14W/27K	14	100	1500	107	80	White	2700K	15000	4.13	DIM	6
82103-SU	A19/GU24/LED/14W/CRI90/30K/6PK	14	100	1500	107	90	White	3000K	25000	4.13	DIM,T24	12
88258-SU	A19/GU24/LED/14W/40K	14	100	1500	107	80	White	4000K	15000	4.13	DIM	6
88259-SU	A19/GU24/LED/14W/50K	14	100	1500	107	80	White	5000K	15000	4.13	DIM	6

Specifications may change without notice.
We are not responsible for any typographical errors

SUNLITE.COM

CALL 718.768.7000

TOLL-FREE 800.605.BULB

sunlite



120 Volts
Medium Screw (E26)
80 CRI

2
YEAR
WARRANTY

General Purpose Lamps

40/60/75/100 Watt Equivalent



Card



4 Pack Card



12 Pack Box



3 Pack Box

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
40 Watt Equivalent Dimmable												
88347-SU	A19/LED/6W/E/D/27K	6	40	450	75	80	White	2700K	25000	4.13	DIM,ES	6
88348-SU	A19/LED/6W/E/D/40K	6	40	480	80	80	White	4000K	25000	4.13	DIM,ES	6
88234-SU	A19/LED/6W/E/D/50K	6	40	450	75	80	White	5000K	25000	4.13	DIM,ES	6
60 Watt Equivalent Dimmable												
88379-SU	A19/LED/9W/E/D/27K	9	60	800	89	80	White	2700K	25000	4.13	DIM,ES	6
88391-SU	A19/LED/9W/E/D/30K	9	60	800	89	80	White	3000K	25000	4.13	DIM,ES	6
80683-SU	A19/LED/9W/E/D/40K	9	60	800	89	80	White	4000K	25000	4.13	DIM,ES	6
80693-SU	A19/LED/9W/E/D/50K	9	60	800	89	80	White	5000K	25000	4.13	DIM,ES	6
80594-SU	A19/LED/9W/D/65K	9	60	800	89	80	White	6500K	15000	4.13	DIM	6
60 Watt Equivalent Non-Dimmable Carded ECO												
81024-SU	A19/LED/9W/27K/CD4	9	60	800	89	80	White	2700K	11000	4.25		6
80711-SU	A19/LED/9W/30K/CD1	9	60	800	89	80	White	3000K	15000	4.25		12
80726-SU	A19/LED/9W/50K/CD1	9	60	800	89	80	White	5000K	15000	4.25		12
80717-SU	A19/LED/9W/65K/CD1	9	60	800	89	80	White	6500K	15000	4.25		12
81025-SU	A19/LED/9W/65K/CD4	9	60	800	89	80	White	6500K	15000	4.25		6
60 Watt Equivalent Non-Dimmable 3 Packs ECO												
80682-SU	A19/LED/9W/30K/3PK	9	60	800	89	80	White	3000K	15000	4.25		6
80688-SU	A19/LED/9W/40K/3PK	9	60	800	89	80	White	4000K	15000	4.25		6
80739-SU	A19/LED/9W/50K/3PK	9	60	800	89	80	White	5000K	15000	4.25		6
80681-SU	A19/LED/9W/65K/3PK	9	60	800	89	80	White	6500K	15000	4.25		6
60 Watt Equivalent Non-Dimmable 12 Packs ECO												
81021-SU	A19/LED/9W/30K/12PK	9	60	800	89	80	White	3000K	15000	4.17		12
81022-SU	A19/LED/9W/50K/12PK	9	60	800	89	80	White	5000K	11000	4.17		12
81023-SU	A19/LED/9W/65K/12PK	9	60	800	89	80	White	6500K	11000	4.17		12
60 Watt Equivalent 100-240 Volts												
80126-SU	A19/LED/9W/50K/MV	9	60	810	90	80	White	5000K	25000	4.25		6
75 Watt Equivalent Dimmable												
88343-SU	A19/LED/12W/E/D/27K	11	75	1100	100	80	White	2700K	25000	3.05	DIM,ES	6
88344-SU	A19/LED/11W/E/D/30K	12	75	1100	92	80	White	3000K	25000	3.05	DIM,ES	6
88351-SU	A19/LED/11W/E/D/40K	11	75	1100	92	80	White	4000K	25000	3.05	DIM,ES	6
88308-SU	A19/LED/12W/E/D/50K	12	75	1100	92	81	White	5000K	25000	4.29	DIM,ES	12
80743-SU	A19/LED/12W/E/D/OD/50K	12	75	1100	92	80	White	5000K	25000	4.42	DIM,ES	6

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
75 Watt Equivalent Non-Dimmable Carded ECO												
81026-SU	A19/LED/12W/27K/CD4	12	75	1100	92	80	White	2700K	11000	4.17		6
80687-SU	A19/LED/11W/30K/CD1	11	75	1100	100	80	White	3000K	15000	4.17		12
80684-SU	A19/LED/11W/65K/CD1	11	75	1100	100	80	White	6500K	15000	4.17		12
81027-SU	A19/LED/11W/65K/CD4	11	75	1100	92	80	White	6500K	15000	4.17		6
75 Watt Equivalent Non-Dimmable 3 Packs ECO												
80859-SU	A19/LED/11W/30K/3PK	11	75	1100	100	80	White	3000K	15000	4.25		6
80862-SU	A19/LED/11W/40K/3PK	11	75	1100	100	80	White	4000K	15000	4.25		6
80854-SU	A19/LED/11W/50K/3PK	11	75	1100	100	80	White	5000K	15000	4.25		6
80853-SU	A19/LED/11W/65K/3PK	11	75	1100	100	80	White	6500K	15000	4.25		6
100 Watt Equivalent Dimmable												
80597-SU	A19/LED/14W/D/30K	14	100	1500	107	80	White	3000K	15000	5.28	DIM	6
80808-SU	A19/LED/15W/D/40K	15	100	1600	107	80	White	4000K	15000	5.28	DIM,ES	6
80809-SU	A19/LED/15W/D/50K	15	100	1600	107	80	White	5000K	25000	5.28	DIM,ES	6
80598-SU	A19/LED/14W/D/50K	14	100	1500	107	80	White	5000K	15000	5.28	DIM	6
80599-SU	A19/LED/14W/D/65K	14	100	1500	107	80	White	6500K	15000	5.28	DIM	6
100 Watt Equivalent Non-Dimmable ECO												
81028-SU	A19/LED/14W/27K/CD4	14	100	1500	107	80	White	2700K	11000	4.72		6
80848-SU	A19/LED/14W/30K/CD1	14	100	1500	107	80	White	3000K	15000	4.72		12
80858-SU	A19/LED/14W/50K/CD1	14	100	1500	107	80	White	5000K	15000	4.72		12
80940-SU	A19/LED/14W/65K/CD1	14	100	1500	107	80	White	6500K	15000	4.72		12
81029-SU	A19/LED/14W/65K/CD4	14	100	1500	107	80	White	6500K	15000	4.72		6
100 Watt Equivalent Non-Dimmable 3 Packs ECO												
80937-SU	A19/LED/14W/30K/3PK	14	100	1500	107	80	White	3000K	15000	4.72		6
80936-SU	A19/LED/14W/40K/3PK	14	100	1500	107	80	White	4000K	15000	4.72		6
80938-SU	A19/LED/14W/50K/3PK	14	100	1500	107	80	White	5000K	15000	4.72		6
80939-SU	A19/LED/14W/65K/3PK	14	100	1500	107	80	White	6500K	15000	4.72		6

Blacklight A19

UV Bulb



120 Volts
Medium Screw (E26)

2
YEAR
WARRANTY

Item#	Description	Watt	nm	Color	Hours	MOL(in)	Features	CTN
80114-SU	A19/LED/2W/BLB	2	365nm	UV-A Black Light	10000	4.21	-	6
40741-SU	A19/LED/2W/BLB/6PK	2	365nm	UV-A Black Light	10000	4.21	-	8

BLACK LIGHTS

365_{nm} LED

Identification & monetary validation. Forensic Investigations.

Special effects, art illumination, UV painting, Halloween parties.

Night clubs, bars lighting, and other entertainment venues

Sunlite's LED Blacklight emits UV-A light at the sweet spot of 365nm thus ensuring only surfaces that fluoresce will illuminate. This combined with the low power consumption of LED technology and being maintenance free due to its long life makes this the ideal bulb to install wherever true UV-A light is needed.

120 Volts
Medium Screw (E26)
80 CRI


3
YEAR
WARRANTY

High Lumen A Bulb

A21



Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
100 Watt Equivalent												
80724-SU	A21/LED/15W/D/E/27K	15	100	1600	107	80	White	2700K	25000	5.2	DIM,ES	6
80803-SU	A21/LED/15W/D/E/30K	15	100	1600	107	80	White	3000K	25000	5.2	DIM,ES	6
80804-SU	A21/LED/15W/D/E/40K	15	100	1600	107	80	White	4000K	25000	5.2	DIM,ES	6
150 Watt Equivalent												
82105-SU	A21/LED/20W/MV/30K	20	150	2550	128	80	White	3000K	25000	5.12		6
82106-SU	A21/LED/20W/MV/40K	20	150	2550	128	80	White	4000K	25000	5.12		6
82107-SU	A21/LED/20W/MV/50K	20	150	2550	128	80	White	5000K	25000	5.12		6
300 Watt Equivalent MV 120-277V												
82108-SU	A23/LED/26W/MV/30K	26	300	4000	154	80	White	3000K	25000	6.5		6
82109-SU	A23/LED/26W/MV/40K	26	300	4000	154	80	White	4000K	25000	6.5		6
82110-SU	A23/LED/26W/MV/50K	26	300	4000	154	80	White	5000K	25000	6.5		6



120 Volts
Medium Screw (E26)
80 CRI
Built-in up to 4 Hours of Backup Power

Battery Backup

3
YEAR
WARRANTY

Emergency Battery A Bulb

A21

In the event of a power outage, the built-in rechargeable lithium-ion battery will activate. Emergency light illuminates at 400 lumens for up to 4 hours. Light switch must be turned "on" to activate the emergency light when power is lost. Switching to "off" will shut the light.



Included Hanging Cap
Hook with On/Off Switch

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
60 Watt Equivalent												
70321-SU	A21/EM/9W/30K	9	60	800	89	80	White	3000K	25000	2.76		6
70322-SU	A21/EM/9W/50K	9	60	800	89	80	White	5000K	25000	2.76		6

General Purpose Lamps

Sunlite Exclusive



120 Volts
Medium Screw (E26)
80 CRI

3
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Blinker												
80204-SU	A19/LED/5W/BL/WW	5	40	500	100	80	White	3000K	25000	4.33	Blink On / Off	12

General Purpose Lamps

Shabbulb



110-240 Volts
Medium Screw (E26)
80 CRI

SHABBULB™


3
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Shabbulb												
81140-SU	A19/LED/7W/SHAB/E27/30K	7	40	450	64	80	White	3000K	10000	4.52		12

General Purpose Colored Party & Decorative




wildlife lighting
available



120 Volts
Medium Screw (E26)

2
YEAR
WARRANTY



Green

Yellow

Pink

Purple



Blue



Item#	Description	Watt	Lumen	LPW	Color	Hours	MOL(in)	Features	CTN
80145-SU	A19/3W/B/LED	3	45	15	Blue	25000	4.27		6
40450-SU	A19/3W/B/LED/3PK	3	45	15	Blue	25000	4.27		6
40468-SU	A19/3W/B/LED/6PK	3	45	15	Blue	25000	4.27		8
80146-SU	A19/3W/G/LED	3	130	43	Green	25000	4.27		6
40451-SU	A19/3W/G/LED/3PK	3	130	43	Green	25000	4.27		6
40469-SU	A19/3W/G/LED/6PK	3	130	43	Green	25000	4.27		8
80147-SU	A19/3W/O/LED	3	65	22	Orange	25000	4.27	WILD	6
40452-SU	A19/3W/O/LED/3PK	3	65	22	Orange	25000	4.27	WILD	6
40470-SU	A19/3W/O/LED/6PK	3	65	22	Orange	25000	4.27	WILD	8
80149-SU	A19/3W/Y/LED	3	70	23	Yellow	25000	4.27		6
80168-SU	A19/3W/P/LED	3	140	47	Pink	25000	4.27		6
40473-SU	A19/3W/P/LED/6PK	3	140	47	Pink	25000	4.27		8
80132-SU	A19/3W/PR/LED	3	103	34	Purple	15000	4.27		6
40946-SU	A19/3W/PR/LED/6PK	3	103	34	Purple	15000	4.27		8
41527-SU	A19/3W/PR/LED/3PK	3	103	34	Purple	15000	4.27		6
80148-SU	A19/3W/R/LED	3	100	33	Red	25000	4.27	WILD	6
40454-SU	A19/3W/R/LED/3PK	3	100	33	Red	25000	4.27	WILD	6
40471-SU	A19/3W/R/LED/6PK	3	100	33	Red	25000	4.27	WILD	8

Decorative Lamps

Globe



version is available



G16



G16.5



G25



120 Volts
Medium Screw (E26) / Candelabra (E12)
82 CRI

3
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
G16 Medium Screw (E26)												
80518-SU	G16/LED/5W/D/E26/CL/E/27K/CD	5	40	350	70	82	Clear	2700K	25000	2.83	DIM,ES	6
80653-SU	G16/LED/5W/D/E26/FR/E/27K	5	40	350	70	82	Frosted	2700K	25000	2.83	DIM,ES	6
80548-SU	G16/LED/7W/D/E26/CL/E/27K	7	60	500	71	82	Clear	2700K	25000	3.25	DIM,ES	6
40289-SU	G16/LED/7W/D/E26/CL/E/27K/3PK	7	60	500	71	82	Clear	2700K	25000	3.25	DIM,ES	6
40291-SU	G16/LED/7W/D/E26/FR/E/27K/3PK	7	60	500	71	82	Frosted	2700K	25000	3.25	DIM,ES	6
40292-SU	G16/LED/7W/D/E26/FR/E/27K/6PK	7	60	500	71	82	Frosted	2700K	25000	3.25	DIM,ES	12
G16.5 Candelabra Screw (E12) 40 Eq.W												
80651-SU	G16.5/LED/5W/D/E12/FR/E/27K	5	40	350	70	82	Frosted	2700K	25000	2.91	DIM,ES	3
40295-SU	G16.5/LED/5W/D/E12/FR/E/27K/3PK	5	40	350	70	82	Frosted	2700K	25000	2.91	DIM,ES	6
40296-SU	G16.5/LED/5W/D/E12/FR/E/27K/6PK	5	40	350	70	82	Frosted	2700K	25000	2.91	DIM,ES	12
80409-SU	G16.5/LED/5W/D/E12/CL/E/27K/6PK	5	40	350	70	82	Clear	2700K	25000	2.91	DIM,ES	6
40293-SU	G16.5/LED/5W/D/E12/CL/E/27K/3PK	5	40	350	70	82	Clear	2700K	25000	2.91	DIM,ES	6
40294-SU	G16.5/LED/5W/D/E12/CL/E/27K/6PK	5	40	350	70	82	Clear	2700K	25000	2.91	DIM,ES	12
G16.5 Candelabra Screw (E12) 60 Eq.W												
80545-SU	G16.5/LED/7W/D/E12/FR/E/27K	7	60	500	71	82	Frosted	2700K	25000	2.91	DIM,ES	6
40299-SU	G16.5/LED/7W/D/E12/FR/E/27K/3PK	7	60	500	71	82	Frosted	2700K	25000	2.91	DIM,ES	6
40306-SU	G16.5/LED/7W/D/E12/FR/E/27K/6PK	7	60	500	71	82	Frosted	2700K	25000	2.91	DIM,ES	12
80544-SU	G16.5/LED/7W/D/E12/CL/E/27K	7	60	500	71	82	Clear	2700K	25000	2.91	DIM,ES	6
40297-SU	G16.5/LED/7W/D/E12/CL/E/27K/3PK	7	60	500	71	82	Clear	2700K	25000	2.91	DIM,ES	6
G25 Medium Screw (E26) ECO												
80668-SU	G25/LED/7W/FR/27K	7	60	500	71	80	White	2700K	15000	4.53		6
80669-SU	G25/LED/7W/FR/30K	7	60	500	71	80	White	3000K	15000	4.53		6
80670-SU	G25/LED/7W/FR/40K	7	60	500	71	80	White	4000K	15000	4.53		6
G25 Medium Screw (E26)												
80672-SU	G25/LED/7W/D/FR/E/27K	7	60	500	71	83	Frosted	2700K	25000	4.3	DIM,ES	6
80673-SU	G25/LED/7W/D/FR/E/30K	7	60	500	71	80	Frosted	3000K	15000	4.4	DIM,ES	6
40366-SU	G25/LED/7W/D/FR/E/27K/6PK	7	60	500	71	83	Frosted	2700K	25000	4.3	DIM,ES	12
80671-SU	G25/LED/7W/D/CL/E/27K	7	60	500	71	82	Clear	2700K	25000	4.41	DIM,ES	6
82042-SU	G25/LED/7W/CRI90/FR/D/E/30K/6PK	7	60	500	71	90	Frost	3000K	25000	4.42	DIM,ES,T20/T24	12
90 CRI JA8 Title 24 / Title 20												
82038-SU	G16/LED/5W/CRI90/E26/CL/D/E/30K/6PK	5	40	350	70	90	Clear	3000K	25000	2.91	DIM,ES,T20/T24	12
82039-SU	G16/LED/5W/CRI90/E26/FR/D/E/30K/6PK	5	40	350	70	90	Frost	3000K	25000	2.91	DIM,ES,T20/T24	12
82041-SU	G16.5/LED/5W/CRI90/E12/FR/D/E/30K/6PK	5	40	350	70	90	Frost	3000K	25000	2.95	DIM,ES,T20/T24	12
82040-SU	G16.5/LED/5W/CRI90/E12/CL/D/E/30K/6PK	5	40	350	70	90	Clear	3000K	25000	2.95	DIM,ES,T20/T24	12



120 Volts
Candelabra Screw (E12) / E14 / E26
82 CRI

3
YEAR
WARRANTY

Decorative Lamps

Chandelier



version is available



Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Torpedo Tip Candelabra Screw (E12) 40 Eq.W												
80770-SU	CTC/LED/4.5W/E12/CL/D/E/27K	4.5	40	300	67	80	Clear	2700K	25000	3.85	DIM,ES	6
80771-SU	CTF/LED/4.5W/E12/FR/D/E/27K	4.5	40	300	67	80	Frosted	2700K	25000	3.85	DIM,ES	6
80769-SU	CTC/LED/4.5W/E12/CL/D/E/30K	4.5	40	300	67	80	Clear	3000K	15000	3.85	DIM,ES	6
82037-SU	CTC/LED/4.5W/CRI90/E12/CL/D/E/30K/6PK	4.5	40	320	71	90	Clear	3000K	25000	3.85	DIM,ES,T24/T20	12
80778-SU	CTF/LED/4.5W/E12/FR/D/E/30K	4.5	40	300	67	80	Frosted	3000K	15000	3.78	DIM,ES	6
80775-SU	CTC/LED/4.5W/E12/CL/D/E/40K	4.5	40	300	67	80	Clear	4000K	15000	3.78	DIM,ES	6
80779-SU	CTF/LED/4.5W/E12/FR/D/E/40K	4.5	40	300	67	80	Frosted	4000K	15000	3.78	DIM,ES	6
80777-SU	CTC/LED/4.5W/E12/CL/D/E/50K	4.5	40	300	67	80	Clear	5000K	15000	3.78	DIM,ES	6
80781-SU	CTF/LED/4.5W/E12/FR/D/E/50K	4.5	40	300	67	80	Frosted	5000K	15000	3.78	DIM,ES	6
Torpedo Tip Candelabra Screw (E12) 60 Eq.W												
80774-SU	CTC/LED/7W/E12/CL/D/E/27K	7	60	500	71	80	Clear	2700K	25000	4.25	DIM,ES	6
80405-SU	CTF/LED/7W/E12/FR/D/E/27K	7	60	500	71	80	Frosted	2700K	25000	4.25	DIM,ES	6
80782-SU	CTC/LED/7W/E12/CL/D/E/30K	7	60	500	71	80	Clear	3000K	15000	4.25	DIM,ES	6
80786-SU	CTF/LED/7W/E12/FR/D/E/30K	7	60	500	71	80	Frosted	3000K	15000	4.25	DIM,ES	6
80783-SU	CTC/LED/7W/E12/CL/D/E/40K	7	60	500	71	80	Clear	4000K	15000	4.25	DIM,ES	6
80787-SU	CTF/LED/7W/E12/FR/D/E/40K	7	60	500	71	80	Frosted	4000K	15000	4.25	DIM,ES	6
80785-SU	CTC/LED/7W/E12/CL/D/E/50K	7	60	500	71	80	Clear	5000K	15000	4.25	DIM,ES	6
80791-SU	CTF/LED/7W/E12/FR/D/E/50K	7	60	500	71	80	Frosted	5000K	15000	4.25	DIM,ES	6
Torpedo Tip European (E14) 40 Eq.W												
81486-SU	CTC/LED/5W/E14/CL/D/27K	5	40	470	94	80	Clear	2700K	25000	4.13	DIM	1
81485-SU	CTF/LED/5W/E14/FR/D/27K	5	40	470	94	80	Frosted	2700K	25000	4.13	DIM	1
Flame Tip Candelabra Screw (E12)												
80772-SU	CFC/LED/4.5W/E12/CL/D/E/27K	4.5	40	300	67	80	Clear	2700K	25000	3.97	DIM,ES	6
80773-SU	CFF/LED/4.5W/E12/FR/D/E/27K	4.5	40	300	67	80	Frosted	2700K	25000	3.97	DIM,ES	6
80776-SU	CFC/LED/7W/E12/CL/D/E/27K	7	60	500	71	80	Clear	2700K	25000	4.48	DIM,ES	6
Torpedo Tip Medium Screw (E26)												
80780-SU	ETC/LED/4.5W/E26/CL/D/E/27K	4.5	40	300	67	80	Clear	2700K	25000	3.81	DIM,ES	6
80350-SU	ETF/LED/4.5W/E26/FR/D/E/27K	4.5	40	300	67	80	Frosted	2700K	25000	3.82	DIM,ES	6
41381-SU	ETC/LED/7W/E26/CL/D/E/27K/6PK	7	60	500	71	80	Clear	2700K	15000	4.21	DIM,ES	6
80473-SU	ETF/LED/7W/E26/FR/D/E/27K	7	60	500	71	80	Frosted	2700K	25000	4.21	DIM,ES	6
41380-SU	ETF/LED/7W/E26/FR/D/E/27K/6PK	7	60	500	71	80	Frosted	2700K	25000	4.21	DIM,ES	6
Flame Tip Medium Screw (E26)												
80784-SU	EFC/LED/7W/E26/CL/D/E/27K	7	60	500	71	80	Clear	2700K	25000	4.45	DIM,ES	6
80477-SU	EFF/LED/7W/E26/FR/DIM/E/27K	7	60	500	71	80	Frosted	2700K	25000	4.49	DIM,ES	6

Colored Reflector Lamps

Flood Light



wildlife lighting
available



PAR20



PAR30



PAR38



120 Volts
Medium Screw (E26)

2
YEAR
WARRANTY



Blue



Green



Yellow



Red



Amber

Item#	Description	Watt	Color	Hours	MOL(in)	Features	CTN
PAR20							
81467-SU	PAR20/LED/3W/B	3	Blue	15000	3.48	Wet Location	6
81468-SU	PAR20/LED/3W/G	3	Green	15000	3.48	Wet Location	6
81465-SU	PAR20/LED/3W/R	3	Red	15000	3.48	Wet Location,WILD	6
81466-SU	PAR20/LED/3W/Y	3	Yellow	15000	3.48	Wet Location	6
81469-SU	PAR20/LED/3W/A	3	Amber	15000	3.48	Wet Location	6
PAR30 Short Neck							
80021-SU	PAR30/LED/4W/B	4	Blue	30000	3.62		12
81472-SU	PAR30/LED/8W/B	8	Blue	15000	3.62	Wet Location	6
81473-SU	PAR30/LED/8W/G	8	Green	15000	3.62	Wet Location	6
80023-SU	PAR30/LED/3W/R	3	Red	30000	3.62	WILD	12
80032-SU	PAR30/LED/3W/R	3	Red	30000	3.62		12
81471-SU	PAR30/LED/8W/Y	8	Yellow	15000	3.62	Wet Location	6
81474-SU	PAR30/LED/8W/A	8	Amber	15000	3.62	Wet Location	6
PAR38							
81477-SU	PAR38/LED/15W/B	15	Blue	15000	5.12	Wet Location	6
81478-SU	PAR38/LED/15W/G	15	Green	15000	5.12	Wet Location	6
80555-SU	PAR38/LED/12W/FL35/O	12	Orange	15000	5.12	WILD	6
80043-SU	PAR38/LED/4W/R	4	Red	30000	5.27	WILD	6
80556-SU	PAR38/LED/8W/FL35/R	8	Red	25000	5	Wet Location,WILD	6
81475-SU	PAR38/LED/15W/R	15	Red	15000	5.12	Wet Location,WILD	6
80045-SU	PAR38/LED/4W/Y	4	Yellow	30000	5.27		6
81476-SU	PAR38/LED/15W/Y	15	Yellow	15000	5.12	Wet Location	6
81479-SU	PAR38/LED/15W/A	15	Amber	15000	5.12	Wet Location,WILD	6

Reflector Lamps

Flood Light

120 Volts
Medium Screw (E26) / Intermediate Screw (E17)
82 CRI

3
YEAR
WARRANTY



version is available



R14 (E17)



R14



R20



BR30

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
R14 Intermediate Screw (E17)												
80430-SU	R14/LED/N/E17/4W/D/E/27K	4	25	280	70	82	White	2700K	25000	2.5	DIM,ES	6
40456-SU	R14/LED/N/E17/4W/D/E/27K/3PK	4	25	280	70	80	White	2700K	25000	2.5	DIM,ES	6
80425-SU	R14/LED/N/E17/4W/D/E/30K	4	25	250	63	80	White	3000K	25000	2.5	DIM,ES	6
80435-SU	R14/LED/N/E17/4W/D/E/30K/3PK	4	25	250	63	80	White	3000K	25000	2.5	DIM,ES	6
R14 Medium Screw (E26)												
80431-SU	R14/LED/E26/4W/D/27K	4	25	250	63	80	White	2700K	25000	2.16	DIM	6
40457-SU	R14/LED/E26/4W/D/27K/3PK	4	25	250	63	80	White	2700K	25000	2.16	DIM	6
80557-SU	R14/LED/E26/4W/D/30K	4	25	250	63	80	White	3000K	25000	2.17	DIM	6
80434-SU	R14/LED/E26/4W/D/30K/3PK	4	25	250	63	80	White	3000K	25000	2.17	DIM	6
R20 Medium Screw (E26)												
81130-SU	R20/LED/8W/D/E/27K	8	50	560	70	80	White	2700K	25000	3.94	DIM,ES	6
81390-SU	R20/LED/6W/D/E/27K	6	40	450	75	80	White	2700K	25000	3.94	DIM,ES	6
81391-SU	R20/LED/6W/D/E/30K	6	40	450	75	80	White	3000K	25000	3.94	DIM,ES	6
82035-SU	R20/LED/7W/CRI90/D/E/30K/6PK	7	50	525	75	90	White	3000K	25000	3.94	DIM,ES,T20/T24	12
81392-SU	R20/LED/6W/D/E/40K	6	40	450	75	80	White	4000K	25000	3.94	DIM,ES	6
81393-SU	R20/LED/8W/D/E/50K	6	40	450	75	90	White	5000K	25000	3.78	DIM,ES	6
BR30 Medium Screw (E26)												
81394-SU	BR30/LED/10.5W/D/E/27K	10.5	65	800	76	80	White	3000K	25000	5.16	DIM,ES	6
81395-SU	BR30/LED/10.5W/D/E/30K	10.5	65	800	76	80	White	3000K	25000	5.16	DIM,ES	6
82036-SU	BR30/LED/9W/CRI90/D/E/30K/6PK	9	65	650	72	90	White	3000K	25000	5.35	DIM,ES,T20/T24	6
81396-SU	BR30/LED/10.5W/D/E/40K	10.5	60	800	76	80	White	4000K	25000	5.16	DIM,ES	6
81397-SU	BR30/LED/10.5W/D/E/50K	10.5	60	800	76	80	White	5000K	25000	5.16	DIM,ES	6
81398-SU	BR30/LED/10.5W/D/65K	10.5	65	800	76	80	White	6500K	25000	5.31	DIM	6
BR40 Medium Screw (E26)												
81331-SU	BR40/LED/13W/D/E/27K	13	75	1100	85	80	White	2700K	25000	5.39	DIM,ES	6
81332-SU	BR40/LED/13W/D/E/30K	13	75	1100	85	80	White	3000K	25000	6.1	DIM,ES	6
81333-SU	BR40/LED/13W/D/E/40K	13	75	1100	85	80	White	4000K	25000	5.39	DIM,ES	6
81334-SU	BR40/LED/13W/D/E/50K	13	75	1100	85	80	White	5000K	25000	5.39	DIM,ES	6
81135-SU	BR40/LED/14W/D/65K	14	85	1060	76	80	White	6500K	25000	6.12	DIM	6
PAR16 Medium Screw (E26)												
80124-SU	PAR16/LED/7W/D/E/27K	7	75	500	71	80	White	2700K	25000	30.3	DIM,ES	6
80541-SU	PAR16/LED/7W/D/30K	7	75	500	71	80	White	3000K	25000	3.03	DIM	6
80542-SU	PAR16/LED/7W/D/40K	7	75	500	71	80	White	4000K	25000	3.03	DIM	6
80543-SU	PAR16/LED/7W/D/50K	7	75	500	71	80	White	5000K	25000	3.03	DIM	6
PAR20 Medium Screw (E26)												
89203-SU	PAR20/LED/7W/FL40/D/E/27K	7	50	500	71	80	White	2700K	25000	3.11	DIM,ES	6
40386-SU	PAR20/LED/7W/FL40/D/E/27K/6PK	7	50	450	71	82	White	2700K	25000	3.3	DIM,ES	12
89212-SU	PAR20/LED/7W/FL40/D/E/40K	7	50	500	71	80	White	4000K	25000	3.11	DIM,ES	6
41027-SU	PAR20/LED/7W/FL40/D/E/40K/6PK	7	50	450	71	82	White	4000K	25000	3.3	DIM,ES	12
89206-SU	PAR20/LED/7W/FL40/D/E/50K	7	50	500	71	80	White	5000K	25000	3.11	DIM,ES	6
41028-SU	PAR20/LED/7W/FL40/D/E/50K/6PK	7	50	500	71	80	White	5000K	25000	3.3	DIM,ES	12



BR40



PAR16



PAR20



PAR30



PAR38

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
PAR20 CEC Compliant Energy Star 90 CRI												
87930-SU	PAR20/LED/8W/CRI90/27K	8	50	500	63	90	White	2700K	25000	3.78	DIM,ES,T20/T24	6
87931-SU	PAR20/LED/8W/CRI90/30K	8	50	500	63	90	White	3000K	25000	3.78	DIM,ES,T20/T24	6
87932-SU	PAR20/LED/8W/CRI90/40K	8	50	500	63	90	White	4000K	25000	3.78	DIM,ES,T20/T24	6
87933-SU	PAR20/LED/8W/CRI90/50K	8	50	500	63	90	White	5000K	25000	3.78	DIM,ES,T20/T24	6
PAR30 Short Neck												
80945-SU	PAR30/LED/10W/S/FL35/D/E/27K	10	75	750	75	80	White	2700K	25000	3.33	DIM,ES	6
40979-SU	PAR30/LED/10W/SHORT/FL35/D/E/27K/6PK	10	75	750	75	80	White	2700K	25000	3.33	DIM,ES	6
80946-SU	PAR30/LED/10W/S/FL35/D/E/30K	10	75	750	75	80	White	3000K	25000	3.33	DIM,ES	6
40980-SU	PAR30/LED/10W/SHORT/FL35/D/E/30K/6PK	10	75	750	75	80	White	3000K	25000	3.33	DIM,ES	6
80947-SU	PAR30/LED/10W/S/FL35/D/E/40K	10	75	750	75	80	White	4000K	25000	3.33	DIM,ES	6
40981-SU	PAR30/LED/10W/SHORT/FL35/D/E/40K/6PK	10	75	750	75	80	White	4000K	25000	3.33	DIM,ES	6
80948-SU	PAR30/LED/10W/S/FL35/D/E/50K	10	75	750	75	80	White	5000K	25000	3.33	DIM,ES	6
40982-SU	PAR30/LED/10W/SHORT/FL35/D/E/50K/6PK	10	75	750	75	80	White	5000K	25000	3.33	DIM,ES	6
PAR30 Short Neck 90 CRI												
88048-SU	PAR30/LED/10W/FL40/DIM/E/90/27K	10	75	750	75	90	White	2700K	40000	3.67	DIM,ES	6
82032-SU	PAR30S/LED/10W/CRI90/D/E/30K/6PK	10	75	750	75	90	White	3000K	25000	3.44	DIM,ES,T20/T24	6
PAR30 Long Neck												
80880-SU	PAR30LN/LED/10W/FL40/D/E/27K	10	75	800	80	80	White	2700K	25000	4.53	DIM,ES	6
80942-SU	PAR30LN/LED/10W/FL40/D/E/30K	10	75	800	80	80	White	3000K	25000	4.53	DIM,ES	6
80943-SU	PAR30LN/LED/11W/FL40/D/E/40K	11	75	850	77	80	White	4000K	25000	4.53	DIM,ES	6
80883-SU	PAR30LN/LED/10W/FL40/D/E/50K	10	75	800	80	80	White	5000K	25000	4.53	DIM,ES	6
PAR30 Long Neck 90 CRI												
89008-SU	PAR30LN/LED/10W/FL40/DIM/E/90/30K	10	75	800	80	90	White	3000K	40000	4.57	DIM,ES	6
82033-SU	PAR30LN/LED/10W/CRI90/D/E/30K/6PK	10	75	750	75	90	White	3000K	25000	4.41	DIM,ES,T20/T24	6
PAR38												
88063-SU	PAR38/LED/19W/FL40/DIM/27K	19	85	1180	62	80	White	2700K	40000	4.96	DIM, Wet Location	6
88394-SU	PAR38/LED/18W/FL35/D/E/27K	18	120	1350	75	80	White	2700K	25000	4.96	DIM,ES	6
88395-SU	PAR38/LED/18W/FL35/D/E/30K	18	120	1350	75	80	White	3000K	25000	4.96	DIM,ES	6
88397-SU	PAR38/LED/18W/FL35/D/E/40K	18	120	1350	75	80	White	4000K	25000	4.96	DIM,ES	6
88396-SU	PAR38/LED/18W/FL35/D/E/50K	18	120	1350	75	80	White	5000K	25000	4.96	DIM,ES	6
88398-SU	PAR38/LED/18W/FL35/D/65K	18	120	1350	75	80	White	6500K	25000	4.96	DIM	6
PAR38 90 CRI												
87934-SU	PAR38/LED/15W/CRI90/27K	15	100	1200	80	90	White	2700K	25000	5.08	DIM,ES,T20/T24	1
88082-SU	PAR38/LED/17W/FL40/DIM/90/27K	17	120	1150	68	90	White	2700K	40000	5.08	DIM	6
88083-SU	PAR38/LED/17W/FL40/DIM/90/30K	17	120	1200	71	90	White	3000K	40000	5.08	DIM	6
87935-SU	PAR38/LED/15W/CRI90/30K	15	100	1200	80	90	White	3000K	25000	5.08	DIM,ES,T20/T24	1
82034-SU	PAR38/LED/18W/CRI90/D/E/30K/6PK	18	100	1350	75	90	White	3000K	25000	5.08	DIM,ES,T20/T24	6
87936-SU	PAR38/LED/15W/CRI90/40K	15	100	1200	80	90	White	4000K	25000	5.08	DIM,ES,T20/T24	1
87937-SU	PAR38/LED/15W/CRI90/50K	15	100	1200	80	90	White	5000K	25000	5.08	DIM,ES,T20	1
87938-SU	PAR38/LED/15W/CRI90/65K	15	100	1200	80	90	White	6500K	25000	5.08	DIM	1

12 Volts
2-Pin (GU4)
80 CRI


3
YEAR
WARRANTY

MR11 Mini Reflector Lamps

Spotlight Lamps



Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
MR11												
81002-SU	MR11/LED/3W/12V/D/30K	3	35	240	80	80	Clear	3000K	30000	1.65	DIM	12



12 Volts
2-Pin (GU5.3) / Medium Screw (E26)
90 CRI

3
YEAR
WARRANTY

MR16 Mini Reflector Lamps

Spotlight Lamps



version is available



CRI 90



(E26) | 120V



(GU5.3) | 120V



(GU5.3) | Blue



(GU5.3) | Green



(GU5.3) | Red

Item#	Description	Watt	Eq. W	Lumen	LPW	Color	CRI	Kelvin	Hours	MOL(in)	Features	CTN
2-Pin GU5.3 12V CEC Compliant Energy Star CRI 90												
81118-SU	MR16/LED/7W/12V/FL35/D/E/27K/CRI90	7	50	500	71	Warm White	90	2700K	25000	1.91	DIM,ES,T20/T24	6
81119-SU	MR16/LED/7W/12V/FL35/D/E/30K/CRI90	7	50	500	71	Warm White	90	3000K	25000	1.91	DIM,ES,T20/T24	6
81120-SU	MR16/LED/7W/12V/FL35/D/E/40K/CRI90	7	50	500	71	Super White	90	4000K	25000	1.91	DIM,ES,T20/T24	6
81121-SU	MR16/LED/7W/12V/FL35/D/E/50K/CRI90	7	50	500	71	Super White	90	5000K	25000	1.91	DIM,ES,T20/T24	6
Colored 12V												
80856-SU	MR16/LED/3W/GU5.3/12V/B	3	25	-	12	Blue	-	-	30000	1.96		6
80857-SU	MR16/LED/3W/GU5.3/12V/G	3	25	-	50	Green	-	-	30000	1.96		6
80855-SU	MR16/LED/3W/GU5.3/12V/R	3	25	-	30	Red	-	-	30000	1.96		6
Medium Screw (E26) 120V												
80142-SU	MR16/LED/7W/MED/D/27K	7	50	500	71	Warm White	80	2700K	25000	2.2	DIM	6
40983-SU	MR16/LED/7W/MED/D/27K/6PK	7	50	500	71	Warm White	80	2700K	25000	2.2	DIM	12
80083-SU	MR16/LED/7W/MED/30K	7	50	500	71	Warm White	80	3000K	25000	2.2	DIM	6
80084-SU	MR16/LED/7W/MED/40K	7	50	500	71	Cool White	80	4000K	25000	2.2	DIM	6
80143-SU	MR16/LED/7W/MED/D/50K	7	50	500	71	Super White	80	5000K	25000	2.2	DIM	6
40984-SU	MR16/LED/7W/MED/D/50K/6PK	7	50	500	71	Super White	80	5000K	25000	2.2	DIM	12
2-Pin GU5.3 120V												
80508-SU	MR16/LED/5W/GU5.3/120V/30K	5	50	450	90	Warm White	80	3000K	30000	2.04		6

Mini Reflector Lamps

Spotlight Lamps



120V



220V

120 Volts / 220 Volts
Twist & Lock (GU10)
80 CRI

3
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Twist & Lock (GU10) 120V												
80530-SU	PAR16/LED/6.5W/D/GU10/E/27K	6.5	50	500	77	80	Clear	2700K	25000	2.17	DIM,ES	6
80531-SU	PAR16/LED/6.5W/D/GU10/E/30K	6.5	50	500	77	80	Clear	3000K	25000	2.17	DIM,ES	6
82043-SU	PAR16/GU10/LED/7W/D/CRI90/E/30K/6PK	7	50	500	71	90	Clear	3000K	25000	2.17	DIM,ES	12
80517-SU	PAR16/LED/6.5W/D/GU10/E/40K	6.5	50	500	77	80	Clear	4000K	25000	2.17	DIM,ES	6
80532-SU	PAR16/LED/6.5W/D/GU10/E/50K	6.5	50	500	77	80	Clear	5000K	25000	2.17	DIM,ES	6
80533-SU	PAR16/LED/6.5W/D/GU10/65K	6.5	60	500	77	80	Clear	6500K	25000	2.17	Dim	6
220 Volts												
80306-SU	MR16/LED/6W/40K/GU10/220V	6	40	470	78	80	Clear	4000K	20000	2.06		6

Mini Color Reflector Lamps

Spotlight Lamps



Blue



Green



Red

120 Volts
Twist & Lock (GU10)

3
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	Color	CRI	Kelvin	Hours	MOL(in)	Features	CTN
Colored 120V												
80520-SU	PAR16/LED/3W/GU10/BLUE	3	25	-	-	Blue	-	-	15000	1.9		6
80327-SU	MR16/60LED/2.8W/GU10/120V/G	2.8	20	-	-	Green	-	-	30000	2.2		12
80328-SU	MR16/60LED/2.8W/GU10/120V/R	2.8	20	-	-	Red	-	-	30000	2.2		12

Reflector Lamps


AR111 Aluminum Reflector



12 Volts
Screw Terminal (G53)
80 CRI

3
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Screw Terminal (G53)												
81012-SU	AR111/LED/7W/30K/FL/36D	7	50	600	86	80	-	3000K	30000	2.59	Flood	6
81014-SU	AR111/LED/7W/30K/SP/12D	7	50	600	86	80	-	3000K	30000	2.59	Spot	6
81013-SU	AR111/LED/7W/30K/NFL/24D	7	50	600	86	80	-	3000K	30000	2.59	Narrow	6



120 Volts
Medium Screw (E26)
75 CRI

2
YEAR
WARRANTY

Reflector Lamps Colored

Party & Decorative



Red



White

Item#	Description	Watt	Eq. W	Lumen	LPW	Color	CRI	Kelvin	Hours	MOL(in)	Features	CTN
PAR16												
80195-SU	JDR/60LED/2.8W/MED/120V/B	2.8	25	-	29	Blue	75	-	30000	2.99		12
80197-SU	JDR/60LED/2.8W/MED/120V/R	2.8	25	-	43	Red	75	-	30000	2.99		12
80194-SU	JDR/60LED/2.8W/MED/120V/W	2.8	25	240	86	White	75	6500K	30000	2.99		12

120 Volts
Candelabra Screw (E12) / Intermediate Screw (E17)
82 CRI

3
YEAR
WARRANTY

Night Lights

Holiday



Green




Red



Yellow



White



C7



C9

Item#	Description	Watt	Eq. W	Lumen	LPW	Color	CRI	Kelvin	Hours	MOL(in)	Features	CTN
C7 Candelabra Screw (E12)												
80700-SU	L3C7/LED/B/6PK	0.4	-	-	5	Blue	82	-	50000	2.25		20
80701-SU	L3C7/LED/G/6PK	0.4	-	-	21	Green	82	-	50000	2.25		20
80702-SU	L3C7/LED/R/6PK	0.4	-	-	10	Red	82	-	50000	2.25		20
80703-SU	L3C7/LED/W/6PK	0.4	-	-	31	White	82	-	50000	2.25		20
80704-SU	L3C7/LED/Y/6PK	0.4	-	-	9	Yellow	82	-	50000	2.25		20
C9 Intermediate Screw (E17)												
80705-SU	L3C9/LED/B/6PK	0.4	-	-	6	Blue	84.4	-	50000	2.95		20
80706-SU	L3C9/LED/G/6PK	0.4	-	-	30	Green	84.4	-	50000	2.95		20
80707-SU	L3C9/LED/R/6PK	0.4	-	-	14	Red	84.4	-	50000	2.95		20
80709-SU	L3C9/LED/Y/6PK	0.4	-	-	11	Yellow	84.4	-	50000	2.95		20

Sign Lamps

Party & Decorative

120 Volts
Medium Screw (E26)
75 CRI

2
YEAR
WARRANTY



S11



S14



White



Blue



Green



Red



Yellow



Amber

Item#	Description	Watt	Eq. W	Lumen	LPW	Color	CRI	Kelvin	Hours	MOL(in)	Features	CTN
S11 Indicator Medium Screw (E26)												
81068-SU	S11/LED/FR/1W/27K/E26	1	10	50	50	Warm White	80	2700K	15000	2		6
S14 Sign Medium Screw (E26)												
81066-SU	S14/LED/FR/1W/27K/E26	1	10	50	50	Warm White	80	2700K	15000	3.23		6
81067-SU	S14/LED/CL/1W/27K/E26	1	10	50	50	Warm White	80	2700K	15000	3.23		6
S14 Colors												
80332-SU	S14/LED/3W/D/CL/W	3	-	220	73	White	80	6000K	40000	3.22	DIM	12
80347-SU	S14/LED/3W/D/FR/Y	3	-	235	78	Yellow	80	-	40000	3.22	DIM	12
S14 Transparent Colors												
80362-SU	S14/30LED/MED/B	1.7	10	-	9	Blue	-	-	30000	3.14		20
80363-SU	S14/30LED/MED/G	0.9	10	-	22	Green	-	-	30000	3.14		20
80364-SU	S14/30LED/MED/R	1.1	10	-	23	Red	-	-	30000	3.14		20
80365-SU	S14/30LED/MED/Y	1.1	10	-	30	Yellow	-	-	30000	3.14		20
80366-SU	S14/30LED/MED/A	1.1	25	-	45	Amber Light	-	-	50000	3.14	WILD	20

Tubular

Miniature



S6



T5



T6



T7

120 Volts
Candelabra Screw (E12)
80 CRI

2
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
S6 Appliance Candelabra Screw (E12)												
41069-SU	S6/LED/CL/1W/27K/E12/6PK	1	10	50	50	80	-	2700K	15000	1.85		10
T5 Candelabra Screw (E12)												
41244-SU	T5/LED/CL/1W/27K/E12/6PK	1	10	50	50	80	-	2700K	15000	1.73		6
T6 Candelabra Screw (E12)												
81071-SU	T6/LED/CL/1W/27K/E12	1	10	50	50	80	-	2700K	15000	1.77		6
T7 Intermediate Screw (E17)												
81070-SU	T7/LED/CL/1W/27K/E17/TUBULAR	1	10	50	50	80	-	2700K	15000	2.09		12

120 Volts
Candelabra Screw (E12) / (E26)

2
YEAR
WARRANTY



Blue



Green



Red



Yellow

Colored Tubular

Party & Decorative



E12




E26



Globe (E26)

Item#	Description	Watt	Color	Hours	MOL(in)	CTN
Candelabra Screw (E12)						
80256-SU	1T10/C/B	0.5	Blue	30000	2.28	10
80268-SU	1T10/C/G	0.5	Green	30000	2.28	10
80269-SU	1T10/C/R	0.5	Red	30000	2.28	10
80272-SU	1T10/C/Y	0.5	Yellow	30000	2.28	10
Medium Screw (E26)						
80252-SU	1T10/G	1	Green	30000	2.41	10
80253-SU	1T10/R	1	Red	30000	2.41	10
80255-SU	1T10/Y	1	Yellow	30000	2.41	10
Globe Medium Screw (E26)						
80321-SU	1G16/B	1	Blue	30000	2.75	10
80322-SU	1G16/G	1	Green	30000	2.75	10
80325-SU	1G16/Y	1	Yellow	30000	2.75	10



12 Volts
(BA15s) / (BA15d)

2
YEAR
WARRANTY

Elevator Bulb

1383 / GBF



BA15S




BA15d

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Single Contact Bayonet (BA15s)												
80307-SU	1383/1LED/3W/SC/12V/WW	3	-	120	40	80	Clear	3000K	30000	4.48		12
Double Contact Bayonet (BA15d)												
80358-SU	GBF/LED/3W/30K	3	-	125	42	80	Clear	3000K	20000	1.5		50

Halogen Alternative

Specialty Lamps



120 Volts
Recessed Single Contact (R7s)
80 CRI

2
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Short Recessed Single Contact (R7s) 120V												
81015-SU	R7S/LED/4.5W/78MM/T5/30K/CD2	4.5	30	370	82	80	Clear	3000K	10000	3.1		12
81017-SU	R7S/LED/4.5W/78MM/T8/30K/CD2	4.5	35	460	102	80	Clear	3000K	10000	3.1		12
Long Recessed Single Contact (R7s) 120V												
81016-SU	R7S/LED/7W/118MM/T5/30K/CD2	7	50	630	90	80	Clear	3000K	10000	4.6		12
81018-SU	R7S/LED/8.5W/118MM/T8/30K/CD2	8.5	75	900	106	80	Clear	3000K	10000	4.6		12
G4 12V												
80861-SU	G4/LED/1.5W/CL/12V/D/30K/CD	1.5	15	200	133	80	Clear	3000K	25000	1.53	DIM	10
G9 120V												
80866-SU	G9/LED/2.5W/CL/120V/D/30K	2.5	25	250	100	80	Clear	3000K	25000	2.04	DIM	12
G9 Clear Glass 120V												
80811-SU	G9/LED/2W/CL/120V/30K	2	25	200	100	80	Clear	3000K	15000	1.96		12
80812-SU	G9/LED/2W/CL/120V/50K	2	25	200	100	80	Clear	5000K	15000	1.96		12
80813-SU	G9/LED/3W/CL/120V/30K	3	40	400	133	80	Clear	3000K	15000	2.36		12
80814-SU	G9/LED/3W/CL/120V/50K	3	40	400	133	80	Clear	5000K	15000	2.36		12
80818-SU	G9/LED/4W/CL/120V/30K	4	60	500	125	80	Clear	3000K	15000	2.36		12
80819-SU	G9/LED/4W/CL/120V/50K	4	60	500	125	80	Clear	5000K	15000	2.36		12

Hospitality Series

Warm Dimming



120 Volts
Medium Screw (E26)
80 CRI

2
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
80505-SU	BR20/LED/8W/DIM/WD/30-16K	8	50	650	81	80	White	30K-17K	25000	4.02	DIM	6
80510-SU	BR30/LED/12W/DIM/WD/30-16K	12	65	1000	83	80	White	30K-17K	25000	5.35	DIM	6


Specifications may change without notice.
We are not responsible for any typographical errors

SUNLITE.COM

CALL 718.768.7000

TOLL-FREE 800.605.BULB

sunlite



120 Volts
Medium Screw (E26) / Medium 2-pin G13


3
YEAR
WARRANTY

Plant Growth Light



Cast the necessary light needed for indoor vegetation maintenance while keeping electrical costs as low as possible with Sunlite's LED plant grow lights.

Spectral Distribution



Item#	Description	Watt	PPF umol/s	Hours	MOL(in)	Features	CTN
Medium Screw (E26)							
88198-SU	BR30/LED/PGL/10W	10	12	25000	4.96	DIM	6



120 Volts
Candelabra Screw (E12)
80 CRI

2
YEAR
WARRANTY

Decorative Lamps

Star Filament



E12



Globe (E26)



Tubular (E26)

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Candelabra Screw (E12)												
80129-SU	CTC/LED/SF/1W/CL/23K	1	-	120	120	80	Clear	2300K	20000	1.38		12
Globe Medium Screw (E26)												
80139-SU	G25/LED/SF/1.8W/CL/23K	1.8	-	120	67	80	Clear	2300K	20000	3.15		6
80153-SU	G30/LED/SF/1.8W/CL/23K	1.8	-	120	67	80	Clear	2300K	20000	5.71		40
80154-SU	G40/LED/SF/1.8W/CL/23K	1.8	-	120	67	80	Clear	2300K	20000	4.92		24
Tubular Medium Screw (E26)												
80624-SU	T10/LED/SF/2.4W/CL/23K/228MM	2.5	25	140	56	75	Clear	2300K	20000	8.86	DIM	24

Decorative Lamps

Party & Decorative



Globe



ST64



Bottle



Heart



Diamond



Star



100-260 Volts
Medium Screw (E26)
60 CRI

2
YEAR
WARRANTY

Item#	Description	Watt	LPW	Color	CRI	Kelvin	Hours	MOL(in)	Features	CTN
G25										
81174-SU	G25/LED/DX/1.5W/B	1.5	-	Blue	60	-	20000	4.2		6
81175-SU	G25/LED/DX/1.5W/G	1.5	-	Green	60	-	20000	4.2		6
81173-SU	G25/LED/DX/1.5W/P	1.5	-	Purple	60	-	20000	4.2		6
81172-SU	G25/LED/DX/1.5W/R	1.5	-	Red	60	-	20000	4.2		6
81177-SU	G25/LED/DX/1.5W/RGB	1.5	-	RGB	60	-	20000	4.2		6
81176-SU	G25/LED/DX/1.5W/27K	1.5	-	Warm White	60	2700K	20000	4.2		6
G30										
81180-SU	G30/LED/DX/1.5W/B	1.5	-	Blue	60	-	20000	5.2		6
81181-SU	G30/LED/DX/1.5W/G	1.5	-	Green	60	-	20000	5.2		6
81179-SU	G30/LED/DX/1.5W/P	1.5	-	Purple	60	-	20000	5.2		6
81178-SU	G30/LED/DX/1.5W/R	1.5	-	Red	60	-	20000	5.2		6
81183-SU	G30/LED/DX/1.5W/RGB	1.5	-	RGB	60	-	20000	5.2		6
81182-SU	G30/LED/DX/1.5W/27K	1.5	-	Warm White	60	2700K	20000	5.2		6
G40										
81186-SU	G40/LED/DX/1.5W/B	1.5	-	Blue	60	-	20000	6.8		6
81187-SU	G40/LED/DX/1.5W/G	1.5	-	Green	60	-	20000	6.8		6
81185-SU	G40/LED/DX/1.5W/P	1.5	-	Purple	60	-	20000	6.8		6
81184-SU	G40/LED/DX/1.5W/R	1.5	-	Red	60	-	20000	6.8		6
ST64										
81190-SU	ST64/LED/DX/1.5W/B	1.5	-	Blue	60	-	20000	5.5		6
81191-SU	ST64/LED/DX/1.5W/G	1.5	-	Green	60	-	20000	5.5		6
81189-SU	ST64/LED/DX/1.5W/P	1.5	-	Purple	60	-	20000	5.5		6
81188-SU	ST64/LED/DX/1.5W/R	1.5	-	Red	60	-	20000	5.5		6
81192-SU	ST64/LED/DX/1.5W/27K	1.5	-	Warm White	60	2700K	20000	5.5		6
Specialty										
81195-SU	BOTTLE/LED/DX/1.5W/RGB	1.5	-	RGB	60	-	20000	8.9		6
81197-SU	HEART/LED/DX/1.5W/RGB	1.5	-	RGB	60	-	20000	6		6
81196-SU	DIAMOND/LED/DX/1.5/27K	1.5	-	Warm White	60	2700K	20000	6.7		6
81194-SU	STAR/LED/DX/1.5W/27K	1.5	-	Warm White	60	2700K	20000	5.7		6

Specifications may change without notice.
We are not responsible for any typographical errors

SUNLITE.COM

CALL 718.768.7000

TOLL-FREE 800.605.BULB

sunlite

120-277 Volts
82 CRI

5
YEAR
WARRANTY

Refrigerator Display Strip

Wet Rated



Linkable Connector

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Operating environment temperatures from -4 degrees to 104 degrees Fahrenheit (-20 to 40 Celsius)												
88188-SU	LFX/LFL/18W/MV/50K/4'/V2	18	-	1440	80	82	Clear	5000K	50000	47.2	DLC	10
88184-SU	LFX/LFL/22W/MV/50K/5'/V2	22	-	2196	100	82	Clear	5000K	50000	59	DLC, IP65	10

120 Volts
Linestra Base (S14s)
80 CRI

1
YEAR
WARRANTY

Linestra Lamps

Vanity



Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
53149-SU	LN/LED/5W/DIM/27K/120V	5	35	420	84	80	White	2700K	30000	11.81	DIM	25
53150-SU	LN/LED/8W/DIM/27K/120V	8	60	660	83	80	White	2700K	30000	19.7	DIM	25
53155-SU	LN/LED/16W/DIM/27K/120V	16	150	1300	81	80	White	2700K	30000	39.4	DIM	12

120-277 Volts
4-Pin (2G11)
82 CRI

5
YEAR
WARRANTY

Plug-In Lamps

Fluorescent Equivalents



Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Bypass FT												
81055-SU	FT/LED/BP/23W/30K	23	55	2300	100	82	White	3000K	50000	22.16	DLC	10
81056-SU	FT/LED/BP/23W/40K	23	55	2800	122	82	White	4000K	50000	22.16	DLC	10
Plug and Play FT												
81057-SU	FT/LED/IS/23W/30K	23	40	2800	122	82	White	3000K	50000	21.88	DLC	10
81062-SU	FT/LED/IS/17W/35K	17	40	2500	147	82	White	3500K	50000	21.88	DLC	10
81063-SU	FT/LED/IS/17W/40K	17	40	2500	147	82	White	4000K	50000	21.88	DLC	10
81064-SU	FT/LED/IS/17W/50K	17	40	2500	147	82	White	5000K	50000	21.88	DLC	10

Plug-In Lamps

Fluorescent Equivalents



version is available



PLD



PLD
SCT Version



PLV



PLV
SCT Version



PLT



PLV
Plug & Play


120-277 Volts
2-Pin (G24d)
80 CRI



Bypass Installation


Step 1

Cut off the wires and remove the ballast



Step 2

Reconnect the wires and plug in the lamps



Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Bypass PLD 2-Pin LED Base (G24q)												
88284-SU	PLD/LED/BP/7W/30K	7	13	700	100	82	White	3000K	50000	5.82		12
Bypass PLD 2-Pin LED Base (G24d)												
88800-SU	PLD/LED/BP/8W/SCT	8	18	950	119	80	White	30/40/50K	50000	5.86		12
88292-SU	PLD/LED/BP/9W/30K	9	18	950	106	82	White	3000K	50000	6.61		12
88299-SU	PLD/LED/BP/9W/40K	9	18	1000	111	82	White	4000K	50000	6.65		12
88298-SU	PLD/LED/BP/9W/50K	9	18	1000	111	82	White	5000K	50000	6.65		12
88802-SU	PLD/LED/BP/11W/SCT	11	26	1400	127	80	White	30/40/50K	50000	5.86		12
Bypass PLV Vertical 2-Pin (G23)												
85425-SU	PLV/LED/BP/7W/G23/30K	7	13	700	100	80	White	3000K	50000	4.52		12
85426-SU	PLV/LED/BP/7W/G23/40K	7	13	700	100	80	White	4000K	50000	4.52		12
Bypass PLV Vertical 2-Pin (G24d)												
88801-SU	PLV/LED/BP/8W/SCT	8	18	950	119	80	White	30/40/50K	50000	4.66		12
88803-SU	PLV/LED/BP/11W/SCT	11	26	1400	127	80	White	30/40/50K	50000	4.66		12
Bypass PLV Vertical 2-Pin (GX23)												
85430-SU	PLV/LED/BP/7W/GX23/30K	7	13	700	100	80	White	3000K	50000	4.78		12
85431-SU	PLV/LED/BP/7W/GX23/40K	7	13	700	100	80	White	4000K	50000	4.78		12
Plug and Play PLD 4-Pin LED Base (G24q)												
88804-SU	PLD/LED/IS/11W/SCT	11	18	1025	93	80	White	30/40/50K	50000	5.86	DLC	12
88271-SU	PLD/LED/IS/9W/30K/V2	9	18	950	106	82	White	3000K	50000	6.57	DLC	12
88269-SU	PLD/LED/IS/9W/35K/V2	9	18	950	106	82	White	3500K	50000	6.57	DLC	12
88273-SU	PLD/LED/IS/9W/40K/V2	9	18	1000	111	82	White	4000K	50000	6.57	DLC	12
88275-SU	PLD/LED/IS/9W/50K/V2	9	18	1000	111	82	White	5000K	50000	6.57	DLC	12
Plug and Play PLT 4-Pin LED Base (G24q)												
88277-SU	PLT/G24q/LED/IS/16W/35K	16	26	1750	109	82	White	3500K	50000	6.35	DLC	12
88278-SU	PLT/G24q/LED/IS/16W/40K	16	26	1850	116	82	White	4000K	50000	6.35	DLC	12
Plug and Play Vertical 4-Pin LED Base (G24q)												
88805-SU	PLV/LED/IS/11W/SCT	11	26	1400	156	80	White	30/40/50K	50000	4.66	DLC	12
Plug and Play Vertical 4-Pin LED Base (G24q)												
88214-SU	PLV/E/LED/IS/9W/35K/V2	9	18	950	106	82	White	3500K	50000	4.66	DLC	12
88213-SU	PLV/E/LED/IS/9W/40K/V2	9	18	1000	111	82	White	4000K	50000	4.66	DLC	12

Specifications may change without notice.
We are not responsible for any typographical errors

SUNLITE.COM

CALL 718.768.7000

TOLL-FREE 800.605.BULB

sunlite

120-277 Volts
Miniature Bi-Pin (G5)
80 CRI




T5 Advanced Bypass Dual End

Linear Tube Lamp




Item#	Description	Watt	Replacement	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
2 Foot F24T5 Replacement												
87985-SU	T5/LED/BPD/2'/12W/30K	12	F24T5	1400	117	80	White	3000K	50000	23.22		10
87986-SU	T5/LED/BPD/2'/12W/40K	12	F24T5	1400	117	80	White	4000K	50000	23.22		10
87987-SU	T5/LED/BPD/2'/12W/50K	12	F24T5	1500	125	80	White	5000K	50000	23.22		10
3 Foot F39T5 Replacement												
87990-SU	T5/LED/BPD/3'/16W/30K	16	F39T5	1800	113	80	White	3000K	50000	35.7		10
87991-SU	T5/LED/BPD/3'/16W/40K	16	F39T5	1800	113	80	White	4000K	50000	35.7		10
87992-SU	T5/LED/BPD/3'/16W/50K	16	F39T5	1900	119	80	White	5000K	50000	35.7		10
4 Foot F28T5 Replacement												
88486-SU	T5/LED/BPD/4'/13W/35K	13	F28T5	1600	123	80	White	3500K	50000	45.8	DLC	25
88487-SU	T5/LED/BPD/4'/13W/40K	13	F28T5	1650	127	80	White	4000K	50000	45.8	DLC	25
88488-SU	T5/LED/BPD/4'/13W/50K	13	F28T5	1700	131	80	White	5000K	50000	45.8	DLC	25
4 Foot F54T5 Replacement												
88415-SU	T5/LED/BPD/4'/25W/30K	25	F54T5	3300	132	82	White	3000K	50000	45.8	DLC	10
88416-SU	T5/LED/BPD/4'/25W/35K	25	F54T5	3300	132	82	White	3500K	50000	45.8	DLC	10
88417-SU	T5/LED/BPD/4'/25W/40K	25	F54T5	3500	140	82	White	4000K	50000	45.8	DLC	10
88418-SU	T5/LED/BPD/4'/25W/50K	25	F54T5	3500	140	82	White	5000K	50000	45.8	DLC	25
88426-SU	T5/LED/BPD/4'/25W/65K	25	F54T5	3500	140	80	White	6500K	50000	45.8		25

Advanced Dual End Bypass Installation



Step 1
Cut off the wires and remove the ballast



Step 2
Reconnect the wires

*Dual-end powered LED tube lamp has live and neutral pins on the opposite side. When you wire a dual-ended tube, you will need to connect neutral wires to one end and live wires to the other end.

T8 Advanced Bypass Dual End

Linear Tube Lamp



G13



R17d



Fa8



120-277 Volts
Medium 2-Pin (G13)
82 CRI



Item#	Description	Watt	Replacement	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
2 Foot F17T8 Replacement												
88430-SU	T8/LED/BPD/2'/9W/30K	9	F17T8	1100	122	82	White	3000K	50000	23.22	DLC	10
88427-SU	T8/LED/BPD/2'/9W/35K	9	F17T8	1100	122	82	White	3500K	50000	23.22	DLC	10
88431-SU	T8/LED/BPD/2'/9W/40K	9	F17T8	1150	128	82	White	4000K	50000	23.22	DLC	10
88432-SU	T8/LED/BPD/2'/9W/50K	9	F17T8	1150	128	82	White	5000K	50000	23.22	DLC	10
88429-SU	T8/LED/BPD/2'/9W/65K	9	F17T8	1150	128	82	White	6500K	50000	23.22		10
3 Foot F25T8 Replacement												
88446-SU	T8/LED/BPD/3'/12W/40K	12	F25T8	1450	121	82	White	4000K	50000	35.7	DLC	10
88447-SU	T8/LED/BPD/3'/12W/50K	12	F25T8	1450	121	82	White	5000K	50000	35.7	DLC	10
88448-SU	T8/LED/BPD/3'/12W/65K	12	F25T8	1450	121	82	White	6500K	50000	35.7		10
4 Foot F32T8 Replacement												
88433-SU	T8/LED/BPD/4'/14W/30K	14	F32T8	1700	121	82	White	3000K	50000	47.67	DLC	10
88425-SU	T8/LED/BPD/4'/14W/40K	14	F32T8	1800	129	82	White	4000K	50000	47.67	DLC	25
88435-SU	T8/LED/BPD/4'/14W/50K	14	F32T8	1800	129	82	White	5000K	50000	47.67	DLC	10
88449-SU	T8/LED/BPD/4'/14W/65K	14	F32T8	1800	129	82	White	6500K	50000	47.67		25
4 Foot F32T8 Replacement High Lumens												
88424-SU	T8/LED/BPD/4'/17W/30K	17	F32T8	2100	124	82	White	3000K	50000	47.67	DLC	10
88428-SU	T8/LED/BPD/4'/17W/35K	17	F32T8	2100	124	82	White	3500K	50000	47.67	DLC	10
88475-SU	T8/LED/BPD/4'/17W/40K	17	F32T8	2200	129	82	White	4000K	50000	47.67	DLC	25
88477-SU	T8/LED/BPD/4'/17W/50K	17	F32T8	2200	129	82	White	5000K	50000	47.67	DLC	25
88439-SU	T8/LED/BPD/4'/17W/65K	17	F32T8	2200	129	82	White	6500K	50000	47.67		10
8 Foot Recessed Double Contact (R17d) F59T8 Replacement												
88440-SU	T8/LED/BPD/8'/43W/30K	43	F59T8	5000	116	82	White	3000K	50000	94	DLC	10
88441-SU	T8/LED/BPD/8'/43W/40K	43	F59T8	5500	128	82	White	4000K	50000	94	DLC	10
88442-SU	T8/LED/BPD/8'/43W/50K	43	F59T8	5500	128	82	White	5000K	50000	94	DLC	10
88443-SU	T8/LED/BPD/8'/43W/65K	43	F59T8	5500	128	82	White	6500K	50000	94		10
8 Foot Double Ended (Fa8) F86T8 Replacement												
88452-SU	T8/LED/BPD/8'/43W/40K/HO	43	F86T8	5500	128	82	White	4000K	50000	94		10
88453-SU	T8/LED/BPD/8'/43W/50K/HO	43	F86T8	5500	128	82	White	5000K	50000	94		10

120-277 Volts
Medium 2-Pin (G13)
82 CRI




T8 Bypass Single End

Linear Tube Lamp



Item#	Description	Watt	Replacement	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
4 Foot High Lumens												
88172-SU	T8/LED/BPS/4'/18W/30K	18	F32T8	2100	117	82	White	3000K	50000	47.67		10
88164-SU	T8/LED/BPS/4'/15W/50K	15	F32T8	1800	120	82	White	5000K	50000	47.67		10



Fluorescent Tube

Step 1
Cut off the wires and remove the ballast



LED Tube

Step 2
Reconnect the wires

*Single-ended powered LED lamp has the live and neutral pins on the same side of the lamp.

Miniature Bi-Pin (G5)
82 CRI



T5 Plug and Play

Linear Tube Lamp



Item#	Description	Watt	Replacement	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
2 Foot												
88221-SU	T5/LED/IS/2'/11W/40K	11	F39T5	1400	127	82	White	4000K	50000	23.22		10
88222-SU	T5/LED/IS/2'/11W/50K	11	F39T5	1400	127	82	White	5000K	50000	23.22		10
3 Foot												
87980-SU	T5/LED/IS/3'/18W/30K/HL	18	F39T5	2100	117	80	White	3000K	50000	35.7		10
87981-SU	T5/LED/IS/3'/18W/40K/HL	18	F39T5	2100	117	80	White	4000K	50000	35.7		10
4 Foot High Lumens												
88420-SU	T5/LED/IS/4'/25W/30K/HL	25	F39T5	3300	132	82	White	3000K	50000	45.8	DLC	10
88225-SU	T5/LED/IS/4'/25W/35K/HL	25	F39T5	3300	132	82	White	3500K	50000	45.8	DLC	10
88421-SU	T5/LED/IS/4'/25W/40K/HL	25	F39T5	3500	140	82	White	4000K	50000	45.8	DLC	10
88230-SU	T5/LED/IS/4'/25W/50K/HL	25	F39T5	3200	128	82	White	5000K	50000	45.8	DLC	10
88423-SU	T5/LED/IS/4'/25W/65K	25	F39T5	3500	140	82	White	6500K	50000	45.8		10

T8 Plug and Play

Linear Tube Lamp



Medium 2-Pin (G13)
82 CRI

PLUG
&
PLAY

SUITABLE FOR
ENCLOSED FIXTURES

5
YEAR
WARRANTY

Item#	Description	Watt	Replacement	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
2 Foot												
88076-SU	T8/LED/2'9W/IS/30K	9	F17T8	1150	128	82	White	3000K	50000	23.22		10
88077-SU	T8/LED/2'9W/IS/40K	9	F17T8	1150	128	82	White	4000K	50000	23.22		10
88400-SU	T8/LED/IS/2'8W/30K/V2	8	F17T8	1200	150	82	White	3000K	50000	23.22	DLC	10
88401-SU	T8/LED/IS/2'8W/40K/V2	8	F17T8	1250	156	82	White	4000K	50000	23.22	DLC	10
88402-SU	T8/LED/IS/2'8W/50K/V2	8	F17T8	1250	156	82	White	5000K	50000	23.22	DLC	10
88403-SU	T8/LED/IS/2'8W/65K/V2	8	F17T8	1250	156	82	White	6500K	50000	23.22		10
3 Foot												
87960-SU	T8/LED/IS/3'11W/30K	11	F17T8	1450	132	82	White	3000K	50000	35.7		10
87963-SU	T8/LED/IS/3'11W/65K	11	F17T8	1450	132	82	White	6500K	50000	35.7		10
87965-SU	T8/LED/IS/3'10W/30K/V2	10	F17T8	1450	145	82	White	3000K	50000	35.7	DLC	10
87971-SU	T8/LED/IS/3'10W/40K/V2	10	F17T8	1450	145	82	White	4000K	50000	35.7	DLC	10
87972-SU	T8/LED/IS/3'10W/50K/V2	10	F17T8	1450	145	82	White	5000K	50000	35.7	DLC	10
4 Foot												
88090-SU	T8/LED/IS/4'12W/30K	12	F17T8	1800	150	82	White	3000K	50000	47.67	DLC	10
88412-SU	T8/LED/IS/4'11.5W/35K	11.5	F17T8	1700	148	82	White	3500K	50000	47.67	DLC	10
87922-SU	T8/LED/IS/4'12W/D/40K	12	F17T8	1800	150	82	White	4000K	50000	47.67	DLC	25
88406-SU	T8/LED/IS/4'11.5W/50K	11.5	F17T8	1800	157	82	White	5000K	50000	47.67	DLC	10
87923-SU	T8/LED/IS/4'12W/D/50K	12	F17T8	1800	150	82	White	5000K	50000	47.67	DLC	25
88407-SU	T8/LED/IS/4'11.5W/65K	11.5	F17T8	1800	157	82	White	6500K	50000	47.67		10
4 Foot High Lumens												
87925-SU	T8/LED/IS/4'15W/D/30K	15	F17T8	2100	140	82	White	3000K	50000	47.67	DLC	25
87927-SU	T8/LED/IS/4'15W/D/40K	15	F17T8	2200	147	82	White	4000K	50000	47.67	DLC	25
87928-SU	T8/LED/IS/4'14W/D/50K	15	F17T8	2200	147	82	White	5000K	50000	47.67	DLC	25
87929-SU	T8/LED/IS/4'15W/D/65K	15	F17T8	2200	147	82	White	6500K	50000	47.67		25

T8 Plug and Play / Economy Type

Linear Tube Lamp



Medium 2-Pin (G13)
82 CRI

PLUG
&
PLAY

SUITABLE FOR
ENCLOSED FIXTURES

5
YEAR
WARRANTY

Item#	Description	Watt	Replacement	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
4 Foot												
88457-SU	T8/LED/IS/4'12W/30K/PPS	12	F32T8	1700	142	82	White	3000K	50000	47.7		10
88455-SU	T8/LED/IS/4'12W/40K/PPS	12	F32T8	1800	150	82	White	4000K	50000	47.67		10
4 Foot Shatter Proof												
88181-SU	T8/LED/IS/4'14W/30K/SP	14	F17T8	1800	129	82	White	3000K	50000	47.67		10
88183-SU	T8/LED/IS/4'14W/40K/SP	14	F17T8	1800	129	82	White	4000K	50000	47.67		10

2x Medium 2-Pin (2G13)
82 CRI



T8 U-Bend Plug and Play

Linear Tube Lamp



Item#	Description	Watt	Replacement	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
87910-SU	T8/LED/IS/U/11.5W/40K	11.5	T8 U	1800	157	82	White	4000K	50000	22.44	DLC	6
87912-SU	T8/LED/IS/U/11.5W/50K	11.5	T8 U	1800	157	82	White	5000K	50000	22.8	DLC	6
87911-SU	T8/LED/IS/U/15W/40K	15	T8 U	2200	147	82	White	4000K	50000	22.44	DLC	6

120-277 Volts
2x Medium 2-Pin (2G13)
82 CRI



T8 U-Bend Bypass Single End

Linear Tube Lamp



Item#	Description	Watt	Replacement	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
87907-SU	T8/LED/BPS/U/18W/30K	18	T8 U	2100	117	82	White	3000K	50000	22.8	DLC	12
87908-SU	T8/LED/BPS/U/18W/40K	18	T8 U	2200	122	82	White	4000K	50000	22.8	DLC	12

120 Volts
Medium Screw (E26)
80 CRI



Utility Lamps

Colored Pendant Fixture



Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
80763-SU	UFO/LED/7W/30K/PINK	7	35	550	79	80	-	3000K	25000	2.5		6
80762-SU	UFO/LED/7W/30K/BLUE	7	35	550	79	80	-	3000K	25000	2.5		6
80765-SU	UFO/LED/11W/30K/PINK	11	50	800	73	80	-	3000K	25000	2.6		6
80764-SU	UFO/LED/11W/30K/BLUE	11	50	800	73	80	-	3000K	25000	2.6		6
80767-SU	UFO/LED/15W/30K/PINK	15	75	1250	83	80	-	3000K	25000	3		6
80766-SU	UFO/LED/15W/30K/BLUE	15	75	1250	83	80	-	3000K	25000	3		6

High Lumen Lamps

General Purpose




120-277 Volts
Medium Screw (E26) / Mogul Screw (E39)
80 CRI

5
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Medium Screw (E26)												
81256-SU	HL/LED/T32/E26/20W/30K	20	225	2600	130	80	White	3000K	50000	5.75	IP65	6
81265-SU	HL/LED/T32/E26/20W/50K	20	225	2600	130	80	White	5000K	50000	5.75	IP65	6
81257-SU	HL/LED/T36/E26/27W/30K	27	300	3500	130	80	White	3000K	50000	7.09	IP65	6
81262-SU	HL/LED/T36/E26/27W/50K	27	300	3500	130	80	White	5000K	50000	7.09	IP65	6
81258-SU	HL/LED/T36/E26/40W/30K	40	375	4800	120	80	White	3000K	50000	8.07	IP65	6
81252-SU	HL/LED/T36/E26/40W/50K	40	375	4800	120	80	White	5000K	50000	8.07	IP65	6
81259-SU	HL/LED/T36/E26/45W/30K	45	525	5800	129	80	White	3000K	50000	9.45	IP65	6
81266-SU	HL/LED/T36/E26/45W/50K	45	525	5800	129	80	White	5000K	50000		IP65	6
81260-SU	HL/LED/T42/E26/60W/30K	60	700	7200	120	80	White	3000K	50000	10.97	IP65	6
81267-SU	HL/LED/T42/E26/60W/50K	60	700	7200	120	80	White	5000K	50000	10.97	IP65	6
Mogul Screw (E39)												
81261-SU	HL/LED/T42/E39/90W/30K	90	1000	10800	120	80	White	3000K	50000	11.34	IP65	6
81264-SU	HL/LED/T42/E39/90W/50K	90	1000	10800	120	80	White	5000K	50000	10.97	IP65	6

High Lumen Lamps

High Bay Retrofit (Bypass Required)



120-277 Volts
Mogul Screw (E39)
80 CRI

BYPASS
REQUIRED

5
YEAR
WARRANTY

Item#	Description	Watt	Eq. W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
80869-SU	HBR/LED/60W/E39/50K	60	100	7200	120	80	White	5000K	50000	9.05		4
80871-SU	HBR/LED/60W/E39/50K	60	150	9000	150	80	White	5000K	50000	9.05	DLC	4
80867-SU	HBR/LED/75W/E39/50K	75	150	9000	120	80	White	5000K	50000	10.83		4
80872-SU	HBR/LED/100W/E39/50K	100	250	15000	150	80	White	5000K	50000	12.05	DLC	4
80868-SU	HBR/LED/120W/E39/50K	120	250	15000	125	80	White	5000K	50000	12.05		4
80873-SU	HBR/LED/140W/E39/50K	140	400	20000	143	80	White	5000K	50000	12.13		4

Specifications may change without notice.
We are not responsible for any typographical errors

SUNLITE.COM

CALL 718.768.7000

TOLL-FREE 800.605.BULB

sunlite

High Lumen Lamps

Bypass MV



Tulip Shaped



Corn Cob

**Direct Line
Voltage**

**IP64
Water Resistant**

**HID Replacement
Lamps**

**Suitable For
Enclosed Fixtures**

Item#	Description	Watt	Eq.W	Lumen	LPW	CRI	Finish	Kelvin	Hours	MOL(in)	Features	CTN
Tulip Shaped Mogul Base (E39)												
81003-SU	PS30/LED/24W/MV/E39/50K	24	50	3200	133	80	Clear	5000K	50000	9.27	IP64	6
81004-SU	PS35/LED/32W/MV/E39/50K	32	70	4200	131	80	Clear	5000K	50000	10.83	IP64	6
Corn Cob Medium Screw (E26)												
80850-SU	CC/LED/15W/E26/MV/50K	15	30	1950	130	80	Clear	5000K	50000	6.73	IP64	12
81425-SU	CC/LED/18W/E26-E39/MV/50K/V3	18	35	2520	140	80	Clear	5000K	50000	5.7	IP64	24
81424-SU	CC/LED/27W/E26/50K/G4	27	50	3834	142	80	Clear	5000K	50000	6.7	IP64	24
81428-SU	CC/LED/36W/E26/50K/G4	36	70	5112	142	80	Clear	5000K	50000	7.8	IP64	12
Corn Cob Mogul Base (E39)												
81304-SU	CC/LED/45W/E39/MV/50K/V2	45	70	5660	125	80	Clear	5000K	50000	9.5	IP64	12
81430-SU	CC/LED/45W/E39/50K/G4	45	90	6975	155	80	Clear	5000K	50000	9.5	IP64,DIM,DLC	
81429-SU	CC/LED/54W/E39/MV/50K/V3	54	100	7668	142	80	Clear	5000K	50000	9.5	IP64	12
81306-SU	CC/LED/63W/E39/MV/50K/V2	63	100	7875	125	80	Clear	5000K	50000	10.1	IP64	12
81431-SU	CC/LED/100W/E39/MV/50K/V3	100	250	14200	142	80	Clear	5000K	50000	10.6	IP64	6

TERMS & CONDITIONS

OPEN ACCOUNT

New accounts are subject to approval. For credit applications, customers should submit a Sunlite credit application, and allow two weeks for processing. We will notify you accordingly.

PAYMENT TERMS

Net 30 days subject to credit approval. All past due invoices are subject to a 2.5% interest charge per month the invoice remains unpaid. C.O.D. A check must be presented to the courier upon delivery of all C.O.D. shipments. All C.O.D. fees are the responsibility of the customer. Drop shipment service is not available on C.O.D. orders.

MINIMUM ORDER

There is a \$100 minimum order. Orders under \$100 will be charged a \$10 small order charge.

SPECIAL ORDER

Special order is non-returnable and non-refundable. Once the order is confirmed, a special cannot be canceled. Please take note of items that are special order.

DAMAGES/SHORTAGES

Claims for Shortage or shipments must be claimed within 24 hours of receipt of the order. We regret we cannot issue credit for merchandise that has been damaged in transit. The responsibility of such damage(s) shall be taken by the carrier.

ADDING TO AN ORDER

We will do our best to add to an existing order. However, if it's not possible, we will treat it as a new order and must comply with all terms of a new order.

BACKORDER

Backorder will be shipped as soon as possible. If the customer has a "NO BACKORDER POLICY," it must be communicated at the time the order is placed. If the original order is subject to freight allowance, and the backorder falls below minimum freight allowed, the back order shipment may be subject to freight charges.

CANCELING AN ORDER

We will try to comply with your request to cancel an order. However, we can't be responsible for cancellations. Canceling an order may be subject to a restocking charge, depending on the status of the order in our system.

SHIPPING & DROP-SHIP

We provide convenient FREE delivery in local N.Y. Tri-State area and in South Florida. Make sure you check with our Customer Service department to see if your business falls within the local delivery area and if your order amount reaches the minimum level. A service charge will be applied to shipments delivered to a destination other than the customer's physical location for orders less than \$350. Any additional fees (e.g., handling charge, re-delivery charge, etc...), are at the sole responsibility of the ordering customer.

FREIGHT

All shipments are FOB Brooklyn, NY or Lauderhill, FL. Full freight is allowed on orders totaling \$1,300.00 or more for product delivering east of the Mississippi, and \$1,500.00 for orders delivering west of the Mississippi, excluding Hawaii, Alaska, and Porto Rico. * Freight charges which were originally allowed, may be added to an outstanding invoice that is not paid within its allowed terms (usually 30 days). The freight allowance EXCLUDES any oversized boxes that are greater than four feet (i.e. 5ft. fluorescent lamps, fixtures, etc...)

Freight allowed policy only applies to orders sold at STANDARD DISTRIBUTOR NET pricing. Any discounted orders will void any freight allowed. Any exceptions will be at the sole discretion of Sunshine Lighting Handling Fees: For all FedEx, UPS, USPS, and other express services shipped on customer's account or 3rd party accounts, each order is subject to as much as a \$6.50 handling charge per box based on dimensional weight.

PACKAGING

All packages are packed with great care using the best packing methods available. If damages occur in transit, "DO NOT REFUSE THE SHIPMENT." It will cause unnecessary shipping expenses and delays in your order. File a claim with the courier for the loss or damage. The courier is responsible for breakage during transit. We will try to assist you in collecting your claims for loss or damage.

RETURNS

All damages or shortages must be reported within 24 hours of delivery. Returns will not be accepted without a written RMA (Return merchandise authorization). No returns will be allowed for Special Orders, Non-Stocked M.T.O. (made to order). All merchandise is to be returned in the original packaging and is in excellent condition for resale. Credits will be issued once we complete an inspection of returned merchandise. Defective non-LED items will be replaced up to 6 months from the time of purchase, and a valid purchase order or number to reference Sunshine Lighting reserves the right to refuse non-confirmed RMA's. Restocking fees & Time frame 15% - 25% restocking fee may apply for returns within 30 days, depending on the condition of the merchandise. Restocking fees do not include truck pick-up. 30% - 40% restocking fee will apply for returns after 30 days. The restocking fee does not include truck pick-up. No returns after 60 days without authorization from Management, there will also be up to a 50% restocking fee.

PRICES

Prices are subject to change without any notice.

SPECIFICATIONS

Due to the rapid advancement of LED technology, specifications and product images are subject to change without notice.

PRODUCT & DESCRIPTIONS

We are not responsible for any typographical errors.

SIZES & MEASUREMENTS

All sizes and measurements are in inches, except where specified. Actual product sizes may vary.

Sunshine Lighting
744 Clinton Street
Brooklyn, NY 11231

