



Year Model: 2015 CHU613
 VIN: 1M1AN07Y6FM021213
 Order Number: 087136
 Build Date: 11/12/2014
 In Service Date: 12/17/2014

CAB INTERIOR

Code	Description	Family
4CAAQX	NUMBER OF OPTIONAL SWITCHES, 17	NUMBER OF OPTIONAL SWITCHES

CAB INTERIOR: 1 items

BASE MODEL

Code	Description	Family
36XDZX	ENGLISH DECALS/SIGNS	LANGUAGES ON DECALS/SIGNS
TFO0001	TARGET FLEET ORDER	TARGET FLEET ORDER
39XE1X	CERTIFICATION LABELS, USA	CERTIFICATION LABELS
5050011	ALL 50 STATES	INITIAL REGISTRATION LOCATION
5060002	6X4	NUMBER OF AXLES
51AACX	BRAND MACK	BRAND
5290033	PINNACLE AXLE FORWARD, CONVENTIONAL SERIES (CHU)	MODEL INDENT CONDENSED
5340001	ENGLISH	LANGUAGE
6450250	BRAKE REGULATION, STOPPING DISTANCE 76M (250FT)	BRAKE - STOPPING DISTANCE
7740001	AXLE FORWARD	FRONT AXLE POSITION
78XB1X	MORE THAN ONE DELIVERY OR PICK-UP OF GOODS EVERY 50KM	TRANSPORT CYCLE
98XB2X	NORTH AMERICA NA-PROD	MARKET + AREA
99X93X	FACTORY MACUNGIE	FINAL ASSEMBLY PLANT
9PXGWX	UNITED STATES OF AMERICA	MARKET IN MAR
AAX28X	MACK CONVENTIONAL PRODUCTS	PRODUCT CLASS
ABXLQX	MACK CONVENTIONAL, MEDIUM X, MED HIGH CAB POS, 6*4 TRACTOR	PRODUCT TYPE
APP0001	CLASS A HIGHWAY	VEHICLE APPLICATION CLASS
CAR0001	VENDOR CARRIER	CARRIER APPLICATION
CDX30X	CLASSIC STYLE HOOD	CONVENTIONAL TYPE
CIR0002	IDLE EMISSION CERTIFICATION, CARB (WITH DECAL)	IDLE EMISSION CERTIFICATION
DAX15X	6 WHEELS THEREOF 4 DRIVING	AXLE ARRANGEMENT
DDX10X	TRACTOR TYPE	CHASSIS TYPE
DHX10X	WELL MAINTAINED SURFACED ROADS >95% DRIVING DISTANCE	ROAD CONDITION
DKXYX	100,000 LB GROSS COMBINATION WEIGHT	GROSS COMBINATION WEIGHT
FAP2380	FRONT AXLE POSITION, 2380MM	FRONT AXLE POSITION
FAX20X	STEERING WHEEL POS. LEFT HAND SIDE	STEERING WHEEL POS.
FDXD1X	2 REAR AXLES, 2 DRIVEN	REAR AXLE ARRANGEMENT
FIL0005	SOLD ORDER	FILE STATUS
FYX10X	FRONT AXLE POSITION, 2380MM	FRONT AXLE POSITION
FZXA1X	1 FRONT AXLE, 0 DRIVEN	FRONT AXLE ARRANGEMENT
GCW0100	MAXIMUM 100,000 LBS. (45 TONNES) GCW RATING	GCW RATING
M29722	CHU613	MODEL SALES CODE
PB1015A	2008-10-07	PRICE LEVEL
PC10028	Product Class 28	PRODUCT CLASS
PT10003	CMM 64T - ANTHEM / PINNACLE TRACTOR	PRODUCT TYPE
US00010	MBOC BACK OFFICE PROCESS (PROBUILDER)	BACK OFFICE CONFIG
0010001	TRACTOR	VEHICLE TYPE
0021280	CHU603 T MACKTRAQ 2015A	CHASSIS (BASE MODEL)
0055170	BULK HAULER - LIQUID On Hwy	VEHICLE USE AND BODY/TRAILER TYPE
0070001	SELECT AN APPLICATION	VEHICLE USE AND BODY/TRAILER TYPE
0130001	COMMERCIAL	TYPE OF SERVICE
1YAAAX	USA STATE REGULATIONS, EXCL HAWAII & CALIFORNIA	USA STATE REGULATIONS
5210305	CHU	MODEL SERIES
A192015	2015 MODEL YEAR	VEHICLE MODEL YEAR
APC0002	DISTRIBUTION DELIVERY STOP UNDER 35 MI.	APC APP TRANSPORT CYCLE
DLW0002	STANDARD OR EXTENDED DELIVERY	DELIVERY TIME
PRS0000	NOT IN PROGRAM	PINNACLE RAPID SPEC
38XAEX	1ST PUBLICATION LANGUAGE AMERICAN ENGLISH	FIRST PUBLICATION LANGUAGE

BASE MODEL: 48 items

MODEL PACKAGE

Code	Description	Family
QWXA1X	TURBO BASIC DESIGN	TURBO
O8AE1X	ENGINE PTO TORQUE CAPACITY 1000NM	ENGINE PTO TORQUE CAPACITY
RDXD1X	SACHS CLUTCH	CLUTCH MANUFACTURER
REXC1X	CRANK CASE VENTILATION OPEN EXTENDED	CRANK CASE VENTILATION
RTX05X	MECHANICAL TRANSMISSION	TRANSMISSION TYPE
RUXF1X	AUTOMATED GEAR SHIFTING	GEAR SHIFTING SYSTEM
RVXG1X	GEAR SHIFTING, BASIC	GEAR SHIFT LEVER
RWXEEX	VPT AUTOMATED TRANSMISSION 2600NM OVERDRIVE 12SPEED	TRANSMISSION
RXXA1X	VPT TRANSMISSION	TRANSM. MANUFACTURER
O8AA1X	2.25 DEGREE ENGINE CRANK ANGLE	ENGINE CRANK ANGLE
1001655	MP8-445C MACK 445 @ 1500-1700 RPM (PEAK) 1950 RPM (GOVERNED)	ENGINE
1335201	ZF/SACHS SINGLE PLATE 17" (430MM) ORGANIC MATERIAL	CLUTCH
1361423	TMD12AO MDRIVE 12 SP-MACK - PREMIUM (OVERDRIVE)	TRANSMISSION
3TAJ1X	ENGINE POWER 445HP	ENGINE POWER
5037001	MACK MP8 SERIES	ENGINES-GENERAL DESCRIPT
5121000	MACK	TRANSMISSION VENDOR
5500004	MACK M-DRIVE SERIES	TRANSMISSION SERIES



Year Model: 2015 CHUG13
 VIN: 1M1AN07Y6FM021213
 Order Number: 087136
 Build Date: 11/12/2014
 In Service Date: 12/17/2014

5791173	11.73/0.78	TRANS RATIOS LOW/HIGH
8680000	MECHANICAL TRANSMISSION	AUTOMATIC TRANSMISSION
8711006	AUTOMATIC GEAR SHIFTING	TRANS. TOP GEAR RATIO
B960014	EPA-2014 DIESEL ENGINE W/CEGR/DPF/SCR	ENGINE EMISSIONS LEVEL
C430225	ENGINE CRANK ANGLE 2.25 DEGREES	ENGINE CRANK ANGLE
CJXAAX	EXHAUST GAS RECIRCULATION, COOLED	EXHAUST GAS RECIRCULATION
DPXFSX	13 L. PROPRIETARY ENGINE	ENGINE TYPE
HEX05X	MACK ENGINE	ENGINE MANUFACTURER
HFXOAX	1950 RPM, GOVERNED ENGINE RPM	GOVERNED ENGINE RPM
HHXX2X	2251NM-2400NM, ENGINE TORQUE RANGES (NO RANGE FOR PC23 EU6)	ENGINE TORQUE RANGES
KTXVHX	USA 2014 ENGINE EMISSION	ENGINE EMISSION CONTROL
RAXA2X	1 (SINGLE) PLATE 17" (430MM), ORGANIC, B VERSION	CLUTCH TYPE

MODEL PACKAGE: 29 items

ENGINE EQUIPMENT

Code	Description	Family
1134100	MERITOR/WABCO 318 (18.7 CFM)	AIR COMPRESSOR
1100800	MACK ENGINE BRAKE POWER LEASH FOR MP8	ENGINE BRAKE
1199003	TEXACO EXTENDED LIFE COOLANT #7998 W/NITRITES(50/50 MIX) TO	COOLANT PROTECTION
1210002	GRILLE MOUNTED	BUG SCREEN
1230015	SPIN ON CANISTER W/O CHEMICAL FOR USE W/TEXACO EXTENDED LIFE	COOLANT CONDITIONER
1249002	SILICONE RADIATOR & HTR. HOSES W/GATE VALVE ON EACH HTR HOS	HOSES - RADIATOR/HEATER
1250101	11" SINGLE ELEMENT DONALDSON	AIR CLEANER
1280008	ELECTRIC PREHEATER	STARTING AID - ENGINE
1290009	120V - 1500 WATT ENGINE BLOCK HEATER	ENGINE BLOCK HEATER
1311212	12 V GEAR REDUCTION (105 PRD)	STARTER
1321111	12V160A LEECE NEVILLE BRUSH TYPE	ALTERNATOR
1400002	ALUMINUM (LIGHTWEIGHT)	FLYWHEEL HOUSING
1UAABX	AIR CLEANER HOUSING MATERIAL, PLASTIC	AIR CLEANER HOUSING MATERIAL
1VAAAAX	AIR INTAKE SOURCE, HOOD OUTSIDE	AIR INTAKE SOURCE
2931002	DAVCO 382(W/O FLUID HEAT) 12V PREHEAT ; W/VENDOR PRIM &	FUEL-WATER SEPARATOR
3165106	3-12V MACK M/F 31 1000 CCA THREADED STUD TYPE	BATTERIES
36AA1X	TETHER DEVICE PKG 1 (OIL FILL & EXP TNK CAPS)	TETHER DEV PKG, CAPS & COVERS
40AA1X	COOLING HOSES CLAMP, BASIC	COOLING HOSES CLAMP OPTIONS
4191001	FURNISH CAP RETAINER FOR OIL FILL & RADIATOR OVER- FLOW TANK	TETHER DEVICE
41AA1X	HEATER HOSE FLOW CONTROL, SHUTOFF VALVE	HEATER HOSE FLOW CONTROL
5081005	NARROW RADIATOR WITH LENGTH 3 (80 DM2), 41 DEG C ATB,COOLIN	COOLING PERFORMANCE
5NXA1X	110 VOLT / 1.5 KW, ENGINE BLOCK HEATER	ENGINE BLOCK HEATER
64AB1X	ALTERNATOR MANUFACTURER-LEECE NEVILLE	ALTERNATOR MANUFACTURER
C4XA2X	ANTI-FREEZE MANUFACTURER TEXACO	COOLANT MANUFACTURER
H6XC1X	BUG NET, SINGLE, IN FRONT OF THE GRILLE	RADIATOR SCREEN
H9XK1X	NARROW RADIATOR WITH LENGTH 3 (80 DM2)	RADIATOR TYPE
HLX10X	SILICONE COOLANT HOSE	COOLANT HOSE
HTXA8X	VPT ENGINE BRAKE 6 WITHOUT EPG AND VARIABLE GEOMETRI TURBO	ENGINE BRAKE TYPE
HWXD1X	SPIN ON CANISTER W/O CHEMICAL FOR USE W/ EXTENDED LIFE COOLA	COOLANT FILTER / CONDITIONER
J3XA1X	SINGLE ENGINE MOUNTED FUEL FILTER	FUEL FILTER SECONDARY
J7XBAX	FUEL ELECTR. HEATER, GENERIC	AUX. FUEL SYSTEM EQUIPMENT
JAXA2X	41 DEG. C ATB COOLING CAPACITY	COOLING CAPACITY
JSXF1X	HYDRAULIC FAN CLUTCH	FAN CLUTCH TYPE
JTXB1X	KYSOR FAN CLUTCH	FAN CLUTCH MANUFACTURER
JVXDFX	DAVCO FUEL PRO 382 FILTER/SEP/12V PREHEAT	PRIMARY FUEL FILTER
K9X09X	ANTI-FREEZE -37C (-34F) EXTENDED LIFE COOLANT	COOLANT
KWXA1X	ONE STAGE AIR CLEANER (PRIMARY)	AIR CLEANER TYPE
KXXA1X	SMALL AIR CLEANER	AIR CLEANER SIZE
L8XJHX	3 BATTERIES, 1000 CCA	BATTERY CAPACITY
L9XA1X	GENERIC BATTERY	BATTERY MANUFACTURER
NCXD1X	12 V STANDARD STARTER, (MELCO) MITSUBISHI	STARTER
NDXA1X	WITH STARTING AID	ENGINE STARTING AID
PJXMNX	12V 160AMP BRUSHED	ALTERNATOR CAPACITY
QHXC1X	OIL PAN STEEL	OIL SUMP
VWXAZX	1 CYL 530 L/MIN. COMPRESSOR	COMPRESSOR CAPACITY
1180055	BORG WARNER COOL LOGIC (HDMS) ELECTRONICALLY CONTROLLED MUL	FAN DRIVE

ENGINE EQUIPMENT: 46 items

EXHAUST/EMISSIONS

Code	Description	Family
4RAA2X	SCR SYSTEM EQUIPMENT, ELECTRICALLY HEATED	SCR SYSTEM EQUIPMENT
1LAA1X	SELECTIVE CATALYST REDUCTION, HORIZONTAL	SCR ORIENTATION
8NAB1X	DPF COVER STAINLESS STEEL, POLISHED	DPF COVER
B600005	FURNISH BF STAINLESS STEEL HEAT SHIELD FOR FRAME MTD MACK CA	EXHAUST - PIPE SHIELD
CS10003	DPF REG CONTROL SWITCH W/INITIATE; W/O INHIBIT	DPF REGEN CONTROL SWITCH
CUXB1X	EXHAUST PIPING FLEX SECTION, STAINLESS STEEL	EXHAUST PIPING FLEX SECTION
DPF0103	CLEARTECH HHS DPF RH SIDE UNDER CAB W/SCR FRAME MTD RH SIDE-	DPF DIESEL PARTICULATE FILTER
EAS0102	AFTER TREATMENT SYSTEM DIESEL PARTIC FILTER CERAMIC PASSIVE	EAS EXH AFTER-TREATMENT SYS
K0XD1X	TURNED OUT EXTENSION	EXHAUST STACK FEATURES
KLXD1X	EXHAUST DIRECTION, VERTICAL RIGHT	EXHAUST DIRECTION



Year Model: 2015 CHU613
 VIN: 1M1AN07Y6FM021213
 Order Number: 087136
 Build Date: 11/12/2014
 In Service Date: 12/17/2014

KRXB5X	EXHAUST STACK 3.55 METRE, HEIGHT OVER GROUND (11'6")	EXHAUST STACK HEIGHT
KSCX5X	SELECTIVE CATALYST REDUCTION + DIESEL PART. FILTER CERAMIC	EXHAUST AFTERTREATMENT SYSTEM
Q0AC2X	BRIGHT SINGLE EXHAUST SYSTEM MATERIAL FINISH, INCLUDE ELBOW	EXHAUST SYSTEM MATERIAL FINISH
T5AA1X	DIESEL PARTICULATE FILTER, RH SIDE UNDER CAB	DPF ORIENTATION
W4BC1X	DPF REGENERATION CONTROL SWITCH, NO INHIBIT (ONLY INITIATE)	REGENERAT CONTROL SWITCH, DPF
0100008	SINGLE HEAT SHIELD, ELBOW & STACK	EXHAUST - BRIGHT FINISH
0RAD1X	DPF REG CONTROL, AUTO IN MOTION, MAN STAT, INHIBIT ALLOWED	REGENERATION CONTROLS, DPF
1305001	NO MUFFLER, SINGLE (R/S) VERTICAL STRAIGHT EXH STACK TURNED	EXHAUST
1420000	OMIT RAIN CAP	EXHAUST RAIN CAP
5BAAAX	EXHAUST HEAT SHIELD TYPE, BASIC	EXHAUST HEAT SHIELD TYPE

EXHAUST/EMISSIONS: 20 items

TRANSMISSION EQUIPMENT

Code	Description	Family
3JAA1X	HILL START ASSIST	HILL START ASSIST
2042201	DANA-SPICER SPL170XL EXTENDED LUBE SERIES	DRIVELINE - INTERAXLE
76AA1X	PROPELLER SHAFT MAIN, UNIVERSAL JOINT HALF-ROUND TYPE	PROPELLR SHAFT MAIN, UNVSL JNT
77AA1X	PROP SHAFT DIMENSION, INTERAXLE, SMALL	PROP SHAFT DIMENSION INTERAXLE
7RXB1X	SYNTHETIC OIL IN TRANSMISSION	LUBRICANTS, TRANSMISSION
8WAAAX	PROP SHAFT INTERAXLE, UNIV JOINT HALF-ROUND TYPE	PROP SHAFT INTERAXL UNIV JOINT
9040001	HALF-ROUND	DRIVESHAFT UNIVERSL JOINT
D4AA1X	TRANSMISSION PTO FUNCTIONS BASIC	AMT/AUTOMATIC TRANS PTO FUNCT.
IPJ0001	INTERAXLE PROP SHAFT HALF-ROUND UNIVERSL JOINT	INTERAXLE PRODSHAFT U-JOINT
M050016	MACK mDRIVE- EZ SHIFT PERFORMANCE MODE- AUTO RETURN (premium)	TRANS SHIFT MODE POINTS
M090001	GRADE GRIPPER	TRANS - HILL START ASSIST
M100001	MACK CELLERATOR ENABLE	TRANS - KICKDOWN FEATURE
M200003	KEYPAD REMOTE CONTROLLED	TRANS PTO2SPLIT GEAR RNG
QPXAAX	TRANSMISSION APPLICATION BASIC	TRANSMISSION APPLICATION
RCXB1X	ALUMINUM BELL HOUSING	BELL HOUSING
SL40012	SYNTHETIC LUBE FOR MDRIVE TRANSMISSION	SYNTHETIC LUBRICANT - TRANSMISSION
T2XC3X	MECH.TRANS.M.WATER OIL COOLER RADIATOR INTEGRATED	TRANSMISSION/RETARDER COOLER
T4DXMX	REAR PTO TRANS., DIN-CONN.PUMP,MEDIUM SPEED	PTO TRANSM. MOUNTED
THXC2X	PROP.SHAFT MANUF. BY SPICER WITH XL U-JOINTS	PROPELLER SHAFT MANUFACTURER
1390025	MACK mDRIVE TRANSMISSION OIL COOLER	TRANSMISSION OIL COOLER
1920002	TRANSMISSION BELLHOUSING, ALUMINUM	TRANSMISSION BELL HOUSING
1952203	DANA/SPICER SPL250HDXL EXTENDED LUBE SERIES	DRIVELINE - MAIN
5XXA1X	SINGLE PTO TRANSMISSION	PTO TRANSMISSION MOUNTED ADM.

TRANSMISSION EQUIPMENT: 23 items

FRONT AXLE/TIRES

Code	Description	Family
FWXA1X	FRONT AXLE	FRONT AXLE MANUFACTURER
FXEAX	1 * 6.0 TONNES, FRONT AXLE	FRONT AXLE TYPE CAPACITY
IRXC1X	MAINTENANCE FREE, RUBBER SPRING EYE BUSHINGS	FRONT SUSP MAINTENANCE
K4AAAX	BASIC (NO OPTION) SPINDLE NUTS, FRONT	SPINDLE NUTS, FRONT
LQXH1X	BRAKE LINING MATERIAL FRONT, BENDIX (use on disc)	BRAKE LINING MATERIAL FRONT
N6BPAX	XZE2, FRONT TIRE TREAD, MICHELIN, REGIONAL HAUL	FRONT TIRE TREAD
O5BA1X	FRONT BRAKE CHAMBER 16SQ INCHES	FRONT BRAKE CHAMBER SIZE
SL60000	FACTORY OPTION LUBE-FRONT WHEEL BEARINGS	SYNTHETIC LUBRICANT - WHL BEARINGS
U0AC1X	FRONT BRAKE ADJUSTMENT, AUTOMATIC BENDIX (DISC)	FRONT BRAKE ADJ. MANUFACTURE
U3XD4X	FRONT BRAKE DISC BASIC	BRAKE, FRONT
U5XF1X	DISC BRAKE DIAM. 430 MM	BRAKE DIMENSION, FRONT
UDXZ1X	FRONT BRAKES WITHOUT DUST SHIELDS	FRONT AXLE BRAKE DUST SHIELD
V4AC1X	FRONT WHEEL BRAKE TYPE, DISC	WHEEL BRAKE TYPE, FRONT
V7AC1X	FRONT BRAKE CHAMBER MANUFACTURER, BENDIX	FRONT BRAKE CHAMBER MFG.
X8AC1X	FRONT WHEEL BRAKE MANUFACTURER, BENDIX	WHEEL BRAKE MANUFACTURE, FRONT
XAXBFX	STEERING GEAR, RATIO 18:2, FIXED	STEERING GEAR RATIO
YFXA1X	PARABOLIC SPRING (NORMAL STIFFNESS) FRONT	FRONT SPRING TYPE
YKXA1X	LEAF (MECHANICAL) SUSPENSION ,FRONT	FRONT SUSPENSION SYSTEM
ZGXE1X	HUBCAP, FRONT, VISIBLE, DRAIN	FRONT HUBCAP TYPE
01XD1X	DIAM 24.5 INCH, FRONT WHEEL & TIRE	WHEEL & TIRE DIAMETER FRONT
04XC1X	WHEEL BRAND FRONT, ALCOA	WHEEL BRAND, FRONT
0AXB1X	DISC WHEEL PCD 286 MM HUB PILOT	WHEEL TYPE FRONT
0GXB1X	ALUMINUM WHEEL, FRONT	WHEEL MATERIAL FRONT
0KXJ1X	ALUMINUM HUB, CONMET, PRESET BEARINGS AND SEALS, FRONT	HUB MATERIAL, FRONT
0PXE1X	WHEEL WIDTH 8.25 INCH	WHEEL DIMENSION FRONT
15XABX	TIRE INFLATION VALVE, STANDARD	TIRE INFLATION VALVE
1BXA2X	CHICAGO RAWHIDE HUB OIL SEAL, PREMIUM	HUB OIL SEAL, FRONT
1JX2RX	TIRE 11.00, FRONT AXLE	TIRE DIMENSION FRONT
1KAA1X	SHOCK ABSORBER, FRONT	SHOCK ABSORBER, FRONT
1KXH1X	LOAD RANGE H, FRONT TIRE	TIRE LOAD CAPACITY, FRONT
1TXD1X	MICHELIN, FRONT TIRE	TIRE MAKE FRONT
2401512	FXL13.2 13200 LB-MACK (HIGH OFFSET) 6000 KG TAPERED SPIN	FRONT AXLE
2414302	BENDIX(ADB22X)AIR DISC BRAKES	BRAKES - FRONT
2441019	13,200 LB TAPERLEAF 6000 KG	SPRINGS - FRONT
2452118	THP60 TRW POWER	STEERING



Year Model: 2015 CHUG13
 VIN: 1M1AN07Y6FM021213
 Order Number: 087136
 Build Date: 11/12/2014
 In Service Date: 12/17/2014

2469008	CHICAGO RAWHIDE SCOTSEAL+XL	OIL SEALS - FRONT
2473000	W/ ROTORS FOR DISC BRAKES	BRAKE DRUMS - FRONT
2482101	CONMET ALUM. HUBS WITH PRESET BEARINGS AND SEALS	HUBS - FRONT
2503000	ALUMINUM (DISC) FRONT WHEEL MATERIAL	FRONT WHEEL TYPE
3490008	BENDIX - AIR DISC	FRT. BRAKE CHAMBER VENDOR
3760004	ALCOA "BRIGHT" FINISH W/ DURA-BRIGHT PROTECTION PROCESS (C	WHEELS - POLISHED (FRONT)
3820002	FRONT AXLE HUB CAPS STEMCO	FRONT AXLE HUB CAPS
3850001	DOUBLE ACTING TYPE FRONT SHOCK ABSORBERS	SHOCK ABSORBERS - FRONT
3NBA1X	POWER STEERING RESERVOIR, BASIC	POWER STEERING RESERVOIR
4750000	PROVIDE STANDARD VALVE STEMS AND CAPS	VALVE STEMS & CAPS
4863000	JURID 539-29	FRONT BRAKE LINING
49AB1X	WHEEL FINISHING FRONT, BRIGHT, DURA-BRIGHT PROTECTION	WHEEL FINISHING, FRONT
4OAB9X	BASIC, 10 HAND HOLES WHEEL STYLE, FRONT	WHEEL STYLE, FRONT
4QAD7X	WHEEL RIM OFFSET, FRONT 6.60 INCHES	WHEEL RIM OFFSET, FRONT
5100003	DISC	FRONT BRAKE TYPE
5313782	24.5 X 8.25 ALUM DISC LVL ONE 10-HOLE HUB PILOT; 11.25"BC,5.	WHEELS - FRONT
5361320	13200 LB. 6000 KG.	FRONT AXLE RATING
60AD1X	3355KG (7400LB) WHEEL LOAD MAX, FRONT PER WHEEL	WHEEL LOAD MAX, FRONT
70BC1X	BRAKE REGULATION, STOPPING DISTANCE 76M (250 FT)	BRAKE REGULATION
7VXA1X	PETROLEUM OIL IN FRONT AXLE	LUBRICANTS, FRONT AXLE
80AA1X	WHEEL NUT & FINISH BASIC, FRONT	WHEEL NUT FINISH, FRONT
8530016	TYPE 16 DISC BRAKE	FRONT BRAKE CHAMBER SIZE
8850000	STANDARD F.A. SPINDLE NUTS	FRONT AXLE SPINDLE NUT
9006365	11R24.5 H MICHELIN XZE2	TIRES BRAND/TYPER - FRONT
9194760	476	FRONT TIRE REVS PER MILE
9310000	DOES NOT EXCEED 96" OVERALL	OVERALL WIDTH
C510002	MAINTENANCE FREE	FRONT SUSP.MAINTENANCE
FTXD1X	LOW GROUND CLEARANCE - HIGH OFFSET	GROUND CLEARANCE F.A.
FUXA1X	FRONT AXLE, BASIC	FRONT AXLE CONCEPT
FVXEAX	FRONT AXLE LOAD 6.0 TONNES (13220 LBS)	FRONT AXLE LOAD

FRONT AXLE/TIRES: 65 items

AIR BRAKE

Code	Description	Family
3520100	BENDIX VALVES WHERE POSSIBLE	AIR SYSTEM VALVE VENDOR
6982000	MACK ROAD STABILITY ADVANTAGE BENDIX ABS/ATC/RSA W/YAW CNTRL	ANTI-LOCK BRAKE SYSTEM
7KXA3X	REAR DECK, LOW PROFILE(US=20")	REAR DECK
8HAA1X	AIRTANK ARRANGEMENT, BASIC	AIRTANK ARRANGEMENT
9790001	FACTORY OPTION WELD ON ABS	WELD ON ABS BLOCK OPTION
DVA0003	MANUAL DRAIN VALVES, WITH LANYARDS ON ALL TANKS	DRAIN VALVES
H9CA1X	TRACTION CONTROL FULL DISABLE MOMENTARY	TRACTION CONTROL DISABLE
I2AAAX	BRAKE PRESSURE APPLICATION GAUGE, ELECTRONIC	SERVICE TRAILER BRAKE PRESSURE
KOXA1X	AIR DRYER POSITION STANDARD	AIR DRYER POSITION
M160001	FURNISH AUTOMATIC TRACTION CONTROL (ATC) FULL DISABLE SW.	M16 ATC DISABLE SWITCH
U2XA2X	ALUMINUM AIRTANK, POLISHED	AIRTANK MATERIAL
UKXA1X	BASIC LENGTH STROKE	BRAKE CYLINDER STROKE LENGTH
URXD1X	BRAKE VALVE VERSION, USA-BENDIX, WHERE POSSIBLE	BRAKE VALVE VERSION
UWXB1X	MANUAL DRAIN VALVE, LANYARDS ON BRAKE SYS TANKS	AIRTANK DRAIN VALVE
VHXEDX	WABCO AIR DR, 1200UP W/ T CUT OFF VALVE, W COALESC OIL FILTE	AIR DRYER - MANUFACTURER
WPXA1X	WITH TRACTION CONTROL	TRACTION CONTROL
WRXA1X	BENDIX ANTI LOCK BRAKE	ANTI LOCK BRAKE SYS. MFG
ZMXA1X	ESP BASIC PACKAGE	ESP PACKAGE
0089028	LOW PROFILE DECK PLATE	TRAILER ACCESS PACKAGE
1JAABX	PARK BR VALVE, 1 YELLOW KNOB, ALL PARK & 1 RED, TRAILER PARK	PARKING BRAKE VALVE
2802101	POLISHED ALUMINUM	AIR RESERVOIRS
2960003	MERITOR/WABCO 1200P W/ TURBO CUT OFF VALVE & COALESCING OIL	AIR DRYER
3010001	TRAILER BRKS	HAND CONTROL VALVE
3020002	TWO VALVE SYSTEM	BRAKE CONTROL VALVE SYSTEM

AIR BRAKE: 24 items

REAR AXLE/TIRES

Code	Description	Family
1RXH1X	LOAD RANGE H, DRIVE TIRE	TIRE LOAD CAPACITY, DRIVE
1UXD1X	MICHELIN, DRIVE TIRE	TIRE MAKE DRIVE
2300000	RUBBER SHOCK INSULATOR	SHOCK INSULATORS
2340008	WITH SHOCK ABSORBERS, EDGE SHOCKS (MACK AL AIR SUSP)	SHOCK ABSORBERS - REAR
2350006	PROVIDE POLISHED W/ DURA BRIGHT PROTECTION ON OUTBOARD OF D	WHEELS - POLISHED (REAR)
2370002	AUX SPRING BRAKE QTY, 4 CHAMBERS	SPRING BRAKE CHAMBERS - QUANTITY
2534203	BENDIX - S CAM EXTENDED SERVICE 16.5"X8 5/8"	BRAKES - REAR
2540401	DRVR CONT INTR WHEEL DIFF LOCK ALL RR.AXLES; MANUAL AIR VALV	TRACTION DIFFERENTIAL
2550002	HALDEX - AUTOMATIC	SLACK ADJUSTERS - REAR
2560003	IN CAB MANUAL AIR VALVE W/ WARNING BUZZER & LIGHT	POWER DIVIDER LOCKOUT
2570342	3.42 RATIO	CARRIER/RATIO - REAR AXLE - RATIO
3230002	MACK CONTROL KIT (AL) (W/ DUMP VALVE AND CONTROL)	SUSPENSION - HEIGHT CONTROL KIT
3290002	TRANSVERSE TORQUE ROD, ALL DRIVE AXLES	TRANSVERSE TORQUE RODS
3463782	24.5 X 8.25 ALUM DISC LVL ONE 10-HOLE HUB PILOT; 11.25"BC,6.	WHEELS - REAR



Year Model: 2015 CHU613
 VIN: 1M1AN07Y6FM021213
 Order Number: 087136
 Build Date: 11/12/2014
 In Service Date: 12/17/2014

3880001	FOR ROCKWELL AXLE INCLUDES FILTER	LUBE PUMP AND FILTER
38AJ1X	VENDOR CARRIER	REAR AXLE DIFF CARRIER TYPE
3LAC1X	POWER DIVIDER LOCKOUT, W/BUZZER & LIGHT	DIFFERENTIAL LOCK SWITCH
44AB1X	WHEEL FINISHING REAR, BRIGHT, DURA-BRIGHT PROTECTION	WHEEL FINISHING, REAR
4790001	30/30 TYPE	SPRING BRAKE CHAMBERS - SIZE
4870009	BENDIX EES-600 BRAKE LINING	REAR BRAKE LINING
4900001	STANDARD FINISH	REAR WHEEL NUTS
4AAA1X	REAR SUSPENSION MANUFACTURER, MACK	REAR SUSPENSION DESIGN
5110001	CAM	REAR BRAKE TYPE
5270008	20900KG(46000LBS)	REAR AXLE CAPACITY
56AD1X	3355 KG (7,400 LB) WHEEL LOAD MAX DRIVE PER WHEEL	WHEEL LOAD MAX DRIVE PER WHEEL
57AD1X	WHEEL RIM OFFSET, DRIVE 6.60 INCHES	WHEEL RIM OFFSET DRIVE
58AD1X	BASIC, 10 HAND HOLES WHEEL STYLE DRIVE	WHEEL STYLE, DRIVE
6380001	FURNISH DUST SHIELDS	DUST SHIELDS - REAR BRAKE
6GAAEX	DRV AXL SPNDL LOAD RATING R SRIES (23.6T TAND 11.8T SING)	DRIVE AXLE SPINDLE LOAD RATING
6MAA1X	REAR AXLE CASING WIDTH, STANDARD	REAR AXLE CASING WIDTH
7170001	ABS 4SENSOR/4MODULATOR SYSTEM REAR WHEEL END SENSORS	ABS SENSOR/CHANNEL OPTION
7MXCLX	473.0 REAR TIRE REVS PER MILE	REAR TIRE REVS PER MILE
7WXB1X	SYNTHETIC OIL IN REAR AXLE, 75W-90	LUBRICANTS, REAR AXLE
8790005	RSERIES:MACK SB38/S40/S440/ S46L/S46H/S501/S52;VENDOR 21	REAR AXLE WHEEL END TYPE
8824600	46000 LB. 20900 KG.	REAR AXLE RATING
8830000	STANDARD REAR AXLE SPINDLE NUTS	REAR AXLE SPINDLE NUT
8880001	PDLO	PDLO
2580001	MALLEABLE	CARRIER/RATIO - REAR AXLE - HOUSING
2591508	AL461 -MACK AIR SUSP	TANDEM REAR SUSPENSION
2622003	STEMCO VOYAGER	OIL SEALS - REAR
2632200	DISC WHEEL OUTBOARD CAST DRUMS	BRAKE DRUMS - REAR
2642000	ALUMINUM	HUBS - REAR
2673000	ALUMINUM (DISC) DRIVE WHEEL MATERIAL	REAR WHEEL TYPE
2682010	RT46160 46000LB-MERITOR 20900KG	REAR AXLE/SUSPENSION - TANDEM
2690054	54"	
2AAAAX	REAR SPRING INSULATOR, RUBBER	REAR SPRING INSULATOR MAT'L
2XBA1X	REAR SUSPENSION DEMAND, BASIC	REAR SUSPENSION DEMAND
3000002	HALDEX "GOLD SEAL" TYPE BRAKE CHAMBERS (FORMERLY ANCHORLOK)	SPRING BRAKE CHAMBERS - VENDOR
9016377	11R24.5 H MICHELIN XDN2 (DRIVE ONLY)	TIRES BRAND/TYPE - REAR
9154730	473	REAR TIRE REVS. PER MILE
9760002	AIR SUSPENSION	REAR SUSPENSION TYPE
9980002	TANDEM	REAR AXLE TYPE
9GAAAX	ABS 4 SENSORS & 4 MODULATORS (FRONT & REAR AXLES)	ABS SENSOR & MODULATOR
F1XK1X	REAR AXLE LOAD 21 TONNES (46000 LBS)	REAR AXLE LOAD
F2XQ3X	2 AXLE, 2 DRIVE, 4 AIR HENDRICKSON	REAR AXLE INSTALLATION
GWXDGX	BOGIE SPREAD, 1370MM (54.0")	BOGIE SPREAD, REAR
H8CB1X	TIRE SPEED LIMIT BASIC	TIRE SPEED LIMIT REDUCED
MAXF1X	BRAKE LINING MATERIAL DRIVE, EATON EES-600	BRAKE LINING MATERIAL DRIVE
N2AD1X	BASIC SPINDLE NUTS, MAIN AXLE	SPINDLE NUTS, MAIN AXLE
N7BOFX	XDN2, DRIVE TIRE TREAD, MICHELIN, LONG HAUL	DRIVE TIRE TREAD
O6ABKX	21 TONNES, REAR SUSPENSION CAPACITY (46000 LBS)	REAR SUSPENSION CAPACITY
PSXZ1X	NO HUBODOMETER PROVIDED	ODOMETER
R1XF1X	SINGLE REDUCTION REAR AXLE, MERITOR	REAR AXLE TYPE
R2XP1X	TANDEMAXL,21T,GCW73,SRED,MERITOR (RT-46-160/164 MT-46-16")	REAR AXLE
R3XB1X	WELDED REAR AXLE CASING	REAR AXLE CASING TYPE
R4XA1X	LUBE PUMP, REAR AXLE	LUBE PUMP, REAR AXLE
R6XB1X	REAR AXLE CASING, HEAVY DUTY	REAR AXLE CASING DUTY RATING
R9XA1X	REAR AXLE DIFF CARRIER HOUSING MATERIAL - IRON	DIFFERENTIAL HOUSING MATERIAL
SL30002	75W-90 SYNTHETIC LUBRICANT	LUBRICANT - TANDEM REAR AXLE
TAXESX	RATIO 3.42, REAR AXLE	REAR AXLE RATIO
TUXG1X	DIFFERENTIAL LOCK BETWEEN WHEELS, FRONT & REAR DRIVE AXLES	DIFFERENTIAL LOCK
U1AA1X	REAR BRAKE ADJUSTMENT, AUTOMATIC HALDEX	REAR BRAKE ADJ MANUFACTURE
U4XA1X	BRAKE DRIVE, REAR, CAST IRON BRAKEDRUM	BRAKE, DRIVE, REAR
U8XCPX	BRAKE LINING 220MM, DRIVE	BRAKE DIMENSION, DRIVE
UAXA1X	BRAKE SYSTEM, CONVENTIONAL	BRAKE SYSTEM
UEXA1X	REAR DRIVE BRAKES WITH DUST SHIELDS	DRIVE AXLE BRAKE DUST SHIELD
UGXA1X	AUXILIARY PARK, TWO EXTRA PARKING BRAKE CHAMBERS	AUX.PARKING BRAKE CHAMBERS
UPXB1X	ANCHORLOK PARK BRAKE CHAMBER	PARK BRAKE CHAMBER MANUFACTURE
VIAB1X	REAR BRAKE CHAMBER 30 / 30 SQ INCHES (SERVICE/EMERGENCY)	REAR BRAKE CHAMBER SIZE
V5AA1X	REAR WHEEL BRAKE TYPE, "S" CAM (CAST)	WHEEL BRAKE TYPE, REAR
X7AB1X	REAR WHEEL BRAKE MANUFACTURER, EATON	WHEEL BRAKE MANUFACTURER, REAR
YXA1X	REAR SUSP TRANSVERSE TORQUE RODS, ALL DRIVE AXLES	TRANSVERSE TORQUE RODS, R SUSP
YJXF1X	AIR SPRING, REAR	REAR SPRING TYPE
YLXB1X	REAR SUSPENSION SYSTEM, AIR	REAR SPRING SYSTEM
YVXE1X	SHOCK ABSORBER, HENDRICKSON EDGE, REAR, BOTH AXLES	REAR SHOCK ABSORBER
ZAXA1X	ELECTRICAL REGULATION LEVELING DEVICE	SUSPENSION LEVELLING DEVICE
0180000	VENDOR CARRIER	CARRIER/RATIO - REAR AXLE
0280000	VENDOR CARRIERS	REAR AXLE SUPPLIER- FBO



Year Model: 2015 CHUG13
 VIN: 1M1AN07Y6FM021213
 Order Number: 087136
 Build Date: 11/12/2014
 In Service Date: 12/17/2014

02XD1X	DIAM 24.5 INCH, DRIVE WHEEL & TIRE	WHEEL & TIRE DIAMETER DRIVE
0380002	REAR AXLE CASING HEAVY DUTY	RR AXLE CASING DUTY RATNG
0391650	16.5" DIAMETER	REAR BRAKE DIAMETER
05XC1X	WHEEL BRAND DRIVE, ALCOA	WHEEL BRAND, DRIVE
0960005	MACK TANDEM AIR	REAR SUSPENSION
08XB1X	DISC WHEEL PCD 286 MM HUB PILOT	WHEEL TYPE DRIVE
0DXF1X	OUTER WHEEL ALUMINIUM TREATED, INNER WHEEL AL UNTREATED	DRIVE WHEEL MATERIAL SAME/MIXED
0HXB1X	ALUMINUM WHEEL ,DRIVE	WHEEL MATERIAL DRIVE
0LXB1X	ALUMINUM HUB ,DRIVE	HUB MATERIAL, DRIVE
0RXE1X	WHEEL WIDTH 8.25 INCH	WHEEL DIMENSION DRIVE
1861508	AL461-MACK AIR SUSP	REAR SUSPENSION - TANDEM
1CX4X	DRIVE HUB SEAL, STEMCO VOYAGER	HUB OIL SEAL, DRIVE
1NX2RX	TIRE 11.00, DRIVE AXLE	TIRE DIMENSION DRIVE

REAR AXLE/TIRES: 101 items

FRAME EQUIPMENT/FUEL TANKS

Code	Description	Family
4EXF1X	TWO CLEVIS TOWING DEVICE, FRONT	TOWING DEVICE, FRONT
4SAC1X	FIFTH WHEEL TRAVEL, AIR SLIDE CONCEPT	FIFTH WHEEL TRAVEL CONCEPT
5140009	26" DIA	FUEL TANK SECTION
5370001	ALUMINUM	FUEL TANK MATERIAL
5390024	REARMOST POSITION CENTERED ON REAR AXLE(S) CENTERLINE, MAX O	FIFTH WHEEL SLIDER TRAVEL
5430002	AIR SLIDE TYPE	FIFTH WHEEL TYPE
6330003	FURNISH STANDARD FUEL TANK CAP	FUEL TANK CAP
68XC1X	QUARTER FENDER, STAINLESS STEEL, W/ LOGO	REAR FENDER
69XD1X	MUDFLAP HANGER, BETTS ROD ANGLE NO SPRING PAINTED	MUDFLAP HANGERS, REAR AXLE
68X54X	(27") 685MM BEHIND THE REAR AXLE	FIFTH WHEEL POSITION
6DAABX	CAB FOOTSTEP MATERIAL/FINISH, POLISHED ALUMINUM	CAB FOOTSTEP MATERIAL/FINISH
6DXH1X	FIFTH WHL ANG MTG FOR SLIDING 5WH, 24" (AIR OR MAN)	FIFTH WHEEL MOUNTING
6GXC1X	HOLLAND HITCH FW35 FIFTH WHEEL	FIFTH WHEEL TYPE
6JXG1X	610MM (24.0"), FIFTH WHEEL SLIDING TRAVEL MAX.	FIFTH WHEEL TRAVEL
6TXF1X	LH STRAIGHT FIFTH WHEEL RELEASE	FIFTH WHEEL RELEASE
6ZXA1X	FRONT MUDGUARD, BASIC	MUDGUARD TYPE, FRONT AXLE
7XBA1X	FUEL TANK DRAINAGE, BASIC	FUEL TANK DRAINAGE
8190203	OUTBOARD MTD. W/MTG. HOLES FOR SLIDER, MAX. 24"TRAVEL, ZERO	FIFTH WHEEL MTG ANGLES/DRILLING
84AB1X	REAR FENDER MANUFACTURER,FLEETLINE	REAR FENDER MANUFACTURER
8620001	L.H. FUEL TANK	FUEL TANK - L.H.
8EXB1X	STEEL INTERMEDIATE CROSSMEMBER	INTERMEDIATE X-MEMBER MATRL
3740056	56"	AF (OVERHANG)
3QBA1X	LUBRICATION GREASE, BASIC	LUBRICATION GREASE
4YAAAX	FRAME FASTENERS-HUCK BOLTS	FRAME FASTENINGS
6LBB1X	FUEL TANK VENTILATION, BASIC	FTVE-BAS
7120000	NO TRANSITION PLATE FURNISHED	
8FXU1X	UNIFORM LOAD NO ADAPTATION	TRANSPORT ADAPTATION
ACK0002	191" TO 230"	WHEELBASE RANGERS
C060000	BRK LIGHT CIRCT IS NOT AFFCTD BY SPRG BRK APPLTN/KEY POSITIO	BRAKE APP.TO TAIL LIGHTS
F3XR8X	XM = 7140 MM, REAR AXLE POS.	REAR AXLE POSITION
JHXA1X	FUEL HOSES, BASIC	FUEL HOSES
Q8XB1X	ACKERMAN SETTING 2 WB.(4827-5842 MM)(191-230 US INCHES)	ACKERMAN SETTING
RAP7140	XM = 7140 MM, REAR AXLE POS.	REAR AXLE POSITION
RFL2115	REAR FRAME LENGTH, 2115 MM	REAR FRAME LENGTH
X0XA1X	FRAME FLANGE WIDTH 90MM	FRAME FLANGE WIDTH
X6XB2X	TAPERED CUT TREATMENT 28 DEGREES, REAR FRAME	REAR FRAME TREATMENT
YAXF1X	9.5 MM THICK FRAME	FRAME SECTION
YBXGAX	FRAME RAIL EXTERNAL HEIGHT (300MM)	FRAME RAIL SECTION-HEIGHT
YDXBMX	REAR FRAME LENGTH, 2115 MM	REAR FRAME LENGTH
0150000	NO FRAME MODIFICATIONS PROVIDED	FRAME MODIFICATION
2710214	214"	WHEELBASE
2720183	183"	PLATFORM
2741027	STEEL 300MM X 90MM X 9.5MM -- (11.81" X 3.54" X 0.37")	FRAME RAILS
9DAABX	5TH WHEEL ANGLE, 10MM THICKNESS	5TH WHEEL ANGLE THICKNESS
A0XH2X	FRONT FRAME LENGTH 745MM	FRONT FRAME LENGTH
C290001	NYLON HOSE	FUEL LINE MATERIAL
DF11170	70L / 26" DIA SEMI TANK LEFT SIDE FRAME MTD	DEF TANK
DF20002	BRIGHT FINISH DEF TANK COVER	DEF TANK COVER FINISH
FFL0745	FRONT FRAME LENGTH 745MM	FRONT FRAME LENGTH
G8BA1X	AD-BLUE TANK MTG LOC, FRAME RAIL	AD-BLUE TANK MOUNTING LOCATION
J8XHJX	LHS FUEL TANK, 540L	FUEL TANK, LEFT HAND SIDE
K8XB1X	FUEL TANK, ROUND , DIAM. 660MM (26")	FUEL TANK SHAPE
KDXA1X	SINGLE MOUNTED FUEL TANK, (LFUEL OR RFUEL)	FUEL TANK MOUNTING
KEXA1X	FUEL TANK MATERIAL, ALUMINUM	FUEL TANK MATERIAL
KFXA1X	NON-LOCKABLE FUEL TANK CAP	FUEL TANK CAP
KHXB1X	STAINLESS STEEL FUEL TANK STRAPS	FUEL TANK STRAPS MTRL
LJXA1X	STEEL FIFTH WHEEL ANGLES	FIFTH WHEEL ANGLE MATERIAL
M070001	5TH WHL ANGLE,3/8"(10MM)	ANGLE THICKNESS



Year Model: 2015 CHU613
 VIN: 1M1AN07Y6FM021213
 Order Number: 087136
 Build Date: 11/12/2014
 In Service Date: 12/17/2014

MLXBMX	AD-BLUE TANK 70 LITER LEFT HAND SIDE	AD-BLUE TANK LEFT HAND SIDE
OAXCLX	BOC AND INTERM X-MBR5 C CHANNEL, RIVETED	X-MBR CONFIG AND POSITION
Q5AC1X	REAR CROSSMEMBER TAPERED/COVERED FLANGE FRAME END	REAR CROSSMEMBER OPTIONS
ROAA1X	FUEL TANK, POLISHED	FUEL TANK FINISH
TOXABX	DEF TANK MATERIAL, PLASTIC	AD-BLUE TANK MATERIAL
U0XA5X	SEMI RECTANGULAR DEF TANKS FOR DIAM 66 BRACKETS	AD-BLUE TANK SHAPE
U6BC1X	DEF TANK COVER, BRIGHT FINISH	AD-BLUE TANK COVER
X8XB1X	STEEL FORWARD REAR SUSP. CROSSMEMBER	FORW REAR SUSP. X-MEMBER MTRL
ZIXA1X	CROSSMEMBER, BOGIE, STEEL	CROSSMEMBER, BOGIE, MATERIAL
12AA1X	FUEL LINE OPTION, SINGLE	FUEL LINE OPTIONS
14AA1X	FUEL FILL SYSTEM, BASIC	FUEL FILL SYSTEM
2210120	POLISHED ALUMINUM SINGLE TANK OVER 84 GAL.	FUEL TANKS - BRIGHT FINISH
2230001	BRIGHT FINISH STEPS & BRIGHT FINISH STRAPS	STEPS (BRIGHT) - FUEL TANK
2430007	TWO CLEVIS TOWING DEVICE, FRONT	TOWING DEVICE - FRONT
2779021	BETTS B-35 SERIES BRACKETS WITH CONSPICUITY FEATURE FMVSS 10	MUD FLAP BRACKETS
2791300	FLUSH-STAINLESS CLAD ALUMINUM	BUMPER - FRONT
2811000	STEEL	CROSSMEMBERS
2860008	FURNISH TAPERED AND FLANGED FRAME RAIL ENDS (28 DEG.)	TAPERED FRAME RAIL ENDS
2882142	142 GAL ALUM (538 LITERS) 26IN (660MM)	FUEL TANK - LH
2900000	OMIT RH FUEL TANK	FUEL TANK - RH
2910010	FOR USE W/ TAPERED AND FLANGED FRAME END (28 DEG)	REAR CROSSMEMBER
2HXA1X	BASIC MUDFLAP, FRONT AXLE	MUDFLAP, FRONT AXLE
3303352	AIR - HOLLAND FW35 ILS SERIES, LH RELEASE	FIFTH WHEEL
3320681	6.81"	FIFTH WHEEL - HEIGHT
4449004	BLACK POLYARMOUR (NO NAME TO APPEAR ON FLAP) (NOT ANTI-SPRAY	FLAPS - WHEEL (FRONT)
4643000	QTR FENDERS - STAINLESS STEEL FLEETLINE	MUD FLAP BRACKETS
4DXP1X	BUMPER SS CLAD ALUM, ROUND SWEEP-BACK/U-CHANNEL FLUSH	FRONT BUMPER

FRAME EQUIPMENT/FUEL TANKS: 85 items

CAB

Code	Description	Family
3KXFCX	INTERIOR TRIM 3, HIGH	INTERIOR TRIM LEVEL
3UAC1X	ROOF LAMP, BULLET , TRUCKLITE	ROOF LAMP STYLE & MFG.
4000004	BR FIN(CHROME)W/BLK BACKGROUND	GRILLE
40XAIX	HAND FIRE EXTINGUISHER 2.2 KG (5LB) ENGLISH DECAL, ABC	FIRE EXTINGUISHER
4241000	VISIBILITY DOOR	DOORS
4921402	MACK mDRIVE-PREMIUM SHIFTER	GEAR SHIFT
4AXB1X	MANUAL CONTROLLED CLIMATE CONTROL AIR CONDITION	CLIMATE UNIT
5750001	CIGAR LIGHTER	CIGAR LIGHTER
5760008	RED FLOOR LIGHTING W/SWITCH PLUS (4) DOME LAMPS W/SWITCHES	CAB DOME LIGHT
6JAA1X	CAB GRAB HANDLES, BRIGHT FINISH	CAB GRAB HANDLES FINISH
7860007	5LB (ABC RATED/AMEREX) MOUNTED BETWEEN LH SEAT BASE & DOOR;	FIRE EXTINGUISHER
8330045	STANDARD PKG + ENGINE OIL TEMP TRANSM OIL TEMP, EXH PYRO, A	GAUGE CLUSTER
9050003	WITH DAYTIME RUNNING LIGHTS, PARK BRAKE SET (ENGAGED) & ENG	DAYTIME RUNNING LIGHTS
9840001	AIR SUSPENSION GAUGE TO MONITOR REAR SUSP AIR BAGS(OR#94-05-	GAUGE-AIR SUSPENSION
9970001	CUSTOMER GUARANTEED WEIGHT, MUST BE CERTIFIED WEIGHT	CERTIFIED WEIGHT
B4BAAX	GAUGES GRADUATION (EXCL. SPDM), USA UNITS	GAUGES GRADUATION (EXCL. SPDM)
B700004	BLACK GRILLE	HOOD AIR INTAKE GRILLE
BHXAAX	CIGAR LIGHTER	CIGARLIGHTER
C0D0000	WITH OUT CAB CLEANOUT	AUX.INCAB PNEUMATIC LINE
D9AAAX	EXHAUST PYROMETER GAUGE	GAUGE EXHAUST PYROMETER
E0AAAX	TRANSMISSION OIL TEMP GAUGE	GAUGE TRANSM. OIL TEMP
E1AAAX	REAR AXLE OIL TEMP GAUGE	GAUGE OIL TEMP-REAR AXLE
E2AAAX	MANIFOLD PRESSURE GAUGE-ELECTRICAL	GAUGE MANIFOLD PRESSURE
EAXB1X	WIRING FOR TWO AUX. SWITCHES	AUXILIARY SWITCH WIRING
FKX55X	CAB POS, MEDIUM X COORD (LONGITUD) MEDIUM Z COORD (HEIGHT)	CAB POSITION
IOXA1X	DOME LAMP, INTERIOR, 2EA SIDE, RED FLOOR LIGHTING & SWITCHES	DOME LAMP, INTERIOR
M3AA1X	REAR AIR SUSPENSION GAUGE	GAUGE, REAR AIR SUSP PRESSURE
N6XR5X	STD+ENG&TRANSM OIL TEMP,EXH PYRO,AIR MANIF,APPLIC& SUSP PRES	GAUGE PACKAGES
N8XD1X	MILES/HOUR, KILOMETER/HOUR SPEEDOM. GRADUATION	SPEEDOM. GRADUATION
VPXA1X	TINTED GLASS, ALL DOORS - GREEN	GLASS COLOUR DOORS
X6CB1X	FIRE-EXTINGUISHER MANUFACTURE, AMEREX	FIRE EXTINGUISHER MANUFACTURE
0EAC1X	AIR INTAKE GRILLE, BLACK	AIR INTAKE GRILLE, FINISH
0JAAAX	ASHTRAY	ASHTRAY
0JAA1X	CAB GRAB HANDLES, OUTER AND INNER, BASIC	CAB GRAB HANDLE
0KAA1X	FLOOR COVER, CENTER, POLYURETHANE	FLOOR COVER, CENTER MATERIAL
0TAAFX	INTERIOR TRIM PATTERN 6 (GRAND TOURING)	INTERIOR TRIM PATTERN
1443000	CONVENTIONAL CAB, DAYCAB	CAB
1450001	TINTED WINDSHIELD, SIDE WINDOWS, & REAR WINDOW	GLASS - CAB WINDOW
1640001	FURN (2) EXTRA DASH MTD ROCKER SW FOR HOOK-UP OF LOCAL INSTA	DASH MOUNTING SWITCHES
1731001	BLEND AIR HVAC	AIR CONDITIONING/HEATER
1840007	POLYURETHANE FLOOR MAT	FLOOR COVERING
1980001	U.S. UNITS (PREDOMINANT)	GAUGES - METRIC
1990008	ELECTRONIC W/ ODOMETER & TRIP ODOMETER(W/PROXIMITY PICK UP)	GAUGE - SPEEDOMETER
1XAA1X	FIRE EXTINGUISHER LOCATION, DRIVER SEAT	FIRE EXTINGUISHER LOCATION



Year Model: 2015 CHU613
VIN: 1M1AN07Y6FM021213
Order Number: 087136
Build Date: 11/12/2014
In Service Date: 12/17/2014

2000010	ELECTRONIC-W/HOURMETER (PROXIMITY PICKUP)	GAUGE - TACHOMETER
2060001	EXHAUST PYROMETER GAUGE	GAUGE - EXHAUST PYROMETER
2070001	AIR SUSPENDED	CAB MOUNTING
2120001	ELECTRICAL	GAUGE-ENGINE OIL TEMP.
2140001	TRANSMISSION OIL TEMP GAUGE	GAUGE-TRANS.OIL TEMP.
2150001	REAR AXLE GAUGE(S)	GAUGE - REAR AXLE OIL TEMPERATURE
2170003	MANIFOLD PRESSURE GAUGE - ELECTRICAL	GAUGE - MANIFOLD PRESSURE
2180001	VOLTMETER	GAUGE-ELECTRICAL SYSTEM
2190003	AIR APPLICATION GAUGE (ELECTRONIC)	GAUGE-AIR APPLICATION
28XH1X	BRIGHT GRILLE (CHROME PLATED), W/BLACK BACKGROUND	FRONT GRILLE
2940001	ELECTRICAL SENDING UNIT MTD ON LEFTHAND TANK	GAUGE - FUEL LEVEL
2DX90X	REAR CAB SUSPENSION, AIR	CAB SUSPENSION REAR
2KXA1X	BASIC FRONT WHEEL OPENING	FRONT WHEEL OPENING
2RAA1X	BASIC FUEL LEVEL SENDER MOUNTED ON LH TANK	FUEL LEVEL SENDER UNIT
2ZX25X	TINTED WINDOW GLASS	GLASS COLOUR
3120010	TRUCKLITE CHROME BULLET LED TYPE (SET OF 5) N/A W/ ROOF FA	IDENTIFICATION/CLEARANCE LIGHTS
3400001	FIBERGLASS - AXLE FORWARD STYLE	HOOD AND FENDERS
3610002	SINGLE TONE (1 HORN)	HORN - ELECTRIC
3ABA1X	HOOD TILTER, BASIC	HOOD TILTER
3GXC1X	HEATED, EL. OPERATED EXT. MIRRORS, BOTH SIDES	EXTERIOR MIRROR FEATURES
3HXB1X	WIDE-ANGLE MIRROR ,BOTH SIDES	AUXILIARY MIRROR,WIDE-ANGLE
3RXA3X	INTERIOR TRIM GREY	CAB INTERIOR TRIM COLOUR
4150003	2 STORAGE COMP AND NET RETAIN W/ CENTER MNT CB PROVISIONS	STORAGE ACCESSORIES
4329012	PROVIDE MOUNTING PLATE AND VELCRO STRAP IN HEADER CONSOLE (O	RADIO - CB RADIO MOUNTING
45AA4X	EXT. MIRROR HOUSING SHAPE, AERO	EXTERIOR MIRROR HOUSING SHAPE
4710001	RECT CONVEX ABOVE RH DOOR WINDOW (GU4#12-08-100)	VISIBILITY MIRROR
47AC1X	MAIN MIRROR HOUSING FINISH, CAB COLOR	MAIN MIRROR HOUSING FINISH
4UAA1X	HOOD LATCH FINISH, BLACK	HOOD LATCH FINISH
5BXB1X	MIRROR MOUNTED ANTENNA FOR CB-RADIO, SINGLE AERIAL	ANTENNA, CB RADIO
5CXAEX	SPEAKER LOCATION, BEHIND DOORS, MIDDLE HIGH SIDE PANEL	SPEAKER LOCATION
5EAA1X	AUDIO INTEGRATED HANDSFREE PHONE, BLUETOOTH	AUDIO INTEGRAT. PHONE HANDSFRE
5FAA1X	AUDIO COMMUNICATION CONNECTOR, USB AUDIO	AUDIO COMMUNICATION CONNECTOR
5GAA1X	AUX.LINE IN CONNECTOR IN AUDIO	AUX AUDIO CONNECTOR
5JXALX	CB MOUNTING, OVERHEAD COMP, VELCRO STRAP	COM.RADIO PREP KIT (CB)
6460001	FURNISH HOOD INSULATION	HOOD INSULATION
65AA1X	AIR HORN, FINISH, CHROMED/BRIGHT FINISH	AUX. AIR HORN FINISH
73AA1X	ANTENNA, RADIO, ROOF CENTER FRONT MTD, SHORT RUBBER	ANTENNA, RADIO
7840005	EMERGENCY REFLECTOR KIT MTD PARALLEL & CENTERED AGAINST BO	REFLECTOR KIT
8210005	VINYL COVERED FOAM PADDED BUTTON-TUCKED HEADLINER	HEADLINER
89AA1X	ENGINE COMPARTMENT INSULATION, HOOD	HOOD INSULATION, CLIMATE
8BXA1X	2 KEYS PROVIDED PER TRUCK (IGNITION AND DOOR LOCKS)	KEY QUANTITY PER TRUCK
9HAABX	AUDIO WAVEBANDS FM 87.75+87.9-107.9 MHZ, AM 530-1710 KHZ	AUDIO WAVEBANDS
A270005	BRUSHED NICKEL	INSTRUMENT PANEL
A5DA1X	INTERIOR GENERATION, 1	INTERIOR GENERATION
ASXABX	TINTED GLASS, LOW (LEVEL OF TINTING)	REAR WINDOW FEATURES
B060001	TWO 12V AUX POWER OURLETS- DASHMOUNTED	POWER OUTLETS
C0J0012	CO-PILOT DRVR DISP ENHANCED LCD DISP W/4 BUTTON STALK CONTRO	INSTRUMENT CLUSTER DISPLAY
C440001	SATELLITE RADIO ANTENNA	ANTENNA: SATELLITE RADIO
C520001	DEFAULT: ENGLISH, OPTION: SPANISH/FRENCH	INSTMNT CLUSTER LANGAGE
CBXD1X	DRIVER INFO DISPLAY COPILOTE	DRIVER INF. DISPLAY SCREEN
F8XC8X	RADIO, AM/FM, CD-PLAYER, MP3, WEATHER BAND	AUDIO SYSTEM
LXXC1X	1 SINGLE ELECTRIC HORN SINGLE TONE	HORN, ELECTRICAL
LZXJ1X	AIR HORN, ROOF MOUNTED, 2 SINGLES, WITH PROTECTIVE SHIELD	AUX. HORN
M1AB1X	SATELLITE PROVIDER, SIRIUS	SATELLITE RADIO PROVIDER
P1XE1X	FIRST OPTION LANG.SPANISH	DRIVER INFO.FIRST OPTION LANG.
P2XD1X	SECOND OPTION LANG.FRENCH	DRIVER INFO.SECOND OPTION LANG
SPKMHSP	SPEAKER LOCATION, BEHIND DOORS MIDDLE HIGH SIDE PANEL	SPK SLPR.BOX:SPEAKER LOCATION
Y6CB1X	HEATED MIRROR TIME-OUT, 60 MIN	HEATED MIRROR TIME-OUT
0043205	GRAND TOURING SLATE GRAY BUTTON-TUCKED	INTERIOR TRIM LEVELS
0MAA1X	HEADLINER, VINYL	HEADLINER MATERIAL
13AA1X	DOOR OPENING OPTION, MANUAL	DOOR OPENING OPTIONS
1523005	AERO MIRROR - BODY COLOR, HEATED & MOTORIZED both sides, WID	MIRRORS - EXTERIOR
1549014	MACK-2-RECT SINGLE TRUMPETCHROME PLATED STEEL W/SNOW SHIELDS	HORN - AIR
1550001	FIXED	REAR WINDOW
1560001	ROOF MOUNTED	RADIO - ANTENNA
160M100	ALL CHASSIS KEYED ALIKE-2 KEYS (M-100)	KEYED ALIKE CHASSIS
1660003	5-WAY BINDING POSTS FOR CB IN HEADLINER	RADIO - BINDING POSTS FOR CB
1746103	PREMIUM STEREO, AM/FM, CD-PLAYER, MP3, WEATHER BAND, BLUETOO	RADIO/RADIO ACCOMODATION
19AA1X	SATELLITE ANTENNA	SATELLITE ANTENNA
1WAB1X	POWER LEAD, 5WAY TYPE, HEADLINER MTD	POWER LEADS
2030003	SINGLE-DRIVERS SIDE	RADIO ANTENNA - CB
2080001	BLACK FINISH	HOOD LATCHES
20XDXX	ALL CHASSIS KEYED ALIKE- (M-100)	KEY TYPES FOR DOORS
34XAAX	FIXED PASSENGER SEAT, INTEGRATED STORAGE BOX	PASS SEAT SUPPORT



Year Model: 2015 CHUG13
 VIN: 1M1AN07Y6FM021213
 Order Number: 087136
 Build Date: 11/12/2014
 In Service Date: 12/17/2014

3540002	BOTH SIDES	SUN VISOR - INTERIOR
3AXA1X	CENTRAL DOOR LOCKING	DOOR LOCK CAB
3PX1X	SEAT ARMREST SINGLE, DRIV(DRIVER SEAT ONLY)	SEAT ARMREST
3VAB1X	ROOF LIGHT BULB, LED	ROOF LIGHT BULB
3ZYG2X	DRIVERS SEAT, AIR SUSPENDED	DRIVER SEAT SUPPORT
4390001	ADJUSTABLE TILT TELESCOPE	STEERING COLUMN
43X40X	RECTANGULAR CONVEX ABOVE RH DOOR WINDOW	CLOSE VIEW MIRROR, SIDE OF CAB
4850005	ULTRA-LEATHER, CAB INTERIOR DEPENDANT COLOR, DRIVER & RIDER	SEAT COVERING
4NXFLX	EXTERIOR SUNVISOR	SUNVISOR, EXTERIOR
4PXAHX	3 POINTS, BOTH SEATS, WITH HEIGHT ADJ	SEAT BELT
4VX31X	THREE WARNING TRIANGLES	SAFETY EQUIPMENT
5920005	LAP & SHOULDER (BOTH SEATS) CAB MTD SHOULDER BELT ADJUSTMT	SEAT BELTS/RETRACTORS
6440005	RH DOOR PEEP WINDOW W/O LH DOOR VENT	PEEP WINDOW - CAB
7RAABX	EXTERIOR SUNVISOR FINISH-BRIGHT	EXTERIOR SUNVISOR FINISH
8650006	HARD MOLDED STORAGE UNIT DRIVERS & RIDERS DOORS	STORAGE POUCH
88AA1X	EMBLEMS OPTION, COMPLETE	EMBLEMS OPTION
ADXC1X	EXTERIOR GENERATION THREE	EXTERIOR PACKAGE GENERATION
B570000	FURNISH STANDARD WASHER BOTTLE (30)	WINDSHIELD WASHER
B800002	GUARDDOG ROUTINE MAINTENANCE MONITORING SYSTEM,WITHOUT BRAKE	GUARDDOG MAINT. MONITORING
CKXS0X	CONVENTIONAL (N-SERIES)	VEHICLE PROFILE
D0C0001	REAR STORAGE POUCH	STORAGE POUCH - REAR
D2XA1X	WIPER BLADE, BASIC	WIPER BLADE STYLE
DBXH1X	DASHBOARD TRIM, BRUSHED METALLIC	DASHBOARD
E3XD1X	FRWRD OVRHD STG, 2 STG COMPMT W/NET, 1 RADIO SHLF CNTR	FORWARD OVERHEAD STORAGE
IFXB1X	REAR WALL STORAGE COMPARTMENT ,FIXED	REAR WALL STORAGE COMPARTMENT
JQXAAX	WASHER RESERVOIR BASIC POSITION	WASHER RESERVOIR POSITION
M060002	2 PIECE WINDSHIELD	WINDSHIELD TYPE
N1XB5X	DASH, DUAL OUTLET- 12V	ELECTRICAL DASH OUTLET
NIXA1X	WIPER SWITCH 4 POSITION (GENERIC 2 SPEED PLUS INTERMITTENT F	WIPER SWITCH
NPXA1X	NON CANCELLING TURN SIGNAL	TURN SIGNALS
OUXA1X	SEAT BELT DRIVER SEAT BLAC	SAFETY BELT DRIVER SEAT
OXXA1X	SAFETY BELT PASSENGER SEAT BLAC	SAFETY BELT PASSENGER SEAT
P6XABX	MAINTENANCE MONITORING SYSTEM, EXCLUDING BRAKE LINING	SERVICE ALERT SYSTEM
Q2AA1X	CAB STEP,BASIC	CAB STEP VERSION
Q4XADX	AUX. WIN. DOOR ON RIGHT SIDE NON STG WHL POS. DEPEND	DOOR WINDOW FRONT
U3CF1X	DRIVERS SEAT UPHOLSTERY, ULTRA LEATHER (LEATHER IMITATION)	DRIVERS SEAT UPHOLSTERY
U4CF1X	PASSNGR SEAT UPHOLSTERY, ULTRA LEATHER (LEATHER IMITATION)	PASSENGERS SEAT UPHOLSTRY
U7XB1X	INTERNAL SUNVISOR FRONT, BASIC (NO MIRROR), BOTH SIDES	SUNVISOR INTERIOR, FRONT
WSXBAX	SPLITTED WINDSCREEN	WINDSCREEN TYPE
X9ACAX	DRIVER SEAT, ELECTRICAL HEATED	DRIVER SEAT, ELECTRICAL HEATED
XXRB1X	ADJUSTABLE STEERING WHEEL, 2 MOTIONS	STEERING WHEEL ADJUSTMENT
0CAH1X	EMERGENCY KIT LOCATION MTD PARALLEL & CENTERED AGAINST B.O.C	EMERGENCY KIT LOCATION
0HAA1X	SEAT SUPPORT, DUST COVER, DRIVER SIDE	SEAT SUPPORT, DUST COVER
1460008	POWER W/DOOR LOCK (LH&RH)-ELEC	WINDOW CONTROLS
1480011	TWO SPEED ELECTRIC MOTOR W/INTERMITTENT FEATURE	WINDSHIELD WIPERS
1490000	FURNISH STANDARD STEP CONFIGURATION	CAB ACCESS STEPS
1500002	DRIVER'S AND RIDER'S SEAT	SEAT BELTS/RETRACTORS
1579001	STAINLESS STEEL	SUN VISOR - EXTERIOR
1570060	HEATED MIRROR 60 MIN TIME-OUT (DEFAULT SETTING)	15T HEATED MIRROR TIME-OUT
1610014	2 SPOKE LEATHER GRIP, BRIGHT CHROME SPOKES, W/O SWITCHES	STEERING WHEEL
1659000	FURNISH DRIVERS SEAT WITH INBOARD MTG ARMREST	SEAT ARM RESTS
1790001	DRIVERS ONLY	SEAT - DUST COVERS
1962101	AIR- MACK PROPRIETARY SEAT HEATED	SEAT - DRIVER
1971116	FIXED-MACK (HI-BACK) W/INTEGRAL STORAGE COMPARTMENT	SEAT - RIDER
1DAAX	SEAT MANUFACTURER & SERIES, DRIVER, BOSTROM MACK	SEAT MFG. AND SERIES, DRIVER
1EAAAX	DRIVER SEAT UPHOLSTERY COLOR, NON SPECIFIED (INT DEPEND)	DRIVER SEAT UPHOLSTERY COLOR
1FAAJX	DRIVER SEAT FEATURES, HI BACK, WIDR, 2 CHAMBR AIR LUMBAR ADJ	DRIVER SEAT FEATURES
1GAAAX	SEAT MFG. & SERIES, PASSENGER, BOSTROM MACK	SEAT MFG. & SERIES, PASSENGER
1HAAAX	PASSENGER SEAT UPH. COLOR, NON SPECIFIED (INT DEPEND)	PASSNGR SEAT UPHOLSTRY COLOR
1IAAGX	PASS SEAT FEATURES, HI BACK, STD WIDTH, NO LUMBAR ADJ	PASSENGER SEAT FEATURES
1ZAB1X	DOOR STORAGE COMPARTMENT, BOTH SIDES	DOOR STORAGE COMPARTMENT
21XA1X	AUX. REAR WINDOW - FIXED	AUXILIARY REAR WINDOW
2380001	KEY TYPE	STARTER SWITCH
2390009	MANUAL CANCELLING TURN SIGNALS	DIRECTIONL SGNL SWTCHOPT
2QAA1X	IGNITION TYPE, KEY	IGNITION TYPE
2WXA5X	450 MM STEERING WHEEL LEATHER	STEERING WHEEL
2XX35X	ELECTRICAL WINDOW LIFT, BOTH DOORS	WINDOW LIFT

CAB: 185 items

CAB - SLEEPER BOX

Code	Description	Family
7680000	OMIT SLEEPER BOX WINDOW	SLEEPER BOX - WINDOW
0160000	Day Cab (No Sleeper)	SLEEPER BOX

CAB - SLEEPER BOX: 2 items



Year Model: 2015 CHU613
 VIN: 1M1AN07Y6FM021213
 Order Number: 087136
 Build Date: 11/12/2014
 In Service Date: 12/17/2014

PTO/SPECIALTY/ADDITIONAL EQUIPMENT

Code	Description	Family
1890011	REAR PTO TRANS., DIN-CONN.PUMP MEDIUM SPEED (PTR-DM)	PTO - REAR MOUNTED
P7CC1X	AIRTANK CALCULATION STATUS, NOT RUN	AIRTANK CALCULATION STATUS

PTO/SPECIALTY/ADDITIONAL EQUIPMENT: 2 items

PAINT

Code	Description	Family
9220000	CHASSIS PAINT PROCESS, STANDARD COLOR (MACK BLACK) 6ABZ1X	PAINT PROCESS: CHASSIS
9380000	NOT PAINTED	PAINT PROCESS: BUMPER
9390000	NOT PAINTED	PAINT PROCESS: FUEL TANK
9850000	NO CUSTOM PAINT	PAINT PROCESS: RIM/WHEEL
9860000	NO CUSTOM PAINT	PAINT PROCESS: HUB & DRUM
6BBZ1X	WHEEL PAINT PROCESS, NO CUSTOM PAINTED	WHEEL PAINT PROCESS
6ABZ1X	CHASSIS PAINT PROCESS, STANDARD COLOR (MACK BLACK)	CHASSIS PAINT PROCESS
5ZBZ1X	BUMPER PAINT PROCESS, NOT PAINTED	BUMPER PAINT PROCESS
5YBZ1X	HUB & DRUM PAINT PROCESS, CHASSIS COLOR	HUB & DRUM PAINT PROCESS
7HBZ1X	FUEL TANK PAINT PROCESS, NOT PAINTED	FUEL TANK PAINT PROCESS

PAINT: 10 items

COMMUNICATIONS SYSTEMS

Code	Description	Family
D0E0000	DISABLE	FLEET MANGT. VIA DISPLAY
2JCA1X	REMOTE DIAGNOSTIC SERVICES, ENABLED	REMOTE DIAG SERVICES
5JBE1X	GATEWAY WITH 3G AND WLAN	TELEMATICS COMMUNICAT GATEWAYS
3FCZ1X	COMM SYS NOTIFICATION, DISABLE - MESSAGE RECEIVED FUNCTION	COMMUNICATION SYS NOTIFICATION

COMMUNICATIONS SYSTEMS: 4 items

ELECTRICAL

Code	Description	Family
4050002	BATTERY BOX COVER, POLISHED ALUMINUM	BATTERY BOX COVERS
3102400	HALOGEN-SINGLE RECTANGULAR	HEADLIGHTS
4CCC1X	ALTERNATOR CABLE AMP RATING, LOW (UP TO 165 AMPS)	ALTERNATOR CABLE AMP RATING
5RXA6X	BACK UP ALARM, 107DB, ECCO (CONSTANT SOUND)	BACK-UP ALARM
6MBA1X	BATTERY CABLES SIZE, BASIC	BATTERY CABLES SIZE
81AB1X	WORKING LAMP TECHNOLOGY, LED	WORKING LAMP TECHNOLOGY
8480001	SHOCK PADS UNDER BATTERIES	BATTERY SHOCK PADS
8690004	ALL CIRCUITS FUSE/BREAKER PROTECTED	ELECTRIC CIRCUIT PROTECTION PACKAGE
L4X15X	LHS BATTERY BOX	BATTERY BOX MOUNTING
L5XF1X	POLISHED ALUMINUM BATTERY BOX COVER	BATTERY BOX COVER
LAX05X	ELECTRICAL SYSTEM 12 VOLT	VOLTAGE
LSXH1X	DRL WHEN ENG RUNNING, PARK BRAKE OFF	LOW BEAM
LVX40X	SYMMETRIC HEAD LAMP	HEADLAMP ASYMMETRIC
M150000	CHASSIS & POWER HARNESS WITH STANDARD CASING	M15 CHASSIS HARNESS OPTIONS
MOXAAX	BATTERY SHOCK PADS	BATTERY ISOLATION
N5XISX	WORKING LAMP CAB BACK, 2 LAMPS,WHITE,RECES,LOW MTD,TRUCKLITE	WORKING LAMP
NEXD2X	TAIL LAMP, SERIES 44 LED	TAIL LAMPS
Q8AB1X	ONE BATTERY BOX, 3 BATTERIES MAX.	B-BOX QTY AND BATT PER BOX
Q8CB1X	CHASSIS WIRING HARNESS CASING, BASIC	CHASSIS WIRING HARNESS CASING
3930013	BATTERY BOX MTD LEFT SIDE UNDER CAB FWD OF FUEL TANK (3 BAT	BATTERY BOX - MOUNTING
3899000	SEMI-TRLR CLEARANCE LIGHT CIRC W/30AMP BRKR & ADEQUATE WIRI	DOUBLES TRAILER ELECTRICAL PACKAGE
3170003	ECCO BACK-UP ALARM 575 CONSTANT SOUND LEVEL	BACK-UP ALARM
4832000	FURNISH LED MODULE	REAR LIGHTING

ELECTRICAL: 23 items

VEHICLE ELECTRONICS

Code	Description	Family
M4CB1X	IDLE SHUTDOWN OVERRIDE UPTO 20% ENGINE LOAD THRESHOLD	IDLE S/D OVERRIDE %ENGINE LOAD
M7U0000	DISABLE	ACCELERATION LIMITER
Q1CA1X	GEAR SELECTION TUNING, BASIC	GEAR SELECTION TUNING
R5CZ1X	VEHICLE ASSISTANCE SERVICE DISABLED	VEHICLE ASSISTANCE SERVICE
U3AF8X	HIGHEST GEAR RATIO, 0.78	HIGH GEAR RATIO (TRANSMISSION)
U6AA1X	ENGINE GOVERNOR TYPE MIN-MAX	ENGINE GOVERNOR TYPE
U7AA1X	TRANS. PROTECTION, ENGINE SHUT DOWN (HIGH TEMP.)	TRANSMISSION PROTECTION
U9AH0X	2ND HIGHEST GEAR RATIO, 1.00	SECOND HIGH GEAR RATIO TRANS
W5A90X	ACTIVATE ALERT AT 90% OF THE TIME/DISTANCE SETTING	MAINTENANCE DUE ALERT %
W5BJ2X	1950 MAXIMUM ENGINE SPEED AT 0 MPH	MAXIMUM ENG SPEED AT 0 MPH
W8BAAX	WITH SERVICE ALERT	SERVICE ALERT
W9A01X	PERIODIC TRIP LOG, DAY 1 OF THE MONTH	PERIODIC TRIP LOG DAY OF MONTH
WMXA1X	COOLANT TEMP, ENGINE SHUTDOWN	COOLANT TEMP, ENGINE SHUTDOWN
WNX10X	WHEEL SENSOR ANTILOCK BRAKE SYSTEM	ANTILOCK BRAKE SYST.
V6CC1X	ON BOARD DIAG EMISSIONS PHASE A REGULATIONS	OBD EMISSIONS PHASE REGULATION
W0XA1X	OIL PRESSURE, ENGINE SHUTDOWN	OIL PRESSURE, ENGINE SHUTDOWN
X0A80X	INCREASE 10 MINUTE MAXIMUM TIME	IDLE BATTERY CHECK
X3CB1X	DRIVER ID FUNCTION, DISABLED	DRIVER ID FUNCTION
X5AA1X	SERVICE INTERVALS, HIGHWAY APPLICATION	VEHICLE APP SERVICE INTERVALS
X8CZ1X	ENGINE HIGH IDLE SPEED IN UPPER GEARS, DISABLED	HIGH IDLE SPEED-UPR GRS FEATUR



Year Model: 2015 CHUG13
VIN: 1M1AN07Y6FM021213
Order Number: 087136
Build Date: 11/12/2014
In Service Date: 12/17/2014

X9CZ1X	ENGINE SMART TORQUE FEATURE, DISABLED	ENGINE SMART TORQUE FEATURE
Y1CZ1X	ACCELERATION LIMITING FEATURE, DISABLED	VEHICLE ACCELERATION LIMITING
Y3CD1X	111 KM/H PEDAL ROAD SPEED LIMITER (69MPH)	PEDAL RSL SETTING
Y7BA1X	IDLE EMISSION LABEL LOCATION, HOOD	IDLE EMISSION LABEL LOCATION
Y9CL1X	TRANSMISSION PTO1 SPLIT GEAR RANGE, LOW	TRANS PTO1 SPLITTER RANGE
Z1CR1X	TRANSMISSION PTO2 SPLIT GEAR RANGE,(KEYPAD)REMOTE CONTROLLED	TRANS PTO2 SPLITTER RANGE
Z2CFSX	1ST RATIO FOR REDUCD HIGH IDLE, 2.48	1ST RATIO FOR REDUCD HIGH IDLE
2ACZ1X	GREEN HOUSE GAS SOFT TOP FACTOR, 0 MINUTES	GHG VSL SOFT TOP FACTOR
2BCZ1X	GHG SPEED LIMITER EXPIRATION MILEAGE 0 MILES	GHG VSL EXPIRATION MILEAGE
2DCZ1X	GHG AUTOMATIC ENGINE SHUTDOWN ALLOWABLE IDLE 0 HOURS/ YEAR	GHG AES ALLOWABLE HOURS
2ECZ1X	GHG AUTOMATIC ENGINE SHUTDOWN EXPIRATION MILEAGE 0 MILES	GHG AES EXPIRATION MILEAGE
2MCA1X	GREEN HOUSE GAS COMPLETE VEHICLE & COMPLETE CERTIFICATION	VEHICLE GHG CERTIFICATION
C0X0001	ENABLED	ENG /OIL TEMP SHUTDOWN
C0Z0000	NO IDLE S/D SLPR MODE OVERRIDE	IDLE S/D COOLDOWN (SLEEPER)
C420001	DISPLAY FEATURES ACCESS,LIMITED (FLEET LEVEL)NO DRIVER ACCES	DISPLAY FEATURES ACCESS
C540000	IDLE SHUTDOWN DISABLED	IDLE S/D ABS TAMPER CHECK
C550001	ENABLE POWER DIVIDER LOCKOUT ROAD SPEED LIMIT	PDLO ENGAGE VLS FEATURE
C560025	PDLO ROAD SPEED LIMIT 25 MPH (40 KMH)	PDLO ENGAGED VLS
CNXNAX	TRANSM. SOFTWARE PACK, PREMIUM	TRANSMISSION SOFTWARE PACKAGE
CSL0069	69MPH/111KMH PEDAL ROAD SPEED LIMITER	CRUISE SPEED LIMITER
D2AAFx	AMBIENT TEMP MIN TRESHOLD, 16 DEG C, (60 DEG F)	AMBIENT TEMP MIN TRESHOLD
D3AAEX	AMBIENT TEMP MAX TRESHOLD, 27 DEG C, (80 DEG F)	AMBIENT TEMP MAX TRESHOLD
DT50001	SPEED SENSOR TAMPER DETECTION ACTIVATION,ENABLE	SPEED SENSOR TAMPER DETECTION
E0XGAX	IDLE SHUTDOWN TIME 10 MIN.	ENGINE IDLE SHUTDOWN TIME
E3AACX	MIN CRUISE, 32 KPH (20 MPH)	CRUISE CONTROL MIN SPEED
E4AAAX	CRUISE RESUME WITH CLUTCH	CRUISE RESUME WITH CLUTCH
E5AAEX	ENG BRK ENGAGE IN CRUISE, 5 MPH, ABOVE SET SPEED	ENG BRK ENGAGE IN CRUISE
F3AAEX	PTO 1ST, SINGLE SPEED SETTING, 1000 RPM	PTO1 SINGLE SPEED CONTROL RPM.
F5AABX	1ST PTO, MAX ROAD SPEED, 10 MPH (16 KPH)	PTO 1ST, MAX ROAD SPEED
F6AABX	PTO 1ST, SPEED RAMP RATE 100 RPM/SEC	PTO 1ST, SPEED RAMP RATE
F7AAEX	PTO 1ST, MAX ENGINE SPEED, 1000 RPM	PTO 1ST, MAX ENGINE SPEED
F8AAGX	PTO 1ST, ROAD SPEED LIMIT, 97 KMH (60 MPH)	PTO 1ST, ROAD SPEED LIMIT
F9AABX	PTO 1ST, MINIMUM ENGINE SPEED, 600 RPM	PTO 1ST, MINIMUM ENGINE SPEED
G0AZ1X	PTO 1ST, AUTO SET SINGLE SPEED, DISABLE	PTO 1ST,AUTO SET SINGLE SPEED
G1AABX	ENGINE IDLE DELAY TO START LOG, 2 MIN	ENGINE IDLE DELAY TO LOG
G2AAGX	ENGINE OVERSPEED, FUELED, TIME LOG IF ABOVE 2100 RPM	ENGINE OVERSPEED,FUELED, LOG
G3AAPX	VEHICLE OVERSPEED, FUELED, TIME LOG IF ABOVE 70MPH (113KMH)	VEHICLE OVERSPEED, FUELED, LOG
G4AAUX	VEHICLE OVERSPEED,ALL COND, TIME LOG IF ABOVE 75MPH (121KMH)	VEHICLE OVERSPEED,ALL COND,LOG
G5AAHX	ENGINE OVERSPEED, ALL CONDITIONS, TIME LOG IF ABOVE 2200 RPM	ENGINE OVERSPEED,ALL COND, LOG
G8AABX	PTO 2ND, MINIMUM ENGINE SPEED, 600 RPM	PTO 2ND, MINIMUM ENGINE SPEED
G9AABX	PTO 2ND, SPEED RAMP RATE 100 RPM/SEC	PTO 2ND, SPEED RAMP RATE
H0AABX	2ND PTO, MAX ROAD SPEED, 10 MPH (16 KPH)	PTO 2ND, MAX ROAD SPEED
H4AZ1X	PTO 2ND, AUTO SET SINGLE SPEED, DISABLE	PTO 2ND,AUTO SET SINGLE SPEED
H5AAGX	PTO 2ND, ROAD SPEED LIMIT, 97 KMH (60 MPH)	PTO 2ND, ROAD SPEED LIMIT
H6AAEX	PTO 2ND, SINGLE SPEED SETTING, 1000 RPM	PTO 2ND, SINGLE SPEED SETTING
H7AANX	PTO 2ND, MAX ENGINE SPEED, 2100 RPM	PTO 2ND, MAX ENGINE SPEED
JCX1PX	111 KM/H ROAD SPEED LIMITER (69MPH)	ROAD SPEED LIMITER SETTING
JDXD1X	CRUISE CONTROL SOFT	CRUISE CONTROL
JFXLSX	MAX CRUISE, 111 KPH (69 MPH)	CRUISE CONTROL, MAX SPEED
K4CZ1X	VEHICLE UPTIME DISABLED	VEHICLE UPTIME SETTINGS
K5XA2X	ENGINE PROTECTION (SHUTDOWN)	ENGINE PROTECTION SYSTEM
K7XH3X	IDLE CONTROL, 650 RPM	ENGINE IDLE CONTROL
L1CA1X	ENABLE POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT	PDLO ENGAGE VLS FEATURE
L2CC1X	POWER DIVIDER LOCK OUT (PDLO) ROAD SPEED LIMIT 40KMH (25MPH)	PDLO ENGAGED VLS
L3CB1X	PTO2 HOLD TO NEAREST 50RPM	PTO2 HOLD TO NEAREST RPM
L4CB1X	PTO2 ACCEL "BUMP-UP" 50RPM	PTO2 ACCEL BUMP-UP RPM
L5CB1X	PTO2 DECEL "BUMP-DOWN" 50RPM	PTO2 DECEL BUMP-DOWN RPM
L6CB1X	PTO1 HOLD TO NEAREST 50RPM	PTO1 HOLD TO NEAREST RPM
L7CB1X	PTO1 ACCEL "BUMP-UP" 50RPM	PTO1 ACCEL BUMP-UP RPM
L8CB1X	PTO1 DECEL "BUMP-DOWN" 50RPM	PTO1 DECEL BUMP-DOWN RPM
L9CB1X	ELECTRONIC HAND THROTTLE HOLD TO NEAREST 50RPM	EHT HOLD TO NEAREST RPM
M010000	DISABLED - DOES NOT ENGAGE THE FAN WHEN THE PTO #2 IS ENGAGE	FAN ENGAGEMENT W/PTO2
M020030	30 SECONDS IDLE SHUTDOWN TIME -BETWEEN WARNING LIGHT/BUZZER	IDLE S/D WARNING TIME
M030060	60 MPH	PTO1 ROAD SPEED LIMIT
M040060	60 MPH	PTO2 ROAD SPEED LIMIT
M170001	BASIC, GEAR-SELECTION TUNING	TRANS- GEAR SELECTION
M190001	LOW	TRANS PTO1 SPLIT GEAR RING
M1CB1X	ELECTRONIC HAND THROTTLE ACCEL "BUMP-UP" 50RPM	EHT ACCEL BUMP-UP RPM
M210002	EMISSION ONBOARD DIAGNOSTIC, DISPLAY ONLY, USA2013	EMISSION ONBOARD DIAGNOSE
M220000	DISABLED VEHICLE ASSISTANCE SERVICE	VEHICLE ASSIST SERVICE
M230000	DISABLED REMOTE SOFTWARE UPGRADE SERVICE	REMOTE SW UPGRADE SERVICE
M240000	DIABLED VEHICLE UPTIME	VEHICLE UPTIME SETTINGS
M2CB1X	ELECTRONIC HAND THROTTLE DECEL "BUMP-DOWN" 50RPM	EHT DECEL BUMP-DOWN RPM
M300001	GUARDDOG CONNECT WITH 3G AND WLAN SYSTEM WITH DIAGNOSTIC SER	TELEMATIC GATEWAY



Year Model: 2015 CHU613
 VIN: 1M1AN07Y6FM021213
 Order Number: 087136
 Build Date: 11/12/2014
 In Service Date: 12/17/2014

M350000	DISABLED	DRIVER ID FUNCTION
M3CZ1X	IDLE SHUTDOWN ABS TAMPER CHECK, DISABLED	IDLE S/D ABS TAMPER CHECK
A2Y0001	ENABLED(WARNING @ 310 DEG. F./ENGINE SHUTDOWN @ 328 DEG. F.)	SHUTDOWN-TRANS. TEMP.
A3AAAX	ENGINE IDLE SHUTDOWN, ENABLE	IDLE SHUTDOWN
A3E0060	AMBIENT TEMP MIN THRESHOLD, 60 DEG F. (16 DEG C.)	AMBIENT TEMP.MIN.THRSHLD.
A3F0080	AMBIENT TEMP MAX THRESHOLD, 80 DEG F. (27 DEG C.)	AMBIENT TEMP.MAX.THRSHLD.
A3I0020	IDLE S/D OVERRIDE UPTO 20% ENGINE LOAD THRESHOLD	IDLE S/D OVERRIDE ENG LD
A3K2100	2100 RPM -DATAMAX LOGS ACCUMU-LATED TIME ENGINE HAS EXCEEDED	DATAMAX ENG OVRSPEED-FUEL
A411000	1000 RPM	PTO1 ENGINE RPM LIMIT
A4AAEX	5 MIN. WARM UP TIME DELAY	IDLE S/D WARM-UP TIMER
A4BAAX	DETECTION OF SPEED SENSOR TAMPERING, ENABLE	DETECTION SPEED SENSR TMPRNG
A5K0000	DISABLED	PTO1 AUTOSET
A5L0000	DISABLED	PTO2 AUTOSET
A5R0050	PTO2 DECEL BUMP-DOWN 50RPM	PTO2 DECEL BUMP SPEED
A5X0050	50 RPM/BUMP:MUST BE MULTIPLE OF VALUE FOR CONDITION A7P PTO	PTO2 ACCEL BUMP SPEED
A611000	1000 RPM SINGLE SPEED SETTING	PTO2 SNGL. SPEED CTRL.RPM
A622100	2100 MAX VAR ENG SPEED LIMIT	PTO2 ENGINE RPM LIMIT
A6AABX	ENGINE IDLE SHUTDOWN TIME OVERRIDDEN IF PTO ACTIVE	IDLE S/D IF PTO ACTIVE
A6BD1X	AMT VOCATION OPTION COMFORT SHIFT	AMT VOCATION OPTION
A741950	1950 RPM	HIGH IDLE RPM-MAX NO LOAD
A790050	50 %	PWR.LIMIT LVL-MPH SENSOR
A7I0050	PTO2 ACCEL BUMP-UP 50RPM	PTO2 ACCEL BUMP-UP RPM
A7P0050	PTO2 HOLD TO NEAREST 50 RPM	PTO2 HOLD-TO-NEAREST(RPM)
A7S0050	EHT HOLD TO NEAREST 50RPM	EHT HOLD-TO-NEAREST(RPM)
A7U0000	DISABLE ENGINE HIGH IDLE SPEED IN UPPER GEARS	ENG HIGH IDLE-UPPER GEAR
A7V0000	DISABLE ENGINE SMART TORQUE FEATURE	ENG SMART TORQUE FEATURE
A7W0000	DISABLE ACCEL LIMITING FEATURE	ACCEL LIMITING FEATURE
A7X0248	1ST RATION; 2.48 FOR REDUCED HIGH IDLE	1ST RATIO REDUCED HI IDLE
A810000	00 SECONDS	FAN ENGAGEMENT TIME-A/C
A840000	0 MINUTES	FAN ENGAGEMNT TIME-MOVING
A870070	70 MPH	DATAMAX VEH OVRSPEED-FUEL
A880075	75 MPH	DATAMAX VEH OVERSPEED-ALL
A8AALX	38C DEG (100F), WARM UP TEMP DELAY	IDLE S/D IF WARM-UP TEMP
A902200	2200 RPM	DATAMAX ENG OVRSPEED-CMPANY
A942100	2100 RPM	EHT ENGINE RPM LIMIT
A950000	OMIT EHT SINGLE SPEED CONTROL	EHT SINGLE SPEED CONTROL
A970100	100 RPM/SEC.	EHT RAMP RATE
A980600	600 RPM	PTO1 MINIMUM SET RPM
AD70050	EHT ACCEL. BUMP UP 50RPM	EHT ACCEL. BUMP SPEED
AD80050	EHT DECEL. BUMP DOWN 50RPM	EHT DECEL. BUMP SPEED
AE50000	DISABLED EHT JUMP TO MIN. SPEED	EHT JUMP TO MIN. SPEED
AE70050	PTO1 HOLD TO NEAREST 50RPM	PTO1 HOLD TO NEAREST RPM
AF10050	PTO1 ACCEL BUMP-UP 50RPM	PTO1 ACCEL. BUMP SPEED
AF30050	PTO1 DECEL BUMP-DOWN 50RPM	PTO1 DECEL. BUMP SPEED
AF60000	DISABLE	PTO1 JUMP TO MIN. SPEED
AG60090	90%	MAINTENANCE DUE ALERT(%)
AK10000	DISABLE	PTO2 JUMP TO MIN. SPEED
AK50000	NO INCENTIVE PROGRAM	DRIVER MPG INCENTIVE PROG
AK60000	0 MPH	INCENTIVE INCREASE IN RLS
AK80000	0 MPH	PENALTY DECREASE IN RSL
AL10005	5 MPH	ENG BRK ENGAGE IN CRUISE
B0AAAX	ENG IDLE SHUTDOWN TIME OVERRIDDEN IF TORQUE > THAN LIMIT	IDLE SHUTDOWN IF POWER > LIMIT
B1ACAX	30 SEC IDLE S/D WARNING TIME	IDLE S/D WARNING TIME
B2AAAX	ENGINE IDLE COOLDOWN, ENABLE	ENGINE IDLE COOLDOWN
B3ABAX	ELECTRONIC HAND THROTTLE, MAX ROAD SPEED, 16 KMH (10 MPH)	EL HD THROTTLE,MAX ROAD SPEED
B4ADAX	ELECTRONIC HAND THROTTLE, MIN ENGINE SPEED, 700 RPM	EL HAND THROTTLE,MIN ENG SPEED
B640100	1.00	TRANS RATIO-2ND. HIGHEST
B690001	ENABLE IDLE COOLDOWN	IDLE COOLDOWN
B6ACEX	ELECTRONIC HAND THROTTLE, MAX ENGINE SPEED, 2100 RPM	EL HAND THROTTLE,MAX ENG SPEED
B9AABX	ELECTRONIC HAND THROTTLE, SPEED RAMP RATE, 100 RPM/SEC	EL HD THROTTLE,SPEED RAMP RATE
C0K0000	DISABLE SMART ENG.IDLE	SMART ENG.IDLE
C0N0001	ENABLED	DATAMAX MAINT MONITOR
C0P0004	MP HIGHWAY	OEM DEFAULT MAINT.INTER.
C0T0010	10 MIN MAX TIME	IDLE RPM UP W/LOW VOLTAGE
C0U0000	W/0	PERIODIC TRIP HOUR OF DAY
C0W0001	DAY 1 OF THE MONTH	PERIODIC TRIP DAY/MONTH
3GCA1X	GREEN HOUSE GAS HIGHWAY APPLICATION	GHG APPLICATION, VEHICLE
3YAA1X	DISPLAY FEATURES, LIMITED, NO DRIVER ACCESS LEVEL 1	DISPLAY FTRS ACCESS, LMTD DRVR
4667200	SMOOTH CRUISE CONTROL	CRUISE CONTROL
6RAA1X	TRANS. PERF. MODE, ENABLED W/ AUTO RETURN TO ECONOMY MODE	TRANSMISSION PERFORMANCE MODE
6SAA1X	TRANS. KICK-DOWN MODE, ENABLED	TRANSMISSION KICK-DOWN MODE
78AC1X	EMISSION OBD, DISPLAY ONLY, USA 2013	EMISSION ON BOARD DIAG CONTROL
7QXA1X	AMT MANUAL SHIFT IN AUTOMATIC MODE INCL KICK DOWN	AMT MANUAL SHIFT OPTIONS
8RXAEX	ENG TORQUE LIMITED TO 50%, IF SPEED SENSOR TAMPER DETECTED	ENG TORQUE LIMIT,SPEED SENSOR



Year Model: 2015 CHU613
 VIN: 1M1AN07Y6FM021213
 Order Number: 087136
 Build Date: 11/12/2014
 In Service Date: 12/17/2014

9087000	ENABLE V-MAC IDLE SHUTDOWN	IDLE SHUTDOWN
9320069	69MPH - 111KPH	ROAD SPEED LIMIT (RSL)
9330069	69 MPH	CRUISE CONTROL MAX. SPEED
9340010	10 MINUTES	IDLE S/D TIMER
9KAB1X	IDLE EMISSION CERTIFICATION, CARB 08	IDLE EMISSION CERTIFICATION
A010010	10 MPH VSC SPEED LIMIT	EHT MAXIMUM ROAD SPEED
A020020	20 MPH VSC MIN FOR SETTING CRUISE CNTL	CRUISE CONTROL MIN. SPEED
A030700	700 RPM MIN SETTING	EHT MINIMUM SET RPM
A051000	1000 RPM SINGLE SPEED SETTING	PTO1 SNGL. SPEED CTRL RPM
A060001	FURN ENG COOLANT TEMP SHUTDOWN	SHUTDOWN-ENG.COOLANT TEMP
A070001	FURN ENG OIL PRESSURE SHUTDOWN	SHUTDOWN-ENG.OIL PRESSURE
A130002	FURNISH IDLE SHUTDOWN OVERRIDE WHEN PTO ENGAGED (PTO SWITCH)	IDLE S/D IF PTO ACTIVE
A160005	5 MIN. WARM UP TIME DELAY	IDLE S/D WARM-UP TIMER
A170100	100 DEG WARM-UP TEMP DELAY	IDLE S/D WARM-UP TEMP.
A1A0010	10 MPH	PTO1 MAXIMUM ROAD SPEED
A1B0600	600 RPM	PTO2 MINIMUM SET RPM
A1D0010	10 MPH	PTO2 MAXIMUM ROAD SPEED
A1E0100	100 RPM/SEC.	PTO2 RAMP RATE
A1I0650	650 RPM	LOW IDLE ENGINE RPM
A1Y0002	2 MINUTES	DATAMAX IDLE LOG DELAY
A1Z0000	OMIT	PTO2 SINGLE SPEED CONTROL
A200000	OMIT LOWER GEAR ROAD SPEED LIMIT OPTION	LOWER GEAR RD.SPD.LMT.OPT
A220078	0.78 RATIO	TRANS. TOP GEAR RATIO
A230001	ENABLE IDLE SHUTDOWN REGARD- LESS OF ENGINE POWER LEVEL	IDLE S/D IF POWER>THRSHLD
A260002	MIN-MAX/AUTOMOTIVE GOVERNOR	GOVERNOR TYPE
A2B0100	100 RPM/SEC.	PTO1 RAMP RATE
A2W0001	ENABLED (CRUISE CONTROL WILL AUTOMATICALLY RESUME DURING A	CRUISE RESUME W/CLUTCH

VEHICLE ELECTRONICS: 195 items

TRAILER CONNECTIONS

Code	Description	Family
3030100	GLAD HAND COUPLINGS- NORTH AMERICAN STD	GLAD HAND COUPLINGS
2UAA1X	TRAILR ELECTRCL CABLE CONFIG, STRAIGHT,SHORT(3650MM OR 12')	TRAILR ELECTRICAL CABLE CONFIG
WHXQ1X	TRAILER BRAKE CONNECTIONS POSITION, BACK OF CAB	TRAILER CONNECTION POSITION
3079006	TOWEL BAR-(2)SINGLE SPRING HOSE TENDER(OR#99-12-06A)	HOSE TENDER/TOWEL BAR
3089012	REPOSITION PHILLIPS #15-042 TOWARDS CL CHASSIS TO PROVIDE CL	ELECTRICAL PLUG HOLDER
3091016	STRAIGHT, APROX 16' WORKING LENGTH (OR.CX#99-07-59B) (CV7#	TRAILER AIR HOSES
3191012	STRAIGHT - 12 FT.	TRAILER ELECTRICAL CORD
3210011	SINGLE, 7 PINS SAEJ560 & ISO3731, HOT CENTER PIN, DASH MTD S	TRAILER RECEPTACLE
3229017	DUAL TRUCKLITE SUPER-44 LED RECESSED IN BOC W/RUBBER GROMMET	TRAILER HOOK-UP LIGHT
3SAC2X	TRAILER CONNECTORS HOLDER, 2 AIR, 2 ELECTRIC, CENTRAL	TRAILER CONNECTORS HOLDER
5170001	TRAILER AIR BRAKE CONNECTIONS, BOC	TRAILER CONNECTIONS
51XABX	TRLR BRK HOSEHANGER TOWEL BAR AND 2 SPRING HANGERS	TRAILER BRAKE HOSEHANGER
53XBAX	TRAILER BRAKE CONNECTION	TRAILER BRAKE CONNECTION
54XZ2X	7-POL ELECTRICAL TRAILER CONNECTOR (24N)	TRAILER ELECTR. CONNECTORS
5ZXAEX	TRAILER BRAKE HOSE STRAIGHT LONG 2 (4870MM)	TRAILER BRAKE HOSES & CABLES
4HAABX	EL RECPT,SAE HOT CEN PIN(SW BATT) & ISO HOT CEN PIN(SW IGN)	ELECTRICAL RECEPTACLE TYPE
7KBA1X	TRAILER EL RECEPTACLE LOCATION, BACK OF CAB	TRAILER EL RECEPTACLE LOCATION
WGX1X	1 VALVE, TRAILER BRAKE	TRAILER BRAKE VALVE

TRAILER CONNECTIONS: 18 items

MISCELLANEOUS

Code	Description	Family
9160001	CUSTOMARY - ENGLISH UNITS	DIMENSION CONVERSION

MISCELLANEOUS: 1 items

SOFT PRODUCTS/BULLDOG PROTECTION

Code	Description	Family
MW10001	MACK ENGINE <=1760 LB-FT WITH MDRIVE TRANSMISSION	MACK MDRIVE WARRANTY
WAR0003	2 YEAR/250,000 MILES ENGINE WARRANTY- US10	WAR ENGINE WARRANTY

SOFT PRODUCTS/BULLDOG PROTECTION: 2 items

Code	Description	Family
5040009	MACK AL(II,III,IV) TYPE(ONLY)	REAR SUSP-VEND DESCRIPT
0700001	SWITCH LAYOUT, BASIC	SWITCH LAYOUT PROC CODE
EM11120	CHU603 T MACKTRAQ 2013B	BVS PACKAGE LL CODE
PR10020	OBD-13 SURCHARGE CONVENTIONAL HD	PRICING CONVERSION
TEL0001	MACUNGIE QC (610) 966-8844	DO NOT USE - PRE-DELIVERY SPEC ERRORS
1850001	STEEL BASE	BATTERY BOX(ES)
1940002	DANA/SPICER	DRIVESHAFT VENDOR
0220000	NO PILOT REQUESTED	PILOT INSPECTION
3HAA1X	DOT COMPLETE VEHICLE CERTIFICATION	VEHICLE CERTIFICATION
5420001	COMPLETE	VEHICLE CERTIFICATION
6EXBPX	173MM (6.81"), FIFTH WHEEL LEG-HEIGHT (SELECTED BY KAX)	FIFTH WHEEL LEG-HEIGHT
9JXA1X	YES, THE ORDER MUST BE CALCULATED	PROPCALC SELECTION
B4CA1X	SWITCH LAYOUT, BASIC	SWITCH LAYOUT
TCXC1X	PROP.SHAFT DIMENSION, LARGE, SINGLE JOINT	PROP.SHAFT DIMENSION (RESULT)



Year Model: 2015 CHU613
VIN: 1M1AN07Y6FM021213
Order Number: 087136
Build Date: 11/12/2014
In Service Date: 12/17/2014

TDXRCX	FIRST PROP.SHAFT LENGTH 1300	PROP.SHAFT LENGTH, FIRST AXLE
TFXHXX	MAIN PROP.SHAFT LENGTH 725	PROP.SHAFT LENGTH, MAIN AXLE
TJXA2X	TWO PIECE PROP.SHAFTS	NUMBER OF PROP.SHAFTS
TNXC8X	PROP.SHAFT FIRST BRKT, POS 02	PROP.SHAFT FIRST BRKT VERTICAL
TSXB1X	PROP.SHAFT 1 BRKT POS., LEFT1	PROP.SHAFT 1 BRKT POS. HORIZON
X2XJUX	CROSSMEMBER1 X=5400MM	CROSSMEMBER '1' LOCATION
XMXA1X	PROP. SHAFT BRACKET FIRST POSITION ANGLE BASIC (90 DEGREES)	PROP SHAFT BRKT, FIRST, ANGLE
S520002	MERITOR	REAR AXLE VENDOR

: 22 Items

TOTALS: 906 Items

Report Date: 5/31/2020 2:23:14 AM

This Report Contains the Components on the Truck when it was Built