

ISLAND AND HORIZONTAL



BERGEN 2



A
R
N
E
G



THE EFFICIENCY OF VERSATILITY.

Designed to guarantee maximum versatility and unrivalled opportunities for customisation within the point of sale, **Bergen 2** is a plug-in promotional display that adapts to all kinds of store. Efficient, flexible and highly customisable, this closed, horizontal wall display ensures perfect preservation of various types of food product while also offering excellent transparency.

MODULARITY COMES TO THE FORE.

Bergen 2 can be installed as a single unit, side by side, back to back or as an island with end unit. Its modular design permits the most functional layout to be found for every store. Structural innovations combine high capacity with a small footprint, and refined ergonomics ensure easy access to the products on display.






TWO TEMPERATURES, TWO FUNCTIONS.

The choice of two operating temperatures, low or normal, allows Bergen 2 to preserve a wide variety of products including frozen foods, pre-packed foods including fresh fruit and veg, dairy and meat. The different temperatures also allow users to change food types to suit the season and according to ongoing promotions.


— GAS —
R290
— —

EFFICIENT REFRIGERATION.

Sliding glass covers facilitate self-service operations while minimising energy consumption and boosting efficiency. The refrigeration system uses R290, a natural refrigerant that improves the quality of food preservation and reduces impact on the environment.





CLEAR STYLE.

A large front glass ensures an unrivalled view of the foods inside and minimalist design facilitates integration with all store furnishing styles. Bergen 2 is easy to customise in the colour and finish not only of its panels, but of its casing, basin and back panel too.



ACCESSORIES

1 - Wire basin partitions

2 - Grilles

3 - Rectangular bumper

4 - Longitudinal sliding covers



5



6



7

5 - Price holder


6 - Blind side panel

7 - Panoramic side panel

BERGEN 2 IMO-C BT V LINEARE I

External length (mm)		1630		2120
Temperature class	3L1	•		•
Preservation temperature (°C)	-22/-25	•		•
Refrigerant	R290	•		•
Horizontal display area* (m ²)		1,26		1,66
Energy class**				

*Value referred to illustrated configurations. **The energy class may vary depending on the product configuration.



ED. 00 - 20/11/2023

arneg[®]

WWW.ARNEG.COM



Arneg follows a policy of continuous improvement and reserves the right to update this document at any time without prior notice.