

VERTICAL



LIPSIA 4



A
R
N
E
G

PANORAMIC TRANSPARENCY.

Lipsia 4 vertical cabinets are designed to combine maximum visibility with high load capacity. They satisfy the needs of store operators seeking to use vertical space more efficiently and to stimulate the impulse buying of a wide range of foods, including meat, cold cuts, dairy, cheese, pre-packed fruit and veg and pre-packed fish.





- Panoramic side
- Transparent doors
- Ultra-low bottom panel







- **High load capacity**
- **Instant access**
- **Excellent view of products**

FLEXIBLE DIMENSIONS.

Lipsia 4 comes in various sizes and is ideal for medium and large stores. Display surfaces can be changed to suit specific sales requirements.

2180 mm
2090 mm





ACCESSORIES

1 - Wire deck and basin partitions

2 - Plexiglass partitions

3 - Bottom grilles

4 - Wire hooks



5 - Telescopic bottom grilles



6 - Clear shelf



7 - Wire shelf


8 - 17 mm shelf

9 - 12 mm glass shelf





- 10 - Ultra-slim 15 mm shelf
- 11 - Wire fence
- 12 - Plexiglass fence
- 13 - Intermediate side DRVC





14 - Vertical LED lights

15 - FV mirror

16 - Rectangular bumper



17

17 - DRSP side

18 - DRVC side

19 - Screen printed doors

20 - Full vision doors

21 - DRCI side



21



18



19



20



22



23



24



25

22 - Bar price holder for IMZ shelf


23 - Clear price holder for IMZ shelf

24 - H32 Price holder


25 - H25 Price holder

LIPSIA 4 VRT-C-1 TN V LINEARE R

Length without side panels (mm)		1250		1875		2500		3750	
Height (cm)		209	218	209	218	209	218	209	218
Temperature class (°C)	3M0	•	•	•	•	•	•	•	•
	3M1	•	•	•	•	•	•	•	•
	3M2	•	•	•	•	•	•	•	•
Preservation temperature (°C)	-1/+1	•	•	•	•	•	•	•	•
	0/+2	•	•	•	•	•	•	•	•
	+2/+4	•	•	•	•	•	•	•	•
Horizontal display area* (m ²)	Depth	90	3,15	4,72	6,29	9,44			
	100	3,9	5,84	7,79	11,69				
	110	4,02	6,03	8,04	12,06				
	120	4,15	6,22	8,29	12,44				
Energy class**	Depth 90-100	A+G B		A+G B		A+G B		A+G B	
	-110-120	A+G B		A+G B		A+G B		A+G B	




90 H218




100 H218


*Value referred to illustrated configurations. **The energy class may vary depending on the product configuration.




110 H218




120 H218




90 H209



100 H209



110 H209




120 H209


LIPSIA 4 VRT-C-1 TN V TESTATA R

Overall length (mm)		1875		1774		1975		1975	
Height (cm)		209	218	209	218	209	218	209	218
Temperature class (°C)	3M0	•	•	•	•	•	•	•	•
	3M1	•	•	•	•	•	•	•	•
	3M2	•	•	•	•	•	•	•	•
Preservation temperature (°C)	-1/+1	•	•	•	•	•	•	•	•
	0/+2	•	•	•	•	•	•	•	•
	+2/+4	•	•	•	•	•	•	•	•
Horizontal display area* (m ²)	Depth	3,84		6,23		6,86		7,48	
	100	3,84		6,23		6,86		7,48	
Energy class**	Depth	A G B		A G B		A G B		A G B	
	100	A G B		A G B		A G B		A G B	

*Value referred to illustrated configurations. **The energy class may vary depending on the product configuration.



100 H209



100 H218

ED. 02 - 28/04/2023

arneg[®]

WWW.ARNEG.COM



Arneg follows a policy of continuous improvement and reserves the right to update this document at any time without prior notice.