

A  
R  
N  
E  
G

ISLAND AND HORIZONTAL

# SENDAI 2



arneg®

# A TASTE OF VERSATILITY.

SENDAI 2

arneo

Ideal for small, medium and large stores, **Sendai 2** islands have the functional flexibility to furnish and serve the entire point of sale. Excellent product visibility, extensive customisation and energy efficiency come together to make these islands the ideal choice for anybody seeking excellent performance plus a modern, linear design.





○ **OPEN OR CLOSED ISLAND**

The perfect solution  
for promoting various  
categories.



○ **DOUBLE ISLAND**

With just one refrigeration  
system for double  
the display space.



○ **SEMI-VERTICAL CABINET**

The configuration that  
optimises product  
presentation.



○ **HOT CASE**

Ideal for deli areas  
in small spaces.




○ **REFRIGERATED  
SERVE-OVER COUNTER**

Efficient service and  
maximum satisfaction  
for today's customers.



Depending on the requirements of the store, Sendai 2 can serve as a serve-over, promotional or self-service counter. Thanks to a telescopic frame, it can even be tilted to different angles to suit display needs.



# THE DESIGN OF VISIBILITY.

Maximum transparency permits a 360° view of the products on display while minimalist design ensures a high visual impact. An exceptional island at the service of gastronomic excellence.





- Wide range of models
- Flexible compositions
- Range of sizes



# REFRIGERATION THAT PROTECTS THE FUTURE.

R290 natural refrigerant boosts efficiency and reduces impact on the environment. This solution combines our commitment to sustainability with a quest for ever better performance to limit electrical energy consumption and improve safety.

# ALWAYS THE RIGHT STYLE.

The highly functional structure can be enclosed in various finishes, including wood, marble, ceramic, steel and plastic. Sendai 2 solutions can also be fitted with wheels for easy movement as the needs of the store change.

# ACCESSORIES

SENDAI 2

arneG



1



2


1 - Plexiglass partitions

2 - Wire basin partitions


3 - Cross-selling accessory



3



- 4 - Rectangular bumper
- 5 - 12 mm glass shelf
- 6 - Wire fence
- 7 - Plexiglass fence





8



9



10



11

8 - Bar price holder for IMZ shelf

9 - Clear price holder for IMZ shelf





10 - H32 price-holder for IMZ shelf

11 - H25 price-holder for IMZ shelf

**SENDAI 2 ISL-A-1 TN V LINEARE I**



Length without side panels (mm)		<b>1280</b>
Temperature class	<b>3 M1</b>	•
Preservation temperature (°C)	<b>0/+2</b>	•
Refrigerant	<b>R290</b>	•
Horizontal display area* (m <sup>2</sup> )	Depth	
	70	0,88
	85	1,07
Energy class**	Depth	
	70-85	

\*Value referred to illustrated configurations. \*\*The energy class may vary depending on the product configuration.

**70****85****VD 70****VD 85**
**SENDAI 2 ISL-A-1 TN V TESTATA I**


Overall length (mm)		<b>1100</b>
Temperature class	<b>3 M1</b>	•
Preservation temperature (°C)	<b>0/+2</b>	•
Refrigerant	<b>R290</b>	•
Horizontal display area* (m <sup>2</sup> )		-
Energy class**		

\*Value referred to illustrated configurations. \*\*The energy class may vary depending on the product configuration.

**85****85 DX**


## SENDAI 2 ISL-A-2 TN V LINEARE I

Length without side panels (mm)	<b>1280</b>	
Temperature class	<b>3 M1</b>	•
Preservation temperature (°C)	<b>0/+2</b>	•
Refrigerant	<b>R290</b>	•
Horizontal display area* (m <sup>2</sup> )		
Depth	60	1,52
Energy class**	60	

**60**


## SENDAI 2 ISL-C-1 TN V LINEARE I

Length without side panels (mm)	<b>1280</b>	
Temperature class	<b>3 M0</b>	•
Preservation temperature (°C)	<b>-1/+1</b>	•
Refrigerant	<b>R290</b>	•
Horizontal display area* (m <sup>2</sup> )		
Depth	70	0,88
Energy class**	70	

**70**

## SENDAI 2 VETR-PW TC LINEARE

Length without side panels (mm)	<b>1280</b>	
Preservation temperature (°C)	<b>+65</b>	•
Horizontal display area* (m <sup>2</sup> )		
Depth	70	1,79

**VD 70**

Model not subject to energy labelling.

\*Value referred to illustrated configurations.



\*\*The energy class may vary depending on the product configuration.

## SENDAI 2 SVT-A-1 TN V LINEARE I SLIM

Length without side panels (mm)		<b>1280</b>
Height (cm)		<b>125</b>
Temperature class	<b>3 M2</b>	•
Preservation temperature (°C)	<b>+2/+4</b>	•
Refrigerant	<b>R290</b>	•
Horizontal display area* (m <sup>2</sup> )	Depth	
	70	1,25
	85	1,57
Energy class**	Depth	
	70-85	

\*Value referred to illustrated configurations.

\*\*The energy class may vary depending on the product configuration.

**70 H125****85 H125**


## SENDAI 2 VETR-PW TC LINEARE TH

Length without side panels (mm)		<b>1280</b>
Preservation temperature (°C)	<b>+65</b>	•
Horizontal display area* (m <sup>2</sup> )	Depth	
	70	1,79

Model not subject to energy labelling.

\*Value referred to illustrated configurations.

\*\*The energy class may vary depending on the product configuration.

**TH 70**



## SENDAI 2 ISL-A-1 DRY LINEARE

Length without side panels (mm)		<b>1280</b>
Horizontal display area* (m <sup>2</sup> )	Depth	
	70	0,88
	85	1,77

Model not subject to energy labelling.

\*Value referred to illustrated configurations.






\*\*The energy class may vary depending on the product configuration.

**70****85**

## SENDAI 2 ISL-A-1 TN V LINEARE I

Length without side panels (mm)		<b>1280</b>
Height (cm)	<b>125</b>	<b>150</b>
Temperature class	<b>3 M1</b>	• •
Preservation temperature (°C)	<b>0/+2</b>	• •
Refrigerant	<b>R290</b>	• •
Horizontal display area* (m <sup>2</sup> )	70	1,25
Depth	85	1,57
		1,53
Energy class**	70-85	
Depth		

\*Value referred to illustrated configurations. \*\*The energy class may vary depending on the product configuration.

**70 H125****85 H125****70 H150****85 H150**

ED. 00 - 21/04/2023

**arneg®**

[WWW.ARNEG.COM](http://WWW.ARNEG.COM)

Arneg follows a policy of continuous improvement and reserves the right  
to update this document at any time without prior notice.

