

BELGRADO 2

SERVE-OVER & SEMI-VERTICAL • REMOTE REFRIGERATION UNIT & PLUG-IN



31/10/2024 content modifiable without notice.

arneg

ITALIA


YOUR GLOBAL PARTNER FOR RETAIL SOLUTIONS

BELGRADO 2 VETR TN V LINEARE R


Length without side panels	mm		937	1250	1875	2500	3125	3750	
Temperature class		3 M1	•	•	•	•	•	•	
		3 M2	•	•	•	•	•	•	
Preservation temperature	°C	0/+2	•	•	•	•	•	•	
		+2/+4	•	•	•	•	•	•	
Horizontal display area*	m ²	Depth	70	-	-	1,31	1,75	2,19	2,63
			80	0,75	1	1,5	2	2,5	3
			90	0,84	1,13	1,69	2,25	2,81	3,38
Energy class**		Depth	70	-	-				
			80-90						

BELGRADO 2 VETR TN V LINEARE R 83


Length without side panels	mm		625	1250	1875	2500	3125	3750
Temperature class		3 M0	•	•	•	•	•	•
		3 M1	•	•	•	•	•	•
		3 M2	•	•	•	•	•	•
Preservation temperature	°C	-1/+1	•	•	•	•	•	•
		0/+2	•	•	•	•	•	•
		+2/+4	•	•	•	•	•	•
Horizontal display area*	m ²		0,52	1,04	1,56	2,08	2,59	3,11
Energy class**								




SELF 70




SELF 80




SELF 83




SELF 90




VDA 70




VDA 80




VDA 83




VDA 90




VDL 80



VDL 90



TOPSELF 80




TOPSELF 90

*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.

BELGRADO 2 VETR BT V LINEARE R

Length without side panels	mm	1250	1875	2500	3750
Temperature class	3 L3	•	•	•	•
Preservation temperature	°C -18/-21	•	•	•	•
Horizontal display area*	m ²	1,05	1,58	2,1	3,15
Energy class**		A G F	A G F	A G F	A G F




VDA 90


BELGRADO 2 VETR-FH TN S LINEARE R

Length without side panels	mm	1250	1875	2500	3125	3750
Temperature class	3 M1	•	•	•	•	•
Preservation temperature	°C 0/+2	•	•	•	•	•
Horizontal display area*	m ²	1,02	1,53	2,04	2,55	3,05

Model not subject to energy labelling.



SELF 90




VDA 90


BELGRADO 2 VETR-BM TC LINEARE

Length without side panels	mm	625	937	1250	
Stored product temperature	°C +65	•	•	•	
Horizontal display area*	m ²	Depth 80	-	0,4	0,56
		90	0,32	0,54	0,76

Model not subject to energy labelling.



VDA 80



VDA 90


*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.


BELGRADO 2 VETR-PW TC LINEARE

Length without side panels	mm		625	937	1250
Stored product temperature	°C	+65	•	•	•
Horizontal display area*	m ²	Depth	80	-	0,4
			90	0,32	1,25


Model not subject to energy labelling.



VDL 80




VDA 90




VDL 90

BELGRADO 2 VETR-CK TN V LINEARE R


Length without side panels	mm		1250	1875	2500
Temperature class		3M2	•	•	•
Preservation temperature	°C	+2/+4	•	•	•
Horizontal display area*	m ²	Depth	70	-	1,31
			80	1,5	-
			90	1,13	1,69
Energy class**	Depth	70	-	F	F
		80	F	-	-
		90	F	F	F




VDA 70



VDA 80




VDA 90



VDL 90

BELGRADO 2 VETR-BD DRY LINEARE

Length without side panels	mm	1250	1875	2500	3750
Horizontal display area*	m ²	1,13	1,69	2,25	3,38
Energy class**		F	F	F	F




VDA 90

*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.

BELGRADO 2 VETR TN V LINEARE R TH

Length without side panels	mm		937	1250
Temperature class	3 M1		•	•
	3 M2		•	•
Preservation temperature	°C	0/+2	•	•
		+2/+4	•	•
Horizontal display area*	m ²		1,18	1,57
Energy class**			F	F




TH 90


BELGRADO 2 VETR-PW TC LINEARE TH

Length without side panels	mm		937	1250
Stored product temperature	°C	+65	•	•
Horizontal display area*	m ²	Depth	-	1,51
			80	1,25
		90		1,71

Model not subject to energy labelling.



TH 80




TH 90

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.

BELGRADO 2 SVT-A-1 TNV LINEARE R


Length without side panels	mm	937		1250		1875			2500			3125		3750	
Height	cm	125	150	125	150	114	125	150	114	125	150	125	150	125	150
Temperature class	3M1	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	3M2	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Preservation temperature	0/+2	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	+2/+4	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Horizontal display area*	m ²	Depth	70	-	1,35	-	-		-	2,7	-	-		4,05	-
			80	-	1,48	1,85	-	2,22	2,78	-	2,96	3,71	4,43	-	5,58
			90	1,2	1,67	1,6	2,23	2,4		3,34	3,21		4,46	4,01	5,57
Energy class**	Depth	70	-	A ↑ G E		-	-		-	A ↑ G E		-	A ↑ G E		-
		80	-	A ↑ G E		-	A ↑ G E		-	A ↑ G E		A ↑ G E	-	A ↑ G E	
		90	A ↑ G E		A ↑ G E		A ↑ G E		A ↑ G E		A ↑ G E		A ↑ G E		




70 H125




80 H114




80 H125




80 H150



90 H114



90 H125



90 H150

*Value referred to illustrated configurations.


**The energy class may vary depending on the product configuration.

BELGRADO 2 SVT-A-1 TN V TESTATA R


Overall length	mm	1875	
Height	cm	125	150
Temperature class	3 M1	•	•
	3 M2	•	•
Preservation temperature	°C	0/+2	•
		+2/+4	•
Horizontal display area*	m ²	Depth 80	-
		90	2,4
Energy class**	Depth	80	-
		90	-

*Value referred to illustrated configurations.

**The energy class may vary depending on the product configuration.



80 H150



90 H125