STATE OF HAWAII

DEPARTMENT OF TRANSPORTATION


HIGHWAYS DIVISION – CONSTRUCTION

E-CONSTRCTION




To create a Sample Card – Field Test (for submitting COCs, Bags of Aggregate/Dirt, AC samples, Rebar, etc.), first select a project.

Next, click on Sample Card Field Test (under Service)






The Sample Card Field Test Log Grid will appear





To create a new sample card, click on the New button





An entry for a Sample Card – Field Test is divided into 8 parts:

- I. Information
- 2. Field Test
- 3. Address
- 4. Pavement Core
- 5. Pay Items
- 6. Comments
- 7. References
- 8. Resubmittal






Information:

Under information, enter the basic information of the sample

Note: fields with the blue asterix require an entry for the sample card to be saved






Information:

The JC No. is automatically entered sequential, by FACS.


If a sample card is deleted, the deleted sample card's JC number cannot be reused





Information:

Sample Type – Based on FSTQP and IA certifications of the person creating the sample card (Test Report By) and the person who witnessed the sampling (Sample Witnessed By), will limit what sample types are available




Names for the Test Report By, Sampled By, and Sample Witnessed By input are pulldown lists



Information:

The AVCA input field, indicates if the sample represents an Acceptance, Verification, or Contractor Acceptance sample

This input field has a pulldown menu



Note: Acceptance sampling is normally used by standard projects, while the Verification and Contractor Acceptance sampling is used for Design-Build projects






Information:

Date input fields have pop calendar functions where you can select dates from a calendar

You can also type in a date using the following format:

MM/DD/YYYY








Field Test:

Enter specific data for the sample under Field Test








Address:

The people listed in the address section can access and review the sample card.

Based on what sample type selected, the list of people is automatically populated. This list was developed with HWY-L




Additional names can be added to the automatically filled in names



Pavement Core:

Under Pavement
Core, information
on for paving
samples – asphalt or
PCCP is entered




Click on the New button to enter information



Pavement Core:

Identifier is used to distinguish samples in a set, use A thru L (pulldown menu) for either core or uncompacted


Type is to used to distinguish between Core or Uncompacted (pulldown menu)






Pavement Core:

Choose a location, where the sample was collected from the list, or click on the New button to add a new location




Location (new)





Pavement Core:

Enter a new
Location (the
location needs to be
different from those
already entered) and
then click on Save






Pay Items:

Select the pay item(s) that the material is to be used for


A highlighted (light blue) pay item, means it has been selected





Comments:

Text conversations, between the all HDOT staff who have access to the project, can be documented in Comments. You must click on the Submit button for the comment to register



Only the people in the address section will get an e-mail notification, if the option is selected






References:

All material documents shall be attached to the sample card

The testing results will be attached by HWY-L




Drag and drop files into the limits of the blue box





Resubmittal:

Notify HWY-L that the current sample card is a resubmittal of a rejected sample card by selecting the previously rejected sample card from the Log Grid of rejected sample cards





There are 8 statuses for Sample Cards – Field Test

- 1. Open in construction's court
- 2. Submit in HWY-L's court
- 3. Received in HWY-L's court
- 4. In Test in HWY-L's court

- 5. Approved
- 6. Approved as Noted
- 7. Rejected
- 8. Acknowledged



For each of the statuses, here is who can modify/comment on the sample card

- 1. Open Only the sample card creator can modify the sample card
- 2. Submit Only HWY-L personnel can modify the sample card. The sample card creator and HWY-L can comment
- 3. Received Only HWY-L personnel can modify the sample card. The sample card creator and HWY-L can comment
- 4. In Test Only HWY-L personnel can modify the sample card. The sample card creator and HWY-L can comment
- 5. Approved No one can modify or comment on the sample card
- 6. Approved as Noted No one can modify or comment on the sample card
- 7. Rejected No one can modify or comment on the sample card
- 8. Acknowledged No one can modify or comment on the sample card





To change the status of a sample card entry, click on the status button



You may need to click on the button multiple times to obtain the desired status.




There will be a brief pause between status changes



To modify or view an existing sample card, select an entry (highlights light blue) and click on the Open button

You can also double click on an entry to open it

Modify the information as needed





END OF GUIDE



NOTES

- I. If a mistake is made in the sample type and the sample card has submitted, HWY-L will Reject the sample card and provide a comment to which sample type it should be.
 - a. This procedure will be used to allow Construction to control the JC numbers and the Sample Type numbers
- 2. The more detail you provide in the Description may make it easier to find select sample cards, without having to open up the attachment, during a project. Information in Pertinent Facts and Remarks can also help.
- 3. The list of Sample Types have changed from the list used in CPMS

