

Center for Women's Gastrointestinal Health

NuLYTELY/Colyte/GoLYTELY | Bowel Preparation

Seven days before your colonoscopy

- Do not eat nuts, seeds, beans, corn, okra, popcorn, tomato, or fruit with skins seven days prior to your colonoscopy.
- Stop now if your colonoscopy is scheduled within the next seven days.

The day before your colonoscopy

- You may only have CLEAR LIQUIDS; NO SOLID FOOD from the time you wake up in the morning the day before your procedure.
 - Clear liquids include: Coffee and tea (NO milk/creamer), broth, clear juices (apple, *white* grape juice), Gatorade, soda, Crystal Light, Jell-O, popsicles, Propel Water, and plain water.
 - DO NOT have any products with *red* dyes/coloring.
- You will need to pick up the NuLYTELY/Colyte/GoLYTELY Bowel Prep prescription at your pharmacy.
 - This product can be used with or without the flavor packets that come with the bottle.
- **Begin your NuLYTELY/Colyte/GoLYTELY Split Bowel Prep at 6 p.m. the day before your colonoscopy.**
 - Drink one 8 oz. glass of solution and continue drinking one 8 oz. glass every 15 minutes.
 - Continue drinking the solution until your bowel movements are clear water or the bottle is empty.
 - The first bowel movement usually begins approximately one hour after the start of drinking the solution.
 - If you feel full or nauseated, wait at least 20 to 30 minutes before drinking the solution again.

You are now finished with your bowel preparation.

Please DO NOT drink liquids from this point until after the procedure.

A video is available to view mixing instructions at bowelprepguide.com or nulytely.com/how-to-prepare.htm.

If you have any questions, please call our office at **(401) 453-7953**.

100 Dudley Street | 3rd Floor
Providence, RI 02905
(401) 453-7953
womenandinfants.org/GI