DOCTOR'S ORDER SHEET

Room Number _____

Authorization is hereby given to dispense a chemically identical drug (according to hospital formulary policy) unless box provided is checked Allergies:

Date	Time	Stress Dose Steroids for Gynecologic Surgery	Nurse Signature
		and Vaginal or Cesarean Delivery (PRE-OPERATIVELY)	Time posted
		 Hypothalamic-Pituitary-Adrenal (HPA) axis suppression 'unlikely': Less than 5mg of prednisone or equivalent (see reverse) per day for any duration. Alternate-day single morning dose of short-acting glucocorticoid of any dose or duration Any dose of glucocorticoid for less than 3 weeks Give usual daily glucocorticoid dose during perioperative period: Dose: Give PO / IV (circle one) q hr 	
		 HPA axis suppression 'documented' / 'presumed' / 'uncertain': More than 5mg of prednisone or equivalent (see reverse) per day for 3 weeks or more in the past year Cushingoid appearance and a history of glucocorticoid use Biochemical adrenal insufficiency on low-dose ACTH stimulation test Choose ONE of the following options: Minor Procedure or Local Anesthesia (dilation and curettage or surgery under local anesthesia) : Give usual glucocorticoid dose before surgery with no supplementation:	
		Provider Signature	

Date	Time	Stress Dose Steroids for Gynecologic Surgery	Nurse Signature
		and Vaginal or Cesarean Delivery (POST-OPERATIVELY)	Time posted
		Hypothalamic-Pituitary-Adrenal (HPA) axis suppression 'unlikely' (as defined above):	
		Give usual daily glucocorticoid dose during perioperative period:	
		Dose: Give PO / IV (circle one) q hr	
		HPA axis suppression 'documented' / 'presumed' / 'uncertain' (as defined above):	
		Choose ONE of the following options:	
		Minor Procedure or Local Anesthesia (as defined above):	
		 Give usual glucocorticoid dose with no supplementation: 	
		Dose: Give PO / IV (circle one) q hr	
		 Moderate Surgical Stress (as defined above): Give Hydrocortisone Na Succinate 25mg IV every 8 hours for 48 hours then resume usual dose of steroids: 	
		Dose: Give PO / IV (circle one) q hr	
		 Major Surgical Stress (as defined above): Give Hydrocortisone Na Succinate 50 mg IV every 8 hours for 72 hours then resume usual dose of steroids: Dose: Give PO / IV (circle one) q hr 	
		Provider Signature	
		Provider Printed	
		Provider Beeper	
MD 710	18 (07/2)		

Systemic Equivalencies of Corticosteroids

Glucocorticoid	Approximate Equivalent Dose
Cortisone Hydrocortisone Methylprednisolone Prednisolone Prednisone Triamcinolone Betamethasone Dexamethasone	25 mg 20mg 4mg 5mg 5mg 4mg 0.6-0.75mg 0.75mg
	-