


Continental®

Refrigerator

INNOVATIVE DESIGNS FOR YOUR FOODSERVICE NEEDS



2019 PRICE LIST

Price Effective June 15, 2019



Table of Contents

	PAGE
Local Sales Representatives & Warehouses	4
Model Nomenclature	6
WORKTOP & UNDERCOUNTERS Refrigerators & Freezers	7
Worktop Refrigerators	8
Worktop Freezers	10
Worktop Refrigerators Front Breathing	12
Worktop Freezers Front Breathing	14
Undercounter Refrigerators & Freezers Front Breathing	16
Worktops & Undercounters Options & Accessories	18
SANDWICH UNITS	19
Sandwich Units - Standard Top	20
Front Breathing Sandwich Units - Standard Top	22
Sandwich Units - Mighty Top	24
Front Breathing Sandwich Units - Mighty Top	26
Sandwich Units - C (Cutting) Top	28
Front Breathing Sandwich Units - C (Cutting) Top	30
Sandwich Units Options & Accessories	32
BASE MODELS Refrigerators & Freezers	33
Base Model Refrigerators & Freezers - Worktops	34
Base Model Refrigerators & Freezers - Undercounters	36
Base Model Sandwich Units - Standard Top	38
Base Model Sandwich Units - Mighty Top	40
Base Models Options & Accessories	42
PIZZA PREPARATION TABLES	43
Pizza Preparation Tables - Forced Air	44
Pizza Preparation Tables Options & Accessories	46
GRIDDLE STANDS Refrigerators & Freezers	47
Griddle Stands	48
Griddle Stands Options & Accessories	50

	PAGE
MILK COOLERS Cold Wall or Forced Air Models	51
Milk Coolers	52
Milk Coolers Options & Accessories	54
BAR EQUIPMENT	55
Keg Coolers	56
Back Bar Coolers - Standard & Pass-Thru Models	58
Back Bar Display Coolers w/ Hinged Glass Doors - Standard & Pass-Thru Models	60
Back Bar Display Coolers w/ Sliding Glass Doors - Standard & Pass-Thru Models	62
Bottle Coolers	64
Bar Equipment Options & Accessories	66
REACH-INS & PASS-THRUS Refrigerators & Freezers	67
Refrigerators	68
Slim Line Refrigerators	70
Extra-Wide Refrigerators	72
Freezers	74
Slim Line Freezers	76
Extra-Wide Freezers	78
Low Temperature Freezers	80
Dual Temperature - Standard Width & Extra-Wide	82
Display Refrigerators w/ Hinged Glass Doors	84
Extra-Wide Display Refrigerators w/ Hinged Glass Doors	86
Display Refrigerators w/ Sliding Glass Doors	88
Display Freezers w/ Hinged Glass Doors	90
Extra-Wide Display Freezers w/ Hinged Glass Doors	92
Low Temperature Display Freezers w/ Hinged Glass Doors	94
Reach-Ins & Pass-Thrus Options & Accessories	96



	PAGE
Designer Line REACH-INS & PASS-THRUS Refrigerators, Freezers & Warmers	97
Refrigerators	98
Slim Line Refrigerators	100
Extra-Wide Refrigerators	102
Freezers	104
Slim Line Freezers	106
Extra-Wide Freezers	108
Warmers - Standard Width & Extra-Wide	110
Dual Temperature (Refrigerator/Freezer)	112
Dual Temperature (Refrigerator/Warmer)	114
Extra-Wide Dual Temperature (Refrigerator/Freezer)	116
Extra-Wide Dual Temperature (Refrigerator/Warmer)	118
Display Refrigerators w/ Hinged Glass Doors	120
Extra-Wide Display Refrigerators w/ Hinged Glass Doors	122
Display Refrigerators w/ Sliding Glass Doors	124
Display Freezers w/ Hinged Glass Doors	124
Extra-Wide Display Freezers w/ Hinged Glass Doors	128
Reach-Ins & Pass-Thrus Options & Accessories	130
 Designer Line ROLL-INS & ROLL-THRUS Refrigerators, Freezers & Warmers	 131
Roll-In & Roll-Thru Refrigerators	132
Roll-In & Roll-Thru Freezers	134
Roll-In & Roll-Thru Warmers	136
Roll-Ins & Roll-Thrus Options & Accessories	138

	PAGE
Designer Line UNDERCOUNTERS Refrigerators & Freezers	140
Undercounter Refrigerators & Freezers Front Breathing	140
Undercounters Options & Accessories	156
 Designer Line SANDWICH UNITS	 142
Sandwich Units - Standard Top	142
Front Breathing Sandwich Units - Standard Top	144
Sandwich Units - Mighty Top	146
Front Breathing Sandwich Units - Mighty Top	148
Sandwich Units - C (Cutting) Top	150
Front Breathing Sandwich Units - C (Cutting) Top	152
Sandwich Units Options & Accessories	156
 Designer Line BASE MODELS Refrigerators & Freezers	 154
Base Model Refrigerators & Freezers - Worktops	154
Base Models Options & Accessories	156
 Designer Line FISH FILES Uprights & Base Models	 157
Fish Files	158
Fish Files Options & Accessories	156
Warranty	160
Overshelves, Pan Slides & Expansion Valve	161




Revit®
Architecture

Sales Representatives Directory

W Warehouse

1	DAVE SWAIN ASSOCIATES		8	JAY MARK GROUP, LTD	W	15	IGNITE FOODSERVICE SOLUTIONS
Location: Westford, MA Phone: (978) 392-8401 Fax: (978) 392-8431 Territory: CT, ME, MA, NH, RI, VT			Location: Elk Grove Village, IL Phone: (847) 545-1918 Fax: (847) 545-1932 Territory: N. IL			Location: Denver, CO Phone: (303) 433-0124 Fax: (303) 433-3290 Territory: CO, S. ID, MT, UT, WY	
2	LINK 2 HOSPITALITY SOLUTIONS		9	NORTH STAR AGENCY		16	ROLLER & ASSOCIATES
Location: Rochester, NY Phone: (585) 254-1780 Fax: (585) 254-2154 Territory: Upstate NY			Location: Edina, MN Phone: (763) 545-1400 Fax: (763) 545-7158 Territory: MN, ND, SD			Location: Seattle, WA Phone: (206) 547-3555 Fax: (206) 547-8630 Territory: AK, N. ID, OR, WA	
3	PECINKA FERRI ASSOCIATES		900	MIRKOVICH & ASSOCIATES		17	FOODSERVICE EQUIPMENT AGENTS
Location: Fairfield, NJ Phone: (973) 812-4277 Fax: (973) 812-4284 Territory: N. NJ, New York City			Location: Waukesha, WI Phone: (630) 792-0080 Fax: (630) 792-9914 Territory: MI (upper peninsula), WI			Location: Anaheim, CA Phone: (714) 693-3329 Fax: (714) 693-3472 Territory: AZ (Bull Head City), S. CA, S. NV	
4	SCHMID DEWLAND & ASSOCIATES		10	SELECT MARKETING	W	18	INFORM MARKETING GROUP
Location: Gibbsboro, NJ Phone: (856) 783-3400 Fax: (856) 783-7375 Territory: DE, S. & Central NJ, E. PA			Location: St. Louis, MO Phone: (314) 961-3332 Fax: (314) 961-3364 Territory: IA, S. IL, KS, MO, NE			Location: Walnut Creek, CA Phone: (510) 337-0420 Fax: (510) 337-0446 Territory: N. CA, N. NV	
404	LINK 2 HOSPITALITY SOLUTIONS		11	MASTER MARKETING CAROLINA		1800	MCGIRR, INC.
Location: Pittsburgh, PA Phone: (412) 341-2020 Fax: (412) 344-0603 Territory: W. PA, W. VA (except panhandle)			Location: High Shoals, NC Phone: (704) 860-0092 Fax: (866) 280-3845 Territory: NC, SC			Location: Aiea, HI Phone: (808) 486-0053 Fax: (808) 486-8058 Territory: HI	
5	HIGH SABATINO ASSOCIATES, INC.		1100	PRO-QUIP FOODSERVICE		19	IGNITE FOODSERVICE SOLUTIONS
Location: Jessup, MD Phone: (301) 470-7051 Fax: (301) 470-2809 Territory: DC, MD, VA, W. VA (panhandle)			Location: Little Rock, AK Phone: (501) 221-7120 Fax: (501) 221-7943 Territory: AR, LA, MS, W. TN (W. of Tenn. River)			Location: Phoenix, AZ Phone: (303) 433-0124 Fax: (303) 433-3290 Territory: AZ (except Bull Head City), NM, TX (El Paso)	
6	STIEFEL ASSOCIATES, INC.	W	12	THE VEITCH GROUP		20	FORBES HEVER & WALLACE, INC.
Location: Lansing, MI Phone: (517) 393-3019 Fax: (517) 393-3023 Territory: MI (except upper peninsula)			Location: Ft. Lauderdale, FL Phone: (954) 316-6162 Fax: (407) 277-2331 Territory: FL (except panhandle)			Location: Coppell, TX Phone: (972) 219-8898 Fax: (972) 219-8960 Territory: OK, TX (except El Paso)	
7	DICK STANLEY & ASSOCIATES		1200	MERKOLAT		22	COLLIS GROUP, INC.
Location: Pickerington, OH Phone: (614) 833-0797 Fax: (614) 833-0798 Territory: KY, OH			Location: Wellington, FL Phone: (561) 594-7153 Fax: (815) 301-2672 Territory: Caribbean, Latin America			Location: Richmond Hill, Ontario Phone: (905) 660-4600 Fax: (905) 660-4606 Territory: Ontario	
700	ACOSTA/CORNERSTONE		13	CARMAN-GIRARD ASSOCIATES			
Location: Livonia, IN Phone: (800) 832-6442 Fax: (888) 453-5818 Territory: IN			Location: Atlanta, GA Phone: (770) 457-6548 Fax: (770) 451-2091 Territory: AL, FL (panhandle), GA E. TN (E. of Tenn. River)				

Sales Territories & Warehouses



WAREHOUSES:

Phoenix, Arizona
 Fullerton, California
 Miami, Florida
 Elk Grove Village, Illinois
 Indianapolis, Indiana
 Lansing, MI
 St. Louis, Missouri
 Bensalem, Pennsylvania (Corporate Office)
 Haltom City, Texas

MANUFACTURED WITH PRIDE
 IN BENSALEM, PENNSYLVANIA

MADE IN THE U.S.A.



Model Nomenclature

NATURAL REFRIGERANT R-290

WORKTOP REFRIGERATORS

w/ Drawers
w/ Backsplash
w/ Hinged Glass Door(s)
w/ Sliding Glass Doors
Front Breathing

WORKTOP FREEZERS

w/ Backsplash
w/ Hinged Glass Door(s)

UNDERCOUNTER REFRIGERATORS

UNDERCOUNTER FREEZERS

w/ Drawers
w/ Hinged Glass Door(s)
w/ Sliding Glass Doors

SANDWICH UNITS - STANDARD TOP

SANDWICH UNITS - MIGHTY TOP

SANDWICH UNITS - C (CUTTING TOP) 19"

Front Breathing
w/ Drawers

REFRIGERATED BASES

FREEZER BASES

UNDERCOUNTER REFRIGERATED BASES

UNDERCOUNTER FREEZER BASES

w/ Drawers
w/ Backsplash

REFRIGERATED BASE SANDWICH UNITS

REFRIGERATED BASE SANDWICH UNITS - MIGHTY TOP

w/ Drawers

PIZZA PREPARATION TABLES

w/ Drawers

GRIDDLE STAND REFRIGERATORS

GRIDDLE STAND FREEZERS

MILK COOLERS - SINGLE ACCESS COLD WALL

MILK COOLERS - DUAL ACCESS COLD WALL

MILK COOLERS - SINGLE ACCESS FORCED AIR

MILK COOLERS - DUAL ACCESS FORCED AIR

w/ Stainless Steel Interior & Exterior

KEG COOLERS

w/ Stainless Steel Exterior
Shallow Depth

BACK BAR COOLERS

w/ Stainless Steel Exterior
Pass-Thru
Shallow Depth
w/ Hinged Glass Door(s)
w/ Sliding Glass Doors
w/ Drawers (Cocktail Refrigerator only)
w/ Stainless Steel Covered Interior for Food Storage

BOTTLE COOLERS

w/ Stainless Steel Exterior
Deep Chill

N

SW

D
BS
GD
SGD
FB

SWF

BS
GD

SW-U

SWF-U

D
GD
SGD

SW- # of pans

SW- # of pans M

SW- # of pans C

FB
D

RA (CRA for 118)

CFA

RA-U (CRA-U for 118)

CFA-U

D
BS

CRA- # of pans

CRA- # of pans M

D

CPA

-D

D G

D GF

MC-SCW

MC-DCW

MC-S

MC-D

SS

KC

SS
KCS

BB or BBC

SS
PT
BBCS
GD
SGD
D
-FS

CBC

SS
DC

REFRIGERATORS

REACH-INS

SLIM LINE

EXTRA-WIDE

w/ Stainless Steel Exterior/Aluminum Interior
w/ Stainless Steel Interior & Exterior
w/ Half Doors
Shallow Depth
Pass-Thru
w/ Hinged Glass Doors
w/ Sliding Glass Doors

FREEZERS

REACH-INS

SLIM LINE

EXTRA-WIDE

w/ Stainless Steel Exterior/Aluminum Interior
w/ Stainless Steel Interior & Exterior
w/ Half Doors
Shallow Depth
Pass-Thru
Low Temperature
w/ Hinged Glass Doors

DUAL TEMPERATURE

EXTRA-WIDE DUAL TEMPERATURE

w/ Stainless Steel Exterior/Aluminum Interior
w/ Stainless Steel Interior & Exterior
w/ Half Doors
Pass-Thru

R

RSE

RE, RX

SA

SS

HD

RS, RSES, RES

PT

GD

SGD

F

FSE

FE or FX

SA

SS

HD

FS, FSES, FES

PT

LT

GD

RF, RRF, RFF

RFE, RFX, RRFE, RFFE

SA

SS

HD

PT

Designer line

REFRIGERATORS & FREEZERS

(same nomenclature as standard models)

DR, DLR, DLF

ROLL-IN REFRIGERATORS

ROLL-IN FREEZERS

ROLL-IN WARMERS

Roll-Thrus
w/ Stainless Steel Exterior/Aluminum Interior
w/ Stainless Steel Interior & Exterior
Extra-High

DRI or DLRI

DLFI

DLWI

RT

SA

SS

E

UNDERCOUNTER REFRIGERATORS & FREEZERS

(same nomenclature as standard models)

DL-U, DLF-U

SANDWICH UNITS - STANDARD TOP

SANDWICH UNITS - MIGHTY TOP

SANDWICH UNITS - C (CUTTING TOP) 19"

(same nomenclature as standard models)

D- # of pans

D- # of pans M

D- # of pans C

REFRIGERATED & FREEZER BASES

(same nomenclature as standard models)

DRA, DLRA-SS, DLFA-SS

FISH FILES - UPRIGHTS

FISH FILE - BASES

DRS-SS-F

DRA-SS-F

Worktops & Undercounters


Refrigerators & Freezers

Worktops & Undercounters (-U models*) cabinets have stainless steel fronts, tops and end panels with aluminum backs and interiors. Worktop models are available as a flat top or with a 5 1/2" backsplash. Front breathing and drawer options available. Undercounters are standard front breathing.


* Undercounters are for under the counter applications only. Can not be used as as a worktop.

In This Section

- 8 Worktop Refrigerators
- 10 Worktop Freezers
- 12 Worktop Refrigerators - Front Breathing
- 14 Worktop Freezers - Front Breathing
- 16 Undercounter Refrigerators & Freezers
- 18 Options & Accessories

 **FLEXIBLE Option**
16-gauge overshelves
(single or double)

Benefit
Easier item storage
and handling at an
arm's reach

 **FLEXIBLE Option**
Easy, in-the-field
conversion from
door to drawer or
drawer to door,
or rehinging doors

Benefit
Workflow flexibility
after the installation,
easy cleaning
& servicing



SW48N-FB
shown w/ Standard Features and FLEXIBLE Options

SW27N	SW32N	SW36N	SW48N
			
			
SW60N		SW72N	

Worktop Refrigerators

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Standard Flat Top or 5 1/2" Backsplash



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD WORKTOP MODELS






SIZE	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SW27N	☆ \$4491	SW27N-D	\$6425	27 1/2 x 31 9/16 x 35 1/4	7.4	1625	1/5	165
32"	SW32N	☆ \$5478	SW32N-D	\$7494	32 x 31 9/16 x 35 1/4	9	1625	1/5	221
36"	SW36N	☆ \$5884	-	-	36 x 31 9/16 x 35 1/4	10.3	1625	1/5	239
48"	SW48N	☆ \$6543	SW48N-D	\$10577	48 x 31 9/16 x 35 1/4	13.4	1625	1/5	248
60"	SW60N	☆ \$7299	SW60N-D	\$11331	60 x 31 9/16 x 35 1/4	17	1625	1/5	284
72"	SW72N	☆ \$8421	SW72N-D	\$14469	72 x 31 9/16 x 35 1/4	20.6	1625	1/5	318

5 1/2" BACKSPLASH WORKTOP MODELS

27"	SW27NBS	☆ \$4609	SW27NBS-D	\$6539	27 1/2 x 31 9/16 x 40 3/4	7.4	1625	1/5	170
32"	SW32NBS	☆ \$5632	SW32NBS-D	\$7648	32 x 31 9/16 x 40 3/4	9	1625	1/5	221
36"	SW36NBS	☆ \$6197	-	-	36 x 31 9/16 x 40 3/4	10.3	1625	1/5	239
48"	SW48NBS	☆ \$10772	SW48NBS-D	\$6741	48 x 31 9/16 x 40 3/4	13.4	1625	1/5	258
60"	SW60NBS	☆ \$11517	SW60NBS-D	\$7487	60 x 31 9/16 x 40 3/4	17	1625	1/5	297
72"	SW72NBS	☆ \$14607	SW72NBS-D	\$8557	72 x 31 9/16 x 40 3/4	20.6	1625	1/5	334

DISPLAY WORKTOP MODELS

SIZE	WITH HINGED GLASS DOOR(S)	HINGED GLASS DOOR(S) LIST PRICE	WITH SLIDING GLASS DOORS	SLIDING GLASS DOORS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SW27NGD	\$5364	-	-	27 1/2 x 31 7/16 x 35 1/4	7.4	1625	1/5	180
32"	SW32NGD	\$6657	-	-	32 x 31 7/16 x 35 1/4	9	1625	1/5	235
36"	SW36NGD	\$7186	-	-	36 x 31 7/16 x 35 1/4	10.3	1625	1/5	255
48"	SW48NGD	\$8543	-	-	48 x 31 7/16 x 35 1/4	13.4	1625	1/5	265
48"	-	-	SW48NSGD	\$9391	48 x 31 x 35 1/4	13.4	2073	1/4	265
60"	SW60NGD	\$9374	-	-	60 x 31 7/16 x 35 1/4	17	1625	1/5	300
60"	-	-	SW60NSGD	\$10219	60 x 31 x 35 1/4	17	2073	1/4	300
72"	SW72NGD	\$11292	-	-	72 x 31 7/16 x 35 1/4	20.6	1625	1/5	385
72"	-	-	SW72NSGD	\$12139	72 x 31 x 35 1/4	20.6	2073	1/4	385

SW27N-D	SW32N-D	SW48N-D
		
		
SW60N-D	SW72N-D	

Door & Drawer Models

STANDARD FEATURES

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Completely Enclosed, Vented & Removable Case Back
 5" High Casters

SOLID DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

GLASS DOOR MODELS

LED Interior Lighting
 Double Pane, Low-E, Tempered Glass Doors
 (self-closing on sliding glass doors)
 Expansion Valve System
 (standard on sliding glass door models only)






OPTIONS

Door/drawer locks
 Overshelves
 Add'l epoxy-coated or stainless steel shelves
 Adjustable legs
 Stainless steel interior
 Expansion valve system (48" - 72" models only)
 Stacking collar (27" models only)
 Stainless steel back

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pan per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 18** for Options & Accessories.
 See **Page 162** for Overshelves.
 See **Page 163** for Expansion Valve Option.

SWF27N	SWF32N	SWF36N
		
		
SWF48N		SWF60N

Worktop Freezers (0°F)

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Standard Flat Top or 5 1/2" Backsplash

BTU/HR Rating @ -15°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD WORKTOP MODELS

SIZE	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SWF27N	\$5283	SWF27N-D	\$7202	27 1/2 x 31 9/16 x 35 1/4	7.4	1572	1/4	165
32"	SWF32N	\$6380	SWF32N-D	\$8394	32 x 31 9/16 x 35 1/4	9	1800	1/3	221
36"	SWF36N	\$6784	-	-	36 x 31 9/16 x 35 1/4	10.3	1800	1/3	239
48"	SWF48N	\$7569	SWF48N-D	\$11600	48 x 31 9/16 x 35 1/4	13.4	2078	1/2	248
60"	SWF60N	\$9351	SWF60N-D	\$13383	60 x 31 9/16 x 35 1/4	17	2078	1/2	284

5 1/2" BACKSPLASH WORKTOP MODELS

27"	SWF27NBS	\$5469	SWF27NBS-D	\$7384	27 1/2 x 31 9/16 x 40 3/4	7.4	1572	1/4	170
32"	SWF32NBS	\$6534	SWF32NBS-D	\$6534	32 x 31 9/16 x 40 3/4	9	1800	1/3	221
36"	SWF36NBS	\$7098	-	-	36 x 31 9/16 x 40 3/4	10.3	1800	1/3	239
48"	SWF48NBS	\$7759	SWF48NBS-D	\$11791	48 x 31 9/16 x 40 3/4	13.4	2078	1/2	258
60"	SWF60NBS	\$9601	SWF60NBS-D	\$13633	60 x 31 9/16 x 40 3/4	17	2078	1/2	297

DISPLAY WORKTOP MODELS

SIZE	WITH HINGED GLASS DOOR	HINGED GLASS DOOR LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SWF27NGD	\$6765	-	-	27 1/2 x 31 7/16 x 35 1/4	7.4	1572	1/4	180

SWF27N-D	SWF32N-D
	
	
SWF48N-D	SWF60N-D

Door & Drawer Models

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Environmentally-Safe R-290 Refrigerant**
- 2" Non-CFC Polyurethane Foam Insulation
- Automatic, Hot Gas Condensate Evaporator (27" models)
- Automatic, Energy-Saving, Non-Electric Condensate Evaporator (32" - 60" models)
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Back Mounted Compressor
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Completely Enclosed, Vented & Removable Case Back
- Automatic Electric Defrost
- 5" High Casters

SOLID DOOR MODELS

- Spring Loaded, Self Closing Doors
- Magnetic Snap-In Door Gaskets
- Smooth, Polished Chrome Door Handles**
- Field Rehingeable Doors
- Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

- Stainless Steel Roll-Out Drawers
- Magnetic Snap-In Drawer Gaskets
- Smooth, Polished Chrome Drawer Handles**
- 27" GLASS DOOR MODEL**
- Double Pane, Low-E, Tempered Glass Door
- LED Interior Lighting

OPTIONS

- Door/drawer locks
- Overshelves
- Add'l epoxy-coated or stainless steel shelves
- Adjustable legs
- Stainless steel interior
- Stainless steel back

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pan per drawer
48"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 18** for Options & Accessories.
See **Page 162** for Overshelves.

SW27N-FB	SW32N-FB	SW36N-FB	SW48N-FB
			
			
SW60N-FB		SW72N-FB	

Worktop Refrigerators - Front Breathing

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Standard Flat Top or 5 1/2" Backsplash
All front breathers come standard with 3 3/4" high casters



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD WORKTOP MODELS






SIZE	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SW27N-FB	☆ \$4498	SW27N-FB-D	\$6513	27 1/2 x 31 9/16 x 34	7.4	1625	1/5	165
32"	SW32N-FB	☆ \$5588	SW32N-FB-D	\$7604	32 x 31 9/16 x 34	9	1625	1/5	221
36"	SW36N-FB	☆ \$6004	-	-	36 x 31 9/16 x 34	10.3	1625	1/5	239
48"	SW48N-FB	☆ \$6677	SW48N-FB-D	\$10708	48 x 31 9/16 x 34	13.4	1625	1/5	248
60"	SW60N-FB	☆ \$7448	SW60N-FB-D	\$11479	60 x 31 9/16 x 34	17	1625	1/5	284
72"	SW72N-FB	☆ \$8592	SW72N-FB-D	\$14636	72 x 31 9/16 x 34	20.6	1625	1/5	318

5 1/2" BACKSPLASH WORKTOP MODELS

27"	SW27NBS-FB	☆ \$4612	SW27NBS-FB-D	\$6627	27 1/2 x 31 9/16 x 39 1/2	7.4	1625	1/5	170
32"	SW32NBS-FB	☆ \$5742	SW32NBS-FB-D	\$7758	32 x 31 9/16 x 39 1/2	9	1625	1/5	221
36"	SW36NBS-FB	☆ \$6197	-	-	36 x 31 9/16 x 39 1/2	10.3	1625	1/5	239
48"	SW48NBS-FB	☆ \$6877	SW48NBS-FB-D	\$10912	48 x 31 9/16 x 39 1/2	13.4	1625	1/5	258
60"	SW60NBS-FB	☆ \$7643	SW60NBS-FB-D	\$11673	60 x 31 9/16 x 39 1/2	17	1945	1/5	297
72"	SW72NBS-FB	☆ \$8734	SW72NBS-FB-D	\$14780	72 x 31 9/16 x 39 1/2	20.6	1945	1/5	334

DISPLAY WORKTOP MODELS

SIZE	WITH HINGED GLASS DOORS	HINGED GLASS DOORS LIST PRICE	WITH SLIDING GLASS DOORS	SLIDING GLASS DOORS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SW27NGD-FB	\$5475	-	-	27 1/2 x 31 7/16 x 34	7.4	1625	1/5	180
32"	SW32NGD-FB	\$6798	-	-	32 x 31 7/16 x 34	9	1625	1/5	235
36"	SW36NGD-FB	\$7327	-	-	36 x 31 7/16 x 34	10.3	1625	1/5	255
48"	SW48NGD-FB	\$8713	-	-	48 x 31 7/16 x 34	13.4	1625	1/5	265
48"	-	-	SW48NSGD-FB	\$9522	48 x 31 x 34	13.4	2073	1/4	265
60"	SW60NGD-FB	\$9559	-	-	60 x 31 7/16 x 34	17	1625	1/5	300
60"	-	-	SW60NSGD-FB	\$10369	60 x 31 x 34	17	2073	1/4	300
72"	SW72NGD-FB	\$11462	-	-	72 x 31 7/16 x 34	20.6	1625	1/5	385
72"	-	-	SW72NSGD-FB	\$12308	72 x 31 x 34	20.6	2073	1/4	385

SW27N-FB-D	SW32N-FB-D	SW48N-FB-D
		
		
SW60N-FB-D	SW72N-FB-D	

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space.

STANDARD FEATURES

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Completely Enclosed, Vented & Removable Case Back
 3 3/4" High Casters

SOLID DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

GLASS DOOR MODELS

LED Interior Lighting
 Double Pane, Low-E, Tempered Glass Doors
 (self-closing on sliding glass doors)
 Expansion Valve System
 (standard on sliding glass door models only)

OPTIONS

Door/drawer locks
 Overshelves
 Add'l epoxy-coated or stainless steel shelves
 Stainless steel interior
 Expansion valve system (48" - 72" models only)
 Stainless steel back






DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
--------------------	--------

Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pan per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 18** for Options & Accessories.
 See **Page 162** for Overshelves.
 See **Page 163** for Expansion Valve Option.

SWF27N-FB	SWF32N-FB	SWF36N-FB
		
		
SWF48N-FB		SWF60N-FB

Worktop Freezers - Front Breathing

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Standard Flat Top or 5 1/2" Backsplash
All front breathers come standard with 3 3/4" high casters

BTU/HR Rating @ -15°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD WORKTOP MODELS

SIZE	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SWF27N-FB	\$5289	SWF27N-FB-D	\$7306	27 1/2 x 31 9/16 x 34	7.4	1572	1/4	165
32"	SWF32N-FB	\$6502	SWF32N-FB-D	\$8520	32 x 31 9/16 x 34	9	1800	1/3	221
36"	SWF36N-FB	\$6798	-	-	36 x 31 9/16 x 34	10.3	1800	1/3	239
48"	SWF48N-FB	\$7720	SWF48N-FB-D	\$11751	48 x 31 9/16 x 34	13.4	2078	1/2	248
60"	SWF60N-FB	\$9539	SWF60N-FB-D	\$13571	60 x 31 9/16 x 34	17	2078	1/2	284

5 1/2" BACKSPLASH WORKTOP MODELS

27"	SWF27NBS-FB	\$5478	SWF27NBS-FB-D	\$7494	27 1/2 x 31 9/16 x 39 1/2	7.4	1572	1/4	170
32"	SWF32NBS-FB	\$6656	SWF32NBS-FB-D	\$8674	32 x 31 9/16 x 39 1/2	9	1800	1/3	221
36"	SWF36NBS-FB	\$7113	-	-	36 x 31 9/16 x 39 1/2	10.3	1800	1/3	239
48"	SWF48NBS-FB	\$7918	SWF48NBS-FB-D	\$11952	48 x 31 9/16 x 39 1/2	13.4	2078	1/2	258
60"	SWF60NBS-FB	\$9795	SWF60NBS-FB-D	\$13829	60 x 31 9/16 x 39 1/2	17	2078	1/2	297

DISPLAY WORKTOP MODELS

SIZE	WITH HINGED GLASS DOOR	HINGED GLASS DOOR LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SWF27NGD-FB	\$6904	-	-	27 1/2 x 31 7/16 x 34	7.4	1572	1/4	180

SWF27N-FB-D	SWF32N-FB-D
	
	
SWF48N-FB-D	SWF60N-FB-D

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Environmentally-Safe R-290 Refrigerant**
- 2" Non-CFC Polyurethane Foam Insulation
- Automatic, Hot Gas Condensate Evaporator (27" models)
- Automatic, Energy-Saving, Non-Electric Condensate Evaporator (32" - 60" models)
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Back Mounted Compressor
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Completely Enclosed, Vented & Removable Case Back
- Automatic Electric Defrost
- 3 3/4" High Casters

SOLID DOOR MODELS

- Spring Loaded, Self Closing Doors
- Magnetic Snap-In Door Gaskets
- Smooth, Polished Chrome Door Handles**
- Field Rehingeable Doors
- Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

- Stainless Steel Roll-Out Drawers
- Magnetic Snap-In Drawer Gaskets
- Smooth, Polished Chrome Drawer Handles**
- 27" GLASS DOOR MODEL**
- Double Pane, Low-E, Tempered Glass Door
- LED Interior Lighting

OPTIONS

- Door/drawer locks
- Overshelves
- Add'l epoxy-coated or stainless steel shelves
- Stainless steel interior
- Stainless steel back

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pan per drawer
48"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 18** for Options & Accessories.
See **Page 162** for Overshelves.

SW27N-U/SWF27N-U	SW32N-U/SWF32N-U	SW36N-U/SWF36N-U
		
		
SW48N-U/SWF48N-U	SW60N-U/SWF60N-U	SW72N-U

Undercounter Refrigerators & Freezers (0°F) - Front Breathing

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
10 ft. cord and plug attached (115-60-1 volts)

UNDERCOUNTER REFRIGERATOR MODELS

SIZE	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SW27N-U	☆ \$4498	SW27N-U-D	\$6513	27 1/2 x 31 9/16 x 31 13/16	7.4	1625	1/5	165
32"	SW32N-U	☆ \$5588	SW32N-U-D	\$7604	32 x 31 9/16 x 31 13/16	9	1625	1/5	221
36"	SW36N-U	☆ \$5884	-	-	36 x 31 9/16 x 31 13/16	10.3	1625	1/5	239
48"	SW48N-U	☆ \$6677	SW48N-U-D	\$10708	48 x 31 9/16 x 31 13/16	13.4	1625	1/5	248
60"	SW60N-U	☆ \$7448	SW60N-U-D	\$11479	60 x 31 9/16 x 31 13/16	17	1625	1/5	284
72"	SW72N-U	☆ \$8592	SW72N-U-D	\$14636	72 x 31 9/16 x 31 13/16	20.6	1625	1/5	318

UNDERCOUNTER FREEZER MODELS






27"	SWF27N-U	\$5289	SWF27N-U-D	\$7306	27 1/2 x 31 9/16 x 31 13/16	7.4	1572	1/4	165
32"	SWF32N-U	\$6502	SWF32N-U-D	\$8520	32 x 31 9/16 x 31 13/16	9	1800	1/3	221
36"	SWF36N-U	\$6798	-	-	36 x 31 9/16 x 31 13/16	10.3	1800	1/3	239
48"	SWF48N-U	\$7720	SWF48N-U-D	\$11751	48 x 31 9/16 x 31 13/16	13.4	2078	1/2	248
60"	SWF60N-U	\$9539	SWF60N-U-D	\$13571	60 x 31 9/16 x 31 13/16	17	2078	1/2	284

DISPLAY UNDERCOUNTER REFRIGERATOR MODELS

SIZE	WITH HINGED GLASS DOORS	HINGED GLASS DOORS LIST PRICE	WITH SLIDING GLASS DOORS	SLIDING GLASS DOORS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	SW27NGD-U	\$5475	-	-	27 1/2 x 31 7/16 x 31 13/16	7.4	1625	1/5	180
32"	SW32NGD-U	\$6538	-	-	32 x 31 7/16 x 31 13/16	9	1625	1/5	235
36"	SW36NGD-U	\$7047	-	-	36 x 31 7/16 x 31 13/16	10.3	1625	1/5	255
48"	SW48NGD-U	\$8713	-	-	48 x 31 7/16 x 31 13/16	13.4	1625	1/5	265
48"	-	-	SW48NSGD-U	\$9522	48 x 31 x 31 13/16	13.4	2078	1/4	265
60"	SW60NGD-U	\$9559	-	-	60 x 31 7/16 x 31 13/16	17	1625	1/5	300
60"	-	-	SW60NSGD-U	\$10369	60 x 31 x 31 13/16	17	2078	1/4	300
72"	SW72NGD-U	\$11462	-	-	72 x 31 7/16 x 31 13/16	20.6	1625	1/5	385
72"	-	-	SW72NSGD-U	\$12308	72 x 31 x 31 13/16	20.6	2078	1/4	385

DISPLAY UNDERCOUNTER FREEZER MODELS

27"	SWF27NGD-U	\$6904	-	-	27 1/2 x 31 7/16 x 31 13/16	7.4	1572	1/4	180
-----	------------	--------	---	---	-----------------------------	-----	------	-----	-----

SW27N-U-D/SWF27N-U-D	SW32N-U-D/SWF32N-U-D	SW48N-U-D/SWF48N-U-D
		
		
SW60N-U-D/SWF60N-U-D	SW72N-U-D	

Door & Drawer Models

STANDARD FEATURES

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 (Refrigerators & 27" Freezer models)
 Automatic, Energy-Saving, Non-Electric Condensate Evaporator
 (32" - 60" Freezer models)
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Completely Enclosed, Vented & Removable Case Back
 Automatic Electric Defrost (Freezers)
 1 3/8" Diameter Plate Casters*
 (*Factory installed, ships on casters, no other casters are available)
 2" High, Bottom-Mounted Front Breather Air Divider

SOLID DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

GLASS DOOR MODELS

LED Interior Lighting
 Double Pane, Low-E, Tempered Glass Doors
 (self-closing on sliding glass doors)
 Expansion Valve System (standard on sliding glass door models only)

OPTIONS

Door/drawer locks
 Add'l epoxy-coated or stainless steel shelves
 Stainless steel interior
 Expansion valve system (48" - 72" Refrigerator models only)
 Stainless steel back

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pan per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

* Units ship on casters. No other caster is available for SW-U models.

See **Page 18** for Options & Accessories.
 See **Page 163** for Expansion Valve Option.

Worktops & Undercounters Options & Accessories

See **Page 162** for single/double overshelves. Consult factory for additional information.

Consult factory for special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Epoxy-Coated Steel Shelf with Clips	\$82
	-	Stainless Steel Shelf with Clips	\$235
	-	Rehinging	N/C
	-	Cylinder Lock (per door/drawer)	\$190
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/Brakes (not available for -U and -FB models) Set of 6 Swivel Casters w/Brakes (not available for -U and -FB models)	\$355 \$583
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/Brakes (not available for -U and -FB models)	\$444
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/Brakes (not available for -U models)	\$299
3" Dia. 3 3/4" H	50301	Set of 4 Swivel Casters w/Brakes (standard on all -FB models, not available for -U models)	\$299
4" H	50219	Set of 4 Stainless Steel Legs (not available for -U models)	\$443
6" H	50203	Set of 4 Stainless Steel Legs (not available for -U and -FB models)	\$192
4" H	50206	Set of 4 "Black" Legs (not available for -U models)	\$158
6" H	50202	Set of 4 "Black" Legs (not available for -U and -FB models)	\$126
	UCSC27	Stacking Collar (27" Refrigerator models only)	\$198
27 1/2"	-	Stainless Steel Interior Stainless Steel Finished Back	\$1081 \$393
32"	-	Stainless Steel Interior Stainless Steel Finished Back	\$1181 \$473
36"	-	Stainless Steel Interior Stainless Steel Finished Back	\$1250 \$520
48"	-	Stainless Steel Interior Stainless Steel Finished Back	\$1373 \$590
60"	-	Stainless Steel Interior Stainless Steel Finished Back	\$1573 \$690
72"	-	Stainless Steel Interior Stainless Steel Finished Back	\$1767 \$835

Sandwich Units

Standard, Mighty & Cutting Tops

Sandwich Units offer a unique air flow distribution (full length evaporator coil across back of unit). Cabinet has a stainless steel front, top and end panels with aluminum back and interior. Units also feature insulated lid(s), recessed pans and a full length nylon cutting board. Doors are field rehingeable. Pan top configurations can be modified to meet the needs of the operator. Front breathing and drawer options available.

Note: Unhinged flat lids can not be hinged in the field.

In This Section

20	Standard Top
22	Standard Top Front Breathing
24	Mighty Top
26	Mighty Top Front Breathing
28	C (Cutting) Top
30	C (Cutting) Top Front Breathing
32	Options & Accessories

FLEXIBLE Option
16-gauge overshelves
(single or double)

Benefit
Easier item storage
and handling at an
arm's reach

FLEXIBLE Option
Vision Panel Lid
in lieu of standard
insulated lid

Benefit
Product visibility

FLEXIBLE Option
1/9 size crumb
pans recessed
in cutting board


Benefit
Keeps work area
clean and crumbs
contained

FLEXIBLE Option
Easy, in-the-field
conversion from
door to drawer or
drawer to door,
or rehinging doors

Benefit
Workflow flexibility
after the installation,
easy cleaning
& servicing



SW60N24M
shown w/ Standard Features and FLEXIBLE Options



Sandwich Units - Standard Top


Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Standard Top with 12" Cutting Board











BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

SANDWICH UNITS - STANDARD TOP MODELS

SIZE	# PANS	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	SW27N8	\$5033	SW27N8-D	\$7051	27 1/2 x 31 9/16 x 42 1/4	7.4	1625	1/5	218
32"	8	SW32N8	\$5990	SW32N8-D	\$8007	32 x 31 9/16 x 42 1/4	9	1625	1/5	236
36"	8	SW36N8	\$6864	-	-	36 x 31 9/16 x 42 1/4	10.3	1625	1/5	248
	10	SW36N10	\$6905	-	-	36 x 31 9/16 x 42 1/4	10.3	1625	1/5	248
48"	8	SW48N8	\$6946	SW48N8-D	\$10976	48 x 31 9/16 x 42 1/4	13.4	1940	1/4+	293
	10	SW48N10	\$7595	SW48N10-D	\$11625	48 x 31 9/16 x 42 1/4	13.4	1940	1/4+	293
	12	SW48N12	\$7652	SW48N12-D	\$11684	48 x 31 9/16 x 42 1/4	13.4	1940	1/4+	328
60"	8	SW60N8	\$7914	SW60N8-D	\$11947	60 x 31 9/16 x 42 1/4	17	2560	1/3+	340
	12	SW60N12	\$8086	SW60N12-D	\$12116	60 x 31 9/16 x 42 1/4	17	2560	1/3+	360
	16	SW60N16	\$8160	SW60N16-D	\$12190	60 x 31 9/16 x 42 1/4	17	2560	1/3+	360
72"	12	SW72N12	\$9268	SW72N12-D	\$15315	72 x 31 9/16 x 42 1/4	20.6	2560	1/3+	402
	18	SW72N18	\$9303	SW72N18-D	\$15352	72 x 31 9/16 x 42 1/4	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



SW27-N8-D	SW32N8-D	SW48N8-D	SW48N10-D	SW48N12-D
				
				
SW60N8-D	SW60N12-D	SW60N16-D	SW72N12-D	SW72N18-D

Door & Drawer Models

Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 12" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (48" - 72" models only)
 Completely Enclosed, Vented & Removable Case Back
 Removable Interior Tub Below Pans
 (prevents food spillage in store zone)
 1/6 Size **Recessed** Pans, 4" Deep
 Insulated Lids
 5" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles













OPTIONS

Door/drawer locks
 Overshelves
 Adjustable legs
 Rear-mounted cutting board
 Crumb catcher
 Add'l epoxy-coated or stainless steel shelves
 Stainless steel interior
 Automatic, electric condensate evaporator (48" - 72" models)
 Flat insulated night cover
 Vision panel lid
 Stainless steel back
 Optional caster sizes
 Composite cutting board
 Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 32** for Options & Accessories.
 See **Page 162** for Overshelves.

SW27N8-FB	SW32N8-FB	SW36N8-FB	SW36N10-FB	SW48N8-FB	SW48N10-FB	SW48N12-FB
						
						
SW60N8-FB	SW60N12-FB	SW60N16-FB	SW72N12-FB		SW72N18-FB	

Front Breathing Sandwich Units - Standard Top













Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Standard Top with 12" Cutting Board
All front breathers come standard with 3 3/4" high casters











BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

FRONT BREATHING SANDWICH UNITS - STANDARD TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	SW27N8-FB	\$5135	SW27N8-FB-D	\$7151	27 1/2 x 31 9/16 x 41	7.4	1625	1/5	218
32"	8	SW32N8-FB	\$6109	SW32N8-FB-D	\$8125	32 x 31 9/16 x 41	9	1625	1/5	236
36"	8	SW36N8-FB	\$7002	-	-	36 x 31 9/16 x 41	10.3	1625	1/5	248
	10	SW36N10-FB	\$7042	-	-	36 x 31 9/16 x 41	10.3	1625	1/5	248
48"	8	SW48N8-FB	\$7090	SW48N8-FB-D	\$11122	48 x 31 9/16 x 41	13.4	1940	1/4+	293
	10	SW48N10-FB	\$7748	SW48N10-FB-D	\$11779	48 x 31 9/16 x 41	13.4	1940	1/4+	293
	12	SW48N12-FB	\$7808	SW48N12-FB-D	\$11841	48 x 31 9/16 x 41	13.4	1940	1/4+	328
60"	8	SW60N8-FB	\$8071	SW60N8-FB-D	\$12103	60 x 31 9/16 x 41	17	2560	1/3+	340
	12	SW60N12-FB	\$8246	SW60N12-FB-D	\$12279	60 x 31 9/16 x 41	17	2560	1/3+	360
	16	SW60N16-FB	\$8322	SW60N16-FB-D	\$12354	60 x 31 9/16 x 41	17	2560	1/3+	360
72"	12	SW72N12-FB	\$9455	SW72N12-FB-D	\$15503	72 x 31 9/16 x 41	20.6	2560	1/3+	402
	18	SW72N18-FB	\$9486	SW72N18-FB-D	\$15534	72 x 31 9/16 x 41	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS

						
SW27N8	SW32N8	SW36N8	SW36N10	SW48N8	SW48N10	SW48N12
						
SW60N8	SW60N12	SW60N16	SW72N12	SW72N18		

SW27N8-FB-D	SW32N8-FB-D	SW48N8-FB-D	SW48N10-FB-D	SW48N12-FB-D
				
				
SW60N8-FB-D	SW60N12-FB-D	SW60N16-FB-D	SW72N12-FB-D	SW72N18-FB-D

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space. Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 12" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (48" - 72" models only)
 Completely Enclosed, Vented & Removable Case Back
 Removable Interior Tub Below Pans
 (prevents food spillage in store zone)
 1/6 Size **Recessed** Pans, 4" Deep
 Insulated Lids
 3 3/4" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks
 Overshelves
 Rear-mounted cutting board
 Crumb catcher
 Add'l epoxy-coated or stainless steel shelves
 Stainless steel interior
 Automatic, electric condensate evaporator (48" - 72" models)
 Flat insulated night cover
 Vision panel lid
 Stainless steel back
 Composite cutting board
 Modified pan openings












DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
--------------------	---------------

Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 32** for Options & Accessories.
 See **Page 162** for Overshelves.

SW27N12M	SW32N12M	SW36N12M-HGL	SW36N15M	SW48N12M	SW48N18M-HGL	SW60N12M
						
						
SW60N18M	SW60N24M-HGL	SW72N18M		SW72N27M	SW72N30M-HGL	

SW72N24M model photo not shown above. See next page SW72N24M-D.

Sandwich Units - Mighty Top

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Mighty Top with 10" Cutting Board


SANDWICH UNITS - MIGHTY TOP MODELS

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	12	SW27N12M	\$5993	SW27N12M-D	\$8009	27 1/2 x 35 x 42 1/4	7.4	1625	1/5	242
32"	12	SW32N12M	\$6935	SW32N12M-D	\$8950	32 x 35 x 42 1/4	9	1625	1/5	245
36"	12	SW36N12M	\$7879	-	-	36 x 35 x 42 1/4	10.3	1625	1/5	248
	12	SW36N12M-HGL	\$13314	-	-	36 x 35 x 37	10.3	1625	1/5	272
	15	SW36N15M	\$7922	-	-	36 x 35 x 42 1/4	10.3	1625	1/5	248
48"	12	SW48N12M	\$8570	SW48N12M-D	\$12601	48 x 35 x 42 1/4	13.4	1940	1/4+	328
	18	SW48N18M	\$8744	SW48N18M-D	\$12775	48 x 35 x 42 1/4	13.4	1940	1/4+	328
	18	SW48N18M-HGL	\$14946	SW48N18M-HGL-D	\$18979	48 x 35 x 37	13.4	1940	1/4+	352
60"	12	SW60N12M	\$9098	SW60N12M-D	\$13132	60 x 35 x 42 1/4	17	2560	1/3+	387
	18	SW60N18M	\$9189	SW60N18M-D	\$13220	60 x 35 x 42 1/4	17	2560	1/3+	387
	24	SW60N24M	\$9616	SW60N24M-D	\$13649	60 x 35 x 42 1/4	17	2560	1/3+	387
	24	SW60N24M-HGL	\$16408	SW60N24M-HGL-D	\$20442	60 x 35 x 37	17	2560	1/3+	411
72"	18	SW72N18M	\$10560	SW72N18M-D	\$16609	72 x 35 x 42 1/4	20.6	2560	1/3+	431
	24	SW72N24M	\$10847	SW72N24M-D	\$16896	72 x 35 x 42 1/4	20.6	2560	1/3+	431
	27	SW72N27M	\$11127	SW72N27M-D	\$17175	72 x 35 x 42 1/4	20.6	2560	1/3+	431
	30	SW72N30M	\$11195	SW72N30M-D	\$17241	72 x 35 x 42 1/4	20.6	2560	1/3+	452
	30	SW72N30M-HGL	\$18282	SW72N30M-HGL-D	\$24332	72 x 35 x 37	20.6	2560	1/3+	468

PAN TOP CONFIGURATIONS

NOTE: Hinged Glass Lid (HGL) available only for the model sizes listed in the gray box.



SW27N12M-D	SW32N12M-D	SW48N12M-D	SW48N18M-HGL-D	SW60N12M-D	SW60N18M-D	SW60N24M-HGL-D
						
						
SW72N18M-D		SW72N24M-D		SW72N27M-D		SW72N30M-HGL-D

Door & Drawer Models

Unique air flow distribution allows pan product to maintain 33° - 41°F

STANDARD FEATURES

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 10" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (48" - 72" models only)
 Completely Enclosed, Vented & Removable Case Back
 Removable Interior Tub Below Pans
 (prevents food spillage in store zone)
 1/6 Size **Recessed** Pans, 4" Deep
 Insulated Lids
 5" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles







OPTIONS

Door/drawer locks
 Overshelves (not available on HGL models)
 Adjustable legs
 Rear-mounted cutting board
 Crumb catcher
 Add'l epoxy-coated or stainless steel shelves
 Stainless steel interior
 Automatic, electric condensate evaporator (48" - 72" models)
 Flat insulated night cover
 Vision panel lid
 Stainless steel back
 Optional caster sizes
 Composite cutting board
 Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 32** for Options & Accessories.
 See **Page 162** for Overshelves.

SW27N12M-FB	SW32N12M-FB	SW36N12M-HGL-FB	SW36N15M-FB	SW48N12M-FB	SW48N18M-HGL-FB	SW60N12M-FB
						
						
SW60N18M-FB	SW60N24M-HGL-FB	SW72N18M-FB	SW72N27M-FB	SW72N30M-HGL-FB		

SW72N24M-FB model photo not shown above. See next page SW72N24M-FB-D.

Front Breathing Sandwich Units - Mighty Top

Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
Mighty Top with 10" Cutting Board
All front breathers come standard with 3 3/4" casters


BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)












FRONT BREATHING SANDWICH UNITS - MIGHTY TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	12	SW27N12M-FB	\$6113	SW27N12M-FB-D	\$8129	27 1/2 x 35 x 41	7.4	1625	1/5	242
32"	12	SW32N12M-FB	\$7074	SW32N12M-FB-D	\$9088	32 x 35 x 41	9	1625	1/5	245
36"	12	SW36N12M-FB	\$8037	-	-	36 x 35 x 41	10.3	1625	1/5	248
	12	SW36N12M-HGL-FB	\$13474	-	-	36 x 35 x 35 3/4	10.3	1625	1/5	272
	15	SW36N5M-FB	\$8083	-	-	36 x 35 x 41	10.3	1625	1/5	248
48"	12	SW48N12M-FB	\$8744	SW48N12M-FB-D	\$12775	48 x 35 x 41	13.4	1940	1/4+	328
	18	SW48N18M-FB	\$8918	SW48N18M-FB-D	\$12950	48 x 35 x 41	13.4	1940	1/4+	328
	18	SW48N18M-HGL-FB	\$15120	SW48N18M-HGL-FB-D	\$19150	48 x 35 x 35 3/4	13.4	1940	1/4+	352
60"	12	SW60N12M-FB	\$9282	SW60N12M-FB-D	\$13315	60 x 35 x 41	17	2560	1/3+	387
	18	SW60N18M-FB	\$9375	SW60N18M-FB-D	\$13406	60 x 35 x 41	17	2560	1/3+	387
	24	SW60N24M-FB	\$9807	SW60N24M-FB-D	\$13837	60 x 35 x 41	17	2560	1/3+	387
	24	SW60N24M-HGL-FB	\$16597	SW60N24M-HGL-FB-D	\$20630	60 x 35 x 35 3/4	17	2560	1/3+	411
72"	18	SW72N18M-FB	\$10771	SW72N18M-FB-D	\$16819	72 x 35 x 41	20.6	2560	1/3+	431
	24	SW72N24M-FB	\$11064	SW72N24M-FB-D	\$17114	72 x 35 x 41	20.6	2560	1/3+	431
	27	SW72N27M-FB	\$11350	SW72N27M-FB-D	\$17397	72 x 35 x 41	20.6	2560	1/3+	431
	30	SW72N30M-FB	\$11416	SW72N30M-FB-D	\$17466	72 x 35 x 41	20.6	2560	1/3+	452
	30	SW72N30M-HGL-FB	\$18504	SW72N30M-HGL-FB-D	\$24554	72 x 35 x 35 3/4	20.6	2560	1/3+	468

PAN TOP CONFIGURATIONS

NOTE: Hinged Glass Lid (HGL) available only for the model sizes listed in the gray box.



SW27N12M-FB-D	SW32N12M-FB-D	SW48N12M-FB-D	SW48N18M-HGL-FB-D	SW60N12M-FB-D	SW60N18M-FB-D	SW60N24M-HGL-FB-D
						
						
SW72N18M-FB-D		SW72N24M-FB-D		SW72N27M-FB-D		SW72N30M-HGL-FB-D

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space. Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 10" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (48" - 72" models only)
 Completely Enclosed, Vented & Removable Case Back
 Removable Interior Tub Below Pans
 (prevents food spillage in store zone)
 1/6 Size **Recessed** Pans, 4" Deep
 Insulated Lids
 3 3/4" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles


OPTIONS

Door/drawer locks
 Overshelves (not available on HGL models)
 Rear-mounted cutting board
 Crumb catcher
 Add'l epoxy-coated or stainless steel shelves
 Stainless steel interior
 Automatic, electric condensate evaporator (48" - 72" models)
 Flat insulated night cover
 Vision panel lid
 Stainless steel back
 Composite cutting board
 Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers		\$2017
Drawers not available for 36" models		
MODELS	TWO TIER DRAWERS	
27"/60"	(1) 12 x 20 x 6 pan per drawer	
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer	
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer	

See **Page 32** for Options & Accessories.
 See **Page 162** for Overshelves.



Sandwich Units - C (Cutting) Top


Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
C (Cutting) Top with 19" Cutting Board











BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

SANDWICH UNITS - C (CUTTING) TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	SW27N8C	\$5623	SW27N8C-D	\$7639	27 1/2 x 38 1/4 x 42 1/4	7.4	1625	1/5	218
32"	8	SW32N8C	\$6543	SW32N8C-D	\$8562	32 x 38 1/4 x 42 1/4	9	1625	1/5	236
36"	8	SW36N8C	\$7417	-	-	36 x 38 1/4 x 42 1/4	10.3	1625	1/5	248
	10	SW36N10C	\$7461	-	-	36 x 38 1/4 x 42 1/4	10.3	1625	1/5	248
48"	8	SW48N8C	\$8120	SW48N8C-D	\$12152	48 x 38 1/4 x 42 1/4	13.4	1940	1/4+	293
	10	SW48N10C	\$8174	SW48N10C-D	\$12207	48 x 38 1/4 x 42 1/4	13.4	1940	1/4+	293
	12	SW48N12C	\$8242	SW48N12C-D	\$12272	48 x 38 1/4 x 42 1/4	13.4	1940	1/4+	328
60"	8	SW60N8C	\$8975	SW60N8C-D	\$13006	60 x 38 1/4 x 42 1/4	17	2560	1/3+	340
	12	SW60N12C	\$9088	SW60N12C-D	\$13119	60 x 38 1/4 x 42 1/4	17	2560	1/3+	360
	16	SW60N16C	\$9175	SW60N16C-D	\$13208	60 x 38 1/4 x 42 1/4	17	2560	1/3+	360
72"	12	SW72N12C	\$10160	SW72N12C-D	\$16207	72 x 38 1/4 x 42 1/4	20.6	2560	1/3+	402
	18	SW72N18C	\$10292	SW72N18C-D	\$16339	72 x 38 1/4 x 42 1/4	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



SW27N8C-D	SW32N8C-D	SW48N8C-D	SW48N10C-D	SW48N12C-D
				
				
SW60N8C-D	SW60N12C-D	SW60N16C-D	SW72N12C-D	SW72N18C-D

Door & Drawer Models

Unique air flow distribution allows pan product to maintain 33° - 41°F

STANDARD FEATURES

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 19" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (48" - 72" models only)
 Completely Enclosed, Vented & Removable Case Back
 Removable Interior Tub Below Pans
 (prevents food spillage in store zone)
 1/6 Size **Recessed** Pans, 4" Deep
 Insulated Lids
 5" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles






OPTIONS

Door/drawer locks
 Overshelves
 Adjustable legs
 Rear-mounted cutting board
 Add'l epoxy-coated or stainless steel shelves
 Stainless steel interior
 Automatic, electric condensate evaporator (48" - 72" models)
 Flat insulated night cover
 Vision panel lid
 Stainless steel back
 Optional caster sizes
 Composite cutting board
 Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 32** for Options & Accessories.
 See **Page 162** for Overshelves.

SW27N8C-FB	SW32N8C-FB	SW36N8C-FB	SW36N10C-FB	SW48N8C-FB	SW48N10C-FB	SW48N12C-FB
						
						
SW60N8C-FB	SW60N12C-FB	SW60N16C-FB		SW72N12C-FB	SW72N18C-FB	

Front Breathing Sandwich Units - C (Cutting) Top


Cabinet Construction: Stainless Steel Front, Top and End Panels, Aluminum Back and Interior
C (Cutting) Top with 19" Cutting Board
All front breathers come standard with 3 3/4" casters











BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

FRONT BREATHING SANDWICH UNITS - C (CUTTING) TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	SW27N8C-FB	\$5735	SW27N8C-FB-D	\$7751	27 1/2 x 38 1/4 x 41	7.4	1625	1/5	218
32"	8	SW32N8C-FB	\$6675	SW32N8C-FB-D	\$8688	32 x 38 1/4 x 41	9	1625	1/5	236
36"	8	SW36N8C-FB	\$7566	-	-	36 x 38 1/4 x 41	10.3	1625	1/5	248
	10	SW36N10C-FB	\$7607	-	-	36 x 38 1/4 x 41	10.3	1625	1/5	248
48"	8	SW48N8C-FB	\$8286	SW48N8C-FB-D	\$12317	48 x 38 1/4 x 41	13.4	1940	1/4+	293
	10	SW48N10C-FB	\$8338	SW48N10C-FB-D	\$12369	48 x 38 1/4 x 41	13.4	1940	1/4+	293
	12	SW48N12C-FB	\$8406	SW48N12C-FB-D	\$12437	48 x 38 1/4 x 41	13.4	1940	1/4+	328
60"	8	SW60N8C-FB	\$9162	SW60N8C-FB-D	\$13191	60 x 38 1/4 x 41	17	2560	1/3+	340
	12	SW60N12C-FB	\$9270	SW60N12C-FB-D	\$13301	60 x 38 1/4 x 41	17	2560	1/3+	360
	16	SW60N16C-FB	\$9361	SW60N16C-FB-D	\$13392	60 x 38 1/4 x 41	17	2560	1/3+	360
72"	12	SW72N12C-FB	\$10359	SW72N12C-FB-D	\$16407	72 x 38 1/4 x 41	20.6	2560	1/3+	402
	18	SW72N18C-FB	\$10494	SW72N18C-FB-D	\$16541	72 x 38 1/4 x 41	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



SW27N8C-FB-D	SW32N8C-FB-D	SW48N8C-FB-D	SW48N10C-FB-D	SW48N12C-FB-D
				
				
SW60N8C-FB-D	SW60N12C-FB-D	SW60N16C-FB-D	SW72N12C-FB-D	SW72N18C-FB-D

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space. Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 19" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (48" - 72" models only)
 Completely Enclosed, Vented & Removable Case Back
 Removable Interior Tub Below Pans
 (prevents food spillage in store zone)
 1/6 Size **Recessed** Pans, 4" Deep
 Insulated Lids
 3 3/4" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks
 Overshelves
 Rear-mounted cutting board
 Add'l epoxy-coated or stainless steel shelves
 Stainless steel interior
 Automatic, electric condensate evaporator (48" - 72" models)
 Flat insulated night cover
 Vision panel lid
 Stainless steel back
 Composite cutting board
 Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 32** for Options & Accessories.
 See **Page 162** for Overshelves.

Sandwich Units Options & Accessories

See **Page 162** for single/double overshelves. Consult factory for additional information.

Consult factory for special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Epoxy-Coated Shelf with Clips	\$82
	-	Stainless Steel Shelf with Clips	\$235
	-	Rehinging	N/C
	-	Cylinder Lock (per door/drawer)	\$190
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/Brakes (not available for -U and -FB models) Set of 6 Swivel Casters w/Brakes (not available for -U and -FB models)	\$355 \$583
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/Brakes (not available for -FB models)	\$444
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/Brakes	\$299
3" Dia. 3 3/4" H	50301	Set of 4 Swivel Casters w/Brakes (standard on all -FB models)	\$299
4" H	50219	Set of 4 Stainless Steel Legs	\$443
6" H	50203	Set of 4 Stainless Steel Legs (not available for -FB models)	\$192
4" H	50206	Set of 4 "Black" Legs	\$158
6" H	50202	Set of 4 "Black" Legs (not available for -FB models)	\$126
	4-916	Automatic, Electric Condensate Evaporator (115-60-1) w/Cord & Plug (not available on 27", 32" or 36")	\$198
27 1/2"	-	Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher [not available for C (Cutting) Top models] Stainless Steel Flat Covers (Standard/C Tops / Mighty Tops) Vision Panel Lid (Standard/C Tops / Mighty Tops) Rear-Mounted 10" Cutting Board (must use SS Flat Cover)	\$1081 \$393 \$126 \$222 / \$336 \$1034 / \$1264 \$690
32"	-	Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher [not available for C (Cutting) Top models] Stainless Steel Flat Covers (Standard/C Tops / Mighty Tops) Vision Panel Lid (Standard/C Tops / Mighty Tops) Rear-Mounted 10" Cutting Board (must use SS Flat Cover)	\$1181 \$473 \$170 \$246 / \$336 \$1191 / \$1420 \$803
36"	-	Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher [not available for C (Cutting) Top models] Stainless Steel Flat Covers (Standard/C Tops / Mighty Tops) Vision Panel Lid (Standard/C Tops / Mighty Tops) Rear-Mounted 10" Cutting Board (must use SS Flat Cover)	\$1250 \$520 \$195 \$261 / \$375 \$1348 / \$1577 \$873
48"	-	Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher [not available for C (Cutting) Top models] Stainless Steel Flat Covers (Standard/C Tops / Mighty Tops) Vision Panel Lid (Standard/C Tops / Mighty Tops) Rear-Mounted 10" Cutting Board (must use SS Flat Cover)	\$1373 \$590 \$226 \$285 / \$430 \$1382 / \$1611 \$983
60"	-	Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher [not available for C (Cutting) Top models] Stainless Steel Flat Covers (Standard/C Tops / Mighty Tops) Vision Panel Lid (Standard/C Tops / Mighty Tops) Rear-Mounted 10" Cutting Board (must use SS Flat Cover)	\$1573 \$690 \$282 \$316 / \$513 \$1761 / \$2220 \$1178
72"	-	Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher [not available for C (Cutting) Top models] Stainless Steel Flat Covers (Standard/C Tops / Mighty Tops) Vision Panel Lid (Standard/C Tops / Mighty Tops) Rear-Mounted 10" Cutting Board (must use SS Flat Cover)	\$1767 \$835 \$338 \$509 / \$704 \$2417 / \$2875 \$1470

Base Models

Worktops, Undercounters & Sandwich Units

For high volume situations where flexibility and storage of pans is needed. Heavy gauge #300 Series stainless steel top, stainless steel front and end panels and aluminum interior. Condensing unit on left or right to keep away from hot equipment that may be nearby. Refrigerated door compartment above the condensing unit, with an option of a refrigerated drawer.

Undercounters are for under the counter applications only.
Can not be used as as a worktop.

In This Section

34	Worktops
36	Undercounters
38	Sandwich Units Standard Top
40	Sandwich Units Mighty Top
42	Options & Accessories

FLEXIBLE Option
16-gauge overshelves
(single or double)

Benefit
Easier item storage
and handling at an
arm's reach

FLEXIBLE Option
Drawer in lieu of
standard half door

Benefit
Adds additional
refrigerated storage
capacity

FLEXIBLE Option
Move the condensing
unit to left (standard
on right)

Benefit
Keeps refrigeration
away from hot
equipment nearby,
prolonging life of unit



FLEXIBLE Option
Pan Slides
(shown cutaway)
Benefit
Optimizes workflow by
having food product
within reach

FLEXIBLE Option
Easy, in-the-field
conversion from door to
drawer or drawer to door,
or rehinging doors
Benefit
Workflow flexibility after
the installation, easy
cleaning & servicing

CRA60-18M
shown w/ Standard Features and FLEXIBLE Options

RA43N/CFA43	RA60N/CFA60	RA68N/CFA68	RA93N	CRA118
				
				
RA43NBS/CFA43-BS	RA60NBS/CFA60-BS	RA68NBS/CFA68-BS	RA93NBS	CRA118-BS

Base Model Refrigerators & Freezers (0°F) - Worktops

Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top, Stainless Steel Front and End Panels, Galvanized Steel Rear and Grill and Aluminum Interior
Standard Flat Top or 5 1/2" Backsplash

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
10 ft. cord and plug attached (115-60-1 volts)

BASE WORKTOP REFRIGERATOR MODELS

SIZE	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
43"	RA43N	\$7314	RA43N-D	\$9639	43 x 36 1/16 x 35	12	2610	1/4+	335
60"	RA60N	\$7958	RA60N-D	\$10284	60 x 36 1/16 x 35	19	3100	1/4+	405
68"	RA68N	\$8943	RA68N-D	\$13597	68 x 36 1/16 x 35	22	4220	1/4+	475
93"	RA93N	\$11592	RA93N-D	\$18570	93 x 36 1/16 x 35	32	5260	1/4+	585
118"	CRA118	\$15980	CRA118-D	\$25284	118 x 36 1/16 x 35	44	5600	1/2	705

5 1/2" BACKSPLASH BASE WORKTOP REFRIGERATOR MODELS











43"	RA43NBS	\$7432	RA43NBS-D	\$9757	43 x 36 1/16 x 40 1/2	12	2610	1/4+	345
60"	RA60NBS	\$8208	RA60NBS-D	\$10533	60 x 36 1/16 x 40 1/2	19	3100	1/4+	415
68"	RA68NBS	\$9221	RA68NBS-D	\$13874	68 x 36 1/16 x 40 1/2	22	4220	1/4+	490
93"	RA93NBS	\$13508	RA93NBS-D	\$20485	93 x 36 1/16 x 40 1/2	32	5260	1/4+	600
118"	CRA118-BS	\$16495	CRA118-BS-D	\$25798	118 x 36 1/16 x 40 1/2	44	5600	1/2	720

BASE WORKTOP FREEZER MODELS (0°F)

43"	CFA43	\$10618	CFA43-D	\$12946	43 x 36 1/16 x 35	12	1340	1/3	340
60"	CFA60	\$10925	CFA60-D	\$13251	60 x 36 1/16 x 35	19	2180	3/4	410
68"	CFA68	\$11595	CFA68-D	\$16248	68 x 36 1/16 x 35	22	2310	3/4	490

5 1/2" BACKSPLASH BASE WORKTOP FREEZER MODELS (0°F)

43"	CFA43-BS	\$11137	CFA43-BS-D	\$13533	43 x 36 1/16 x 40 1/2	12	1340	1/3	350
60"	CFA60-BS	\$11416	CFA60-BS-D	\$13743	60 x 36 1/16 x 40 1/2	19	2180	3/4	420
68"	CFA68-BS	\$12278	CFA68-BS-D	\$16929	68 x 36 1/16 x 40 1/2	22	2310	3/4	505

RA43N-D/CFA43-D	RA60N-D/CFA60-D	RA68N-D/CFA68-D	RA93N-D	CRA118-D
				
				
RA43N-BS-D/CFA43-BS-D	RA60N-BS-D/CFA60-BS-D	RA68N-BS-D/CFA68-BS-D	RA93N-BS-D	CRA118-BS-D

Door & Drawer Models

Unique forced air design utilizes fans (approx. every 12") across the entire back of unit for even distribution of cold air.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Environmentally-Safe R-290 Refrigerant** (43" - 93" Refrigerators)
- Environmentally-Safe R-134a Refrigerant (118" Refrigerators)
- Environmentally-Safe R-404A Refrigerant (Freezers)
- 2" Non-CFC Polyurethane Foam Insulation
- Automatic, Hot Gas Condensate Evaporator**
(43" - 93" Refrigerators)
- Automatic, Energy Saving, Non-Electric Condensate Evaporator
(118" Refrigerators & 43" - 68" Freezer models)
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Slide-Out Condensing Unit
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Expansion Valve System
- Refrigerated Section w/Door Above the Condensing Unit
- Electronic Control, Off-Cycle Defrost (Refrigerators only)
- Automatic Electric Defrost (Freezers)
- 5" High Casters

DOOR MODELS

- Spring Loaded, Self Closing Doors
- Magnetic Snap-In Door Gaskets
- Smooth, Polished Chrome Door Handles**
- Field Rehingeable Doors
- Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

- Stainless Steel Roll-Out Drawers
- Magnetic Snap-In Drawer Gaskets
- Smooth, Polished Chrome Drawer Handles**

OPTIONS

- Condensing unit left or right
- Door/drawer locks
- Overshelves
- Pan Slides (large section only on 60" models)
- Adjustable legs
- Add'l epoxy-coated or stainless steel shelves
- Stainless steel back and interior
- Front breathing
- Drawer in lieu of half door above the condensing unit
- Automatic, electric condensate evaporator
(118" Refrigerators & Freezer models)

DOOR TO DRAWERS (in lieu of one door per section)


Two drawers	\$2327
Drawer over compressor	\$1198

Drawers: RA/CRA/CFA60 models (over compressor & large section only)

MODELS	TWO TIER DRAWERS
RA/CRA/CFA	(2) 12 x 20 x 6 pans per drawer

Drawer over compressor holds (1) 12 x 20 x 6 pan

See **Page 42** for Options & Accessories.
See **Page 162** for Overshelves.

RA43N-U/CFA43-U	RA60N-U/CFA60-U	RA68N-U/CFA68-U
		
		
RA93N-U	CRA118-U	

Base Model Refrigerators & Freezers (0°F) - Undercounters

Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top, Stainless Steel Front and End Panels, Galvanized Steel Rear and Grill and Aluminum Interior

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
10 ft. cord and plug attached (115-60-1 volts)

BASE UNDERCOUNTER REFRIGERATOR MODELS

SIZE	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
43"	RA43N-U	\$7314	RA43N-U-D	\$9639	43 3/16 x 36 1/16 x 31 3/4	12	2610	1/4+	335
60"	RA60N-U	\$7958	RA60N-U-D	\$10284	60 3/16 x 36 1/16 x 31 3/4	19	3100	1/4+	405
68"	RA68N-U	\$8943	RA68N-U-D	\$13597	68 3/16 x 36 1/16 x 31 3/4	22	4220	1/4+	475
93"	RA93N-U	\$11592	RA93N-U-D	\$18570	93 3/16 x 36 1/16 x 31 3/4	32	5260	1/4+	585
118"	CRA118-U	\$15980	CRA118-U-D	\$25284	118 3/16 x 36 1/16 x 31 3/4	44	5600	1/2	705

BASE UNDERCOUNTER FREEZER MODELS (0°F)

43"	CFA43-U	\$10618	CFA43-U-D	\$12946	43 3/16 x 36 1/16 x 31 3/4	12	1340	1/3	340
60"	CFA60-U	\$10925	CFA60-U-D	\$13251	60 3/16 x 36 1/16 x 31 3/4	19	2180	3/4	410
68"	CFA68-U	\$11595	CFA68-U-D	\$16248	68 3/16 x 36 1/16 x 31 3/4	22	2310	3/4	490

RA43N-U-D/CFA43-U-D	RA60N-U-D/CFA60-U-D	RA68N-U-D/CFA68-U-D
		
		
RA93N-U-D	CRA118-U-D	

Door & Drawer Models

Unique forced air design utilizes fans (approx. every 12") across the entire back of unit for even distribution of cold air.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Environmentally-Safe R-290 Refrigerant** (43" - 93" Refrigerators)
- Environmentally-Safe R-134a Refrigerant (118" Refrigerators)
- Environmentally-Safe R-404A Refrigerant (Freezers)
- 2" Non-CFC Polyurethane Foam Insulation
- Automatic, Hot Gas Condensate Evaporator** (43" - 93" Refrigerators)
- Automatic, Energy Saving, Non-Electric Condensate Evaporator (118" Refrigerators & 43" - 68" Freezer models)
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Slide-Out Condensing Unit
- Electronic Controller w/Digital Display & Hi-Low Alarm Expansion Valve System
- Refrigerated Section w/Door Above the Condensing Unit
- Electronic Control, Off-Cycle Defrost (Refrigerators only)
- Automatic Electric Defrost (Freezers)
- Front Breathing Air Divider** (field installed)
- 1 3/8" Diameter Plate Casters Mounted on Heavy-Duty Support Plates** (easily field installed, can not be replaced or changed)

DOOR MODELS

- Spring Loaded, Self Closing Doors
- Magnetic Snap-In Door Gaskets
- Smooth, Polished Chrome Door Handles**
- Field Rehingeable Doors
- Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

- Stainless Steel Roll-Out Drawers
- Magnetic Snap-In Drawer Gaskets
- Smooth, Polished Chrome Drawer Handles**

OPTIONS

- Condensing unit left or right
- Door/drawer locks
- Pan Slides (large section only on 60" models)
- Add'l epoxy-coated or stainless steel shelves
- Stainless steel back and interior
- Drawer in lieu of half door above the condensing unit
- Automatic, electric condensate evaporator (118" Refrigerators & Freezer models)

DOOR TO DRAWERS (in lieu of one door per section)


Two drawers	\$2327
Drawer over compressor	\$1198

Drawers: 60" models (over compressor & large section only)

MODELS	TWO TIER DRAWERS
RA/CRA/CFA	(2) 12 x 20 x 4 pans (top) (2) 12 x 20 x 6 pans (bottom)

Drawer over compressor holds (1) 12 x 20 x 6 pan

See **Page 42** for Options & Accessories.



CRA68-8, CRA68-10 and CRA68-12 model photos not shown above.

Base Model Sandwich Units - Standard Top


Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top, Stainless Steel Front and End Panels, Galvanized Steel Rear and Grills, Aluminum Interior
Standard Top with 12" Cutting Board









BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

BASE SANDWICH UNITS - STANDARD TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
43"	6	CRA43-6	\$8268	CRA43-6-D	\$10595	43 x 36 1/16 x 42	12	2000	1/4	350
60"	8	CRA60-8	\$8917	CRA60-8-D	\$11242	60 x 36 1/16 x 42	19	2300	1/3	420
	10	CRA60-10	\$9135	CRA60-10-D	\$11462	60 x 36 1/16 x 42	19	2300	1/3	420
	12	CRA60-12	\$9352	CRA60-12-D	\$11678	60 x 36 1/16 x 42	19	2300	1/3	420
68"	8	CRA68-8	\$10019	CRA68-8-D	\$14671	68 x 36 1/16 x 42	22	2610	1/3	490
	10	CRA68-10	\$10263	CRA68-10-D	\$14914	68 x 36 1/16 x 42	22	2610	1/3	490
	12	CRA68-12	\$10509	CRA68-12-D	\$15161	68 x 36 1/16 x 42	22	2610	1/3	490
93"	8	CRA93-8	\$12786	CRA93-8-D	\$19764	93 x 36 1/16 x 42	32	4220	1/2	605
	10	CRA93-10	\$13044	CRA93-10-D	\$20024	93 x 36 1/16 x 42	32	4220	1/2	605
	12	CRA93-12	\$13318	CRA93-12-D	\$20296	93 x 36 1/16 x 42	32	4220	1/2	605
	18	CRA93-18	\$14017	CRA93-18-D	\$20993	93 x 36 1/16 x 42	32	4220	1/2	605

PAN TOP CONFIGURATIONS



CRA43-6-D	CRA60-8-D	CRA60-10-D	CRA60-12-D
			
			
CRA93-8-D	CRA93-10-D	CRA93-12-D	CRA93-18-D

CRA68-8-D, CRA68-10-D and CRA68-12-D model photos not shown above.

Door & Drawer Models

Unique forced air design utilizes fans (approx. every 12") across the entire back of unit for even distribution of cold air.

STANDARD FEATURES

Performance-Rated Refrigeration System
 Environmentally-Safe R-134a Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
 Automatic, Energy-Saving, Non-Electric Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Slide-Out Condensing Unit
 12" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Refrigerated Section w/Door Above the Condensing Unit
 1/6 Size Non-Recessed Pans, 4" Deep
 Insulated Lids
 5" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

OPTIONS

Condensing unit left or right
 Door/drawer locks
 Overshelves
 Pan Slides (not available on 60" small section)
 Adjustable legs
 Add'l epoxy-coated or stainless steel shelves
 Stainless steel back
 Stainless steel interior
 Front breathing
 Drawer in lieu of half door above the condensing unit
 Automatic, electric condensate evaporator
 Rear-mounted cutting board
 Crumb catcher
 Flat insulated night cover
 Vision panel lid
 Expansion valve system
 Composite cutting board

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2327
Drawer over compressor	\$1198

Drawers: 60" models (over compressor & large section only)









MODELS	TWO TIER DRAWERS
CRA SANDWICH UNITS	(1) 12 x 20 x 6 pan (3) 1/6 x 6 pans (top drawer) (2) 12 x 20 x 6 pans (bottom drawer)

Drawer over compressor holds (1) 12 x 20 x 6 pan

See **Page 42** for Options & Accessories.

See **Page 162** for Overshelves.

See **Page 163** for Expansion Valve Option.

CRA43-9M	CRA60-12M	CRA60-18M	CRA93-12M
			
			
CRA93-18M	CRA93-24M	CRA93-27M	CRA93-30M

CRA68-12M and CRA68-18M model photos not shown above.

Base Model Sandwich Units -Mighty Top


Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top, Stainless Steel Front and End Panels, Galvanized Steel Rear and Grills, Aluminum Interior
Mighty Top with 10" Cutting Board









BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

BASE SANDWICH UNITS - MIGHTY TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
43"	9	CRA43-9M	\$8586	CRA43-9M-D	\$10913	43 x 36 1/16 x 42	12	2000	1/4	350
60"	12	CRA60-12M	\$9446	CRA60-12M-D	\$11772	60 x 36 1/16 x 42	19	2300	1/3	420
	18	CRA60-18M	\$10097	CRA60-18M-D	\$12421	60 x 36 1/16 x 42	19	2300	1/3	420
68"	12	CRA68-12M	\$10614	CRA68-12M-D	\$15265	68 x 36 1/16 x 42	22	2610	1/3	490
	18	CRA68-18M	\$11343	CRA68-18M-D	\$15996	68 x 36 1/16 x 42	22	2610	1/3	490
93"	12	CRA93-12M	\$13586	CRA93-12M-D	\$20565	93 x 36 1/16 x 42	32	4220	1/2	605
	18	CRA93-18M	\$14130	CRA93-18M-D	\$21105	93 x 36 1/16 x 42	32	4220	1/2	605
	24	CRA93-24M	\$14732	CRA93-24M-D	\$21708	93 x 36 1/16 x 42	32	4220	1/2	605
	27	CRA93-27M	\$15181	CRA93-27M-D	\$22160	93 x 36 1/16 x 42	32	4220	1/2	605
	30	CRA93-30M	\$15667	CRA93-30M-D	\$22644	93 x 36 1/16 x 42	32	4220	1/2	605

PAN TOP CONFIGURATIONS



CRA43-9M-D	CRA60-12M-D	CRA60-18M-D	CRA93-12M-D
			
			
CRA93-18M-D	CRA93-24M-D	CRA93-27M-D	CRA93-30M-D

CRA68-12M-D and CRA68-18M-D model photos not shown above.

Door & Drawer Models

Unique forced air design utilizes fans (approx. every 12") across the entire back of unit for even distribution of cold air.

STANDARD FEATURES

Performance-Rated Refrigeration System
 Environmentally-Safe R-134a Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
 Automatic, Energy-Saving, Non-Electric Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Slide-Out Condensing Unit
 10" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Refrigerated Section w/Door Above the Condensing Unit
 1/6 Size Non-Recessed Pans, 4" Deep
 Insulated Lids
 5" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

OPTIONS

Condensing unit left or right
 Door/drawer locks
 Overshelves
 Pan Slides (not available on 60" small section)
 Adjustable legs
 Add'l epoxy-coated or stainless steel shelves
 Stainless steel back
 Stainless steel interior
 Front breathing
 Drawer in lieu of half door above the condensing unit
 Automatic, electric condensate evaporator
 Rear-mounted cutting board
 Crumb catcher
 Flat insulated night cover
 Vision panel lid
 Expansion valve system
 Composite cutting board

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2327
Drawer over compressor	\$1198

Drawers: 60" models (over compressor & large section only)

MODELS	TWO TIER DRAWERS
CRA-M SANDWICH UNITS	(1) 12 x 20 x 6 pan
	(3) 1/6 x 6 pans (top drawer)
	(2) 12 x 20 x 6 pans (bottom drawer)

Drawer over compressor holds (1) 12 x 20 x 6 pan

See **Page 42** for Options & Accessories.

See **Page 162** for Overshelves.

See **Page 163** for Expansion Valve Option.

Base Models Options & Accessories

See **Page 162** for single/double overshelves. Consult factory for additional information.

Consult factory for special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Epoxy-Coated Shelf with Clips	\$109
	-	Stainless Steel Shelf with Clips	\$316
	-	Pan Slide Assemblies Stainless Steel Angle - Bottom Support (for 18" x 26" pans) (STD assembly holds 5 pans per section on adjustable 1" centers)	\$541
	-	Rehinging	N/C
	-	Cylinder Lock (per door/drawer)	\$190
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$355 \$583
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$444 \$670
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$299 \$443
3" Dia. 3 3/4" H	50301	Set of 4 Swivel Casters w/Brakes (standard on all RA/CRA-U/CFA-U models)	\$299
4" H	50219	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models) (Not available for RA/CRA/CFA models with Front Breathing Option)	\$175 \$252
6" H	50203	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models)	\$192 \$282
6" H	50202	Set of 4 "Black" Legs (43", 60" & 68" models) Set of 6 "Black" Legs (93" & 118" models)	\$126 \$192
4" H	50206	Set of 4 "Black" Legs (43", 60" & 68" models) Set of 6 "Black" Legs (93" & 118" models) (Not available for RA/CRA/CFA models with Front Breathing Option)	\$158 \$235
43"	-	Stainless Steel Interior Stainless Steel Finished Back Stainless Steel Flat Covers (Standard Tops / Mighty Tops) Vision Panel Lid (Standard Tops / Mighty Tops)	\$1373 \$590 \$285 / \$430 \$1191 / \$1420
60"	-	Stainless Steel Interior Stainless Steel Finished Back Stainless Steel Flat Covers (Standard Tops / Mighty Tops) Vision Panel Lid (Standard Tops / Mighty Tops)	\$1573 \$642 \$316 / \$513 \$1382 / \$1611
68"	-	Stainless Steel Interior Stainless Steel Finished Back Stainless Steel Flat Covers (Standard Tops / Mighty Tops) Vision Panel Lid (Standard Tops / Mighty Tops)	\$1767 \$690 \$316 / \$513 \$1761 / \$2220
93"	-	Stainless Steel Interior Stainless Steel Finished Back Stainless Steel Flat Covers (Standard Tops / Mighty Tops) Vision Panel Lid (Standard Tops / Mighty Tops)	\$2064 \$737 \$509 / \$677 \$2417 / \$2875
118"	-	Stainless Steel Interior Stainless Steel Finished Back	\$2355 \$787
	4-916	Automatic, Electric Condensate Evaporator (115-60-1) w/cord & plug	\$198
	-	Drawer over Compressor Compartment	\$1198
	50-012	Front Breathing Ventilation Fan (-FB) Note: Must be field installed	\$259
	-	Expansion Valve (Sandwich Unit models)	\$703

Pizza Preparation Tables


Forced Air

Continental's Pizza Preparation Tables offer an expansion valve system standard for quick recovery, optimum coil defrost with a built-in, off-cycle defrost system, a unique forced air design for even air distribution of cold and a raised angle rail for greater ease and comfort when reaching to dispense food.






In This Section

44 Pizza Preparation Tables

46 Options & Accessories



CPA68
shown w/ Standard Features and FLEXIBLE Options

CPA43	CPA60	CPA68
		
		
CPA93	CPA118	

Pizza Preparation Tables - Forced Air






Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top
Stainless Steel Front and End Panels, Aluminum Interior

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

PIZZA PREPARATION TABLE MODELS

SIZE	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
43"	CPA43	\$9010	CPA43-D	\$11336	43 x 36 7/8 x 39 7/16	12	2610	1/2	343
60"	CPA60	\$11494	CPA60-D	\$13821	60 x 36 7/8 x 39 7/16	19	3100	1/2	451
68"	CPA68	\$12827	CPA68-D	\$17477	68 x 36 7/8 x 39 7/16	22	4220	1/2	488
93"	CPA93	\$17046	CPA93-D	\$24024	93 x 36 7/8 x 39 7/16	32	5260	1/2	622
118"	CPA118	\$22899	CPA118-D	\$32204	118 x 36 7/8 x 39 7/16	44	5600	3/4	725

NOTE: Pans supplied by others.

CPA43-D	CPA60-D	CPA68-D
		
		
CPA93-D	CPA118-D	

Door & Drawer Models

Unique forced air design utilizes fans (approx. every 12") across the entire back of unit for even distribution of cold air.

STANDARD FEATURES

Performance-Rated Refrigeration System
 Environmentally-Safe R-134a Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Electric Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Slide-Out Condensing Unit
 19" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Expansion Valve System
 Ergonomically-Friendly Raised Rail Angled for Ease and Comfort
 Refrigerated Section w/Door Above the Condensing Unit
 Built-In, Off-Cycle Defrost Timer Assures Optimum Coil Defrost
 Insulated Lids
 5" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

OPTIONS

Condensing unit left or right
 Vision panel lid
 Door/drawer locks
 Overshelves
 Pan Slides (not available on 60" small section)
 Adjustable legs
 Add'l epoxy-coated or stainless steel shelves
 Stainless steel back
 Stainless steel interior
 Front breathing
 Wire rod garnish rack
 Drawer in lieu of half door above the condensing unit

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2327
Drawer over compressor	\$1198

Drawers: 60" models (over compressor & large section only)

MODELS	TWO TIER DRAWERS
CPA	(2) 12 x 20 x 6 pans per drawer

Drawer over compressor holds (1) 12 x 20 x 6 pan

See **Page 46** for Options & Accessories.
 See **Page 162** for Overshelves.

Pizza Preparation Tables Options & Accessories

See **Page 162** for single/double overshelves. Consult factory for additional information.

Consult factory for special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Plated Steel, Epoxy-Coated Shelf with Clips	\$109
	-	Stainless Steel Shelf with Clips	\$316
	-	Pan Slide Assemblies Stainless Steel Angle - Bottom Support (for 18" x 26" pans) (Holds 5 Pans Per Section) on 60" models - large section only	\$190
	-	Rehinging	N/C
	-	Cylinder Lock (per door/drawer)	\$541
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$355 \$583
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$444 \$670
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$299 \$443
3" Dia. 3 3/4" H	50301	Set of 4 Swivel Casters w/Brakes	\$299
4" H	50219	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models)	\$175 \$252
6" H	50203	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models)	\$192 \$282
6" H	50202	Set of 4 Black Legs (43", 60" & 68" models) Set of 6 Black Legs (93" & 118" models)	\$126 \$192
4" H	50206	Set of 4 Black Legs (43", 60" & 68" models) Set of 6 Black Legs (93" & 118" models)	\$158 \$235
43"	-	Stainless Steel Interior Stainless Steel Finished Back Vision Panel Lid	\$1373 \$590 \$1382
60"	-	Stainless Steel Interior Stainless Steel Finished Back Vision Panel Lid	\$1573 \$642 \$1761
68"	-	Stainless Steel Interior Stainless Steel Finished Back Vision Panel Lid	\$1767 \$690 \$2048
93"	-	Stainless Steel Interior Stainless Steel Finished Back Vision Panel Lid	\$2064 \$737 \$2764
118"	-	Stainless Steel Interior Stainless Steel Finished Back Vision Panel Lid	\$2355 \$787 \$3521
	5-094	Garnish Rack (28" W x 17 1/2" D x 2" H)	\$195
		Drawer over Compressor Compartment	\$1198
	50-012	Front Breathing Ventilation Fan (-FB) Note: Must be field installed	\$259


Griddle Stands

Refrigerators & Freezers

Griddle Stands are available in 7 sizes for refrigerators and 4 sizes for freezers. All models are front breathing and come standard with stainless steel interior, exterior and rear. All drawers are fully extendable and designed to hold 6-inch deep pans side-by-side and provide a 250 lb. capacity. Heavy-duty drawer tracks have built-in drawer safety clips. Cabinets have the option of a left or right condensing unit, top modifications, marine edge (standard), flat or top extensions.

In This Section

- 48 Griddle Stands
- 50 Options & Accessories



DL72G
shown w/ Standard Features and FLEXIBLE Options




Griddle Stand Refrigerators & Freezers

Cabinet Construction: Stainless Steel Exterior and Interior
Reinforced Stainless Steel Worktop with Drip Guard Marine Edge

GRIDDLE STAND MODELS

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators) BTU/HR Rating @ -15°F, 90°F Ambient (Freezers) 10 ft. cord and plug attached (115-60-1 volts)										
SIZE	REFRIGERATORS	REFRIGERATORS LIST PRICE	FREEZERS	FREEZERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	MAX.TOP WEIGHT CAPACITY (LBS.)	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
36"	D36GN	\$11458	-	-	36 x 34 3/4 x 26 3/8	600	6.5	1620	1/5	324
48"	D48GN	\$12880	-	-	48 x 34 3/4 x 26 3/8	775	9	1620	1/5	380
	-	-	DL48GF	\$13229	48 x 34 3/4 x 26 3/8	775	9	1250	1/4	380
60"	D60GN	\$13283	-	-	60 x 34 3/4 x 26 3/8	1000	12.7	2610	1/4+	476
	-	-	DL60GF	\$15497	60 x 34 3/4 x 26 3/8	1000	12.7	1590	1/3	476
72"	D72GN	\$15611	-	-	72 x 34 3/4 x 26 3/8	1200	16.4	2610	1/4+	555
	-	-	DL72GF	\$18267	72 x 34 3/4 x 26 3/8	1200	16.4	1590	1/3	555
84"	D84GN	\$16899	-	-	84 x 34 3/4 x 26 3/8	1400	20	2610	1/4+	638
	-	-	DL84GF	\$19558	84 x 34 3/4 x 26 3/8	1400	20	2470	1/2	638
96"	D96GN	\$19572	-	-	96 x 34 3/4 x 26 3/8	1400	23.7	2610	1/4+	685
108"	D108GN	\$22348	-	-	108 x 34 3/4 x 26 3/8	1400	27.4	3100	1/2	802

DRAWER PAN CONFIGURATIONS





Refrigerator & Freezer Models

All Griddle Stands are front breathing. Easy glide drawers designed to hold 6" deep pans side-by-side and hold up to 250 lb. capacity.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Environmentally-Safe R-290 Refrigerant** (Refrigerators)
- Environmentally-Safe R-404A Refrigerant (Freezers)
- High Density, Non-CFC Polyurethane Foamed-in-Place Insulation
- Smooth, Polished Chrome Drawer Handles**
- Easy Glide, Fully Extendable Drawers
- One-Piece, Snap-In Magnetic Drawer Gaskets
- Heavy-Duty Drawer Track with Built-In Drawer Safety Clips
- Automatic, Hot Gas Condensate Evaporator** (Refrigerators)
- Automatic, Energy Saving, Non-Electric Condensate Evaporator (Freezers)
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Front Slide-Out Condensing Unit
- Stainless Steel Finished Worktop with Drip Guard Marine Edge
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Expansion Valve System** (except 36" & 48" models)
- 4" Casters on Support Plates
- Stainless Steel Case Back
- Automatic Electric Defrost (Freezers)

OPTIONS

- Doors in lieu of drawers (D36GN, D48GN & D84GN only)
- Cylinder locks
- Top extensions (flat or marine edge)
- Automatic, electric condensate evaporator (Freezer models)
- Condensing unit left
- Integral heat shield top
- Flat top
- 16-gauge stainless steel top (marine or flat) (not available for 108" models)

MODEL	# DRAWERS	PER DRAWER
36"	2	(1) 12 x 20 x 6 & (1) 6 x 20 x 6 pans
48"	2	(2) 12 x 20 x 6 pans
60"	2	(3) 12 x 20 x 6 pans
72"	4	Two drawers: (1) 12 x 20 x 6 & (1) 6 x 20 x 6 pans Two drawers: (2) 12 x 20 x 6 pans
84"	4	(2) 12 x 20 x 6 pans
96"	4	Two drawers: (2) 12 x 20 x 6 pans Two drawers: (3) 12 x 20 x 6 pans
108"	6	(2) 12 x 20 x 6 pans

See **Page 50** for Options & Accessories.

Griddle Stands Options & Accessories

Consult factory for additional information and special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Doors in Lieu of Drawers (36", 48" or 84" models only)	N/C
	-	Cylinder Lock (per drawer/door)	\$186
2" Dia. 3" H	50241	Set of 8 Swivel Casters (36" to 48" models) - 2 Assemblies Set of 12 Swivel Casters (60" to 108" models) - 3 Assemblies	\$587 \$882
3" Dia. 4" H	50216	Set of 4 Swivel Casters (36" to 48" models) - 2 Assemblies Set of 6 Swivel Casters (60" to 108" models) - 3 Assemblies	STD
4" Dia. 5" H	50212	Set of 4 Swivel Casters w/Brakes (36" to 48" models) - 2 Assemblies Set of 6 Swivel Casters w/Brakes (60" to 108" models) - 3 Assemblies	\$355 \$583
5" Dia. 6" H	50231	Set of 4 Swivel Casters w/Brakes (36" to 48" models) - 2 Assemblies Set of 6 Swivel Casters w/Brakes (60" to 108" models) - 3 Assemblies	\$444 \$670
	-	3" Stainless Steel Top Extensions 6" Stainless Steel Top Extensions (Note: 6" maximum per side) 9" Stainless Steel Top Extensions	\$690 \$690 \$1373
	4-916	Automatic, Electric Condensate Evaporator (115-60-1) w/Cord & Plug	\$198
36"	-	Integral heat shield top 16 gauge stainless steel top (flat top or marine edge)	\$1293
48"	-	Integral heat shield top 16 gauge stainless steel top (flat top or marine edge)	\$1416
60"	-	Integral heat shield top 16 gauge stainless steel top (flat top or marine edge)	\$1691
72"	-	Integral heat shield top 16 gauge stainless steel top (flat top or marine edge)	\$2273
84"	-	Integral heat shield top 16 gauge stainless steel top (flat top or marine edge)	\$2298
96"	-	Integral heat shield top 16 gauge stainless steel top (flat top or marine edge)	\$2441
108"	-	Integral heat shield top 16 gauge stainless steel top (flat top)	\$2792


Milk Coolers

Cold Wall & Forced Air




Cold wall or forced air performance-rated refrigerated milk coolers, either single or dual access, are designed to keep milk products cold prior to serving. Cabinet construction consists of stainless steel top, lid and door, white finish or stainless steel body and galvanized steel interior (stainless steel interior on -SS models). Custom laminate finishes or powder coating available. Stainless steel marine style latches and door hinges for heavy usage. Reinforced stainless steel floor for added durability.

In This Section

- 52 Milk Coolers
- 54 Options & Accessories



MC4-SS-D
shown w/ Standard Features and FLEXIBLE Options

MC3-SCW/MC3-DCW	MC4-SCW/MC4-DCW	MC5-SCW/MC5-DCW
		
MC3-SS-SCW/MC3-SS-DCW	MC4-SS-SCW/MC4-SS-DCW	MC5-SS-SCW/MC5-SS-DCW

Milk Coolers

Cabinet Construction: **Standard Models:** White Painted Steel Exterior, Stainless Steel Top, Lid & Door, Galvanized Steel Interior
SS Models: Stainless Steel Exterior & Interior
Single or Dual Access

BTU/HR Rating @ +10°F, 90°F Ambient (Cold Wall)
BTU/HR Rating @ +25°F, 90°F Ambient (Forced Air)
Extra Long, 10 ft. cord and plug attached (115-60-1 volts)

COLD WALL MILK COOLER MODELS (WHITE PAINTED STEEL)

SIZE	SINGLE ACCESS	SINGLE ACCESS LIST PRICE	DUAL ACCESS	DUAL ACCESS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	CRATE CAPACITY 13 x 13 x 11	CRATE CAPACITY 19 x 13 x 11	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
34"	MC3-SCW	\$6450	MC3-DCW	\$6774	34 x 33 x 41 1/2	8	4	13	1280	1/4	335
49"	MC4-SCW	\$6891	MC4-DCW	\$7496	49 x 33 x 41 1/2	12	8	20	1725	1/3	470
58"	MC5-SCW	\$7455	MC5-DCW	\$8044	58 x 33 x 41 1/2	16	10	24	1930	1/3	580

COLD WALL MILK COOLER MODELS (STAINLESS STEEL EXTERIOR & INTERIOR)




34"	MC3-SS-SCW	\$6692	MC3-SS-DCW	\$7693	34 x 33 x 41 1/2	8	4	13	1280	1/4	345
49"	MC4-SS-SCW	\$7220	MC4-SS-DCW	\$8656	49 x 33 x 41 1/2	12	8	20	1725	1/3	485
58"	MC5-SS-SCW	\$8664	MC5-SS-DCW	\$9731	58 x 33 x 41 1/2	16	10	24	1930	1/3	595

FORCED AIR MILK COOLER MODELS (WHITE PAINTED STEEL)

34"	MC3-S	\$6801	MC3-D	\$9233	34 x 33 x 47	8	4	13	2080	1/4	335
49"	MC4-S	\$7372	MC4-D	\$10482	49 x 33 x 47	12	8	20	2620	1/3	470
58"	MC5-S	\$7773	MC5-D	\$10944	58 x 33 x 47	16	10	24	2870	1/3	580

FORCED AIR MILK COOLER MODELS (STAINLESS STEEL EXTERIOR & INTERIOR)

34"	MC3-SS-S	\$7435	MC3-SS-D	\$10194	34 x 33 x 47	8	4	13	2080	1/4	345
49"	MC4-SS-S	\$8300	MC4-SS-D	\$10793	49 x 33 x 47	12	8	20	2620	1/3	447
58"	MC5-SS-S	\$8887	MC5-SS-D	\$11548	58 x 33 x 47	16	10	24	2870	1/3	595

MC3-S/MC3-D	MC4-S/MC4-D	MC5-S/MC5-D
		
MC3-SS-S/MC3-SS-D	MC4-SS-S/MC4-SS-D	MC5-SS-S/MC5-SS-D

Cold Wall or Forced Air Models

Reinforced stainless steel floor for added durability.

STANDARD FEATURES

- Performance-Rated Refrigeration System
- Designed to Keep Milk Cold During Serving
- Unique Forced Air Flow Curtain (Forced Air)
- Environmentally-Safe R-134a Refrigerant (Forced Air)
- Environmentally-Safe R-404A Refrigerant (Cold Wall)
- 2" Non-CFC Polyurethane Foamed-In-Place Insulation
- Heavy-Duty Stainless Steel Lid, Door Hinges and Latches
- Built-In, Electric Condensate Evaporator (Forced Air)
- Easily Serviceable Bottom-Mounted Condensing Unit
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Snap-In Lid and Door Gasket
- Heavy-Duty, Epoxy-Coated Steel Wire Floor Racks
- Cylinder-Keyed Security Lock
- 5" Diameter Swivel Plate Casters w/Front Locking Brakes
- Floor Drain

OPTIONS

- Wrap around bumpers
 - Floor foot pedal lock
 - Corner bumpers
 - Stainless steel interior
 - Color laminate
 - Powder coating
- See **Page 54** for Options & Accessories.

Milk Coolers Options & Accessories

Consult factory for additional information and special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
34"	-	Stainless Steel Interior (standard on -SS models)	\$1491
49"	-	Stainless Steel Interior (standard on -SS models)	\$1750
58"	-	Stainless Steel Interior (standard on -SS models)	\$1863
5" Dia. 6" H	50231	Set of 4 Swivel Plate-Style Casters w/Brakes	STD
	50182	Foot Pedal Floor Lock	\$235
	5-224	Wrap Around Bumpers	\$690
	5-222	Corner Bumpers	\$50
		Custom Laminate Finishes or Powder Coating	Consult factory

Bar Equipment

Keg Coolers, Back Bar Coolers & Bottle Coolers/Glass Plate Chillers

Our Back Bar Coolers are “Built to last” with all stainless steel countertop, heavy-duty galvanized interior and reinforced stainless steel floor¹. Cabinets are front breathing (except 24” models)² with the option of a left or right condensing unit³. On Keg Coolers, faucets come single, double or triple and beer column placement and brand can be modified to suit.


¹ Except Bottle Coolers

² Only 24” models are front breathing on Bottle Coolers



³ Not an option on Bottle Coolers

In This Section

- 56 Keg Coolers
- 58 Back Bar Coolers
- 60 Display Coolers w/ Hinged Glass Doors
- 62 Display Coolers w/ Sliding Glass Doors
- 64 Bottle Coolers
- 66 Options & Accessories



KC69N
shown w/ Standard Features and FLEXIBLE Options

KC24	KC50N/KC50SN	KC59N/KC59SN
		
		
KC69N/KC69SN	KC79/KC79S	KC90/KC90S

Keg Coolers

Cabinet Construction: **Standard Models:** Wear Resistant, Textured Baked Black Enamel Finish Exterior
SS Models: Stainless Steel Exterior
Stainless Steel Countertop, Interior Back, Side Panels* and Reinforced Stainless Steel Floor

*Stainless steel interior side panels on 50" - 90" models

BTU/HR Rating @ +25°F, 90°F Ambient
Extra Long, 10 ft. cord and plug attached (115-60-1 volts)

STANDARD DEPTH MODELS







SIZE	STD MODELS	STD LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	KEG CAPACITY BARREL	KEG CAPACITY STRAIGHT	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
24"	KC24	\$4509	KC24-SS	\$5683	24 1/8 x 31 7/16 x 38 13/16	1	1	8	1620	1/5	210
50"	KC50N	\$7349	KC50NSS	\$9146	50 x 29 3/16 x 34 3/4	0	2	16	1800	1/4	355
59"	KC59N	\$7360	KC59NSS	\$9252	59 x 29 3/16 x 34 3/4	2	3	22	2025	1/4	385
69"	KC69N	\$7707	KC69NSS	\$9919	69 x 29 3/16 x 34 3/4	3	3	26	2250	1/4	415
79"	KC79	\$9340	KC79-SS	\$11788	79 x 29 3/16 x 34 3/4	3	4	28	2500	1/3	455
90"	KC90	\$9677	KC90-SS	\$11935	90 x 29 3/16 x 34 3/4	4	5	35	2670	1/2	505

SHALLOW DEPTH MODELS

50"	KC50SN	\$8526	KC50SNSS	\$9321	50 x 25 3/16 x 34 3/4	0	2	13	1800	1/4	355
59"	KC59SN	\$8551	KC59SNSS	\$9429	59 x 25 3/16 x 34 3/4	2	2	15	2025	1/4	385
69"	KC69SN	\$8952	KC69SNSS	\$10109	69 x 25 3/16 x 34 3/4	3	3	18	2250	1/4	415
79"	KC79S	\$10484	KC79S-SS	\$12011	79 x 25 3/16 x 34 3/4	3	3	22	2500	1/3	455
90"	KC90S	\$10694	KC90S-SS	\$12161	90 x 25 3/16 x 34 3/4	4	4	25	2670	1/2	505

Ship weight for Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for shipping weight of these models.

NOTE: Shallow Depth not available on 24" models.

KC24NSS	KC50NSS/KC50SNSS	KC59NSS/KC59SNSS
		
		
KC69NSS/KC69SNSS	KC79-SS/KC79S-SS	KC90-SS/KC90S-SS

Standard Depth or Shallow Depth

Keg Coolers are front breathing (except 24" models). Condensing unit available on left or right.

STANDARD FEATURES

- Low Profile Cabinet Design (except 24" models)
- Performance-Rated Refrigeration System
- Front Breathing (except 24" models)
- Environmentally-Safe R-290 Refrigerant** (50" - 69" models)
- Environmentally-Safe R-134a Refrigerant (24", 79" - 90" models)
- High Density, Non-CFC Polyurethane Foamed-in-Place Insulation
- Stainless Steel Reinforced Threshold
- Extra Large, Balanced Evaporator Coil
- Continuously Cooled, 3" Diameter Beer Columns with Lever Faucet, CO₂ Pressure Relief Distributor and CO₂ Tubing with Clamps
- Easily Removable Stainless Steel Drip Grate with Convenient Front-Mounted Cleanout Drainage Hose (pan not removable)
- Easily Accessible and Serviceable Slide-Out Condensing Unit
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Readily Removable Front, Rear and Side Venting Louvered Grills (not on 24" models)
- Automatic, Hot Gas Condensate Evaporator** (50" - 69" models)
- Automatic, Energy-Saving, Non-Electric Condensate Evaporator (24", 79" - 90" models)
- Cylinder-Keyed Security Lock (each door)
- Magnetic Snap-In Gasket (each door)
- LED Interior Lighting (except 24" models and shallow depth)
- 5" High Casters (24" models only, can not be changed, footing installed)

OPTIONS

- Epoxy-coated shelves with clips
- Stainless steel shelves with clips
- Wine racks
- Food storage rated stainless steel interior (NSF-7)
- Single, dual & triple angle faucets
- Faucet lock
- Casters or legs
- Automatic electric condensate evaporator (79" & 90" models only)
- Condensing unit on right (except 24" models)
- Tower placement (consult factory)
- Riser base (field installed, 50" - 90" models)

See **Page 66** for Options & Accessories.

BBC24	BB50N/BB50SN	BB59N/BB59SN
		
		
BB69N/BB69SN	BBC79/BBC79S	BBC90/BBC90S

Back Bar Coolers - Standard & Pass-Thru Models

Cabinet Construction: **Standard Models:** Wear Resistant, Textured Baked Black Enamel Finish Exterior
SS Models: Stainless Steel Exterior
Stainless Steel Countertop, Interior Back, Side Panels* and Reinforced Stainless Steel Floor

*Stainless steel interior side panels on 50" - 90" models

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD DEPTH MODELS

SIZE	STD MODELS	STD LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
24"	BBC24	\$4281	BBC24-SS	\$5393	24 1/8 x 31 7/16 x 38 13/16	8	1620	1/5	210
50"	BB50N	\$7008	BB50NSS	\$8292	50 x 29 3/16 x 34 3/4	16	1800	1/4	355
59"	BB59N	\$7010	BB59NSS	\$8634	59 x 29 3/16 x 34 3/4	22	2025	1/4	385
69"	BB69N	\$7266	BB69NSS	\$8864	69 x 29 3/16 x 34 3/4	26	2250	1/4	415
79"	BBC79	\$7863	BBC79-SS	\$10142	79 x 29 3/16 x 34 3/4	28	2500	1/3	455
90"	BBC90	\$8433	BBC90-SS	\$10783	90 x 29 3/16 x 34 3/4	35	2670	1/3	505

SHALLOW DEPTH MODELS

50"	BB50SN	\$7679	BB50SNSS	\$8995	50 x 25 3/16 x 34 3/4	13	1800	1/4	355
59"	BB59SN	\$8476	BB59SNSS	\$9921	59 x 25 3/16 x 34 3/4	15	2025	1/4	385
69"	BB69SN	\$9675	BB69SNSS	\$11324	69 x 25 3/16 x 34 3/4	18	2250	1/4	415
79"	BBC79S	\$10446	BBC79S-SS	\$12682	79 x 25 3/16 x 34 3/4	22	2500	1/3	455
90"	BBC90S	\$11283	BBC90S-SS	\$13314	90 x 25 3/16 x 34 3/4	25	2670	1/3	505

PASS-THRU STANDARD DEPTH MODELS

50"	BB50NPT	\$9023	BB50NSSPT	\$10618	50 x 31 3/8 x 34 3/4	16	1800	1/4	355
59"	BB59NPT	\$9025	BB59NSSPT	\$10958	59 x 31 3/8 x 34 3/4	22	2025	1/4	385
69"	BB69NPT	\$9281	BB69NSSPT	\$11190	69 x 31 3/8 x 34 3/4	26	2250	1/4	415
79"	BBC79-PT	\$10885	BBC79-SS-PT	\$13631	79 x 31 3/8 x 34 3/4	28	2500	1/3	455
90"	BBC90-PT	\$11458	BBC90-SS-PT	\$14274	90 x 31 3/8 x 34 3/4	35	2670	1/3	505

PASS-THRU SHALLOW DEPTH MODELS

50"	BB50SNPT	\$9695	BB50SNSSPT	\$11323	50 x 27 3/8 x 34 3/4	13	1800	1/4	355
59"	BB59SNPT	\$10491	BB59SNSSPT	\$12245	59 x 27 3/8 x 34 3/4	15	2025	1/4	385
69"	BB69SNPT	\$11690	BB69SNSSPT	\$13650	69 x 27 3/8 x 34 3/4	18	2250	1/4	415
79"	BBC79S-PT	\$13470	BBC79S-SS-PT	\$16169	79 x 27 3/8 x 34 3/4	22	2500	1/3	455
90"	BBC90S-PT	\$14305	BBC90S-SS-PT	\$16803	90 x 27 3/8 x 34 3/4	25	2670	1/3	505

Ship weight for Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for shipping weight of these models.

NOTE: Shallow Depth not available on 24" models.

BBC24-SS	BB50NSS/BB50SNSS	BB59NSS/BB59SNSS
		
		
BB69NSS/BB69SNSS	BBC79-SS/BBC79S-SS	BBC90-SS/BBC90S-SS

Standard Depth or Shallow Depth

Back Bar Coolers are front breathing (except 24" models). Condensing unit available on left or right. Pass-Thru Back Bar Coolers maximize better use of floor space on island bar layouts.


STANDARD FEATURES

- Low Profile Cabinet Design (except 24" models)
- Performance-Rated Refrigeration System
- Front Breathing (except 24" models)
- Environmentally-Safe R-290 Refrigerant** (50" - 69" models)
- Environmentally-Safe R-134a Refrigerant (24", 79" - 90" models)
- High Density, Non-CFC Polyurethane Foamed-in-Place Insulation
- Stainless Steel Reinforced Threshold
- Extra Large, Balanced Evaporator Coil
- Heavy-Duty, Epoxy-Coated Steel Shelves
- Easily Accessible and Serviceable Slide-Out Condensing Unit
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Readily Removable Front, Rear and Side Venting Louvered Grills
(not on 24" models)
- Automatic, Hot Gas Condensate Evaporator** (50" - 69" models)
- Automatic, Energy-Saving, Non-Electric Condensate Evaporator
(24", 79" - 90" models)
- Cylinder-Keyed Security Lock (each door)
- Magnetic Snap-In Gasket (each door)
- LED Interior Lighting (except 24" models)
- 5" High Casters (24" models only, can not be changed, footing installed)

OPTIONS

- Add'l epoxy-coated shelves with clips
- Stainless steel shelves with clips
- Wine racks
- Food storage rated stainless steel interior (NSF-7)
- Castors or legs
- Automatic electric condensate evaporator (79" & 90" models only)
- Condensing unit on right (except 24" models)
- Riser base (field installed, 50" - 90" models)

See **Page 66** for Options & Accessories.

BBC24-GD	BB50NGD/BB50SNGD	BB59NGD/BB59SNGD
		
		
BB69NGD/BB69SNGD	BBC79-GD/BBC79S-GD	BBC90-GD/BBC90S-GD

Back Bar Display Coolers w/ Hinged Glass Doors - Standard & Pass-Thru Models

Cabinet Construction: **Standard Models:** Wear Resistant, Textured Baked Black Enamel Finish Exterior
SS Models: Stainless Steel Exterior
 Stainless Steel Countertop, Interior Back, Side Panels* and Reinforced Stainless Steel Floor

*Stainless steel interior side panels on 50" - 90" models

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

STANDARD DEPTH MODELS

SIZE	STD MODELS	STD LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
24"	BBC24-GD	\$5149	BBC24-SS-GD	\$6118	24 1/8 x 30 7/8 x 38 13/16	8	1620	1/5	220
50"	BB50NGD	\$8841	BB50NSSGD	\$10347	50 x 28 5/8 x 34 3/4	16	1800	1/4	365
59"	BB59NGD	\$9028	BB59NSSGD	\$10441	59 x 28 5/8 x 34 3/4	22	2025	1/4	395
69"	BB69NGD	\$9313	BB69NSSGD	\$10725	69 x 28 5/8 x 34 3/4	26	2250	1/4	425
79"	BBC79-GD	\$10640	BBC79-SS-GD	\$12105	79 x 28 5/8 x 34 3/4	28	2500	1/3	465
90"	BBC90-GD	\$10703	BBC90-SS-GD	\$12139	90 x 28 5/8 x 34 3/4	35	2670	1/3	515

SHALLOW DEPTH MODELS

50"	BB50SNGD	\$8839	BB50NSSGD	\$10544	50 x 24 5/8 x 34 3/4	13	1800	1/4	365
59"	BB59SNGD	\$9029	BB59NSSGD	\$10638	59 x 24 5/8 x 34 3/4	15	2025	1/4	395
69"	BB69SNGD	\$10935	BB69NSSGD	\$12584	69 x 24 5/8 x 34 3/4	18	2250	1/4	425
79"	BBC79S-GD	\$12246	BBC79S-SS-GD	\$13966	79 x 24 5/8 x 34 3/4	22	2500	1/3	465
90"	BBC90S-GD	\$12370	BBC90S-SS-GD	\$12370	90 x 24 5/8 x 34 3/4	25	2670	1/3	515

PASS-THRU STANDARD DEPTH MODELS

50"	BB50NGDPT	\$12551	BB50NSSGDPT	\$14533	50 x 30 1/4 x 34 3/4	16	1800	1/4	365
59"	BB59NGDPT	\$12735	BB59NSSGDPT	\$14628	59 x 30 1/4 x 34 3/4	22	2025	1/4	395
69"	BB69NGDPT	\$13016	BB69NSSGDPT	\$14911	69 x 30 1/4 x 34 3/4	26	2250	1/4	425
79"	BBC79-GD-PT	\$15095	BBC79-SS-GD-PT	\$17067	79 x 30 1/4 x 34 3/4	28	2500	1/3	465
90"	BBC90-GD-PT	\$15157	BBC90-SS-GD-PT	\$17101	90 x 30 1/4 x 34 3/4	35	2670	1/3	515

PASS-THRU SHALLOW DEPTH MODELS

50"	BB50SNGDPT	\$12718	BB50NSSGDPT	\$14732	50 x 26 1/4 x 34 3/4	13	1800	1/4	365
59"	BB59SNGDPT	\$12904	BB59NSSGDPT	\$14826	59 x 26 1/4 x 34 3/4	15	2025	1/4	395
69"	BB69SNGDPT	\$14812	BB69NSSGDPT	\$16771	69 x 26 1/4 x 34 3/4	18	2250	1/4	425
79"	BBC79S-GD-PT	\$16899	BBC79S-SS-GD-PT	\$18929	79 x 26 1/4 x 34 3/4	22	2500	1/3	465
90"	BBC90S-GD-PT	\$17020	BBC90S-SS-GD-PT	\$19056	90 x 26 1/4 x 34 3/4	25	2670	1/3	515

Ship weight for Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for shipping weight of these models.

NOTE: Shallow Depth not available on 24" models.

BBC24-SS-GD	BB50NSSGD/BB50SNSSGD	BB59NSSGD/BB59SNSSGD
		
		
BB69NSSGD/BB69SNSSGD	BBC79-SS-GD/BBC79S-SS-GD	BBC90-SS-GD/BBC90S-SS-GD

Standard Depth or Shallow Depth

Back Bar Display Coolers are front breathing (except 24" models). Condensing unit available on left or right. Pass-Thru Back Bar Display Coolers increase design options and speed of service.

STANDARD FEATURES

- Low Profile Cabinet Design (except 24" models)
- Performance-Rated Refrigeration System
- Front Breathing (except 24" models)
- Environmentally-Safe R-290 Refrigerant** (50" - 69" models)
- Environmentally-Safe R-134a Refrigerant (24", 79" - 90" models)
- High Density, Non-CFC Polyurethane Foamed-in-Place Insulation
- Stainless Steel Reinforced Threshold
- Extra Large, Balanced Evaporator Coil
- Heavy-Duty, Epoxy-Coated Steel Shelves
- Easily Accessible and Serviceable Slide-Out Condensing Unit
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Readily Removable Front, Rear and Side Venting Louvered Grills
(not on 24" models)
- Automatic, Hot Gas Condensate Evaporator** (50" - 69" models)
- Automatic, Energy-Saving, Non-Electric Condensate Evaporator
(24", 79" - 90" models)
- Cylinder-Keyed Security Lock (each door)
- Magnetic Snap-In Gasket (each door)
- LED Interior Lighting
- Double Pane, Tempered, Low-e Hinged Glass Doors
- 5" High Casters (24" models only)

OPTIONS

- Add'l epoxy-coated shelves with clips
- Stainless steel shelves with clips
- Wine racks
- Food storage rated stainless steel interior (NSF-7)
- Castors or legs
- Automatic electric condensate evaporator (79" & 90" models only)
- Condensing unit on right (except 24" models)
- Riser base (field installed, 50" - 90" models)

See **Page 66** for Options & Accessories.

BB50NSGD/BB50SNSGD	BB59NSGD/BB59SNSGD	BB69NSGD/BB69SNSGD
		
		
BB50NSSGD/BB50SNSSGD	BB59NSSGD/BB59SNSSGD	BB69NSSGD/BB69SNSSGD

Back Bar Display Coolers w/ Sliding Glass Doors - Standard & Pass-Thru Models

Cabinet Construction: **Standard Models:** Wear Resistant, Textured Baked Black Enamel Finish Exterior
SS Models: Stainless Steel Exterior
 Stainless Steel Countertop, Interior Back, Side Panels* and Reinforced Stainless Steel Floor

*Stainless steel interior side panels on 50" - 90" models

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

STANDARD DEPTH MODELS

SIZE	STD MODELS	STD LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
50"	BB50NSGD	\$9539	BB50NSSGD	\$11208	50 x 28 x 34 3/4	16	1800	1/4	365
59"	BB59NSGD	\$9721	BB59NSSGD	\$11305	59 x 28 x 34 3/4	22	2025	1/4	395
69"	BB69NSGD	\$10109	BB69NSSGD	\$11592	69 x 28 x 34 3/4	26	2250	1/4	425

SHALLOW DEPTH MODELS

50"	BB50SNSGD	\$9539	BB50SNSSGD	\$11208	50 x 24 x 34 3/4	13	1800	1/4	365
59"	BB59SNSGD	\$9721	BB59SNSSGD	\$11305	59 x 24 x 34 3/4	15	2025	1/4	395
69"	BB69SNSGD	\$11087	BB69SNSSGD	\$12740	69 x 24 x 34 3/4	18	2250	1/4	425

PASS-THRU STANDARD DEPTH MODELS

50"	BB50NSGDPT	\$14191	BB50NSSGDPT	\$15859	50 x 29 x 34 3/4	16	1800	1/4	365
59"	BB59NSGDPT	\$14374	BB59NSSGDPT	\$15957	59 x 29 x 34 3/4	22	2025	1/4	395
69"	BB69NSGDPT	\$14761	BB69NSSGDPT	\$16245	69 x 29 x 34 3/4	26	2250	1/4	425

PASS-THRU SHALLOW DEPTH MODELS

50"	BB50SNSGDPT	\$14191	BB50SNSSGDPT	\$15859	50 x 25 x 34 3/4	13	1800	1/4	365
59"	BB59SNSGDPT	\$14374	BB59SNSSGDPT	\$15957	59 x 25 x 34 3/4	15	2025	1/4	395
69"	BB69SNSGDPT	\$15739	BB69SNSSGDPT	\$17390	69 x 25 x 34 3/4	18	2250	1/4	425

COCKTAIL REFRIGERATOR

24"	-	-	BBUC24S-SS-D	\$10683	24 / 16 x 26 7/8 x 39 1/2	6	1620	1/5	340
-----	---	---	--------------	---------	---------------------------	---	------	-----	-----

Ship weight for Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for shipping weight of these models.

BB50NSGDPT/BB50SSGDPT	BB59NSGDPT/BB59SSGDPT	BB69NSGDPT/BB69SSGDPT
		
		
BB50NSSGDPT/BB50SNSSGDPT	BB59NSSGDPT/BB59SNSSGDPT	BB69NSSGDPT/BB69SNSSGDPT

Standard Depth or Shallow Depth

Back Bar Display Coolers with sliding glass doors are front breathing. Condensing unit available on left or right. Pass-Thru Back Bar Display Coolers increase design options and speed of service.

STANDARD FEATURES

Low Profile Cabinet Design
Performance-Rated Refrigeration System
Front Breathing
Environmentally-Safe R-290 Refrigerant
High Density, Non-CFC Polyurethane Foamed-in-Place Insulation
Stainless Steel Reinforced Threshold
Extra Large, Balanced Evaporator Coil
Heavy-Duty, Epoxy-Coated Steel Shelves
Easily Accessible and Serviceable Slide-Out Condensing Unit
Electronic Controller w/Digital Display & Hi-Low Alarm
Readily Removable Front, Rear and Side Venting Louvered Grills
Automatic, Hot Gas Condensate Evaporator
LED Interior Lighting
Double Pane, Tempered, Low-e Sliding Glass Doors

BBUC24S-SS-D COCKTAIL UNDERCOUNTER COOLER

Consult Spec Sheet for all Standard
Features as not the same as above

Stainless Steel Exterior,
Front, Sides & Interior

Three Levels of Drawers






Front Breathing



OPTIONS

Sliding glass door lock
Add'l epoxy-coated shelves with clips
Stainless steel shelves with clips
Wine racks
Food storage rated stainless steel interior
Casters or legs
Condensing unit on right
Riser base (field installed)

See **Page 66** for Options & Accessories.

CBC24/CBC24-DC	CBC37/CBC37-DC	CBC50/CBC50-DC
		
		
CBC64/CBC64-DC	CBC95/CBC95-DC	

Bottle Coolers

Cabinet Construction: **Standard Models:** Wear Resistant, Textured Baked Black Enamel Finish Exterior
SS Models: Stainless Steel Exterior
All Stainless Steel Countertop and Slide Lids, Heavy-Duty Galvanized Interior

BTU/HR Rating @ +20°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD BOTTLE COOLER MODELS (38°F - 41°F)

SIZE	STANDARD Black Enamel Exterior	STANDARD LIST PRICE	SUFFIX "SS" S/S Exterior	SUFFIX "SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	12 OZ. BOTTLE CAPACITY (CASES)	12 OZ. CAN CAPACITY (CASES)	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
24"	CBC24	\$4491	CBC24-SS	\$5337	24 x 29 1/8 x 34 3/4	4 1/2	7 1/2	4.8	1800	1/5	205
37"	CBC37	\$4837	CBC37-SS	\$5737	37 x 29 1/8 x 33 1/2	12	18 1/2	10.3	1800	1/5	215
50"	CBC50	\$5013	CBC50-SS	\$6070	50 x 28 1/8 x 33 1/2	18	27	15.1	1910	1/3	265
64"	CBC64	\$5591	CBC64-SS	\$6578	64 x 29 1/8 x 33 1/2	25	37	20.3	2050	1/3	376
95"	CBC95	\$7716	CBC95-SS	\$8830	95 x 29 1/8 x 33 1/2	40	59	32	3100	1/2	435

DEEP CHILL BOTTLE COOLER MODELS (32°F)

24"	CBC24-DC	\$5619	CBC24-SS-DC	\$6414	24 x 29 1/8 x 34 3/4	4 1/2	7 1/2	4.8	1800	1/5	205
37"	CBC37-DC	\$5877	CBC37-SS-DC	\$6672	37 x 29 1/8 x 33 1/2	12	18 1/2	10.3	1800	1/5	215
50"	CBC50-DC	\$6754	CBC50-SS-DC	\$7707	50 x 29 1/8 x 33 1/2	18	27	15.1	1910	1/3	265
64"	CBC64-DC	\$7511	CBC64-SS-DC	\$8413	64 x 29 1/2 x 33 1/2	25	37	20.3	2050	1/3	376
95"	CBC95-DC	\$10347	CBC95-SS-DC	\$11443	95 x 28 1/2 x 33 1/2	40	59	32	3100	1/2	435

Ship weight for Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for shipping weight of these models.

CBC24-SS/CBC24-SS-DC	CBC37-SS/CBC37-SS-DC	CBC50-SS/CBC50-SS-DC
		
		
CBC64-SS/CBC64-SS-DC	CBC95-SS/CBC95-SS-DC	

Standard (38°F - 41°F) or Deep Chill (32°F)

Available as a Deep Chill (32°F) for that “cold beer” taste.

STANDARD FEATURES

Performance-Rated Refrigeration System
 Environmentally-Safe R-134a Refrigerant
 High Density, Non-CFC Polyurethane Foamed-in-Place Insulation
 Full Length, Extra Large Coil
 Easily Accessible and Serviceable Slide-Out Condensing Unit
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Front, Rear and Side Venting Louvers (except 24” models)
 Heavy-Duty, Epoxy-Coated, Adj. Steel Wire Storage Bin Dividers
 Heavy-Duty Cap Opener w/ Extra Capacity, Removable Cap Catcher
 Automatic, Energy-Saving Non-Electric Condensate Evaporator
 Easily Accessible, Front-Mounted Cleanout Drainage Hose
 Automatic, Energy-Saving, Non-Electric Condensate Evaporator
 (Automatic time defrosting period is timer initiated and temperature terminated)
 (Deep Chill models)

OPTIONS

Lid locks
 Wire bin dividers
 Stainless steel interior
 Expansion valve system
 Casters or legs
 Automatic electric condensate evaporator

See **Page 66** for Options & Accessories.
 See **Page 163** for Expansion Valve Option.

Bar Equipment Options & Accessories

Consult factory for additional information and special electrical requirements.

KEG COOLERS (KC) & BACK BAR COOLERS (BB/BBC) OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	5-155	Single Faucet w/ 8" Beer Column 3" O.D. (KC models)	\$548
	5-156	Dual Angle Faucet, Single Column 3" O.D. (KC models)	\$1002
	5-211	Triple Angle Faucet, Single Column 3" O.D. (KC models)	\$1890
	5-103	Faucet Lock (KC models)	\$675
	20122	Lock for Sliding Glass Doors	\$369
4" Dia. 5" H	50205 (w/Brakes)	Set of 4 Swivel Casters (BBC 50", 59" & 69" models)	\$355
		Set of 6 Swivel Casters - (BBC 79" & 90" models)	\$583
5" Dia. 6" H	50177 (w/Brakes)	Set of 4 Swivel Casters (BBC 50", 59" & 69" models)	\$444
		Set of 6 Swivel Casters (BBC 79" & 90" models)	\$670
	-	Plated Steel Shelf, Epoxy-Coated w/Clips	\$109
	-	Stainless Steel Shelf w/Clips	\$316
	-	Wine Rack	\$169
50"	-	Food Storage Rated Stainless Steel Interior	\$2003
59"	-	Food Storage Rated Stainless Steel Interior	\$2191
69"	-	Food Storage Rated Stainless Steel Interior	\$2480
79"	-	Food Storage Rated Stainless Steel Interior	\$2668
90"	-	Food Storage Rated Stainless Steel Interior	\$2957

BOTTLE COOLERS (CBC) OPTIONS & ACCESSORIES

24"	-	Stainless Steel Interior	\$1081
37"	-	Stainless Steel Interior	\$1507
50"	-	Stainless Steel Interior	\$1650
64"	-	Stainless Steel Interior	\$1798
95"	-	Stainless Steel Interior	\$2191
	5-505	Wire Bin Dividers, Long	\$82
	5-504	Wire Bin Dividers, Short (Step)	\$72
	5-500	Cap Catcher - Black	\$109
	5-500S	Cap Catcher - Stainless Steel	\$186
	2-500	Lid Locks (per lid)	\$128
4" Dia. 5" H	50205 (w/ Brakes)	Set of 4 Swivel Casters (37", 50" & 64" models)	\$355
		Set of 6 Swivel Casters - (95" models)	\$583
5" Dia. 6" H	50177 (w/ Brakes)	Set of 4 Swivel Casters (37", 50" & 64" models)	\$444
		Set of 6 Swivel Casters (95" models)	\$670
	4-916	Automatic, Electric Condensate Evaporator (115-60-1) w/Cord & Plug (except 24" models)	\$198

Casters can not be changed on BBC24/KC24 models.

Reach-Ins & Pass-Thrus

Standard & Shallow Depth, Slim Line & Extra-Wide Refrigerators and Freezers

Our Reach-In Refrigerators and Freezers are designed for performance and reliability that protects your long term investment. Designed using the highest quality materials and components to provide the user with optimal product temperatures, exceptional food safety and the best value in today's foodservice market.

In This Section

68	Refrigerators
74	Freezers
80	Low Temp Freezers
82	Dual Temperature
84	Display Refrigerators
90	Display Freezers
94	Low Temp Display Freezers
96	Options & Accessories





Refrigerators - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOOR(S)	1RN	☆ \$7375	1RNSA	☆ \$8775	1RNSS	☆ \$10463	26 x 35 3/8 x 82 1/4	20	1940	1/4+	284
	2RN	☆ \$9756	2RNSA	☆ \$10961	2RNSS	☆ \$13792	52 x 35 3/8 x 82 1/4	48	2560	1/3+	433
	3R	\$13152	3R-SA	\$14765	3R-SS	\$18915	78 x 35 3/8 x 82 1/4	70	4010	1/2	619
HALF DOORS	1RNHD	☆ \$8275	1RNSAHD	☆ \$9564	1RNSSHD	☆ \$11370	26 x 35 3/8 x 82 1/4	20	1940	1/4+	284
	2RNHD	☆ \$10922	2RNSAHD	☆ \$12149	2RNSSHD	☆ \$14980	52 x 35 3/8 x 82 1/4	48	2560	1/3+	433
	3R-HD	\$15387	3R-SA-HD	\$15739	3R-SS-HD	\$19756	78 x 35 3/8 x 82 1/4	70	4010	1/2	619
FULL DOOR(S) SHALLOW DEPTH	1RSN	\$7375	1RSNSA	\$8775	1RSNSS	\$10463	26 x 29 1/4 x 82 1/4	16	1940	1/4+	284
	2RSN	\$9756	2RSNSA	\$10961	2RSNSS	\$13792	52 x 29 1/4 x 82 1/4	32	2560	1/3+	433
	3RS	\$13152	3RS-SA	\$14765	3RS-SS	\$18915	78 x 29 1/4 x 82 1/4	50	4010	1/2	619
HALF DOOR(S) SHALLOW DEPTH	1RSNHD	\$8275	1RSNSAHD	\$9564	1RSNSSHD	\$11370	26 x 29 1/4 x 82 1/4	16	1940	1/4+	284
	2RSNHD	\$10922	2RSNSAHD	\$12149	2RSNSSHD	\$14980	52 x 29 1/4 x 82 1/4	32	2560	1/3+	433
	3RS-HD	\$15387	3RS-SA-HD	\$15739	3RS-SS-HD	\$19756	78 x 29 1/4 x 82 1/4	50	4010	1/2	619

PASS-THRU MODELS

FULL DOORS	1RNPT	☆ \$11518	1RNSAPT	☆ \$12544	1RNSSPT	☆ \$14265	26 x 39 x 82 1/4	20	1940	1/4+	340
	2RNPT	☆ \$14848	2RNSAPT	☆ \$15893	2RNSSPT	☆ \$18803	52 x 39 x 82 1/4	48	2560	1/3+	580
	3R-PT	\$19907	3R-SA-PT	\$21013	3R-SS-PT	\$25441	78 x 39 x 82 1/4	70	4010	1/2	815
HALF DOORS	1RNPTHD	☆ \$12374	1RNSAPTHD	☆ \$13525	1RNSSPTHD	☆ \$15123	26 x 39 x 82 1/4	20	1940	1/4+	340
	2RNPTHD	☆ \$16735	2RNSAPTHD	☆ \$18010	2RNSSPTHD	☆ \$20844	52 x 39 x 82 1/4	48	2560	1/3+	580
	3R-PT-HD	\$22719	3R-SA-PT-HD	\$23991	3R-SS-PT-HD	\$28316	78 x 39 x 82 1/4	70	4010	1/2	815

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

1RNHD/1RSNHD	2RNHD/2RSNHD	3RNHD/3RSNHD
		

Reach-Ins & Pass-Thrus

Continental Refrigerator has one of the most diversified commercial Reach-In product lines in the industry with modern state-of-the-art styling and standard features not found on other units.

STANDARD FEATURES

Self-Contained, Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant (1- & 2-section models)
 Environmentally-Safe R-134a Refrigerant (3-section models)
 3" Non-CFC Polyurethane Foam Insulation
 Smooth, Polished Chrome Workflow Door Handles
 Cam-Action, Lift-Off Hinges
 Heavy Duty, Epoxy-Coated Steel Shelves
 Automatic, Electric Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 5" High Casters
 Self-Closing Doors
 LED Interior Lighting
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (1- & 2-section models)
 Rehinging of Door in the Field (1-section, full door only)

OPTIONS

Chrome or stainless steel shelves
 Add'l epoxy-coated steel shelves
 Wine racks
 Heavy-duty pilaster strips
 Pan slide assemblies (not available on shallow depth models)
 Adjustable legs
 Rehinging of doors (consult factory)
 Correctional facility package
 Expansion valve system (standard on 1- & 2-sections)
 Custom laminates
 Stainless steel case back
 Glass doors on Pass-Thru models (consult factory)

See **Page 96** for Options & Accessories.
 See **Page 163** for Pan Slide Options.



Slim Line Refrigerators - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

SLIM LINE REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1RSEN	\$8342	1RSENSA	\$9617	1RSENSS	\$11288	17 3/4 x 35 3/8 x 82 1/4	15	1940	1/4+	310
	2RSEN	\$9258	2RSENSA	\$10581	2RSENSS	\$12116	36 1/4 x 35 3/8 x 82 1/4	30	2190	1/3+	430
HALF DOORS	1RSENHD	\$8963	1RSENSAHD	\$10403	1RSENSSHD	\$11966	17 3/4 x 35 3/8 x 82 1/4	15	1940	1/4+	310
	2RSENHD	\$10494	2RSENSAHD	\$12158	2RSENSSHD	\$13470	36 1/4 x 35 3/8 x 82 1/4	30	2190	1/3+	430
FULL DOORS SHALLOW DEPTH	1RSESN	\$8342	1RSESNSA	\$9617	1RSESNSS	\$11288	17 3/4 x 29 1/4 x 82 1/4	12	1940	1/4+	310
	2RSESN	\$9258	2RSESNSA	\$10581	2RSESNSS	\$12116	36 1/4 x 29 1/4 x 82 1/4	24	2190	1/3+	430
HALF DOORS SHALLOW DEPTH	1RSESND	\$8963	1RSESNSAHD	\$10403	1RSESNSSHD	\$11966	17 3/4 x 29 1/4 x 82 1/4	12	1940	1/4+	310
	2RSESND	\$10494	2RSESNSAHD	\$12158	2RSESNSSHD	\$13470	36 1/4 x 29 1/4 x 82 1/4	24	2190	1/3+	430

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

1RSENHD/1RSESNHD	2RSENHD/2RSESNHD
	

Reach-Ins

Slim Line Refrigerators were designed to meet small space requirements to satisfy the needs of kitchens with limited space.

STANDARD FEATURES

- Self-Contained, Performance-Rated Refrigeration System
- Environmentally-Safe R-290 Refrigerant**
- 3" Non-CFC Polyurethane Foam Insulation (2" on 1RSE models)
- Smooth, Polished Chrome Workflow Door Handles
- Cam-Action, Lift-Off Hinges
- Heavy Duty, Epoxy-Coated Steel Shelves
- Heavy-Duty Pilaster Strips
- Automatic, Electric Condensate Evaporator
- Magnetic Snap-In Door Gasket
- Cylinder Lock in Each Door
- 5" High Casters
- Self-Closing Doors
- LED Interior Lighting
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Expansion Valve System**
- Rehinging of Door in the Field (1-section only)

OPTIONS

- Chrome or stainless steel shelves
 - Add'l epoxy-coated steel shelves
 - Wine racks
 - Adjustable legs
 - Rehinging of doors (consult factory)
 - Correctional facility package
 - Custom laminates
 - Stainless steel case back
- See **Page 96** for Options & Accessories.



Extra-Wide Refrigerators - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1REN	☆ \$8416	1RENSA	☆ \$9308	1RENSS	☆ \$11327	28 1/2 x 35 3/8 x 82 1/4	21	1940	1/4+	330
	1RXN	\$9258	1RXNSA	\$10581	1RXNSS	\$12116	36 1/4 x 35 3/8 x 82 1/4	30	2190	1/3+	430
	2REN	☆ \$10738	2RENSA	☆ \$11625	2RENSS	☆ \$14923	57 x 35 3/8 x 82 1/4	50	2560	1/3+	460
	3RE	\$14767	3RE-SA	\$15662	3RE-SS	\$20477	85 1/2 x 35 3/8 x 82 1/4	73	4010	1/2	785
HALF DOORS	1RENHD	☆ \$9114	1RENSAHD	☆ \$10143	1RENSSHD	☆ \$12061	28 1/2 x 35 3/8 x 82 1/4	21	1940	1/4+	330
	1RXNHD	\$10243	1RXNSAHD	\$11393	1RXNSSHD	\$12872	36 1/4 x 35 3/8 x 82 1/4	30	2190	1/3+	430
	2RENHD	☆ \$11425	2RENSAHD	☆ \$12891	2RENSSHD	☆ \$15779	57 x 35 3/8 x 82 1/4	50	2560	1/3+	460
	3RE-HD	\$15596	3RE-SA-HD	\$16696	3RE-SS-HD	\$21378	85 1/2 x 35 3/8 x 82 1/4	73	4010	1/2	785
FULL DOORS SHALLOW DEPTH	1RESN	\$8416	1RESNSA	\$9308	1RESNSS	\$11327	28 1/2 x 29 1/4 x 82 1/4	18	1940	1/4+	310
	1RXSN	\$9258	1RXSNSA	\$10581	1RXNSS	\$12116	36 1/4 x 29 1/4 x 82 1/4	26	2190	1/3+	410
	2RESN	\$10738	2RESNSA	\$11625	2RESNSS	\$14923	57 x 29 1/4 x 82 1/4	40	2560	1/3+	520
	3RES	\$14767	3RES-SA	\$15662	3RES-SS	\$20477	85 1/2 x 29 1/4 x 82 1/4	63	4010	1/2	725
HALF DOORS SHALLOW DEPTH	1RESNHD	\$9114	1RESNSAHD	\$10143	1RESNSSHD	\$12061	28 1/2 x 29 1/4 x 82 1/4	18	1940	1/4+	310
	1RXSNHD	\$10243	1RXSNSAHD	\$11393	1RXNSSHD	\$12872	36 1/4 x 29 1/4 x 82 1/4	26	2190	1/3+	410
	2RESNHD	\$11425	2RESNSAHD	\$12891	2RESNSSHD	\$15779	57 x 29 1/4 x 82 1/4	40	2560	1/3+	520
	3RES-HD	\$15596	3RES-SA-HD	\$16696	3RES-SS-HD	\$21378	85 1/2 x 29 1/4 x 82 1/4	63	4010	1/2	725

PASS-THRU MODELS

FULL DOORS	1RENPT	☆ \$12102	1RENSAPT	☆ \$13034	1RENSSPT	☆ \$14826	28 1/2 x 38 3/4 x 82 1/4	21	1940	1/4+	360
	1RXNPT	\$13071	1RXNSAPT	\$14765	1RXNSSPT	\$16277	36 1/4 x 38 3/4 x 82 1/4	30	2190	1/3+	435
	2RENPT	☆ \$15588	2RENSAPT	☆ \$16515	2RENSSPT	☆ \$19544	57 x 38 3/4 x 82 1/4	50	2560	1/3+	620
	3RE-PT	\$20906	3RE-SA-PT	\$21835	3RE-SS-PT	\$26436	85 1/2 x 38 3/4 x 82 1/4	73	4010	1/2	875
HALF DOORS	1RENPTH	☆ \$12904	1RENSAPTH	☆ \$14052	1RENSSPTH	☆ \$15716	28 1/2 x 38 3/4 x 82 1/4	21	1940	1/4+	360
	1RXNPTH	\$14440	1RXNSAPTH	\$15859	1RXNSSPTH	\$17136	36 1/4 x 38 3/4 x 82 1/4	30	2190	1/3+	435
	2RENPTH	☆ \$17576	2RENSAPTH	☆ \$18721	2RENSSPTH	☆ \$21661	57 x 38 3/4 x 82 1/4	50	2560	1/3+	620
	3RE-PT-HD	\$23856	3RE-SA-PT-HD	\$24929	3RE-SS-PT-HD	\$29420	85 1/2 x 38 3/4 x 82 1/4	73	4010	1/2	875

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.



Reach-Ins & Pass-Thrus

Extra-Wide Refrigerators provide generous amounts of additional space.

STANDARD FEATURES

- Self-Contained, Performance-Rated Refrigeration System
- Environmentally-Safe R-290 Refrigerant** (1- & 2-section models)
- Environmentally-Safe R-134a Refrigerant (3-section models)
- 3" Non-CFC Polyurethane Foam Insulation
- Smooth, Polished Chrome Workflow Door Handles
- Cam-Action, Lift-Off Hinges
- Heavy Duty, Epoxy-Coated Steel Shelves
- Automatic, Electric Condensate Evaporator
- Magnetic Snap-In Door Gasket
- Cylinder Lock in Each Door
- 5" High Casters
- Self-Closing Doors
- LED Interior Lighting
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Expansion Valve System** (1- & 2-section models)
- Rehinging of Door in the Field (1-section, full door only)
(excludes "X" models, consult factory)

OPTIONS

- Chrome or stainless steel shelves
- Add'l epoxy-coated steel shelves
- Wine racks
- Heavy-duty pilaster strips (standard on "X" models)
- Universal pan slide assemblies (not available on shallow depth or "X" models)
- Adjustable legs
- Rehinging of doors (consult factory)
- Correctional facility package
- Expansion valve system (standard on 1- & 2-sections)
- Custom laminates
- Stainless steel case back

See **Page 96** for Options & Accessories.
See **Page 163** for Pan Slide Options.



Freezers (0°F) - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug attached (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1F	\$9176	1F-SA	\$10262	1F-SS	\$11937	26 x 35 3/8 x 82 1/4	20	1590	1/3	290
	2F	\$12467	2F-SA	\$14052	2F-SS	\$17014	52 x 35 3/8 x 82 1/4	48	2470	1/2	445
	3F	\$16978	3F-SA	\$18196	3F-SS	\$22856	78 x 35 3/8 x 82 1/4	70	3575	3/4§	634
HALF DOORS	1F-HD	\$9893	1F-SA-HD	\$10955	1F-SS-HD	\$12630	26 x 35 3/8 x 82 1/4	20	1590	1/3	290
	2F-HD	\$13696	2F-SA-HD	\$14856	2F-SS-HD	\$17807	52 x 35 3/8 x 82 1/4	48	2470	1/2	445
	3F-HD	\$18516	3F-SA-HD	\$19579	3F-SS-HD	\$23696	78 x 35 3/8 x 82 1/4	70	3575	3/4§	634
FULL DOORS SHALLOW DEPTH	1FS	\$9176	1FS-SA	\$10262	1FS-SS	\$11937	26 x 29 1/4 x 82 1/4	16	1590	1/3	290
	2FS	\$12467	2FS-SA	\$14052	2FS-SS	\$17014	52 x 29 1/4 x 82 1/4	32	2470	1/2	445
	3FS	\$16978	3FS-SA	\$18196	3FS-SS	\$22856	78 x 29 1/4 x 82 1/4	50	3575	3/4§	634
HALF DOORS SHALLOW DEPTH	1FS-HD	\$9893	1FS-SA-HD	\$10955	1FS-SS-HD	\$12630	26 x 29 1/4 x 82 1/4	16	1590	1/3	290
	2FS-HD	\$13696	2FS-SA-HD	\$14856	2FS-SS-HD	\$17807	52 x 29 1/4 x 82 1/4	32	2470	1/2	445
	3FS-HD	\$18516	3FS-SA-HD	\$19579	3FS-SS-HD	\$23696	78 x 29 1/4 x 82 1/4	50	3575	3/4§	634

PASS-THRU MODELS

FULL DOORS	1F-PT	\$13086	1F-SA-PT	\$13991	1F-SS-PT	\$15318	26 x 38 3/4 x 82 1/4	20	1590	1/3	355
	2F-PT	\$17896	2F-SA-PT	\$18967	2F-SS-PT	\$22350	52 x 38 3/4 x 82 1/4	48	2470	3/4§	665
	3F-PT	\$24202	3F-SA-PT	\$25108	3F-SS-PT	\$29801	78 x 38 3/4 x 85 3/4	70	4325	1§	885
HALF DOORS	1F-PT-HD	\$13951	1F-SA-PT-HD	\$14920	1F-SS-PT-HD	\$16185	26 x 38 3/4 x 82 1/4	20	1590	1/3	355
	2F-PT-HD	\$20124	2F-SA-PT-HD	\$21027	2F-SS-PT-HD	\$24414	52 x 38 3/4 x 82 1/4	48	2470	3/4§	665
	3F-PT-HD	\$27108	3F-SA-PT-HD	\$27750	3F-SS-PT-HD	\$32708	78 x 38 3/4 x 85 3/4	70	4325	1§	885

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

1F-HD/1FS-HD	2F-HD/2FS-HD	3F-HD/3FS-HD
		

Reach-Ins & Pass-Thrus

Continental Refrigerator has one of the most diversified commercial Reach-In product lines in the industry with modern state-of-the-art styling and standard features not found on other units.

STANDARD FEATURES

Self-Contained, Performance-Rated Refrigeration System
 Environmentally-Safe R-404A Refrigerant
 3" Non-CFC Polyurethane Foam Insulation
 Smooth, Polished Chrome Workflow Door Handles
 Cam-Action, Lift-Off Hinges
 Heavy Duty, Epoxy-Coated Steel Shelves
 Automatic, Electric Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 5" High Casters
 Self-Closing Doors
 LED Interior Lighting
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Automatic Electric Defrost
 Rehing of Door in the Field (1-section, full door only)

OPTIONS

Chrome or stainless steel shelves
 Add'l epoxy-coated steel shelves
 Heavy-duty pilaster strips
 Pan slide assemblies (not available on shallow depth models)
 Adjustable legs
 Rehing of doors (consult factory)
 Correctional facility package
 Expansion valve system
 Custom laminates
 Stainless steel case back

See **Page 96** for Options & Accessories.
 See **Page 163** for Expansion Valve & Pan Slide Options.



Slim Line Freezers (0°F) - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

SLIM LINE REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1FSE	\$10298	1FSE-SA	\$11309	1FSE-SS	\$12614	17 3/4 x 35 3/8 x 82 1/4	15	1590	1/3	290
	2FSE	\$11684	2FSE-SA	\$12947	2FSE-SS	\$16157	36 1/4 x 35 3/8 x 82 1/4	30	1840	1/2	445
HALF DOORS	1FSE-HD	\$10917	1FSE-SA-HD	\$11998	1FSE-SS-HD	\$13296	17 3/4 x 35 3/8 x 82 1/4	15	1590	1/3	290
	2FSE-HD	\$12929	2FSE-SA-HD	\$14317	2FSE-SS-HD	\$17522	36 1/4 x 35 3/8 x 82 1/4	30	1840	1/2	445
FULL DOORS SHALLOW DEPTH	2FSES	\$11684	2FSES-SA	\$12946	2FSES-SS	\$16157	36 1/4 x 29 1/2 x 82 1/4	24	1840	1/2	445

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.



Reach-Ins

Slim Line Freezers were designed to meet small space requirements to satisfy the needs of kitchens with limited space.

STANDARD FEATURES

- Self-Contained, Performance-Rated Refrigeration System
- Environmentally-Safe R-404A Refrigerant
- 3" Non-CFC Polyurethane Foam Insulation (2" on 1FSE models)
- Smooth, Polished Chrome Door Handles
- Cam-Action, Lift-Off Hinges
- Heavy Duty, Epoxy-Coated Steel Shelves
- Heavy-Duty Pilaster Strips
- Automatic, Electric Condensate Evaporator
- Magnetic Snap-In Door Gasket
- Cylinder Lock in Each Door
- 5" High Casters
- Self-Closing Doors
- LED Interior Lighting
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Automatic Electric Defrost
- Rehinging of Door in the Field (1-section only)

OPTIONS

- Chrome or stainless steel shelves
- Add'l epoxy-coated steel shelves
- Adjustable legs
- Rehinging of doors (consult factory)
- Correctional facility package
- Expansion valve system
- Custom laminates
- Stainless steel case back

See **Page 96** for Options & Accessories.
See **Page 163** for Expansion Valve.



Extra-Wide Freezers (0°F) - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug attached (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1FE	\$10087	1FE-SA	\$10885	1FE-SS	\$12272	28 1/2 x 35 3/8 x 82 1/4	21	1590	1/3	345
	1FX	\$11684	1FX-SA	\$12947	1FX-SS	\$16157	36 1/4 x 35 3/8 x 82 1/4	30	1840	1/2	445
	2FE	\$13861	2FE-SA	\$14905	2FE-SS	\$18415	57 x 35 3/8 x 82 1/4	50	2470	1/2	595
	3FE	\$19307	3FE-SA	\$19482	3FE-SS	\$24743	85 1/2 x 35 3/8 x 82 1/4	73	3575	3/4§	830
HALF DOORS	1FE-HD	\$10783	1FE-SA-HD	\$11619	1FE-SS-HD	\$13005	28 1/2 x 35 3/8 x 82 1/4	21	1590	1/3	345
	1FX-HD	\$12361	1FX-SA-HD	\$13705	1FX-SS-HD	\$16417	36 1/4 x 35 3/8 x 82 1/4	30	1840	1/2	445
	2FE-HD	\$14675	2FE-SA-HD	\$15757	2FE-SS-HD	\$19276	57 x 35 3/8 x 82 1/4	50	2470	1/2	595
	3FE-HD	\$20304	3FE-SA-HD	\$20770	3FE-SS-HD	\$24632	85 1/2 x 35 3/8 x 82 1/4	73	3575	3/4§	830
FULL DOORS SHALLOW DEPTH	1FES	\$10087	1FES-SA	\$10885	1FES-SS	\$12272	28 1/2 x 29 1/4 x 82 1/4	18	1590	1/3	345
	1FXS	\$11684	1FXS-SA	\$12947	1FXS-SS	\$16157	36 1/4 x 29 1/4 x 82 1/4	26	1840	1/2	445
	2FES	\$13861	2FES-SA	\$14905	2FES-SS	\$18415	57 x 29 1/4 x 82 1/4	40	2470	1/2	595
	3FES	\$19307	3FES-SA	\$19482	3FES-SS	\$24743	85 1/2 x 29 1/4 x 82 1/4	63	3575	3/4§	830
HALF DOORS SHALLOW DEPTH	1FES-HD	\$10783	1FES-SA-HD	\$11619	1FES-SS-HD	\$13005	28 1/2 x 29 1/4 x 82 1/4	18	1590	1/3	345
	1FXS-HD	\$12361	1FXS-SA-HD	\$13705	1FXS-SS-HD	\$16417	36 1/4 x 29 1/4 x 82 1/4	26	1840	1/2	445
	2FES-HD	\$14675	2FES-SA-HD	\$15757	2FES-SS-HD	\$19276	57 x 29 1/4 x 82 1/4	40	2470	1/2	595
	3FES-HD	\$20304	3FES-SA-HD	\$20770	3FES-SS-HD	\$24632	85 1/2 x 29 1/4 x 82 1/4	63	3575	3/4§	830

PASS-THRU MODELS

FULL DOORS	1FE-PT	\$13598	1FE-SA-PT	\$14538	1FE-SS-PT	\$15912	28 1/2 x 38 3/4 x 82 1/4	21	1590	1/3	375
	1FX-PT	\$16382	1FX-SA-PT	\$17283	1FX-SS-PT	\$20052	36 1/4 x 38 3/4 x 82 1/4	30	1840	1/2	450
	2FE-PT	\$18596	2FE-SA-PT	\$19713	2FE-SS-PT	\$23224	57 x 38 3/4 x 82 1/4	50	3575	3/4§	695
	3FE-PT	\$25150	3FE-SA-PT	\$26090	3FE-SS-PT	\$30967	85 1/2 x 38 3/4 x 85 3/4	73	4325	1§	945
HALF DOORS	1FE-PT-HD	\$14496	1FE-SA-PT-HD	\$15431	1FE-SS-PT-HD	\$16815	28 1/2 x 38 3/4 x 82 1/4	21	1590	1/3	375
	1FX-PT-HD	\$17248	1FX-SA-PT-HD	\$18154	1FX-SS-PT-HD	\$21094	36 1/4 x 38 3/4 x 82 1/4	30	1840	1/2	450
	2FE-PT-HD	\$20912	2FE-SA-PT-HD	\$21847	2FE-SS-PT-HD	\$25367	57 x 38 3/4 x 82 1/4	50	3575	3/4§	695
	3FE-PT-HD	\$28167	3FE-SA-PT-HD	\$28830	3FE-SS-PT-HD	\$33983	85 1/2 x 38 3/4 x 85 3/4	73	4325	1§	945

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.



Reach-Ins & Pass-Thrus

Extra-Wide Freezers provide generous amounts of additional space.

STANDARD FEATURES

Self-Contained, Performance-Rated Refrigeration System
 Environmentally-Safe R-404A Refrigerant
 3" Non-CFC Polyurethane Foam Insulation
 Smooth, Polished Chrome Workflow Door Handles
 Cam-Action, Lift-Off Hinges
 Heavy Duty, Epoxy-Coated Steel Shelves
 Automatic, Electric Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 5" High Casters
 Self-Closing Doors
 LED Interior Lighting
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Automatic Electric Defrost
 Rehinging of Door in the Field (1-section, full door only)
 (excludes "X" models, consult factory)

OPTIONS

Chrome or stainless steel shelves
 Add'l epoxy-coated steel shelves
 Heavy-duty pilaster strips (standard on "X" models)
 Universal pan slide assemblies (not available on shallow depth or "X" models)
 Adjustable legs
 Rehinging of doors (consult factory)
 Correctional facility package
 Expansion valve system
 Custom laminates
 Stainless steel case back

See **Page 96** for Options & Accessories.
 See **Page 163** for Expansion Valve & Pan Slide Options.



Low Temperature Freezers (-15°F) - Standard Width & Extra-Wide

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
 SA Models: Stainless Steel Exterior, Aluminum Interior
 SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -30°F, 90°F Ambient
 No cord and plug attached (115/208-230-60-1 volts)

STANDARD REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1F-LT	\$12952	1F-LT-SA	\$14530	1F-LT-SS	\$15822	26 x 35 3/8 x 82 1/4	20	2050	3/4	450
	2F-LT	\$18701	2F-LT-SA	\$19586	2F-LT-SS	\$20381	52 x 35 3/8 x 85 3/4	48	2600	1	565
	3F-LT	\$28219	3F-LT-SA	\$29100	3F-LT-SS	\$30789	78 x 35 3/8 x 85 3/4	70	6300	2	810
HALF DOORS	1F-LT-HD	\$14337	1F-LT-SA-HD	\$15217	1F-LT-SS-HD	\$16504	26 x 35 3/8 x 82 1/4	20	2050	3/4	450
	2F-LT-HD	\$19502	2F-LT-SA-HD	\$20381	2F-LT-SS-HD	\$21181	52 x 35 3/8 x 85 3/4	48	2600	1	565
	3F-LT-HD	\$29066	3F-LT-SA-HD	\$29941	3F-LT-SS-HD	\$31641	78 x 35 3/8 x 85 3/4	70	6300	2	810

EXTRA-WIDE REACH-IN MODELS

FULL DOORS	1FE-LT	\$13761	1FE-LT-SA	\$15145	1FE-LT-SS	\$16151	28 1/2 x 35 3/8 x 82 1/4	21	2050	3/4	450
	1FX-LT	\$14449	1FX-LT-SA	\$15328	1FX-LT-SS	\$16811	36 1/4 x 35 3/8 x 85 3/4	30	2600	1	480
	2FE-LT	\$19959	2FE-LT-SA	\$20427	2FE-LT-SS	\$21769	57 x 35 3/8 x 85 3/4	50	3600	1	565
	3FE-LT	\$29793	3FE-LT-SA	\$30370	3FE-LT-SS	\$32654	85 1/2 x 35 3/8 x 85 3/4	73	6300	2	810
HALF DOORS	1FE-LT-HD	\$15117	1FE-LT-SA-HD	\$15871	1FE-LT-SS-HD	\$16879	28 1/2 x 35 3/8 x 82 1/4	21	2050	3/4	450
	1FX-LT-HD	\$15195	1FX-LT-SA-HD	\$16071	1FX-LT-SS-HD	\$17554	36 1/4 x 35 3/8 x 85 3/4	30	2600	1	480
	2FE-LT-HD	\$20333	2FE-LT-SA-HD	\$21272	2FE-LT-SS-HD	\$22634	57 x 35 3/8 x 85 3/4	50	3600	1	565
	3FE-LT-HD	\$30652	3FE-LT-SA-HD	\$31122	3FE-LT-SS-HD	\$33507	85 1/2 x 35 3/8 x 85 3/4	73	6300	2	810

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

NOTE: Consult factory for Pass-Thru and Shallow Depth models.

1F-LT-HD	2F-LT-HD	3F-LT-HD
		

Reach-Ins

Low Temperature Freezers are designed for (-15°F)

Not Intended for Storage of Ice Cream

STANDARD FEATURES

Self-Contained, Performance-Rated Refrigeration System
 Environmentally-Safe R-404A Refrigerant
 3" Non-CFC Polyurethane Foam Insulation
 Thermal Expansion Valve
 Smooth, Polished Chrome Workflow Door Handles
 Cam-Action, Lift-Off Hinges
 Heavy Duty, Epoxy-Coated Steel Shelves
 Automatic, Electric Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 5" High Casters
 Self-Closing Doors
 LED Interior Lighting
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Automatic Electric Defrost
 Rehing of Door in the Field (1-section, full door only)

OPTIONS

Chrome or stainless steel shelves
 Add'l epoxy-coated steel shelves
 Heavy-duty pilaster strips (standard on "X" models)
 Pan slide assemblies (not available "X" models)
 Adjustable legs
 Rehing of doors (consult factory)
 Correctional facility package
 Custom laminates
 Stainless steel case back

See **Page 96** for Options & Accessories.
 See **Page 163** for Expansion Valve & Pan Slide Options.



Dual Temperature - Standard Width & Extra-Wide

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
(2) 10 ft. cords and plugs attached (115-60-1 volts)

STANDARD REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	2RF	\$17609	2RF-SA	\$19030	2RF-SS	\$22130	52 x 35 3/8 x 82 1/4	20/20	1940, 1590	1/4, 1/3	580
	3RRF	\$20344	3RRF-SA	\$21433	3RRF-SS	\$25920	78 x 35 3/8 x 82 1/4	48/20	2560, 1590	1/3, 1/3	835
	3RFF	\$24962	3RFF-SA	\$26094	3RFF-SS	\$30593	78 x 35 3/8 x 82 1/4	20/48	1940, 2470	1/4, 1/2	835
HALF DOORS	1RFNHD	\$14317	1RFNSAHD	\$15368	1RFNSSHD	\$16897	26 x 35 3/8 x 82 1/4	10/10	1625, 1800	1/5, 1/3	420
	2RF-HD	\$18767	2RF-SA-HD	\$19835	2RF-SS-HD	\$22941	52 x 35 3/8 x 82 1/4	20/20	1940, 1590	1/4, 1/3	580
	3RRF-HD	\$21190	3RRF-SA-HD	\$22066	3RRF-SS-HD	\$26783	78 x 35 3/8 x 82 1/4	48/20	2560, 1590	1/3, 1/3	835
	3RFF-HD	\$25809	3RFF-SA-HD	\$26955	3RFF-SS-HD	\$31444	78 x 35 3/8 x 82 1/4	20/48	1940, 2470	1/4, 1/2	835

EXTRA-WIDE REACH-IN MODELS

FULL DOORS	2RFE	\$19532	2RFE-SA	\$20435	2RFE-SS	\$23598	57 x 35 3/8 x 82 1/4	21/21	1940, 1590	1/4, 1/3	620
	3RRFE	\$22486	3RRFE-SA	\$23389	3RRFE-SS	\$27973	85 1/2 x 35 3/8 x 82 1/4	50/21	2560, 1590	1/3, 1/3	885
	3RFFE	\$27246	3RFFE-SA	\$28148	3RFFE-SS	\$32736	85 1/2 x 35 3/8 x 82 1/4	21/50	1940, 2470	1/4, 1/2	885
HALF DOORS	1RFENHD	\$15826	1RFENSAHD	\$16454	1RFENSSHD	\$18016	28 1/2 x 35 3/8 x 82 1/4	11/11	1625, 1800	1/5, 1/3	435
	1RFX-HD	\$17083	1RFX-SA-HD	\$17644	1RFX-SS-HD	\$19605	36 1/4 x 35 3/8 x 82 1/4	16/16	1940, 1590	1/4, 1/3	555
	2RFE-HD	\$20355	2RFE-SA-HD	\$21257	2RFE-SS-HD	\$24426	57 x 35 3/8 x 82 1/4	21/21	1940, 1590	1/4, 1/3	620
	3RRFE-HD	\$23360	3RRFE-SA-HD	\$24034	3RRFE-SS-HD	\$28848	85 1/2 x 35 3/8 x 82 1/4	50/21	2560, 1590	1/3, 1/3	885
	3RFFE-HD	\$28121	3RFFE-SA-HD	\$29025	3RFFE-SS-HD	\$33609	85 1/2 x 35 3/8 x 82 1/4	21/50	1940, 2470	1/4, 1/2	885

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

NOTE: Consult factory for Pass-Thru and Shallow Depth models (no pass-thru available on 1-section Dual Temps).

1RFNHD	2RF-HD	3RRF-HD/3RFF-HD
		

Reach-Ins & Pass-Thrus

Dual Temperature models have separate, performance-rated refrigeration systems in refrigerator and freezer compartments.

STANDARD FEATURES

Separate, Self Contained Performance-Rated Refrigeration Systems

Environmentally-Safe R-290 Refrigerant (1RF/1RFE models only)

Environmentally-Safe R-134a Refrigerant (Refrigerators)

Environmentally-Safe R-404A Refrigerant (Freezers)

3" Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Electric Condensate Evaporator

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

5" High Casters

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Automatic Electric Defrost (Freezer Section)

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Heavy-duty pilaster strips

Pan slide assemblies (not available on "X" models)

Adjustable legs

Rehinging of doors (consult factory)

Correctional facility package

Expansion valve system (not available on 1RF/1RFE models)

Custom laminates

Stainless steel case back

See **Page 96** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options.



Display Refrigerators w/ Hinged Glass Doors - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug attached (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1RNGD	\$9439	1RNSAGD	\$10322	1RNSSGD	\$12791	26 x 35 3/8 x 82 1/4	20	1940	1/4+	315
	2RNGD	\$12565	2RNSAGD	\$13230	2RNSSGD	\$16477	52 x 35 3/8 x 82 1/4	48	2560	1/3+	530
	3R-GD	\$17874	3R-SA-GD	\$17688	3R-SS-GD	\$22081	78 x 35 3/8 x 85 3/4	70	5930	3/4§	740
HALF DOORS	1RNGDHD	\$10713	1RNSAGDHD	\$11599	1RNSSGDHD	\$13907	26 x 35 3/8 x 82 1/4	20	1940	1/4+	315
	2RNGDHD	\$15003	2RNSAGDHD	\$15899	2RNSSGDHD	\$19146	52 x 35 3/8 x 82 1/4	48	2560	1/3+	530
	3R-GD-HD	\$21145	3R-SA-GD-HD	\$22051	3R-SS-GD-HD	\$26448	78 x 35 3/8 x 85 3/4	70	5930	3/4§	740
FULL DOORS SHALLOW DEPTH	1RSNGD	\$9264	1RSNSAGD	\$10322	1RSNSSGD	\$12791	26 x 29 1/4 x 82 1/4	16	1940	1/4+	315
	2RSNGD	\$12108	2RSNSAGD	\$13230	2RSNSSGD	\$16477	52 x 29 1/4 x 82 1/4	32	2560	1/3+	530
HALF DOOR(S) SHALLOW DEPTH	1RSNGDHD	\$10514	1RSNSAGDHD	\$11599	1RSNSSGDHD	\$13907	26 x 29 1/4 x 82 1/4	16	1940	1/4+	315
	2RSNGDHD	\$14726	2RSNSAGDHD	\$15899	2RSNSSGDHD	\$19146	52 x 29 1/4 x 82 1/4	32	2560	1/3+	530

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

NOTE: Consult factory for Pass-Thru models.

1RNGDHD/1RSNGDHD	2RNGDHD/2RSNGDHD	3R-GD-HD
		

Reach-Ins

Continental Refrigerator has one of the most diversified commercial Reach-In product lines in the industry with modern state-of-the-art styling and standard features not found on other units.

STANDARD FEATURES

Self-Contained, Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant (1- & 2-section models)
 Environmentally-Safe R-134a Refrigerant (3-section models)
 3" Non-CFC Polyurethane Foam Insulation
 Smooth, Polished Chrome Workflow Door Handles
 Cam-Action, Lift-Off Hinges
 Heavy Duty, Epoxy-Coated Steel Shelves
 Automatic, Electric Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 5" High Casters
 Self-Closing Doors
 LED Interior Lighting
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (1- & 2-section models)
 Triple-Pane, Tempered Hinged Glass Doors

OPTIONS

Chrome or stainless steel shelves
 Add'l epoxy-coated steel shelves
 Wine racks
 Heavy-duty pilaster strips
 Pan slide assemblies (not available on shallow depth models)
 Adjustable legs
 Rehinging of doors (consult factory)
 Expansion valve system (standard on 1- & 2-sections)
 Stainless steel case back

See **Page 96** for Options & Accessories.
 See **Page 163** for Expansion Valve & Pan Slide Options.



Extra-Wide Display Refrigerators w/ Hinged Glass Doors - Standard & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior


BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 * No cord and plug attached (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1RENGD	\$10530	1RENSAGD	\$10970	1RENSSGD	\$13078	28 1/2 x 35 3/8 x 82 1/4	21	1940	1/4+	335
	1RXNGD	\$11190	1RXNSAGD	\$12058	1RXNSSGD	\$14721	36 1/4 x 35 3/8 x 82 1/4	30	2560	1/3+	440
	2RENGD	\$13614	2RENSAGD	\$14038	2RENSSGD	\$17787	57 x 35 3/8 x 82 1/4	50	2560	1/3+	575
	3RE-GD	\$19681	3RE-SA-GD	\$18766	3RE-SS-GD	\$23875	85 1/2 x 35 3/8 x 85 3/4	73	5930	3/4*	800
HALF DOORS	1RENGDHD	\$11383	1RENSAGDHD	\$12299	1RENSSGDHD	\$14048	28 1/2 x 35 3/8 x 82 1/4	21	1940	1/4+	335
	1RXNGDHD	\$13163	1RXNSAGDHD	\$14042	1RXNSSGDHD	\$16691	36 1/4 x 35 3/8 x 82 1/4	30	2560	1/3+	440
	2RENGDHD	\$15277	2RENSAGDHD	\$16808	2RENSSGDHD	\$20144	57 x 35 3/8 x 82 1/4	50	250	1/3+	575
	3RE-GD-HD	\$21018	3RE-SA-GD-HD	\$23239	3RE-SS-GD-HD	\$28355	85 1/2 x 35 3/8 x 85 3/4	73	5930	3/4*	800
FULL DOORS SHALLOW DEPTH	1RESNGD	\$10335	1RESNSAGD	\$10970	1RESNSSGD	\$13078	28 1/2 x 29 1/4 x 82 1/4	18	1940	1/4+	335
	1RXSNGD	\$11190	1RXSNSAGD	\$12058	1RXSNSSGD	\$14721	36 1/4 x 29 1/4 x 82 1/4	26	2560	1/3+	440
	2RESNGD	\$13119	2RESNSAGD	\$14038	2RESNSSGD	\$17787	57 x 29 1/4 x 82 1/4	40	2560	1/3+	575
HALF DOORS SHALLOW DEPTH	1RESNGDHD	\$11383	1RESNSAGDHD	\$12299	1RESNSSGDHD	\$14048	28 1/2 x 29 1/4 x 82 1/4	18	1940	1/4+	335
	1RXSNGDHD	\$13163	1RXSNSAGDHD	\$14042	1RXSNSSGDHD	\$16691	36 1/4 x 29 1/4 x 82 1/4	26	2560	1/3+	440
	2RESNGDHD	\$15277	2RESNSAGDHD	\$16808	2RESNSSGDHD	\$20144	57 x 29 1/4 x 82 1/4	40	2560	1/3+	575

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

NOTE: Consult factory for Pass-Thru models.

1RENGDHD/1RESNGDHD	1RXNGDHD/1RXSNGDHD	2RENGDHD/2RESNGDHD	3RE-GD-HD
			

Reach-Ins

Extra-Wide Display Refrigerators provide generous amounts of additional space.

STANDARD FEATURES

Self-Contained, Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant (1- & 2-section models)
 Environmentally-Safe R-134a Refrigerant (3-section models)
 3" Non-CFC Polyurethane Foam Insulation
 Smooth, Polished Chrome Workflow Door Handles
 Cam-Action, Lift-Off Hinges
 Heavy Duty, Epoxy-Coated Steel Shelves
 Automatic, Electric Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 5" High Casters
 Self-Closing Doors
 LED Interior Lighting
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (1- & 2-section models)
 Triple-Pane, Tempered Hinged Glass Doors

OPTIONS

Chrome or stainless steel shelves
 Add'l epoxy-coated steel shelves
 Wine racks
 Heavy-duty pilaster strips (standard on "X" models)
 Universal pan slide assemblies (not available on shallow depth or "X" models)
 Adjustable legs
 Rehinging of doors (consult factory)
 Expansion valve system (standard on 1- & 2-sections)
 Stainless steel case back

See **Page 96** for Options & Accessories.
 See **Page 163** for Expansion Valve & Pan Slide Options.



Display Refrigerators w/ Sliding Glass Doors - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	2R-SGD	\$14926	2R-SA-SGD	\$15506	2R-SS-SGD	\$16825	52 x 34 x 82 1/4	48	4010	1/2	530
HALF DOORS	2R-SGD-HD	\$16640	2R-SA-SGD-HD	\$17501	2R-SS-SGD-HD	\$18815	52 x 34 x 82 1/4	48	4010	1/2	530
FULL DOORS SHALLOW DEPTH	2RS-SGD	\$14649	2RS-SA-SGD	\$15506	2RS-SS-SGD	\$16825	52 x 27 7/8 x 82 1/4	32	4010	1/2	530
HALF DOORS SHALLOW DEPTH	2RS-SGD-HD	\$16640	2RS-SA-SGD-HD	\$17501	2RS-SS-SGD-HD	\$18815	52 x 27 7/8 x 82 1/4	32	4010	1/2	530

EXTRA-WIDE REACH-IN MODELS

FULL DOORS	2RE-SGD	\$15749	2RE-SA-SGD	\$16337	2RE-SS-SGD	\$18139	57 x 34 x 82 1/4	50	4010	1/2	575
HALF DOORS	2RE-SGD-HD	\$17204	2RE-SA-SGD-HD	\$18422	2RE-SS-SGD-HD	\$19812	57 x 34 x 82 1/4	50	4010	1/2	575
FULL DOORS SHALLOW DEPTH	2RES-SGD	\$15749	2RES-SA-SGD	\$16337	2RES-SS-SGD	\$18139	57 x 27 7/8 x 82 1/4	40	4010	1/2	575
HALF DOORS SHALLOW DEPTH	2RES-SGD-HD	\$17204	2RES-SA-SGD-HD	\$18422	2RES-SS-SGD-HD	\$19812	57 x 27 7/8 x 82 1/4	40	4010	1/2	575

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

2RE-SGD/2RES-SGD	2RE-SGD-HD/2RES-SGD-HD
	

Standard & Extra-Wide Reach-Ins

Extra-Wide Display Refrigerators provide generous amounts of additional space.

STANDARD FEATURES

Self Contained Performance-Rated Refrigeration System
 Environmentally-Safe R-134a Refrigerant
 3" Non-CFC Polyurethane Foam Insulation
 Heavy Duty, Epoxy-Coated Steel Shelves
 Automatic, Electric Condensate Evaporator
 Snap-In Door Wiper
 5" High Casters
 Self-Closing Doors
 LED Interior Lighting
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Double-Pane, Low-E, Tempered Sliding Glass Doors
 High Efficiency Black PVC Frame

OPTIONS

Door locks
 Chrome or stainless steel shelves
 Add'l epoxy-coated steel shelves
 Wine racks
 Heavy-duty pilaster strips
 Adjustable legs
 Expansion valve system
 Stainless steel case back
 Pan slide assemblies (not available on shallow depth models)

See **Page 96** for Options & Accessories.
 See **Page 163** for Expansion Valve & Pan Slide Options.



Display Freezers (0°F) w/ Hinged Glass Doors - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug attached (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1F-GD	\$12146	1F-SA-GD	\$12909	1F-SS-GD	\$14384	26 x 35 3/8 x 82 1/4	20	2470	1/2	330
	2F-GD	\$18470	2F-SA-GD	\$19175	2F-SS-GD	\$22214	52 x 35 3/8 x 85 3/4	48	4325	1 [§]	565
	3F-GD	\$26678	3F-SA-GD	\$27051	3F-SS-GD	\$30804	78 x 35 3/8 x 85 3/4	70	6050	2 [§]	805
HALF DOORS	1F-GD-HD	\$13186	1F-SA-GD-HD	\$14183	1F-SS-GD-HD	\$15660	26 x 35 3/8 x 82 1/4	20	2470	1/2	330
	2F-GD-HD	\$20984	2F-SA-GD-HD	\$21854	2F-SS-GD-HD	\$24889	52 x 35 3/8 x 85 3/4	48	4325	1 [§]	565
	3F-GD-HD	\$30556	3F-SA-GD-HD	\$31422	3F-SS-GD-HD	\$35219	78 x 35 3/8 x 85 3/4	70	6050	2 [§]	805
FULL DOORS SHALLOW DEPTH	1FS-GD	\$11921	1FS-SA-GD	\$12909	1FS-SS-GD	\$14384	26 x 29 1/4 x 82 1/4	16	2470	1/2	330
	2FS-GD	\$18128	2FS-SA-GD	\$19175	2FS-SS-GD	\$22214	52 x 29 1/4 x 85 3/4	32	4325	1 [§]	565
HALF DOORS SHALLOW DEPTH	1FS-GD-HD	\$13186	1FS-SA-GD-HD	\$14183	1FS-SS-GD-HD	\$15660	26 x 29 1/4 x 82 1/4	16	2470	1/2	330
	2FS-GD-HD	\$20984	2FS-SA-GD-HD	\$21854	2FS-SS-GD-HD	\$24889	52 x 29 1/4 x 85 3/4	32	4325	1 [§]	565

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

NOTE: Consult factory for Pass-Thru models.

1F-GD-HD/1FS-GD-HD	2F-GD-HD/2FS-GD-HD	3F-GD-HD
		

Reach-Ins

Continental Refrigerator has one of the most diversified commercial Reach-In product lines in the industry with modern state-of-the-art styling and standard features not found on other units.

STANDARD FEATURES

Self Contained Performance-Rated Refrigeration System
 Environmentally-Safe R-404A Refrigerant
 3" Non-CFC Polyurethane Foam Insulation
 Chrome-Plated Handles
 Cam Action Lift Off Hinges
 Heavy Duty, Epoxy-Coated Steel Shelves
 Automatic, Electric Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 5" High Casters
 Self-Closing Doors
 LED Interior Lighting
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Expansion Valve System
 Triple-Pane, Tempered Hinged Glass Doors
 Automatic Electric Defrost

OPTIONS

Chrome or stainless steel shelves
 Add'l epoxy-coated steel shelves
 Heavy-duty pilaster strips
 Pan slide assemblies (not available on shallow depth models)
 Adjustable legs
 Rehinging of doors (consult factory)
 Stainless steel case back

See **Page 96** for Options & Accessories.
 See **Page 163** for Pan Slide Options.



Extra-Wide Display Freezers (0°F) w/ Hinged Glass Doors - Standard & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior




BTU/HR Rating @ -15°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug attached (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1FE-GD	\$12845	1FE-SA-GD	\$13652	1FE-SS-GD	\$14856	28 1/2 x 35 3/8 x 82 1/4	21	2470	1/2	345
	1FX-GD	\$15335	1FX-SA-GD	\$16046	1FX-SS-GD	\$18105	36 1/4 x 35 3/8 x 82 1/4	30	2720	3/4 [§]	455
	2FE-GD	\$19562	2FE-SA-GD	\$20218	2FE-SS-GD	\$23827	57 x 35 3/8 x 85 3/4	50	4325	1 [§]	610
	3FE-GD	\$28587	3FE-SA-GD	\$28599	3FE-SS-GD	\$32973	85 1/2 x 35 3/8 x 85 3/4	73	6050	2 [§]	860
HALF DOORS	1FE-GD-HD	\$14102	1FE-SA-GD-HD	\$14985	1FE-SS-GD-HD	\$16195	28 1/2 x 35 3/8 x 82 1/4	21	2470	1/2	345
	1FX-GD-HD	\$17335	1FX-SA-GD-HD	\$18016	1FX-SS-GD-HD	\$20084	36 1/4 x 35 3/8 x 82 1/4	30	2720	3/4 [§]	455
	2FE-GD-HD	\$22025	2FE-SA-GD-HD	\$22962	2FE-SS-GD-HD	\$26593	57 x 35 3/8 x 85 3/4	50	4325	1 [§]	610
	3FE-GD-HD	\$32449	3FE-SA-GD-HD	\$32916	3FE-SS-GD-HD	\$36501	85 1/2 x 35 3/8 x 85 3/4	73	6050	2 [§]	860
FULL DOORS SHALLOW DEPTH	1FES-GD	\$12845	1FES-SA-GD	\$13652	1FES-SS-GD	\$14856	28 1/2 x 29 1/4 x 82 1/4	18	2470	1/2	345
	1FXS-GD	\$15335	1FXS-SA-GD	\$16046	1FXS-SS-GD	\$18105	36 1/4 x 29 1/4 x 82 1/4	26	2720	3/4 [§]	455
HALF DOORS SHALLOW DEPTH	1FES-GD-HD	\$14102	1FES-SA-GD-HD	\$14985	1FES-SS-GD-HD	\$16195	28 1/2 x 29 1/4 x 82 1/4	18	2470	1/2	345
	1FXS-GD-HD	\$17335	1FXS-SA-GD-HD	\$18016	1FXS-SS-GD-HD	\$20084	36 1/4 x 29 1/4 x 82 1/4	26	2720	3/4 [§]	455

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

NOTE: Consult factory for Pass-Thru models.

1FE-GD-HD/1FES-GD-HD	1FX-GD-HD/1FXS-GD-HD	2FE-GD-HD/2FES-GD-HD	3FE-GD-HD
			

Reach-Ins

Extra-Wide Display Freezers provide generous amounts of additional space.

STANDARD FEATURES

Self Contained Performance-Rated Refrigeration System
 Environmentally-Safe R-404A Refrigerant
 3" Non-CFC Polyurethane Foam Insulation
 Chrome-Plated Handles
 Cam Action Lift Off Hinges
 Heavy Duty, Epoxy-Coated Steel Shelves
 Automatic, Electric Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 5" High Casters
 Self-Closing Doors
 LED Interior Lighting
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Expansion Valve System
 Triple-Pane, Tempered Hinged Glass Doors
 Automatic Electric Defrost

OPTIONS

Chrome or stainless steel shelves
 Add'l epoxy-coated steel shelves
 Heavy-duty pilaster strips
 Universal pan slide assemblies (not available on shallow depth or "X" models)
 Adjustable legs
 Rehinging of doors (consult factory)
 Stainless steel case back

See **Page 96** for Options & Accessories.
 See **Page 163** for Pan Slide Options



Low Temperature Display Freezers (-15°F) w/ Hinged Glass Doors

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -30°F, 90°F Ambient
 No cord and plug attached (115/208-230-60-1 volts)

STANDARD REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	1F-LT-GD	\$15588	1F-LT-SA-GD	\$16455	1F-LT-SS-GD	\$17932	26 x 35 3/8 x 85 3/4	20	2600	1	425
	2F-LT-GD	\$22116	2F-LT-SA-GD	\$22980	2F-LT-SS-GD	\$24386	52 x 35 3/8 x 85 3/4	48	4200	2	595
	3F-LT-GD	\$34111	3F-LT-SA-GD	\$34977	3F-LT-SS-GD	\$38061	78 x 35 3/8 x 85 3/4	70	7100	2	840
HALF DOORS	1F-LT-GD-HD	\$16868	1F-LT-SA-GD-HD	\$17732	1F-LT-SS-GD-HD	\$19213	26 x 35 3/8 x 85 3/4	20	2600	1	425
	2F-LT-GD-HD	\$24791	2F-LT-SA-GD-HD	\$25652	2F-LT-SS-GD-HD	\$27062	52 x 35 3/8 x 85 3/4	48	4200	2	595
	3F-LT-GD-HD	\$38481	3F-LT-SA-GD-HD	\$39350	3F-LT-SS-GD-HD	\$42427	78 x 35 3/8 x 85 3/4	70	7100	2	840

EXTRA-WIDE REACH-IN MODELS

FULL DOORS	1FE-LT-GD	\$16388	1FE-LT-SA-GD	\$17067	1FE-LT-SS-GD	\$18317	28 1/2 x 35 3/8 x 85 3/4	21	2600	1	440
	1FX-LT-GD	\$16609	1FX-LT-SA-GD	\$17417	1FX-LT-SS-GD	\$19284	36 1/4 x 35 3/8 x 85 3/4	30	3175	1	480
	2FE-LT-GD	\$23357	2FE-LT-SA-GD	\$23861	2FE-LT-SS-GD	\$25760	57 x 35 3/8 x 85 3/4	50	4200	2	635
	3FE-LT-GD	\$36226	3FE-LT-SA-GD	\$36241	3FE-LT-SS-GD	\$39908	85 1/2 x 35 3/8 x 85 3/4	73	7100	2	885
HALF DOORS	1FE-LT-GD-HD	\$17639	1FE-LT-SA-GD-HD	\$18384	1FE-LT-SS-GD-HD	\$19586	28 1/2 x 35 3/8 x 85 3/4	21	2600	1	440
	1FX-LT-GD-HD	\$18083	1FX-LT-SA-GD-HD	\$18949	1FX-LT-SS-GD-HD	\$20553	36 1/4 x 35 3/8 x 85 3/4	30	3175	1	480
	2FE-LT-GD-HD	\$25614	2FE-LT-SA-GD-HD	\$26534	2FE-LT-SS-GD-HD	\$28497	57 x 35 3/8 x 85 3/4	50	4200	2	635
	3FE-LT-GD-HD	\$40050	3FE-LT-SA-GD-HD	\$40513	3FE-LT-SS-GD-HD	\$43348	85 1/2 x 35 3/8 x 85 3/4	73	7100	2	885

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

1F-LT-GD-HD	2F-LT-GD-HD	3F-LT-GD-HD
		

Standard & Extra-Wide Reach-Ins

Low Temperature Freezers are designed for (-15°F)

Not Intended for Storage of Ice Cream

STANDARD FEATURES

Self contained Performance-Rated Refrigeration System
 Environmentally-Safe R-404A Refrigerant
 3" Non-CFC Polyurethane Foam Insulation
 Chrome-Plated Handles
 Cam-Action, Lift-Off Hinges
 Heavy Duty, Epoxy-Coated Steel Shelves
 Automatic, Electric Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 5" High Casters
 Self-Closing Doors
 LED Interior Lighting
 Electronic Controller w/Digital Display & Hi-Low Alarm
 Expansion Valve System
 Triple-Pane, Tempered Hinged Glass Doors
 Automatic Electric Defrost

OPTIONS

Chrome or stainless steel shelves
 Add'l epoxy-coated steel shelves
 Heavy-duty pilaster strips (standard on "X" models)
 Pan slide assemblies (not available on shallow depth or "X" models)
 Adjustable legs
 Rehinging of doors (consult factory)
 Stainless steel case back

See **Page 96** for Options & Accessories.
 See **Page 163** for Pan Slide Options.

Reach-Ins/Pass-Thrus Options & Accessories

Consult factory for additional information and special electrical requirements.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Plated Steel, Epoxy-Coated Shelf with Clips	\$109
	-	Chrome-Plated Wire Shelf with Clips	\$109
	-	Stainless Steel Shelf with Clips	\$316
	-	Rehinging of Doors	N/C
	-	Wine Rack (holds 10 - 3" diameter bottles per shelf)	\$169
	-	Heavy-Duty Pilaster Strips (per section)	\$53
	-	Heavy-Duty Shelves (per shelf)	\$169
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/Brakes (standard on ALL 1- & 2-sections) Set of 6 Swivel Casters w/Brakes (standard on ALL 3-sections)	\$355 \$583
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/Brakes (1- & 2-sections) Set of 6 Swivel Casters w/Brakes (3-sections)	\$444 \$670
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/Brakes (1- & 2-sections) Set of 6 Swivel Casters w/Brakes (3-sections)	\$299 \$443
6" H	50203	Set of 4 Stainless Steel Legs (1- & 2-sections) Set of 6 Stainless Steel Legs (1- & 2-sections)	\$192 \$282
6" H	50184	Set of 4 Stainless Steel Legs Flanged Feet (1- & 2-sections) Set of 6 Stainless Steel Legs Flanged Feet (3-sections)	\$465 \$699
6" H	50202	Set of 4 Black Legs (1- & 2-sections) Set of 6 Black Legs (3-Sections)	\$126 \$192
4" H	50206	Set of 4 Black Legs (1- & 2-sections) Set of 6 Black Legs (3-Sections)	\$158 \$235
1 SECTION	-	Reach-In Stainless Steel Case Back (including rear grill and concealed drain line)	\$835
2 SECTION	-	Reach-In Stainless Steel Case Back (including rear grill and concealed drain line)	\$1670
3 SECTION	-	Reach-In Stainless Steel Case Back (including rear grill and concealed drain line)	\$2505
1 SECTION	-	-10°F Freezer Option (capacity BTU/HR 2180, 115-60-1 volts) (solid door Reach-In only)	\$436
2 SECTION	-	-10°F Freezer Option (capacity BTU/HR 2670, 115-60-1 volts) (solid door Reach-In only)	\$872
3 SECTION	-	-10°F Freezer Option (capacity BTU/HR 3825, 115/208-230-60-1 volts) (solid door Reach-In only)	\$1397

BTU/HR Rating @ -25°F, 90°F Ambient

CORRECTIONAL FACILITY OPTIONS

1 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$140 / \$259 \$431 / \$835 \$335 / \$335
2 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$299 / \$444 \$431 / \$835 \$638 / \$638
3 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$393 / \$583 \$835 / \$1670 \$962 / \$962
1, 2 & 3 SECTIONS	-	Coverless Hinges	N/C



Security screws



Coverless hinges



Locking hasp
(lock not included)



Stainless Steel
Mesh Security Cover



Reach-Ins & Pass-Thrus

Standard & Shallow Depth Slim Line & Extra-Wide Refrigerators, Freezers & Warmers

Designer Line Refrigerators and Freezers utilize a “Plug” refrigeration system where the assembly is outside the food storage zone allowing complete use of storage space within the cabinet. In addition, Designer Line models are equipped with both top and side air distribution ducts which allow for constant, uniform temperature throughout the cabinet.

In This Section

- 98** Refrigerators
- 104** Freezers
- 110** Warmers
- 112** Dual Temperature
- 120** Display Refrigerators
- 126** Display Freezers
- 130** Options & Accessories

FLEXIBLE Option
Stainless steel or chrome shelves
Benefit
Sturdy & corrosion resistant

FLEXIBLE Option
Universal stainless steel pan slides (shown for Extra-Wide models)
Benefit
Prep ahead space saving storage


FLEXIBLE Option
Half doors, drawers on bottom, hinged or sliding glass doors
Benefit
Versatility in storage & display options

DL2RENSSGDHD
shown w/ Standard Features and FLEXIBLE Options



Designer Line Refrigerators - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
 SA Models: Stainless Steel Exterior, Aluminum Interior
 SS Models: Stainless Steel Exterior and Interior

 Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOOR(S)	D1RN	☆ \$9467	D1RNSA	☆ \$12909	D1RNSS	☆ \$15000	26 x 35 3/8 x 83 1/4	21	1940	1/4+	294
	D2RN	☆ \$11868	D2RNSA	☆ \$15842	D2RNSS	☆ \$19400	52 x 35 3/8 x 83 1/4	50	2560	1/3+	448
	DL3R	\$16261	DL3R-SA	\$20850	DL3R-SS	\$26649	78 x 35 3/8 x 83 1/4	72	4010	1/2	740
HALF DOORS	D1RNHD	☆ \$9995	D1RNSAHD	☆ \$13332	D1RNSSHD	☆ \$15857	26 x 35 3/8 x 83 1/4	21	1940	1/4+	294
	D2RNHD	☆ \$12434	D2RNSAHD	☆ \$16798	D2RNSSHD	☆ \$20563	52 x 35 3/8 x 83 1/4	50	2560	1/3+	448
	DL3R-HD	\$17395	DL3R-SA-HD	\$21740	DL3R-SS-HD	\$27682	78 x 35 3/8 x 83 1/4	72	4010	1/2	740
FULL DOOR(S) SHALLOW DEPTH	DL1RS	\$9467	DL1RS-SA	\$12909	DL1RS-SS	\$15000	26 x 29 1/4 x 83 1/4	16	1940	1/4	300
	DL2RS	\$11868	DL2RS-SA	\$15842	DL2RS-SS	\$19400	52 x 29 1/4 x 83 1/4	32	2560	1/3	495
HALF DOOR(S) SHALLOW DEPTH	DL1RS-HD	\$9995	DL1RS-SA-HD	\$13332	DL1RS-SS-HD	\$15857	26 x 29 1/4 x 83 1/4	16	1940	1/4	300
	DL2RS-HD	\$12434	DL2RS-SA-HD	\$16798	DL2RS-SS-HD	\$20563	52 x 29 1/4 x 83 1/4	32	2560	1/3	495

PASS-THRU MODELS

FULL DOORS	D1RNPT	☆ \$13092	D1RNSA-PT	☆ \$16675	D1RNSS-PT	☆ \$19134	26 x 38 3/4 x 83 1/4	21	1940	1/4+	350
	D2RNPT	☆ \$16418	D2RNSA-PT	☆ \$21441	D2RNSS-PT	☆ \$24846	52 x 38 3/4 x 83 1/4	50	2560	1/3+	595
	DL3R-PT	\$22788	DL3R-SA-PT	\$28095	DL3R-SS-PT	\$33539	78 x 38 3/4 x 83 1/4	72	4010	1/2	825
HALF DOORS	D1RNPTHD	☆ \$13801	D1RNSAPTHD	☆ \$17702	D1RSSPTHD	☆ \$20180	26 x 38 3/4 x 83 1/4	21	1940	1/4+	350
	D2RNPTHD	☆ \$18051	D2RNSAPTHD	☆ \$23855	D2RNSSPTHD	☆ \$27453	52 x 38 3/4 x 83 1/4	50	2560	1/3+	595
	DL3R-PT-HD	\$26016	DL3R-SA-PT-HD	\$31366	DL3R-SS-PT-HD	\$37113	78 x 38 3/4 x 83 1/4	72	4010	1/2	825

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

D1RNHD/DL1RS-HD	D2RNHD/DL2RS-HD	DL3R-HD
		

Reach-Ins & Pass-Thrus

Designer Line upper side panels and “Plug” refrigeration system can be removed and reinstalled at job site. The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.

STANDARD FEATURES



Self-Contained, Performance-Rated “Plug” Refrigeration System

Environmentally-Safe R-290 Refrigerant
(1- & 2-section standard depth models)

Environmentally-Safe R-134a Refrigerant
(3-section & shallow depth models)

3” Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Expansion Valve System (1- & 2-section standard depth models)

Rehinging of Door in the Field (1-section, full door only)

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Wine racks

Pan slide assemblies (not available on shallow depth models)

Casters

Rehinging of doors (consult factory)

Correctional facility package

Expansion valve system (standard on 1- & 2-section standard depth models)

Custom laminates

Stainless steel case back

Glass doors on Pass-Thru models (consult factory)

See **Page 130** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options.



Designer Line Slim Line Refrigerators

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

SLIM LINE REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D1RSEN*	\$9220	D1RSENSA*	\$10519	DL1RSENSS*	\$12224	17 3/4 x 35 3/8 x 83 1/4	15	1940	1/4+	290
	D2RSEN	\$10158	D2RSENSA	\$11505	DL2RSENSS	\$13070	36 1/4 x 35 3/8 x 83 1/4	32	2560	1/3+	450
HALF DOORS	D1RSENHD*	\$9854	D1RSENSAHD*	\$11325	DL1RSENSSHD*	\$12913	17 3/4 x 35 3/8 x 83 1/4	15	1940	1/4+	290
	D2RSENHD	\$11416	D2RSENSAHD	\$13114	DL2RSENSSHD	\$14451	36 1/4 x 35 3/8 x 83 1/4	32	2560	1/3+	450
FULL DOORS SHALLOW DEPTH	DL1RSES*	\$9220	DL1RSES-SA*	\$10519	DL1RSES-SS*	\$12224	17 3/4 x 29 1/4 x 83 1/4	12	1940	1/4+	270
	DL2RSES*	\$10158	DL2RSES-SA*	\$11505	DL2RSES-SS*	\$13070	36 1/4 x 29 1/4 x 83 1/4	24	2560	1/3+	410
HALF DOORS SHALLOW DEPTH	DL1RSES-HD*	\$9854	DL1RSES-SA-HD*	\$11325	DL1RSES-SS-HD*	\$12913	17 3/4 x 29 1/4 x 83 1/4	12	1940	1/4+	270
	DL2RSES-HD*	\$11416	DL2RSES-SA-HD*	\$13114	DL2RSES-SS-HD*	\$14451	36 1/4 x 29 1/4 x 83 1/4	24	2560	1/3+	410

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

D1RSENHD/DL1RSES-HD	D2RSENHD/DL2RSES-HD
	

Standard Depth & Shallow Depth

Slim Line Refrigerators were designed to meet small space requirements to satisfy the needs of kitchens with limited space.

STANDARD FEATURES



Self Contained Performance-Rated Refrigeration System
(2-section standard depth models - "plug" system)
(1-section & shallow depth models - coil housing in cabinet zone)

Environmentally-Safe R-290 Refrigerant
(Standard depth models)

Environmentally-Safe R-134a Refrigerant
(Shallow depth models)

3" Non-CFC Polyurethane Foam Insulation (2" on 1RSE models)

Smooth, Polished Chrome Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(Standard depth models)

Automatic, Electric Condensate Evaporator
(Shallow depth models)

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6" Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Expansion Valve System (Standard depth models)

Rehinging of Door in the Field (1-section only)

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Wine racks

Casters

Rehinging of doors (consult factory)

Correctional facility package

Expansion valve system (standard on standard depth models)

Custom laminates

Stainless steel case back

See **Page 130** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options.



Designer line Extra-Wide Refrigerators - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior



Certified ENERGY STAR® Commercial Refrigerators (models listed with a star ☆).

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D1REN	☆ \$9683	D1RENSA	☆ \$13412	D1RENSS	☆ \$15585	28 1/2 x 35 3/8 x 83 1/4	22	1940	1/4+	340
	D1RXN	\$11337	D1RXNSA	\$14446	D1RXNSS	\$17910	36 1/4 x 35 3/8 x 83 1/4	32	2560	1/3+	440
	D2REN	☆ \$12230	D2RENSA	☆ \$16465	D2RENSS	☆ \$20163	57 x 35 3/8 x 83 1/4	52	2560	1/3+	575
	DL3RE	\$17649	DL3RE-SA	\$21672	DL3RE-SS	\$27694	85 1/2 x 35 3/8 x 83 1/4	75	4010	1/2	795
HALF DOORS	D1RENHD	☆ \$10227	D1RENSAHD	☆ \$14316	D1RENSSHD	☆ \$16471	28 1/2 x 35 3/8 x 83 1/4	22	1940	1/4+	340
	D1RXNHD	\$12149	D1RXNSAHD	\$15335	D1RXNSSHD	\$18846	36 1/4 x 35 3/8 x 83 1/4	32	2560	1/3+	440
	D2RENHD	☆ \$13044	D2RENSAHD	☆ \$17454	D2RENSSHD	☆ \$22079	57 x 35 3/8 x 83 1/4	52	2560	1/3+	575
	DL3RE-HD	\$18868	DL3RE-SA-HD	\$22574	DL3RE-SS-HD	\$28767	85 1/2 x 35 3/8 x 83 1/4	75	4010	1/2	795
FULL DOORS SHALLOW DEPTH	DL1RES*	\$9683	DL1RES-SA*	\$13412	DL1RES-SS*	\$15585	28 1/2 x 29 1/4 x 83 1/4	18	1940	1/4	340
	DL1RXS*	\$11337	DL1RXS-SA*	\$14446	DL1RXS-SS*	\$17910	36 1/4 x 29 1/4 x 83 1/4	26	2190	1/4	440
	DL2RES	\$12230	DL2RES-SA*	\$16465	DL2RES-SS*	\$20163	57 x 29 1/4 x 83 1/4	40	2560	1/3	575
HALF DOORS SHALLOW DEPTH	DL1RES-HD*	\$10227	DL1RES-SA-HD*	\$14316	DL1RES-SS-HD*	\$16471	28 1/2 x 29 1/4 x 83 1/4	18	1940	1/4	340
	DL1RXS-HD*	\$12149	DL1RXS-SA-HD*	\$15335	DL1RXS-SS-HD*	\$18846	36 1/4 x 29 1/4 x 83 1/4	26	2190	1/4	440
	DL2RES-HD	\$13044	DL2RES-SA-HD*	\$17454	DL2RES-SS-HD*	\$22079	57 x 29 1/4 x 83 1/4	40	2560	1/3	575





PASS-THRU MODELS

FULL DOORS	D1RENPT	☆ \$13746	D1RENSAPT	☆ \$17660	D1RENSSPT	☆ \$20071	28 1/2 x 38 3/4 x 83 1/4	22	1940	1/4+	370
	D1RXNPT	\$15016	D1RXNSAPT	\$19373	D1RXNSSPT	\$22688	36 1/4 x 38 3/4 x 83 1/4	32	2560	1/3+	445
	D2RENPT	☆ \$17250	D2RENSAPT	☆ \$22270	D2RENSSPT	☆ \$26058	57 x 38 3/4 x 83 1/4	52	2560	1/3+	645
	DL3RE-PT	\$23936	DL3RE-SA-PT	\$29195	DL3RE-SS-PT	\$35184	85 1/2 x 38 3/4 x 83 1/4	75	4010	1/2	865
HALF DOORS	D1RENPTH	☆ \$14488	D1RENSAPTH	☆ \$18750	D1RENSSPTH	☆ \$21168	28 1/2 x 38 3/4 x 83 1/4	22	1940	1/4+	370
	D1RXNPTH	\$15781	D1RXNSAPTH	\$20274	D1RXNSSPTH	\$23602	36 1/4 x 38 3/4 x 83 1/4	32	2560	1/3+	445
	D2RENPTH	☆ \$19143	D2RENSAPTH	☆ \$24779	D2RENSSPTH	☆ \$28796	57 x 38 3/4 x 83 1/4	52	2560	1/3+	645
	DL3RE-PT-HD	\$27314	DL3RE-SA-PT-HD	\$32590	DL3RE-SS-PT-HD	\$38924	85 1/2 x 38 3/4 x 83 1/4	75	4010	1/2	865

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

NOTE: Consult factory for Shallow Depth and Pass-Thru models.

D1RENHD/DL1RES-HD	D1RXNHD/DL1RXS-HD	D2RENHD/DL2RES-HD	DL3RE-HD
			

Reach-Ins & Pass-Thrus

Extra-Wide Refrigerators provide generous amounts of additional space.

STANDARD FEATURES



Self Contained Performance-Rated Refrigeration “Plug” System
(1-section shallow depth models - coil housing in cabinet zone)

Environmentally-Safe R-290 Refrigerant
(1- & 2-section standard depth models)

Environmentally-Safe R-134a Refrigerant
(3-section & shallow depth models)

3” Non-CFC Polyurethane Foam Insulation (2” on 1-section models)

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(except 1-section shallow depth models)

Automatic, Electric Condensate Evaporator
(1-section shallow depth models)

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Expansion Valve System (1- & 2- section standard depth models)

Rehinging of Door in the Field (1-section, full door only)
(excludes “X” models, consult factory)

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Wine racks

Universal pan slide assemblies (not available on shallow depth or “X” models)

Casters

Rehinging of doors (consult factory)

Correctional facility package

Expansion valve system (standard on 1- & 2-section standard depth models)

Custom laminates

Stainless steel case back

See **Page 130** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options.



Designer line Freezers (0°F) - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 * No cord and plug attached (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	DL1F	\$10683	DL1F-SA	\$13929	DL1F-SS	\$17289	26 x 35 3/8 x 83 1/4	21	1590	1/3	335
	DL2F	\$14579	DL2F-SA	\$18489	DL2F-SS	\$23677	52 x 35 3/8 x 83 1/4	50	2470	1/2	570
	DL3F	\$20444	DL3F-SA	\$25389	DL3F-SS	\$30953	78 x 35 3/8 x 83 1/4	72	3575	3/4*	805
HALF DOORS	DL1F-HD	\$11215	DL1F-SA-HD	\$14446	DL1F-SS-HD	\$18140	26 x 35 3/8 x 83 1/4	21	1590	1/3	335
	DL2F-HD	\$15383	DL2F-SA-HD	\$19200	DL2F-SS-HD	\$24994	52 x 35 3/8 x 83 1/4	50	2470	1/2	570
	DL3F-HD	\$21718	DL3F-SA-HD	\$27375	DL3F-SS-HD	\$32601	78 x 35 3/8 x 83 1/4	72	3575	3/4*	805
FULL DOORS SHALLOW DEPTH	DL1FS	\$10683	DL1FS-SA	\$13929	DL1FS-SS	\$17289	26 x 29 1/4 x 83 1/4	16	1590	1/3	315
	DL2FS	\$14579	DL2FS-SA	\$18489	DL2FS-SS	\$23677	52 x 29 1/4 x 83 1/4	32	2470	1/2	530
HALF DOORS SHALLOW DEPTH	DL1FS-HD	\$11215	DL1FS-SA-HD	\$14446	DL1FS-SS-HD	\$18140	26 x 29 1/4 x 83 1/4	16	1590	1/3	315
	DL2FS-HD	\$15383	DL2FS-SA-HD	\$19200	DL2FS-SS-HD	\$24994	52 x 29 1/4 x 83 1/4	32	2470	1/2	530

PASS-THRU MODELS

FULL DOORS	DL1F-PT	\$15099	DL1F-SA-PT	\$18609	DL1F-SS-PT	\$22098	26 x 38 3/4 x 83 1/4	21	1590	1/3	365
	DL2F-PT	\$21488	DL2F-SA-PT	\$25867	DL2F-SS-PT	\$31161	52 x 38 3/4 x 83 1/4	50	3575	3/4*	680
	DL3F-PT	\$29938	DL3F-SA-PT	\$35496	DL3F-SS-PT	\$41170	78 x 38 3/4 x 87 1/4	72	4325	1*	900
HALF DOORS	DL1F-PT-HD	\$15655	DL1F-SA-PT-HD	\$19120	DL1F-SS-PT-HD	\$22889	26 x 38 3/4 x 83 1/4	21	1590	1/3	365
	DL2F-PT-HD	\$22338	DL2F-SA-PT-HD	\$26594	DL2F-SS-PT-HD	\$32490	52 x 38 3/4 x 83 1/4	50	3575	3/4*	680
	DL3F-PT-HD	\$31287	DL3F-SA-PT-HD	\$36929	DL3F-SS-PT-HD	\$42848	78 x 38 3/4 x 87 1/4	72	4325	1*	900

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

DL1F-HD/DL1FS-HD	DL2F-HD/DL2FS-HD	DL3F-HD
		

Reach-Ins & Pass-Thrus

Designer Line upper side panels and refrigeration “Plug” system can be removed and reinstalled at job site. The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.

STANDARD FEATURES

Designer Line

- Self Contained Performance-Rated “Plug” Refrigeration System
- Environmentally-Safe R-404A Refrigerant
- 3” Non-CFC Polyurethane Foam Insulation
- Smooth, Polished Chrome Workflow Door Handles
- Cam-Action, Lift-Off Hinges
- Heavy Duty, Epoxy-Coated Steel Shelves
- Automatic, Hot Gas Condensate Evaporator
- Magnetic Snap-In Door Gaskets
- Cylinder Lock in Each Door
- Adjustable 6” Stainless Steel Legs
- Self-Closing Doors
- LED Interior Lighting
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Automatic Electric Defrost
- Rehinging of Door in the Field (1-section, full door only)

OPTIONS

- Chrome or stainless steel shelves
- Add'l epoxy-coated steel shelves
- Pan slide assemblies (not available on shallow depth models)
- Casters
- Rehinging of doors (consult factory)
- Correctional facility package
- Expansion valve system
- Custom laminates
- Stainless steel case back

See **Page 130** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options



Designer Line Slim Line Freezers (0°F)

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
 Extra Long, 10 ft. cord and plug attached (115-60-1 volts)

SLIM LINE REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	DL1FSE*	\$11214	DL1FSE-SA*	\$12250	DL1FSE-SS*	\$13576	17 3/4 x 35 3/8 x 83 1/4	15	1590	1/3	305
	DL2FSE	\$12630	DL2FSE-SA	\$13911	DL2FSE-SS	\$17191	36 1/4 x 35 3/8 x 83 1/4	32	1840	1/2	465
HALF DOORS	DL1FSE-HD*	\$11844	DL1FSE-SA-HD*	\$12950	DL1FSE-SS-HD*	\$14268	17 3/4 x 35 3/8 x 83 1/4	15	1590	1/3	305
	DL2FSE-HD	\$13896	DL2FSE-SA-HD	\$15311	DL2FSE-SS-HD	\$18580	36 1/4 x 35 3/8 x 83 1/4	32	1840	1/2	465

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

DL1FSE-HD	DL2FSE-HD
	

Standard Depth & Shallow Depth

Slim Line Freezers were designed to meet small space requirements to satisfy the needs of kitchens with limited space.

STANDARD FEATURES



Self Contained Performance-Rated “Plug” Refrigeration System
(except DL1FSE models)

Environmentally-Safe R-404A Refrigerant

3” Non-CFC Polyurethane Foam Insulation (2” on DL1FSE models)

Smooth, Polished Chrome Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator (DL2FSE models)

Automatic, Electric Condensate Evaporator (DL1FSE models)

Magnetic Snap-In Door Gaskets

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Automatic Electric Defrost

Rehinging of Door in the Field (1-section only)

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Casters

Rehinging of doors (2-section only)

Correctional facility package

Expansion valve system

Custom laminates

Stainless steel case back

See **Page 130** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options



Designer Line Extra-Wide Freezers (0°F) - Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug attached (115/208-230-60-1 volts)

REACH-IN MODELS





MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	DL1FE	\$11115	DL1FE-SA	\$14329	DL1FE-SS	\$17782	28 1/2 x 35 3/8 x 83 1/4	22	1590	1/3	355
	DL1FX	\$13540	DL1FX-SA	\$16851	DL1FX-SS	\$20821	36 1/4 x 35 3/8 x 83 1/4	32	1840	1/2	455
	DL2FE	\$15141	DL2FE-SA	\$19005	DL2FE-SS	\$24357	57 x 35 3/8 x 83 1/4	52	2470	1/2	610
	DL3FE	\$21240	DL3FE-SA	\$26121	DL3FE-SS	\$31832	85 1/2 x 35 3/8 x 83 1/4	75	3575	3/4§	860
HALF DOORS	DL1FE-HD	\$11655	DL1FE-SA-HD	\$14848	DL1FE-SS-HD	\$18658	28 1/2 x 35 3/8 x 83 1/4	22	1590	1/3	355
	DL1FX-HD	\$14317	DL1FX-SA-HD	\$17753	DL1FX-SS-HD	\$21723	36 1/4 x 35 3/8 x 83 1/4	32	1840	1/2	455
	DL2FE-HD	\$15987	DL2FE-SA-HD	\$19747	DL2FE-SS-HD	\$25695	57 x 35 3/8 x 83 1/4	52	2470	1/2	610
	DL3FE-HD	\$22572	DL3FE-SA-HD	\$27565	DL3FE-SS-HD	\$33529	85 1/2 x 35 3/8 x 83 1/4	75	3575	3/4§	860
FULL DOORS SHALLOW DEPTH	DL1FES*	\$11115	DL1FES-SA	\$14329	DL1FES-SS	\$17782	28 1/2 x 29 1/4 x 83 1/4	18	1590	1/3	330
	DL1FXS*	\$13540	DL1FXS-SA	\$16851	DL1FXS-SS	\$20821	36 1/4 x 29 1/4 x 83 1/4	26	1840	1/2	415
	DL2FES	\$15141	DL2FES-SA	\$19005	DL2FES-SS	\$24357	57 x 29 1/4 x 83 1/4	40	2470	1/2	570
HALF DOORS SHALLOW DEPTH	DL1FES-HD*	\$11655	DL1FES-SA-HD	\$14848	DL1FES-SS-HD	\$18658	28 1/2 x 29 1/4 x 83 1/4	18	1590	1/3	330
	DL1FXS-HD*	\$14317	DL1FXS-SA-HD	\$17753	DL1FXS-SS-HD	\$21723	36 1/4 x 29 1/4 x 83 1/4	26	1840	1/2	415
	DL2FES-HD	\$15987	DL2FES-SA-HD	\$19747	DL2FES-SS-HD	\$25695	57 x 29 1/4 x 83 1/4	40	2470	1/2	570

PASS-THRU MODELS

FULL DOORS	DL1FE-PT	\$15693	DL1FE-SA-PT	\$19135	DL1FE-SS-PT	\$22643	28 1/2 x 38 3/4 x 83 1/4	22	1590	1/3	385
	DL1FX-PT	\$18632	DL1FX-SA-PT	\$22184	DL1FX-SS-PT	\$26216	36 1/4 x 38 3/4 x 83 1/4	32	1840	1/2	460
	DL2FE-PT	\$22326	DL2FE-SA-PT	\$26594	DL2FE-SS-PT	\$32045	57 x 38 3/4 x 83 1/4	52	3575	3/4§	720
	DL3FE-PT	\$31110	DL3FE-SA-PT	\$36511	DL3FE-SS-PT	\$42336	85 1/2 x 38 3/4 x 87 1/4	75	4325	1§	960
HALF DOORS	DL1FE-PT-HD	\$16266	DL1FE-SA-PT-HD	\$19662	DL1FE-SS-PT-HD	\$23538	28 1/2 x 38 3/4 x 83 1/4	22	1590	1/3	385
	DL1FX-PT-HD	\$19443	DL1FX-SA-PT-HD	\$23108	DL1FX-SS-PT-HD	\$27139	36 1/4 x 38 3/4 x 83 1/4	32	1840	1/2	460
	DL2FE-PT-HD	\$23218	DL2FE-SA-PT-HD	\$27353	DL2FE-SS-PT-HD	\$33410	57 x 38 3/4 x 83 1/4	52	3575	3/4§	720
	DL3FE-PT-HD	\$32730	DL3FE-SA-PT-HD	\$37975	DL3FE-SS-PT-HD	\$44071	85 1/2 x 38 3/4 x 87 1/4	75	4325	1§	960

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

DL1FE-HD/DL1FES-HD	DL1FX-HD/DL1FXS-HD	DL2FE-HD/DL2FES-HD	DL3FE-HD
			

Reach-Ins & Pass-Thrus

Extra-Wide Freezers provide generous amounts of additional space.

STANDARD FEATURES


Designer Line

- Self Contained Performance-Rated “Plug” Refrigeration System
- Environmentally-Safe R-404A Refrigerant
- 3” Non-CFC Polyurethane Foam Insulation
- Smooth, Polished Chrome Workflow Door Handles
- Cam-Action, Lift-Off Hinges
- Heavy Duty, Epoxy-Coated Steel Shelves
- Automatic, Hot Gas Condensate Evaporator
- Magnetic Snap-In Door Gaskets
- Cylinder Lock in Each Door
- Adjustable 6” Stainless Steel Legs
- Self-Closing Doors
- LED Interior Lighting
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Automatic Electric Defrost
- Rehinging of Door in the Field (1-section, full door only)
(excludes “X” models, consult factory)

OPTIONS

- Chrome or stainless steel shelves
- Add'l epoxy-coated steel shelves
- Universal pan slide assemblies (not available on shallow depth or “X” models)
- Casters
- Rehinging of doors (consult factory)
- Correctional facility package
- Expansion valve system
- Custom laminates
- Stainless steel case back

See **Page 130** for Options & Accessories.
See **Page 163** for Expansion Valve & Pan Slide Options



Designer line Warmers - Standard Width & Extra-Wide

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

† No cord and plug attached (208-230/60/1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	TOTAL WATTAGE	SHIP WEIGHT
STANDARD DEPTH FULL DOORS	DL1W	\$10992	DL1W-SA	\$12044	DL1W-SS	\$13398	26 x 35 3/8 x 83 1/4	21	1500	284
	DL2W	\$14883	DL2W-SA	\$15934	DL2W-SS	\$19246	52 x 35 3/8 x 83 1/4	50	2250	433
	DL3W	\$22635	DL3W-SA	\$23683	DL3W-SS	\$25823	78 x 35 3/8 x 83 1/4	72	3000	650
STANDARD DEPTH HALF DOORS	DL1W-HD	\$11801	DL1W-SA-HD	\$12864	DL1W-SS-HD	\$14222	26 x 35 3/8 x 83 1/4	21	1500	284
	DL2W-HD	\$15844	DL2W-SA-HD	\$16890	DL2W-SS-HD	\$20198	52 x 35 3/8 x 83 1/4	50	2250	433
	DL3W-HD	\$23643	DL3W-SA-HD	\$24691	DL3W-SS-HD	\$26842	78 x 35 3/8 x 83 1/4	72	3000	650
EXTRA WIDE FULL DOORS	DL1WE	\$11482	DL1WE-SA	\$12533	DL1WE-SS	\$13979	28 1/2 x 35 3/8 x 83 1/4	22	1500	290
	DL2WE	\$15532	DL2WE-SA	\$16587	DL2WE-SS	\$20002	57 x 35 3/8 x 83 1/4	52	2250	510
	DL3WE	\$23547	DL3WE-SA	\$24598	DL3WE-SS	\$26860	85 1/2 x 35 3/8 x 83 1/4	75	3000	710
EXTRA WIDE HALF DOORS	DL1WE-HD	\$12332	DL1WE-SA-HD	\$13398	DL1WE-SS-HD	\$14829	28 1/2 x 35 3/8 x 83 1/4	22	1500	290
	DL2WE-HD	\$16518	DL2WE-SA-HD	\$17570	DL2WE-SS-HD	\$21092	57 x 35 3/8 x 83 1/4	52	2250	510
	DL3WE-HD	\$24626	DL3WE-SA-HD	\$25674	DL3WE-SS-HD	\$27921	85 1/2 x 35 3/8 x 83 1/4	75	3000	710

PASS-THRU MODELS

STANDARD DEPTH FULL DOORS	DL1W-PT	\$14263	DL1W-SA-PT	\$14600	DL1W-SS-PT	\$16624	26 x 38 3/4 x 83 1/4	21	1500	300
	DL2W-PT	\$19878	DL2W-SA-PT	\$20906	DL2W-SS-PT	\$24143	52 x 38 3/4 x 83 1/4	50	2250	570
	DL3W-PT	\$29032	DL3W-SA-PT	\$30065	DL3W-SS-PT	\$32164	78 x 38 3/4 x 83 1/4	72	3000	780
STANDARD DEPTH HALF DOORS	DL1W-PT-HD	\$15070	DL1W-SA-PT-HD	\$15369	DL1W-SS-PT-HD	\$17430	26 x 38 3/4 x 83 1/4	21	1500	300
	DL2W-PT-HD	\$22227	DL2W-SA-PT-HD	\$23257	DL2W-SS-PT-HD	\$26247	52 x 38 3/4 x 83 1/4	50	2250	570
	DL3W-PT-HD	\$32343	DL3W-SA-PT-HD	\$33374	DL3W-SS-PT-HD	\$35470	78 x 38 3/4 x 83 1/4	72	3000	780
EXTRA WIDE FULL DOORS	DL1WE-PT	\$14927	DL1WE-SA-PT	\$15249	DL1WE-SS-PT	\$17353	28 1/2 x 38 3/4 x 83 1/4	22	1500	320
	DL2WE-PT	\$20729	DL2WE-SA-PT	\$21718	DL2WE-SS-PT	\$25085	57 x 38 3/4 x 83 1/4	52	2250	590
	DL3WE-PT	\$30210	DL3WE-SA-PT	\$31134	DL3WE-SS-PT	\$33437	85 1/2 x 38 3/4 x 83 1/4	75	3000	800
EXTRA WIDE HALF DOORS	DL1WE-PT-HD	\$15776	DL1WE-SA-PT-HD	\$16064	DL1WE-SS-PT-HD	\$18200	28 1/2 x 38 3/4 x 83 1/4	22	1500	320
	DL2WE-PT-HD	\$23151	DL2WE-SA-PT-HD	\$24156	DL2WE-SS-PT-HD	\$27529	57 x 38 3/4 x 83 1/4	52	2250	590
	DL3WE-PT-HD	\$33675	DL3WE-SA-PT-HD	\$34561	DL3WE-SS-PT-HD	\$36882	85 1/2 x 38 3/4 x 83 1/4	75	3000	800

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

DL1W-HD	DL2W-HD	DL3W-HD
		

Reach-Ins & Pass-Thrus

Extra-Wide Warmers provide generous amounts of additional space.

STANDARD FEATURES

Designer Line

- Self Contained Performance-Rated Heating System
- 90°F to 180° F Temperature Range
- Unique Air Flow Distribution Ducts
- Top Mounted Heating Plenum “Plug” with Circulating Fan
- 3” Non-CFC Polyurethane Foam Insulation
- Smooth, Polished Chrome Workflow Door Handles
- Cam-Action, Lift-Off Hinges
- Heavy Duty, Chrome-Plated Steel Shelves
- Stainless Steel Strip Heaters
(located at the base of the interior)
- Magnetic Snap-In Door Gaskets
- Cylinder Lock in Each Door
- Adjustable 6” Stainless Steel Legs
- Self-Closing Doors
- Automatic Interior Lighting
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Rehinging of door in the field (1-section, full door only)

OPTIONS

- Stainless steel shelves
- Pan slide assemblies
- Casters
- Rehinging of doors (consult factory)
- Correctional facility package
- Custom laminates
- Stainless steel case back

See **Page 130** for Options & Accessories.
See **Page 163** for Pan Slide Options.



Designer-line Dual Temperature (Refrigerator/Freezer) Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
 BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
 (2) 10 ft. cords and plugs attached (115-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	DL2RF	\$23636	DL2RF-SA	\$24668	DL2RF-SS	\$27529	52 x 35 3/8 x 83 1/4	21/21	1940, 1590	1/4, 1/3	580
	DL3RRF	\$25812	DL3RRF-SA	\$26832	DL3RRF-SS	\$31612	78 x 35 3/8 x 83 1/4	50/21	2560, 1590	1/3, 1/3	825
	DL3RFF	\$36305	DL3RFF-SA	\$37335	DL3RFF-SS	\$39259	78 x 35 3/8 x 83 1/4	21/50	1940, 2470	1/4, 1/2	825
HALF DOORS	DL1RFNHD*	\$18030	DL1RFNSAHD*	\$19594	DL1RFNSSHD*	\$20874	26 x 35 3/8 x 83 1/4	11/11	1625, 1800	1/5, 1/3	420
	DL2RF-HD	\$24589	DL2RF-SA-HD	\$25604	DL2RF-SS-HD	\$28479	52 x 35 3/8 x 83 1/4	21/21	1940, 1590	1/4, 1/3	580
	DL3RRF-HD	\$26803	DL3RRF-SA-HD	\$27837	DL3RRF-SS-HD	\$32640	78 x 35 3/8 x 83 1/4	50/21	2560, 1590	1/3, 1/3	825
	DL3RFF-HD	\$37295	DL3RFF-SA-HD	\$38329	DL3RFF-SS-HD	\$40587	78 x 35 3/8 x 83 1/4	21/50	1940, 2470	1/4, 1/2	825
FULL DOORS SHALLOW DEPTH	DL2RFS*	\$23636	DL2RFS-SA*	\$24668	DL2RFS-SS*	\$27529	52 x 29 1/4 x 83 1/4	16/16	1940, 1590	1/4, 1/3	540
HALF DOORS SHALLOW DEPTH	DL1RFS-HD*	\$18030	DL1RFS-SA-HD ¹	\$19594	DL1RFS-SS-HD*	\$20874	26 x 29 1/4 x 83 1/4	8/8	1725, 1250	1/5, 1/4	400
	DL2RFS-HD*	\$24589	DL2RFS-SA-HD ¹	\$25604	DL2RFS-SS-HD*	\$28479	52 x 29 1/4 x 83 1/4	16/16	1940, 1590	1/4, 1/3	540


PASS-THRU MODELS

FULL DOORS	DL2RF-PT	\$28191	DL2RF-SA-PT	\$35285	DL2RF-SS-PT	\$41231	52 x 38 3/4 x 83 1/4	21/21	1940, 1590	1/4, 1/3	640
	DL3RRF-PT	\$31518	DL3RRF-SA-PT	\$40050	DL3RRF-SS-PT	\$46943	78 x 38 3/4 x 83 1/4	50/21	2560, 1590	1/3, 1/3	910
	DL3RFF-PT	\$34579	DL3RFF-SA-PT	\$42543	DL3RFF-SS-PT	\$50295	78 x 38 3/4 x 83 1/4	21/50	1940, 2470	1/4, 1/2	910
HALF DOORS	DL2RF-PT-HD	\$29456	DL2RF-SA-PT-HD	\$36827	DL2RF-SS-PT-HD	\$43070	52 x 38 3/4 x 83 1/4	21/21	1940, 1590	1/4, 1/3	640
	DL3RRF-PT-HD	\$33707	DL3RRF-SA-PT-HD	\$42978	DL3RRF-SS-PT-HD	\$50343	78 x 38 3/4 x 83 1/4	50/21	2560, 1590	1/3, 1/3	910
	DL3RFF-PT-HD	\$36140	DL3RFF-SA-PT-HD	\$44300	DL3RFF-SS-PT-HD	\$52671	78 x 38 3/4 x 83 1/4	21/50	1940, 2470	1/4, 1/2	910

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

NOTE: Consult factory for Glass Door models.

DL1RFNHD	DL2RF-HD	DL3RRF-HD/DL3RFF-HD
		

Reach-Ins & Pass-Thrus

Dual Temperature models have separate, performance-rated refrigeration systems in refrigerator/freezer compartments. The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity (except DL1RF models).

STANDARD FEATURES



Separate, Self Contained Performance-Rated Refrigeration “Plug” System
(DL1RF & 2-section shallow depth models - coil housing in cabinet zone)

Environmentally-Safe R-290 Refrigerant (DL1RFNHD model only)

Environmentally-Safe R-134a Refrigerant (Refrigerators)

Environmentally-Safe R-404A Refrigerant (Freezers)

3” Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(except DL1RFS-HD model)

Automatic, Electric Condensate Evaporator
(DL1RFS-HD model only)

Magnetic Snap-In Door Gaskets

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controllers w/Digital Display & Hi-Low Alarm

Automatic Electric Defrost (Freezer Section)

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Pan slide assemblies (not available on shallow depth models)

Casters

Rehinging of doors (consult factory)

Correctional facility package

Expansion valve system (except D1RFNHD models)

Custom laminates

Stainless steel case back

Wine racks (refrigerator section only)

See **Page 130** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options.



Designer-line Dual Temperature (Refrigerator/Warmer)

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
 Refrigerator: 10 ft. cord and plug attached (115-60-1 volts)
 § Warmer: No cord and plug attached (208-230/60/1 volts)

REACH-IN MODEL

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	REFRIG.CAP. BTU/HR, HEATER WATTS	H.P.	SHIP WEIGHT
FULL DOORS	DL2RW	\$20459	DL2RW-SA	\$24953	DL2RW-SS	\$28397	52 x 35 3/8 x 83 1/4	21/21	1940, 2250	1/4, -§	580
HALF DOORS	DL2RW-HD	\$21797	DL2RW-SA-HD	\$26194	DL2RW-SS-HD	\$30078	52 x 35 3/8 x 83 1/4	21/21	1940, 2250	1/4, -§	580

PASS-THRU MODELS

FULL DOORS	DL2RW-PT	\$27354	DL2RW-SA-PT	\$31274	DL2RW-SS-PT	\$35755	52 x 38 3/4 x 83 1/4	21/21	1940, 2250	1/4, -§	595
HALF DOORS	DL2RW-PT-HD	\$28872	DL2RW-SA-PT-HD	\$33072	DL2RW-SS-PT-HD	\$37607	52 x 38 3/4 x 83 1/4	21/21	1940, 2250	1/4, -§	595

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

DL2RW-HD	DL2RW-PT-HD
	

Reach-Ins & Pass-Thrus

Dual Temperature models have separate, performance-rated refrigeration/heating systems in refrigerator/heating compartments. Refrigeration/heating system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.

STANDARD FEATURES

Designer-line

Unique Air Flow Distribution Ducts
 3" Non-CFC Polyurethane Foam Insulation
 Smooth, Polished Chrome Workflow Door Handles
 Cam-Action, Lift-Off Hinges
 Automatic, Hot Gas Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 Adjustable 6" Stainless Steel Legs
 Self-Closing Doors
 Automatic Interior Lighting
 Electronic Controllers w/Digital Display & Hi-Low Alarm

REFRIGERATOR SECTION FEATURES

Separate, Self Contained Performance-Rated "Plug" Refrigeration System
 Environmentally-Safe R-134a Refrigerant
 Heavy Duty, Epoxy-Coated Steel Shelves

WARMER SECTION FEATURES

Separate, Self Contained Performance-Rated Heating System
 90°F to 180°F Temperature Range
 Heavy Duty, Chrome-Plated Steel Shelves
 Top Mounted Heating Plenum "Plug" with Circulating Fans
 Stainless Steel Strip Heaters (located at the base of the interior)

OPTIONS

Chrome or stainless steel shelves
 Additional shelves
 Pan slide assemblies
 Casters
 Rehinging of doors (consult factory)
 Correctional facility package
 Expansion valve system (Refrigerator section only)
 Custom laminates
 Stainless steel case back

See **Page 130** for Options & Accessories.
 See **Page 163** for Expansion Valve & Pan Slide Options.



Designer-line Extra-Wide Dual Temperature (Refrigerator/Freezer) Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
 BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
 (2) 10 ft. cords and plugs attached (115-60-1 volts)

REACH-IN MODELS





MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	DL2RFE	\$24678	DL2RFE-SA	\$25707	DL2RFE-SS	\$28583	57 x 35 3/8 x 83 1/4	22/22	1940, 1590	1/4, 1/3	620
	DL3RRFE	\$27376	DL3RRFE-SA	\$28394	DL3RRFE-SS	\$33193	85 1/2 x 35 3/8 x 83 1/4	52/22	2560, 1590	1/3, 1/3	885
	DL3RFFE	\$37869	DL3RFFE-SA	\$38902	DL3RFFE-SS	\$40841	85 1/2 x 35 3/8 x 83 1/4	22/52	1940, 2470	1/4, 1/2	885
HALF DOORS	D1RFENHD*	\$18812	D1RFENSAHD*	\$20376	D1RFENSSHHD*	\$21400	28 1/2 x 35 3/8 x 83 1/4	11/11	1625, 1800	1/5, 1/3	435
	DL1RFX-HD	\$21251	DL1RFX-SA-HD	\$22292	DL1RFX-SS-HD	\$24087	36 1/4 x 35 3/8 x 83 1/4	16/16	1725, 1250	1/4, 1/3	555
	DL2RFE-HD	\$25634	DL2RFE-SA-HD	\$26641	DL2RFE-SS-HD	\$29534	57 x 35 3/8 x 83 1/4	22/22	1940, 1590	1/4, 1/3	620
	DL3RRFE-HD	\$28369	DL3RRFE-SA-HD	\$29399	DL3RRFE-SS-HD	\$34222	85 1/2 x 35 3/8 x 83 1/4	52/22	2560, 1590	1/3, 1/3	885
	DL3RFFE-HD	\$38862	DL3RFFE-SA-HD	\$39893	DL3RFFE-SS-HD	\$42166	85 1/2 x 35 3/8 x 83 1/4	22/52	1940, 2470	1/4, 1/2	885
FULL DOORS SHALLOW DEPTH	DL2RFES	\$24678	DL2RFES-SA	\$25707	DL2RFES-SS	\$28583	57 x 29 1/4 x 83 1/4	18/18	1940, 1590	1/4, 1/3	580
	DL3RRFES	\$27376	DL3RRFES-SA	\$28394	DL3RRFES-SS	\$33193	85 1/2 x 29 1/4 x 83 1/4	40/18	2560, 1590	1/3, 1/3	885
	DL3RFFES	\$37869	DL3RFFES-SA	\$38902	DL3RFFES-SS	\$40841	85 1/2 x 29 1/4 x 83 1/4	18/40	1940, 2470	1/4, 1/2	885
HALF DOORS SHALLOW DEPTH	DL1RFES-HD*	\$18812	DL1RFES-SA-HD*	\$20376	DL1RFES-SS-HD*	\$21400	28 1/2 x 29 1/4 x 83 1/4	9/9	1725, 1250	1/5, 1/4	415
	DL1RFXS-HD	\$21251	DL1RFXS-SA-HD	\$22292	DL1RFXS-SS-HD	\$24087	36 1/4 x 29 1/4 x 83 1/4	13/13	1725, 1250	1/4, 1/3	515
	DL2RFES-HD	\$25634	DL2RFES-SA-HD	\$26641	DL2RFES-SS-HD	\$29534	57 x 29 1/4 x 83 1/4	22/22	1940, 1590	1/4, 1/3	580
	DL3RRFES-HD	\$28369	DL3RRFES-SA-HD	\$29399	DL3RRFES-SS-HD	\$34222	85 1/2 x 29 1/4 x 83 1/4	52/22	2560, 1590	1/3, 1/3	885
	DL3RFFES-HD	\$38862	DL3RFFES-SA-HD	\$39893	DL3RFFES-SS-HD	\$42166	85 1/2 x 29 1/4 x 83 1/4	22/52	1940, 2470	1/4, 1/2	885

PASS-THRU MODELS

FULL DOORS	DL2RFE-PT	\$29436	DL2RFE-SA-PT	\$36794	DL2RFE-SS-PT	\$42715	57 x 38 3/4 x 83 1/4	22/22	1940, 1590	1/4, 1/3	680
	DL3RRFE-PT	\$32943	DL3RRFE-SA-PT	\$41403	DL3RRFE-SS-PT	\$48700	85 1/2 x 38 3/4 x 83 1/4	52/22	2560, 1590	1/3, 1/3	970
	DL3RFFE-PT	\$36071	DL3RFFE-SA-PT	\$44253	DL3RFFE-SS-PT	\$52115	85 1/2 x 38 3/4 x 83 1/4	22/52	1940, 2470	1/4, 1/2	970
HALF DOORS	DL2RFE-PT-HD	\$30755	DL2RFE-SA-PT-HD	\$38413	DL2RFE-SS-PT-HD	\$44707	57 x 38 3/4 x 83 1/4	22/22	1940, 1590	1/4, 1/3	680
	DL3RRFE-PT-HD	\$35411	DL3RRFE-SA-PT-HD	\$44441	DL3RRFE-SS-PT-HD	\$52335	85 1/2 x 38 3/4 x 83 1/4	52/22	2560, 1590	1/3, 1/3	970
	DL3RFFE-PT-HD	\$37706	DL3RFFE-SA-PT-HD	\$46106	DL3RFFE-SS-PT-HD	\$54579	85 1/2 x 38 3/4 x 83 1/4	22/52	1940, 2470	1/4, 1/2	970

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

D1RFENHD/DL1RFES-HD	DL1RFX-HD/DL1RFXS-HD	DL2RFE-HD/DL2RFES-HD	DL3RFE-HD/DL3RRFES-HD
			

Reach-Ins & Pass-Thrus

Dual Temperature models have separate, performance-rated refrigeration systems in refrigerator/freezer compartments. Refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity (except DL1RFE models).

STANDARD FEATURES



Separate, Self Contained Performance-Rated Refrigeration “Plug” System
(DL1RFE models - coil housing in cabinet zone)

Environmentally-Safe R-290 Refrigerant (DL1RFENHD models only)

Environmentally-Safe R-134a Refrigerant (Refrigerators)

Environmentally-Safe R-404A Refrigerant (Freezers)

3” Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(except DL1RFES-HD models)

Automatic, Electric Condensate Evaporator
(DL1RFES-HD models only)

Magnetic Snap-In Door Gaskets

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controllers w/Digital Display & Hi-Low Alarm

Automatic Electric Defrost (Freezer Section)

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Universal pan slide assemblies (not available on Shallow Depth or “X” models)

Casters

Rehinging of doors (consult factory)

Correctional facility package

Expansion valve system (except D1RFENHD models)

Custom laminates

Stainless steel case back

Wine racks (refrigerator section only)

See **Page 130** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options.



Designer line

Extra-Wide Dual Temperature (Refrigerator/Warmer)

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
 Refrigerator: 10 ft. cord and plug attached (115-60-1 volts)
 § Warmer: No cord and plug attached (208-230/60/1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	REFRIG.CAP. BTU/HR, HEATER WATTS	H.P.	SHIP WEIGHT
FULL DOORS	DL2RWE	\$21166	DL2RWE-SA	\$25946	DL2RWE-SS	\$29566	57 x 35 3/8 x 83 1/4	22/22	1940, 2250	1/4, -§	580
HALF DOORS	DL2RWE-HD	\$22556	DL2RWE-SA-HD	\$27715	DL2RWE-SS-HD	\$31301	57 x 35 3/8 x 83 1/4	22/22	1940, 2250	1/4, -§	580

PASS-THRU MODELS

FULL DOORS	DL2RWE-PT	\$28671	DL2RWE-SA-PT	\$32909	DL2RWE-SS-PT	\$37424	57 x 38 3/4 x 83 1/4	22/22	1940, 2250	1/4, -§	595
HALF DOORS	DL2RWE-PT-HD	\$30264	DL2RWE-SA-PT-HD	\$34816	DL2RWE-SS-PT-HD	\$39364	57 x 38 3/4 x 83 1/4	22/22	1940, 2250	1/4, -§	595

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

DL2RWE-HD	DL2RWE-PT-HD
	

Reach-Ins & Pass-Thrus

Dual Temperature models have separate, performance-rated refrigeration/heating systems in refrigerator/heating compartments. Refrigeration/heating system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.

STANDARD FEATURES

Designer-line

Unique Air Flow Distribution Ducts
 3" Non-CFC Polyurethane Foam Insulation
 Smooth, Polished Chrome Workflow Door Handles
 Cam-Action, Lift-Off Hinges
 Automatic, Hot Gas Condensate Evaporator
 Magnetic Snap-In Door Gasket
 Cylinder Lock in Each Door
 Adjustable 6" Stainless Steel Legs
 Self-Closing Doors
 Automatic Interior Lighting
 Electronic Controllers w/Digital Display & Hi-Low Alarm

REFRIGERATOR SECTION FEATURES

Separate, Self Contained Performance-Rated "Plug" Refrigeration System
 Environmentally-Safe R-134a Refrigerant
 Heavy Duty, Epoxy-Coated Steel Shelves

WARMER SECTION FEATURES

Separate, Self Contained Performance-Rated Heating System
 90°F to 180°F Temperature Range
 Heavy Duty, Chrome-Plated Steel Shelves
 Top Mounted Heating Plenum "Plug" with Circulating Fans
 Stainless Steel Strip Heaters (located at the base of the interior)

OPTIONS

Chrome or stainless steel shelves
 Additional shelves
 Universal pan slide assemblies
 Casters
 Rehinging of doors (consult factory)
 Correctional facility package
 Expansion valve system (Refrigerator section only)
 Custom laminates
 Stainless steel case back

See **Page 130** for Options & Accessories.
 See **Page 163** for Expansion Valve & Pan Slide Options.



Designer-line

Display Refrigerators w/ Hinged Glass Doors

Standard Depth & Shallow Depth

Cabinet Construction:

Standard Models: Stainless Steel Front, Aluminum End Panels and Interior

SA Models: Stainless Steel Exterior, Aluminum Interior

SS Models: Stainless Steel Exterior and Interior

REACH-IN MODELS

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)
* No cord and plug attached (115/208-230-60-1 volts)

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D1RNGD	\$10590	D1RNSAGD	\$14678	D1RNSSGD	\$16650	26 x 35 3/8 x 83 1/4	21	1940	1/4+	325
	D2RNGD	\$16708	D2RNSAGD	\$21460	D2RNSSGD	\$25089	52 x 35 3/8 x 83 1/4	50	2560	1/3+	545
	DL3R-GD	\$22980	DL3R-SA-GD	\$27923	DL3R-SS-GD	\$33521	78 x 35 3/8 x 86 3/4	72	5930	1 ^s	755
HALF DOORS	D1RNGDHD	\$11868	D1RNSAGDHD	\$15951	D1RNSSGDHD	\$18351	26 x 35 3/8 x 83 1/4	21	1940	1/4+	325
	D2RNGDHD	\$18991	D2RNSAGDHD	\$24316	D2RNSSGDHD	\$28157	52 x 35 3/8 x 83 1/4	50	2560	1/3+	545
	DL3R-GD-HD	\$27430	DL3R-SA-GD-HD	\$32600	DL3R-SS-GD-HD	\$38176	78 x 35 3/8 x 86 3/4	72	5930	1 ^s	755
FULL DOORS SHALLOW DEPTH	DL1RS-GD*	\$10590	DL1RS-SA-GD*	\$14678	DL1RS-SS-GD*	\$16650	26 x 29 1/4 x 83 1/4	16	2560	1/3	305
	DL2RS-GD*	\$16708	DL2RS-SA-GD*	\$21460	DL2RS-SS-GD*	\$25089	52 x 29 1/4 x 83 1/4	34	4010	1/2	535
HALF DOORS SHALLOW DEPTH	DL1RS-GD-HD*	\$11868	DL1RS-SA-GD-HD*	\$11868	DL1RS-SS-GD-HD*	\$18351	26 x 29 1/4 x 83 1/4	16	2560	1/3	305
	DL2RS-GD-HD*	\$18991	DL2RS-SA-GD-HD*	\$24316	DL2RS-SS-GD-HD*	\$28157	52 x 29 1/4 x 83 1/4	34	4010	1/2	535

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

NOTE: Consult factory for Pass-Thru models.

D1RNGDHD	DL1RS-GD-HD	D2RNGDHD/DL2RS-GD-HD	DL3R-GD-HD
			

Reach-Ins

Designer Line upper side panels and refrigeration “Plug” system can be removed and reinstalled at job site. The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity (except DL1RS models).

STANDARD FEATURES

Designer Line

Self-Contained, Performance-Rated “Plug” Refrigeration System
(Shallow depth models - coil housing in cabinet zone)

Environmentally-Safe R-290 Refrigerant
(1- & 2-section standard depth models)

Environmentally-Safe R-134a Refrigerant
(3-section & shallow depth models)

3” Non-CFC Polyurethane Foam Insulation

Chrome-Plated Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(except shallow depth models)

Automatic, Electric Condensate Evaporator
(Shallow depth models only)

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Triple-Pane, Tempered Hinged Glass Doors

Expansion Valve System (except R-134a models)

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Wine racks

Pan slide assemblies (not available on shallow depth models)

Casters


Rehinging of doors (consult factory)

Expansion valve system (standard on R-290 models)

Stainless steel case back

See **Page 130** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options.



Designer-line Extra-Wide Display Refrigerators w/ Hinged Glass Doors Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug attached (115/208-230-60-1 volts)


REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	D1RENGD	\$11041	D1RENSAGD	\$15190	D1RENSSGD	\$17239	28 1/2 x 35 3/8 x 83 1/4	22	2560	1/4+	345
	D1RXNGD	\$13566	D1RXNSAGD	\$17535	D1RXNSSGD	\$20859	36 1/4 x 35 3/8 x 83 1/4	32	2810	1/3+	450
	D2RENGD	\$17302	D2RENSAGD	\$22094	D2RENSSGD	\$25629	57 x 35 3/8 x 83 1/4	52	4010	1/3+	585
	DL3RE-GD	\$24153	DL3RE-SA-GD	\$28753	DL3RE-SS-GD	\$34568	85 1/2 x 35 3/8 x 86 3/4	75	5930	1§	810
HALF DOORS	D1RENGDHD	\$12349	DRENSAGDHD	\$16946	D1RENSSGDHD	\$18967	28 1/2 x 35 3/8 x 83 1/4	22	2560	1/4+	345
	D1RXNGDHD	\$15600	D1RXNSAGDHD	\$19810	D1RXNSSGDHD	\$23133	36 1/4 x 35 3/8 x 83 1/4	32	2810	1/3+	450
	D2RENGDHD	\$19612	D2RENSAGDHD	\$24975	D2RENSSGDHD	\$29437	57 x 35 3/8 x 83 1/4	52	4010	1/3+	585
	DL3RE-GD-HD	\$28688	DL3RE-SA-GD-HD	\$33444	DL3RE-SS-GD-HD	\$39265	85 1/2 x 35 3/8 x 86 3/4	75	5930	1§	810
FULL DOORS SHALLOW DEPTH	DL1RES-GD*	\$11041	DL1RES-SA-GD*	\$15190	DL1RES-SS-GD*	\$17239	28 1/2 x 29 1/4 x 83 1/4	18	2560	1/3	325
	DL1RXS-GD*	\$13566	DL1RXS-SA-GD*	\$17535	DL1RXS-SS-GD*	\$20859	36 1/4 x 29 1/4 x 83 1/4	26	2810	1/3	410
	DL2RES-GD*	\$17302	DL2RES-SA-GD*	\$22094	DL2RES-SS-GD*	\$25629	57 x 29 1/4 x 83 1/4	40	4010	1/2	545
HALF DOORS SHALLOW DEPTH	DL1RES-GD-HD*	\$12349	DL1RES-SA-GD-HD*	\$16946	DL1RES-SS-GD-HD*	\$18967	28 1/2 x 29 1/4 x 83 1/4	18	2560	1/3	325
	DL1RXS-GD-HD*	\$15600	DL1RXS-SA-GD-HD*	\$19810	DL1RXS-SS-GD-HD*	\$23133	36 1/4 x 29 1/4 x 83 1/4	26	2810	1/3	410
	DL2RES-GD-HD*	\$19612	DL2RES-SA-GD-HD*	\$24975	DL2RES-SS-GD-HD*	\$29437	57 x 29 1/4 x 83 1/4	40	4010	1/2	545

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

NOTE: Consult factory for Pass-Thru models.



Reach-Ins

Designer Line upper side panels and refrigeration “Plug” system can be removed and reinstalled at job site. The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity (except DL1RES models).

STANDARD FEATURES

Designer Line

Self-Contained, Performance-Rated “Plug” Refrigeration System
(Shallow depth models - coil housing in cabinet zone)

Environmentally-Safe R-290 Refrigerant
(1- & 2-section standard depth models)

Environmentally-Safe R-134a Refrigerant
(3-section & shallow depth models)

3” Non-CFC Polyurethane Foam Insulation

Chrome-Plated Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(except shallow depth models)

Automatic, Electric Condensate Evaporator
(Shallow depth models only)

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Triple-Pane, Tempered Hinged Glass Doors

Expansion Valve System (except DL1RES & DL1RXS models)

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Wine racks

Universal pan slide assemblies (not available on shallow depth or “X” models)

Casters

Rehinging of doors (consult factory)

Expansion valve system (DL1RES & DL1RXS models)

Stainless steel case back

See **Page 130** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options.



Designer-line

Display Refrigerators w/ Sliding Glass Doors

Standard Depth & Shallow Depth

Cabinet Construction:

Standard Models: Stainless Steel Front, Aluminum End Panels and Interior

SA Models: Stainless Steel Exterior, Aluminum Interior

SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

STANDARD REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	DL2R-SGD	\$17460	DL2R-SA-SGD	\$19642	DL2R-SS-SGD	\$21453	52 x 34 x 83 1/4	50	4010	1/2	545
HALF DOORS	DL2R-SGD-HD	\$19552	DL2R-SA-SGD-HD	\$21885	DL2R-SS-SGD-HD	\$23690	52 x 34 x 83 1/4	50	4010	1/2	545
FULL DOORS SHALLOW DEPTH	DL2RS-SGD*	\$17460	DL2RS-SA-SGD*	\$19642	DL2RS-SS-SGD*	\$21453	52 x 27 7/8 x 83 1/4	32	4010	1/2	505
HALF DOORS SHALLOW DEPTH	DL2RS-SGD-HD*	\$19552	DL2RS-SA-SGD-HD*	\$21885	DL2RS-SS-SGD-HD*	\$23690	52 x 27 7/8 x 83 1/4	32	4010	1/2	505

EXTRA-WIDE REACH-IN MODELS

FULL DOORS	DL2RE-SGD	\$19499	DL2RE-SA-SGD	\$20636	DL2RE-SS-SGD	\$25083	57 x 34 x 83 1/4	52	4010	1/2	585
HALF DOORS	DL2RE-SGD-HD	\$22187	DL2RE-SA-SGD-HD	\$23154	DL2RE-SS-SGD-HD	\$29289	57 x 34 x 83 1/4	52	4010	1/2	585
FULL DOORS SHALLOW DEPTH	DL2RES-SGD*	\$19499	DL2RES-SA-SGD*	\$20636	DL2RES-SS-SGD*	\$25083	57 x 27 7/8 x 83 1/4	40	4010	1/2	545
HALF DOORS SHALLOW DEPTH	DL2RES-SGD-HD*	\$22187	DL2RES-SA-SGD-HD*	\$23154	DL2RES-SS-SGD-HD*	\$29289	57 x 27 7/8 x 83 1/4	40	4011	1/2	545

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

DL2RE-SGD/DL2RES-SGD	DL2RE-SGD-HD/DL2RES-SGD-HD
	

Standard & Extra-Wide Reach-Ins

*Designer Line upper side panels and refrigeration “Plug” system can be removed and reinstalled at job site.
The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.*

STANDARD FEATURES

Designer Line

Self-Contained, Performance-Rated “Plug” Refrigeration System
(Shallow depth models - coil housing in cabinet zone)

Environmentally-Safe R-134a Refrigerant

3” Non-CFC Polyurethane Foam Insulation

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(Except shallow depth models)

Automatic, Electric Condensate Evaporator
(Shallow depth models only)

Expansion Valve System

Magnetic Snap-In Door Gasket

Door Lock

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Double-Pane, Low-E, Tempered Sliding Glass Doors

High Efficiency Black PVC Frame

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Wine racks

Pan slide assemblies (not available on shallow depth models)

Casters

Stainless steel case back

See **Page 130** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options.



Designer-line Display Freezers (0°F) w/ Hinged Glass Doors Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

REACH-IN MODELS

BTU/HR Rating @ -15°F, 90°F Ambient
 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug attached (115/208-230-60-1 volts)

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	DL1F-GD*	\$15560	DL1F-SA-GD*	\$18295	DL1F-SS-GD*	\$20850	26 x 35 3/8 x 83 1/4	20	2470	1/2	340
	DL2F-GD	\$23713	DL2F-SA-GD	\$25349	DL2F-SS-GD	\$28955	52 x 35 3/8 x 88 1/4	50	4325	1 [§]	580
	DL3F-GD	\$31712	DL3F-SA-GD	\$35751	DL3F-SS-GD	\$41911	78 x 35 3/8 x 88 1/4	72	6050	1 1/2 [§]	820
HALF DOORS	DL1F-GD-HD*	\$17411	DL1F-SA-GD-HD*	\$19456	DL1F-SS-GD-HD*	\$21830	26 x 35 3/8 x 83 1/4	20	2470	1/2	340
	DL2F-GD-HD	\$26395	DL2F-SA-GD-HD	\$28004	DL2F-SS-GD-HD	\$31099	52 x 35 3/8 x 88 1/4	50	4325	1 [§]	580
	DL3F-GD-HD	\$36525	DL3F-SA-GD-HD	\$39116	DL3F-SS-GD-HD	\$45809	78 x 35 3/8 x 88 1/4	72	6050	1 1/2 [§]	820
FULL DOORS SHALLOW DEPTH	DL1FS-GD*	\$15560	DL1FS-SA-GD*	\$18295	DL1FS-SS-GD*	\$20850	26 x 29 1/4 x 83 1/4	16	2470	1/2	320
	DL2FS-GD*	\$23713	DL2FS-SA-GD*	\$25349	DL2FS-SS-GD*	\$28955	52 x 29 1/4 x 88 1/4	32	4325	1 [§]	540
HALF DOORS SHALLOW DEPTH	DL1FS-GD-HD*	\$17411	DL1FS-SA-GD-HD*	\$19456	DL1FS-SS-GD-HD*	\$21830	26 x 29 1/4 x 83 1/4	16	2470	1/2	320
	DL2FS-GD-HD*	\$26395	DL2FS-SA-GD-HD*	\$28004	DL2FS-SS-GD-HD*	\$31099	52 x 29 1/4 x 88 1/4	32	4325	1 [§]	540

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

NOTE: Consult factory for Pass-Thru models.

DL1F-GD-HD/DL1FS-GD-HD	DL2F-GD-HD/DL2FS-GD-HD	DL3F-GD-HD
		

Reach-Ins

Continental Refrigerator has one of the most diversified commercial Reach-In product lines in the industry with modern state-of-the-art styling and standard features not found on other units.

STANDARD FEATURES



Self-Contained, Performance-Rated “Plug” Refrigeration System
(1-section & shallow depth models - coil housing in cabinet zone)

Environmentally-Safe R-404A Refrigerant

3” Non-CFC Polyurethane Foam Insulation

Chrome-Plated Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(except 1-section & shallow depth models)

Automatic, Electric Condensate Evaporator
(1-section & shallow depth models only)

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Triple-Pane, Tempered Hinged Glass Doors

Automatic Electric Defrost

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Pan slide assemblies (not vavailable on shallow depth models)

Casters

Rehinging of doors (consult factory)

Expansion valve system

Stainless steel case back

See **Page 130** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options.



Designer Line **Extra-Wide Display Freezers (0°F) w/ Hinged Glass Doors**
Standard Depth & Shallow Depth

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
Extra Long, 10 ft. cord and plug attached (115-60-1 volts)
§ No plug attached (115/208-230-60-1 volts)

REACH-IN MODELS

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
FULL DOORS	DL1FE-GD*	\$17114	DL1FE-SA-GD*	\$18535	DL1FE-SS-GD*	\$22331	28 1/2 x 35 3/8 x 83 1/4	21	2470	1/2	355
	DL1FX-GD	\$17219	DL1FX-SA-GD	\$19681	DL1FX-SS-GD	\$23390	36 1/4 x 35 3/8 x 88 1/4	32	2720	3/4§	465
	DL2FE-GD	\$24066	DL2FE-SA-GD	\$27644	DL2FE-SS-GD	\$32682	57 x 35 3/8 x 88 1/4	52	4325	1§	620
	DL3FE-GD	\$32236	DL3FE-SA-GD	\$36690	DL3FE-SS-GD	\$41998	85 1/2 x 35 3/8 x 88 1/4	75	6050	2§	870
HALF DOORS	DL1FE-GD-HD*	\$19148	DL1FE-SA-GD-HD*	\$19515	DL1FE-SS-GD-HD*	\$24812	28 1/2 x 35 3/8 x 83 1/4	21	2470	1/2	355
	DL1FX-GD-HD	\$19415	DL1FX-SA-GD-HD	\$21729	DL1FX-SS-GD-HD	\$25633	36 1/4 x 35 3/8 x 88 1/4	32	2720	3/4§	465
	DL2FE-GD-HD	\$27023	DL2FE-SA-GD-HD	\$30509	DL2FE-SS-GD-HD	\$34619	57 x 35 3/8 x 88 1/4	52	4325	1§	620
	DL3FE-GD-HD	\$37058	DL3FE-SA-GD-HD	\$41650	DL3FE-SS-GD-HD	\$46720	85 1/2 x 35 3/8 x 88 1/4	75	6050	2§	870
FULL DOORS SHALLOW DEPTH	DL1FES-GD*	\$17114	DL1FES-SA-GD*	\$18535	DL1FES-SS-GD*	\$22331	28 1/2 x 29 1/4 x 83 1/4	18	2470	1/2	335
HALF DOORS SHALLOW DEPTH	DL1FES-GD-HD*	\$19148	DL1FES-SA-GD-HD*	\$19515	DL1FES-SS-GD-HD*	\$24812	28 1/2 x 29 1/4 x 83 1/4	18	2470	1/2	335

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

*Coil housing in cabinet zone, refer to Standard Features on next page.

DL1FE-GD-HD/DL1FES-GD-HD	DL1FX-GD-HD	DL2FE-GD-HD	DL3FE-GD-HD
			

Reach-Ins

Continental Refrigerator has one of the most diversified commercial Reach-In product lines in the industry with modern state-of-the-art styling and standard features not found on other units.

STANDARD FEATURES

Designer Line

Self-Contained, Performance-Rated “Plug” Refrigeration System
(1-section FE models - coil housing in cabinet zone)

Environmentally-Safe R-404A Refrigerant

3” Non-CFC Polyurethane Foam Insulation

Chrome-Plated Handles

Cam-Action, Lift-Off Hinges

Heavy Duty, Epoxy-Coated Steel Shelves

Automatic, Hot Gas Condensate Evaporator
(except 1-section FE models)

Automatic, Electric Condensate Evaporator
(1-section FE models only)

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Adjustable 6” Stainless Steel Legs

Self-Closing Doors

LED Interior Lighting

Electronic Controller w/Digital Display & Hi-Low Alarm

Triple-Pane, Tempered Hinged Glass Doors

Automatic Electric Defrost

OPTIONS

Chrome or stainless steel shelves

Add'l epoxy-coated steel shelves

Universal pan slide assemblies (not available on Shallow Depth or “X” models)

Casters

Rehinging of doors (consult factory)

Expansion valve system

Stainless steel case back

See **Page 130** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Plated Steel, Epoxy-Coated Shelf with Clips	\$109
	-	Chrome-Plated Wire with Clips	\$109
	-	Stainless Steel Shelf with Clips	\$316
	-	Rehinging of Doors	N/C
	-	Wine Rack (holds 10 - 3" diameter bottles per shelf)	\$169
	-	Heavy-Duty Pilaster Strips (per section)	STD
	-	Heavy-Duty Shelves (per shelf)	\$169
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/ Brakes (One/Two sections) Set of 6 Swivel Casters w/ Brakes (Three sections)	\$355 \$583
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/ Brakes (One/Two Sections) Set of 6 Swivel Casters w/ Brakes (Three Sections)	\$444 \$670
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/ Brakes (One/Two Sections) Set of 6 Swivel Casters w/ Brakes (Three Sections)	\$299 \$443
6" H	50203	Set of 4 Stainless Steel Legs (One/Two Sections) Set of 6 Stainless Steel Legs (Three Sections)	\$192 \$282
6" H	50184	Set of 4 Stainless Steel Legs Flanged Feet (One/Two Sections) Set of 6 Stainless Steel Legs Flanged Feet (Three Sections)	\$465 \$699
6" H	50202	Set of 4 Black Legs (One/Two Sections) Set of 6 Black Legs (Three Sections)	\$126 \$192
4" H	50206	Set of 4 Black Legs (One/Two Sections) Set of 6 Black Legs (Three Sections)	\$158 \$235
1 SECTION	-	Reach-In Stainless Steel Case Back (including rear grill and concealed drain line)	\$835
2 SECTION	-	Reach-In Stainless Steel Case Back (including rear grill and concealed drain line)	\$1670
3 SECTION	-	Reach-In Stainless Steel Case Back (including rear grill and concealed drain line)	\$2505

CORRECTIONAL FACILITY OPTIONS

REACH-INS / PASS-THRUS

1 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$140 / \$259 \$431 / \$835 \$335 / \$335
2 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$299 / \$444 \$431 / \$835 \$638 / \$638
3 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$393 / \$583 \$835 / \$1670 \$962 / \$962
1, 2 & 3 SECTIONS	-	Coverless Hinges	N/C




Security screws



Coverless hinges



Locking hasp
(lock not included)



Stainless Steel
Mesh Security Cover

Designer Line Roll-Ins & Roll-Thrus

Standard Height & Extra-High Refrigerators, Freezers & Warmers

Designer Line Roll-Ins & Roll-Thrus are uniquely equipped with both top and side air distribution ducts which allows for constant, uniform temperature throughout the cabinet and across all pan levels.

In This Section

- 132** Refrigerators
- 134** Freezers
- 136** Warmers
- 138** Options & Accessories



DL2RI-RT
shown w/ Standard Features and FLEXIBLE Options



Designer Line Roll-In & Roll-Thru Refrigerators

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ +25°F, 90°F Ambient
 Extra Long, 10 ft. cord and plug attached (115-60-1 volts)
 § No cord and plug attached (115/208-230-60-1 volts)

STANDARD HEIGHT ROLL-IN MODELS (Door Opening 27 3/8 W x 66 1/2" H)¹

MODEL TYPE	STD MODEL	STD LIST PRICE	"SA" MODEL	"SA" LIST PRICE	"SS" MODEL	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
66" RACK CAPACITY	D1RIN	\$11558	D1RINSA	\$12070	D1RINSS	\$14473	35 1/4 x 35 3/8 x 86	32	2560	1/3+	455
	DL2RI	\$18924	DL2RI-SA	\$19245	DL2RI-SS	\$21753	68 1/2 x 35 3/8 x 86	64	4010	1/2	634

STANDARD HEIGHT ROLL-THRU MODELS

66" RACK CAPACITY	D1RINRT	\$14188	D1RINSART	\$15560	D1RINSSRT	\$19384	35 1/4 x 38 3/4 x 86	32	2560	1/3+	523
	DL2RI-RT	\$22214	DL2RI-SA-RT	\$22530	DL2RI-SS-RT	\$28061	68 1/2 x 38 3/4 x 86	64	4010	1/2	840

EXTRA-HIGH ROLL-IN MODELS (Door Opening 27 3/8 W x 72 1/2" H)²

72" RACK CAPACITY	DL1RI-E	\$13573	DL1RI-SA-E	\$14891	DL1RI-SS-E	\$18543	35 1/4 x 35 3/8 x 92	34	2980	1/2	475
	DL2RI-E	\$19602	DL2RI-SA-E	\$20547	DL2RI-SS-E	\$25591	68 1/2 x 35 3/8 x 92	68	5930	3/4 [§]	770

EXTRA-HIGH ROLL-THRU MODELS

72" RACK CAPACITY	DL1RI-RT-E	\$16758	DL1RI-SA-RT-E	\$18377	DL1RI-SS-RT-E	\$22889	35 1/4 x 38 3/4 x 92	34	2980	1/2	540
	DL2RI-RT-E	\$23366	DL2RI-SA-RT-E	\$25633	DL2RI-SS-RT-E	\$31917	68 1/2 x 38 3/4 x 92	68	5930	3/4 [§]	880

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 10% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

¹ Maximum rack size including wheels 27" W x 29" D x 66 1/4" H (Racks not included)

² Maximum rack size including wheels 27" W x 29" D x 72" H (Racks not included)



Standard Height (66 1/4" Rack Capacity) & Extra-High (72" Rack Capacity)

*Designer Line upper side panels and refrigeration "Plug" system can be removed and reinstalled at job site.
The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.*

STANDARD FEATURES

Designer Line

Self-Contained, Performance-Rated "Plug" Refrigeration System

Unique Air Flow Distribution Ducts

Environmentally-Safe R-290 Refrigerant

(1-section standard height models)

Environmentally-Safe R-134a Refrigerant

(2-section & extra-high models)

Removable Stainless Steel Rack Guides

Removable Stainless Steel Ramps

Reinforced Stainless Steel Floor

3" Non-CFC Polyurethane Foam Insulation

Smooth, Polished Chrome Workflow Door Handles

Cam-Action, Lift-Off Hinges

Automatic, Hot Gas Condensate Evaporator

Magnetic Snap-In Door Gasket

Cylinder Lock in Each Door

Self-Closing Doors

LED Interior Lighting (except 1-section models)

Electronic Controller w/Digital Display & Hi-Low Alarm

Expansion Valve System (1-section standard height models)

Note: Racks Not Supplied

OPTIONS

Chrome or stainless steel shelves

Epoxy-coated steel shelves

Rehinging of doors (consult factory)

Correctional facility package

Expansion valve system (standard on 1-section standard height models)

Custom laminates

Stainless steel case back (not available on Roll-Thru models)

Half doors (not available on Roll-Thru models)

See **Page 130** for Options & Accessories.

See **Page 163** for Expansion Valve & Pan Slide Options.



Designer line Roll-In & Roll-Thru Freezers (0°F)

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

BTU/HR Rating @ -15°F, 90°F Ambient
 No cord and plug attached (115/208-230-60-1 volts)

STANDARD HEIGHT ROLL-IN MODELS (Door Opening 27 3/8 W x 66 1/2" H)¹

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
66" RACK CAPACITY	DL1FI	\$16155	DL1FI-SA	\$17893	DL1FI-SS	\$20823	35 1/4 x 35 3/8 x 86	32	3530	3/4	455
	DL2FI	\$24047	DL2FI-SA	\$25351	DL2FI-SS	\$28538	68 1/2 x 35 3/8 x 86	64	4150	1	730

STANDARD HEIGHT ROLL-THRU MODELS

66" RACK CAPACITY	DL1FI-RT	\$22585	DL1FI-SA-RT	\$23570	DL1FI-SS-RT	\$25579	35 1/4 x 38 3/4 x 86	32	3530	3/4	523
	DL2FI-RT	\$35416	DL2FI-SA-RT	\$36404	DL2FI-SS-RT	\$38264	68 1/2 x 38 3/4 x 86	64	4150	1	840

EXTRA-HIGH ROLL-IN MODELS (Door Opening 27 3/8 W x 72 1/2" H)²

72" RACK CAPACITY	DL1FI-E	\$16963	DL1FI-SA-E	\$18785	DL1FI-SS-E	\$21866	35 1/4 x 35 3/8 x 92	34	3530	3/4	475
	DL2FI-E	\$25250	DL2FI-SA-E	\$26618	DL2FI-SS-E	\$29962	68 1/2 x 35 3/8 x 92	68	4150	1	770

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

¹ Maximum rack size including wheels 27" W x 29" D x 66 1/4" H (Racks not included)

² Maximum rack size including wheels 27" W x 29" D x 72" H (Racks not included)



Standard Height (66 1/4" Rack Capacity) & Extra-High (72" Rack Capacity)

*Designer Line upper side panels and refrigeration "Plug" system can be removed and reinstalled at job site.
The refrigeration system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.*

STANDARD FEATURES

Designer Line

- Self-Contained Performance-Rated "Plug" Refrigeration System
- Unique Air Flow Distribution Ducts
- Environmentally-Safe R-404A Refrigerant
- Removable Stainless Steel Rack Guides
- Removable Stainless Steel Ramps
- Reinforced Stainless Steel Floor
- 3" Non-CFC Polyurethane Foam Insulation
- Smooth, Polished Chrome Workflow Door Handles
- Cam-Action, Lift-Off Hinges
- Automatic, Hot Gas Condensate Evaporator
- Magnetic Snap-In Door Gasket
- Cylinder Lock in Each Door
- Self-Closing Doors
- LED Interior Lighting (except 1-section models)
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Automatic Electric Defrost

Note: Racks Not Supplied

OPTIONS

- Chrome or stainless steel shelves
- Epoxy-coated steel shelves
- Rehinging of doors (consult factory)
- Correctional facility package
- Expansion valve system
- Custom laminates
- Stainless steel case back (not available on Roll-Thru models)
- Half doors (not available on Roll-Thru models)

See **Page 138** for Options & Accessories.
See **Page 163** for Expansion Valve Option.



Designer line Roll-In & Roll-Thru Warmers

Cabinet Construction: **Standard Models:** Stainless Steel Front, Aluminum End Panels and Interior
SA Models: Stainless Steel Exterior, Aluminum Interior
SS Models: Stainless Steel Exterior and Interior

No cord and plug attached (208-230/60/1 volts)

STANDARD HEIGHT ROLL-IN MODELS (Door Opening 27 3/8 W x 66 1/2" H)¹

MODEL TYPE	STD MODELS	STD LIST PRICE	"SA" MODELS	"SA" LIST PRICE	"SS" MODELS	"SS" LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	TOTAL WATTAGE	SHIP WEIGHT
66" RACK CAPACITY	DL1WI	\$10789	DL1WI-SA	\$11272	DL1WI-SS	\$13838	35 1/4 x 35 3/8 x 86	32	1500	360
	DL2WI	\$18054	DL2WI-SA	\$18508	DL2WI-SS	\$19593	68 1/2 x 35 3/8 x 86	64	3000	625

STANDARD HEIGHT ROLL-THRU MODELS

66" RACK CAPACITY	DL1WI-RT	\$13737	DL1WI-SA-RT	\$14084	DL1WI-SS-RT	\$18061	35 1/4 x 38 3/4 x 86	32	1500	414
	DL2WI-RT	\$22164	DL2WI-SA-RT	\$22904	DL2WI-SS-RT	\$25724	68 1/2 x 38 3/4 x 86	64	3000	719

EXTRA-HIGH ROLL-IN MODELS (Door Opening 27 3/8 W x 72 1/2" H)²

72" RACK CAPACITY	DL1WI-E	\$13116	DL1WI-SA-E	\$13445	DL1WI-SS-E	\$17249	35 1/4 x 35 3/8 x 92	34	1500	380
	DL2WI-E	\$18956	DL2WI-SA-E	\$19432	DL2WI-SS-E	\$20571	68 1/2 x 35 3/8 x 92	68	3000	665

EXTRA-HIGH ROLL-THRU MODELS

72" RACK CAPACITY	DL1WI-RT-E	\$16331	DL1WI-SA-RT-E	\$16737	DL1WI-SS-RT-E	\$21468	35 1/4 x 38 3/4 x 92	34	1500	440
	DL2WI-RT-E	\$23270	DL2WI-SA-RT-E	\$24048	DL2WI-SS-RT-E	\$27009	68 1/2 x 38 3/4 x 92	68	3000	775

Ship Weight for Suffix "SA" and Suffix "SS" models is on average 5% higher than Standard models. Refer to Specification Sheet for Shipping Weight of these models.

¹ Maximum rack size including wheels 27" W x 29" D x 66 1/4" H (Racks not included)

² Maximum rack size including wheels 27" W x 29" D x 72" H (Racks not included)



Standard Height (66 1/4" Rack Capacity) & Extra-High (72" Rack Capacity)

The heating system is accessible on top of the cabinet and separate from the food zone to increase food storage capacity.

STANDARD FEATURES

Designer Line

- Self-Contained Performance-Rated "Plug" Heating System
- 90°F to 180° F Temperature Range
- Unique Air Flow Distribution Ducts
- Removable Stainless Steel Rack Guides
- Removable Stainless Steel Ramps
- Reinforced Stainless Steel Floor
- 3" Non-CFC Polyurethane Foam Insulation
- Smooth, Polished Chrome Workflow Door Handles
- Cam-Action, Lift-Off Hinges
- Magnetic Snap-In Door Gasket
- Cylinder Lock in Each Door
- Self-Closing Doors
- Automatic Interior Lighting (except 1-section models)
- Electronic Controller w/Digital Display & Hi-Low Alarm

Note: Racks Not Supplied

OPTIONS

- Chrome or stainless steel shelves
- Rehinging of doors (consult factory)
- Correctional facility package
- Custom laminates
- Stainless steel case back (not available on Roll-Thru models)
- Half doors (not available on Roll-Thru models)

See **Page 138** for Options & Accessories.



Roll-Ins/Roll-Thrus Options & Accessories

For increased refrigeration systems, expansion valve in lieu of cap. system, special electrical requirements, 50 cycle units, and/or additional information, please consult factory.

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Rehinging of Doors (consult factory)	N/C
1 SECTION	-	Roll-In Stainless Steel Case Back (including rear grill)	\$953
2 SECTION	-	Roll-In Stainless Steel Case Back (including rear grill)	\$1906
3 SECTION	-	Roll-In Stainless Steel Case Back (including rear grill)	\$2858

CORRECTIONAL FACILITY OPTIONS

			ROLL-INS / ROLL-THRUS
1 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$140 / \$259 \$431 / \$835 \$335 / \$335
2 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$299 / \$444 \$431 / \$835 \$638 / \$638
3 SECTION	-	One-Way Security Screws Locking Hasp (lock not included) Stainless Steel Mesh Security Cover	\$393 / \$583 \$835 / \$1670 \$962 / \$962
1, 2 & 3 SECTIONS	-	Coverless Hinges	N/C





Undercounters, Sandwich Units & Base Worktops

Refrigerators & Freezers

All cabinets have a stainless steel exterior and interior. Worktop models are available as a flat top or with a 5 1/2" backsplash. Front breathing and drawer options available. Undercounters are standard front breathing.

In This Section

- 140 Undercounter Refrigerators & Freezers
- 142 Sandwich Units Standard Top
- 144 Sandwich Units Standard Top Front Breathing
- 146 Sandwich Units Mighty Top
- 148 Sandwich Units Mighty Top Front Breathing
- 150 Sandwich Units Cutting Top
- 152 Sandwich Units Cutting Top Front Breathing
- 154 Base Model Worktops
- 156 Options & Accessories



FLEXIBLE Option
Stainless steel back

Benefit
Added strength
and durability



FLEXIBLE Option







Easy, in-the-field
conversion from
door to drawer or
drawer to door,
or rehinging doors

Benefit

Workflow flexibility
after the installation,
easy cleaning
& servicing



D60NSS-U
shown w/ Standard Features and FLEXIBLE Options

D27NSS-U/ DF27NSS-U	D32NSS-U/ DF32NSS-U	D36NSS-U/DF36NSS-U	D48NSS-U/DF48NSS-U
			
			
D60NSS-U/DF60NSS-U		D72NSS-U	

Designer Line Undercounter Refrigerators & Freezers (0°F)

Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior, Aluminum Back
 2" high, bottom mounted front breather air divider
 1 3/8" diameter plate casters (factory installed)






BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
 BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
 10 ft. cord and plug attached (115-60-1 volts)

UNDERCOUNTER REFRIGERATOR MODELS

SIZE	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAPACITY	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	D27N-U	\$6618	D27N-U-D	\$8634	27 1/2 x 31 9/16 x 31 13/16	7.4	1625	1/5	180
32"	D32N-U	\$8909	D32N-U-D	\$10928	32 x 31 9/16 x 31 13/16	9	1625	1/5	240
36"	D36N-U	\$8996	-	-	36 x 31 9/16 x 31 13/16	10.3	1625	1/5	260
48"	D48N-U	\$9329	D48N-U-D	\$13360	48 x 31 9/16 x 31 13/16	13.4	1625	1/5	275
60"	D60N-U	\$10401	D60N-U-D	\$14432	60 x 31 9/16 x 31 13/16	17	1625	1/5	315
72"	D72N-U	\$11874	D72N-U-D	\$17921	72 x 31 9/16 x 31 13/16	20.6	1625	1/5	350

UNDERCOUNTER FREEZER MODELS (0°F)

27"	DF27N-U	\$7319	DF27N-U-D	\$9333	27 1/2 x 31 9/16 x 31 13/16	7.4	1572	1/4	180
32"	DF32N-U	\$9657	DF32N-U-D	\$11671	32 x 31 9/16 x 31 13/16	9	1800	1/3	240
36"	DF36N-U	\$9748	-	-	36 x 31 9/16 x 31 13/16	10.3	1800	1/3	260
48"	DF48N-U	\$10093	DF48N-U-D	\$14247	48 x 31 9/16 x 31 13/16	13.4	2078	1/2	275
60"	DF60N-U	\$11594	DF60N-U-D	\$15747	60 x 31 9/16 x 31 13/16	17	2078	1/2	315

D27N-U-D/DLF27-SS-U-D	D32N-U-D/DLF32-SS-U-D	D48N-U-D/DLF48-SS-U-D
		
		
D60N-U-D/DLF60-SS-U-D	D72N-U-D	

Door & Drawer Models

STANDARD FEATURES



Performance-Rated Refrigeration System

Environmentally-Safe R-290 Refrigerant

2" Non-CFC Polyurethane Foam Insulation

Automatic, Hot Gas Condensate Evaporator

(Refrigerators & 27" Freezer models)

Automatic, Energy-Saving, Non-Electric Condensate Evaporator

(32" - 60" Freezer models)

Non-Corrosive, Plasticized Fin Evaporator Coil

Easily Serviceable, Back Mounted Compressor

Electronic Controller w/Digital Display & Hi-Low Alarm

Completely Enclosed, Vented & Removable Case Back

Automatic Electric Defrost (Freezers)

1 3/8" Diameter Plate Casters*

(*Factory installed, ships on casters, no other casters are available)

2" High, Bottom-Mounted Front Breather Air Divider

SOLID DOOR MODELS

Spring Loaded, Self Closing Doors

Magnetic Snap-In Door Gaskets

Smooth, Polished Chrome Door Handles

Field Rehingeable Doors

Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers

Magnetic Snap-In Drawer Gaskets

Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks

Add'l epoxy-coated or stainless steel shelves

Stainless steel interior

Expansion valve system (48" - 72" Refrigerator models only)

Stainless steel back

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
-------------	--------


Drawers not available for 36" models

MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pan per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

* Units ship on casters. No other caster is available for SW-U models.

See **Page 156** for Options & Accessories.

See **Page 163** for Expansion Valve Option.



Designer line Sandwich Units - Standard Top


Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior
Standard Top with 12" Cutting Board

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

SANDWICH UNITS - STANDARD TOP MODELS

SIZE	# PANS	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	D27N8	\$8491	D27N8-D	\$10507	27 1/2 x 31 9/16 x 43 1/4	7.4	1625	1/5	218
32"	8	D32N8	\$9041	D32N8-D	\$11056	32 x 31 9/16 x 43 1/4	9	1625	1/5	236
36"	8	D36N8	\$10173	-	-	36 x 31 9/16 x 43 1/4	10.3	1625	1/5	248
	10	D36N10	\$10223	-	-	36 x 31 9/16 x 43 1/4	10.3	1625	1/5	248
48"	8	D48N8	\$11446	D48N8-D	\$15477	48 x 31 9/16 x 43 1/4	13.4	1940	1/4+	293
	10	D48N10	\$12221	D48N10-D	\$16253	48 x 31 9/16 x 43 1/4	13.4	1940	1/4+	293
	12	D48N12	\$12294	D48N12-D	\$16325	48 x 31 9/16 x 43 1/4	13.4	1940	1/4+	328
60"	8	D60N8	\$13003	D60N8-D	\$17034	60 x 31 9/16 x 43 1/4	17	2560	1/3+	340
	12	D60N12	\$13207	D60N12-D	\$17237	60 x 31 9/16 x 43 1/4	17	2560	1/3+	360
	16	D60N16	\$13296	D60N16-D	\$17327	60 x 31 9/16 x 43 1/4	17	2560	1/3+	360
72"	12	D72N12	\$15087	D72N12-D	\$21131	72 x 31 9/16 x 43 1/4	20.6	2560	1/3+	402
	18	D72N18	\$15128	D72N18-D	\$21176	72 x 31 9/16 x 43 1/4	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



D27N8-D	D32N8-D	D48N8-D	D48N10-D	D48N12-D
				
				
D60N8-D	D60N12-D	D60N16-D	D72N12-D	D72N18-D

Door & Drawer Models

Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Designer Line

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 12" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (48" - 72" models only)
 Completely Enclosed, Vented & Removable Case Back
 Removable Interior Tub Below Pans
 (prevents food spillage in store zone)
 1/6 Size **Recessed** Pans, 4" Deep
 Insulated Lids
 Adjustable 6" Stainless Steel Legs

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks
 Overshelves
 Casters
 Rear-mounted cutting board
 Crumb catcher
 Add'l epoxy-coated or stainless steel shelves
 Automatic, electric condensate evaporator (48" - 72" models)
 Flat insulated night cover
 Vision panel lid
 Stainless steel back
 Composite cutting board
 Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 156** for Options & Accessories.
 See **Page 162** for Overshelves.

D27N8-FB	D32N8-FB	D36N8-FB	D36N10-FB	D48N8-FB	D48N10-FB	D48N12-FB
						
						
D60N8-FB	D60N12-FB	D60N16-FB	D72N12-FB	D72N18-FB		

Designer-line Front Breathing Sandwich Units - Standard Top


Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior
Standard Top with 12" Cutting Board
All front breathers come standard with 3 3/4" casters


BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

FRONT BREATHING SANDWICH UNITS - STANDARD TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	D27N8-FB	\$8662	D27N8-FB-D	\$10678	27 1/2 x 31 9/16 x 40 7/8	7.4	1625	1/5	218
32"	8	D32N8-FB	\$9180	D32N8-FB-D	\$11197	32 x 31 9/16 x 40 7/8	9	1625	1/5	236
36"	8	D36N8-FB	\$10334	-	-	36 x 31 9/16 x 40 7/8	10.3	1625	1/5	248
	10	D36N10-FB	\$10387	-	-	36 x 31 9/16 x 40 7/8	10.3	1625	1/5	248
48"	8	D48N8-FB	\$11678	D48N8-FB-D	\$15711	48 x 31 9/16 x 40 7/8	13.4	1940	1/4+	293
	10	D48N10-FB	\$12466	D48N10-FB-D	\$16497	48 x 31 9/16 x 40 7/8	13.4	1940	1/4+	293
	12	D48N12-FB	\$12544	D48N12-FB-D	\$16575	48 x 31 9/16 x 40 7/8	13.4	1940	1/4+	328
60"	8	D60N8-FB	\$13261	D60N8-FB-D	\$17291	60 x 31 9/16 x 40 7/8	17	2560	1/3+	340
	12	D60N12-FB	\$13468	D60N12-FB-D	\$17500	60 x 31 9/16 x 40 7/8	17	2560	1/3+	360
	16	D60N16-FB	\$13555	D60N16-FB-D	\$17586	60 x 31 9/16 x 40 7/8	17	2560	1/3+	360
72"	12	D72N12-FB	\$15387	D72N12-FB-D	\$21435	72 x 31 9/16 x 40 7/8	20.6	2560	1/3+	402
	18	D72N18-FB	\$15428	D72N18-FB-D	\$21478	72 x 31 9/16 x 40 7/8	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



D27N8-FB-D	D32N8-FB-D	D48N8-FB-D	D48N10-FB-D	D48N12-FB-D
				
				
D60N8-FB-D	D60N12-FB-D	D60N16-FB-D	D72N12-FB-D	D72N18-FB-D

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space. Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Designer Line

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 12" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (48" - 72" models only)
 Completely Enclosed, Vented & Removable Case Back
 Removable Interior Tub Below Pans
 (prevents food spillage in store zone)
 1/6 Size **Recessed** Pans, 4" Deep
 Insulated Lids
 3 3/4" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles


OPTIONS

Door/drawer locks
 Overshelves
 Rear-mounted cutting board
 Crumb catcher
 Add'l epoxy-coated or stainless steel shelves
 Automatic, electric condensate evaporator (48" - 72" models)
 Flat insulated night cover
 Vision panel lid
 Stainless steel back
 Composite cutting board
 Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 156** for Options & Accessories.
 See **Page 162** for Overshelves.



D72N24M model photo not shown above. See page next page D72N24M-D.

Designer-line Sandwich Units - Mighty Top


Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior
Mighty Top with 10" Cutting Board





SANDWICH UNITS - MIGHTY TOP MODELS

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	12	D27N12M	\$9576	D27N12M-D	\$11593	27 1/2 x 35 x 43 1/4	7.4	1625	1/5	242
32"	12	D32N12M	\$10174	D32N12M-D	\$12190	32 x 35 x 43 1/4	9	1625	1/5	245
36"	12	D36N12M	\$11391	-	-	36 x 35 x 43 1/4	10.3	1625	1/5	248
	15	D36N15M	\$11442	-	-	36 x 35 x 43 1/4	10.3	1625	1/5	248
48"	12	D48N12M	\$13290	D48N12M-D	\$17320	48 x 35 x 43 1/4	13.4	1940	1/4+	328
	18	D48N18M	\$13496	D48N18M-D	\$17527	48 x 35 x 43 1/4	13.4	1940	1/4+	328
60"	12	D60N12M	\$14320	D60N12M-D	\$18351	60 x 35 x 43 1/4	17	2560	1/3+	387
	18	D60N18M	\$14421	D60N18M-D	\$18452	60 x 35 x 43 1/4	17	2560	1/3+	387
	24	D60N24M	\$18452	D60N24M-D	\$18955	60 x 35 x 43 1/4	17	2560	1/3+	387
72"	18	D72N18M	\$16508	D72N18M-D	\$22556	72 x 35 x 43 1/4	20.6	2560	1/3+	431
	24	D72N24M	\$16796	D72N24M-D	\$22844	72 x 35 x 43 1/4	20.6	2560	1/3+	431
	27	D72N27M	\$17185	D72N27M-D	\$23233	72 x 35 x 43 1/4	20.6	2560	1/3+	431
	30	D72N30M	\$17264	D72N30M-D	\$23310	72 x 35 x 43 1/4	20.6	2560	1/3+	452

PAN TOP CONFIGURATIONS



D27N12M-D	D32N12M-D	D48N12M-D	D48N18M-D	D60N12M-D	D60N18M-D	D60N24M-D
						
						
D72N18M-D		D72N24M-D		D72N27M-D		D72N30M-D

Door & Drawer Models

Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Designer line

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 10" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (48" - 72" models only)
 Completely Enclosed, Vented & Removable Case Back
 Removable Interior Tub Below Pans
 (prevents food spillage in store zone)
 1/6 Size **Recessed** Pans, 4" Deep
 Insulated Lids
 Adjustable 6" Stainless Steel Legs

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks
 Overshelves (not available on HGL models)
 Casters
 Rear-mounted cutting board
 Crumb catcher
 Add'l epoxy-coated or stainless steel shelves
 Automatic, electric condensate evaporator (48" - 72" models)
 Flat insulated night cover
 Vision panel lid
 Stainless steel back
 Composite cutting board
 Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 156** for Options & Accessories.
 See **Page 162** for Overshelves.

D27N12M-FB	D32N12M-FB	D36N12M-FB	D36N15M-FB	D48N12M-FB	D48N18M-FB	D60N12M-FB
						
						
D60N18M-FB	D60N24M-FB	D72N18M-FB	D72N27M-FB	D72N30M-FB		

D72N24M-FB model photo not shown above. See page next page D72N24M-FB-D.

Designer line Front Breathing Sandwich Units - Mighty Top


Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior
Mighty Top with 10" Cutting Board
All front breathers come standard with 3 3/4" casters












BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

FRONT BREATHING SANDWICH UNITS - MIGHTY TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	12	D27N12M-FB	\$9767	D27N12M-FB-D	\$11781	27 1/2 x 35 x 41	7.4	1625	1/5	242
32"	12	D32N12M-FB	\$10337	D32N12M-FB-D	\$12354	32 x 35 x 41	9	1625	1/5	245
36"	12	D36N12M-FB	\$11581	-	-	36 x 35 x 41	10.3	1625	1/5	248
	15	D36N15M-FB	\$11631	-	-	36 x 35 x 41	10.3	1625	1/5	248
48"	12	D48N12M-FB	\$13556	D48N12M-FB-D	\$17588	48 x 35 x 41	13.4	1940	1/4+	328
	18	D48N18M-FB	\$13770	D48N18M-FB-D	\$17802	48 x 35 x 41	13.4	1940	1/4+	328
60"	12	D60N12M-FB	\$14604	D60N12M-FB-D	\$18635	60 x 35 x 41	17	2560	1/3+	387
	18	D60N18M-FB	\$14709	D60N18M-FB-D	\$18742	60 x 35 x 41	17	2560	1/3+	387
	24	D60N24M-FB	\$15224	D60N24M-FB-D	\$19257	60 x 35 x 41	17	2560	1/3+	387
72"	18	D72N18M-FB	\$16838	D72N18M-FB-D	\$22884	72 x 35 x 41	20.6	2560	1/3+	431
	24	D72N24M-FB	\$17131	D72N24M-FB-D	\$23180	72 x 35 x 41	20.6	2560	1/3+	431
	27	D72N27M-FB	\$17530	D72N27M-FB-D	\$23577	72 x 35 x 41	20.6	2560	1/3+	431
	30	D72N30M-FB	\$17610	D72N30M-FB-D	\$23657	72 x 35 x 41	20.6	2560	1/3+	452

PAN TOP CONFIGURATIONS



D27N12M-FB-D	D32N12M-FB-D	D48N12M-FB-D	D48N18M-FB-D	D60N12M-FB-D	D60N18M-FB-D	D60N24M-FB-D
						
						
D72N18M-FB-D	D72N24M-FB-D	D72N27M-FB-D	D72N30M-FB-D			

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space. Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Designer Line

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 10" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (48" - 72" models only)
 Completely Enclosed, Vented & Removable Case Back
 Removable Interior Tub Below Pans
 (prevents food spillage in store zone)
 1/6 Size **Recessed** Pans, 4" Deep
 Insulated Lids
 3 3/4" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks
 Overshelves (not available on HGL models)
 Rear-mounted cutting board
 Crumb catcher
 Add'l epoxy-coated or stainless steel shelves
 Automatic, electric condensate evaporator (48" - 72" models)
 Flat insulated night cover
 Vision panel lid
 Stainless steel back
 Composite cutting board
 Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 156** for Options & Accessories.
 See **Page 162** for Overshelves.



Designer line Sandwich Units - C (Cutting) Top


Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior
C (Cutting) Top with 19" Cutting Board











BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

SANDWICH UNITS - C (CUTTING) TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	D27N8C	\$9202	D27N8C-D	\$11220	27 1/2 x 38 1/4 x 43 1/4	7.4	1625	1/5	218
32"	8	D32N8C	\$9706	D32N8C-D	\$11721	32 x 38 1/4 x 43 1/4	9	1625	1/5	236
36"	8	D36N8C	\$10840	-	-	36 x 38 1/4 x 43 1/4	10.3	1625	1/5	248
	10	D36N10C	\$10885	-	-	36 x 38 1/4 x 43 1/4	10.3	1625	1/5	248
48"	8	D48N8C	\$12848	D48N8C-D	\$16879	48 x 38 1/4 x 43 1/4	13.4	1940	1/4+	293
	10	D48N10C	\$12919	D48N10C-D	\$16952	48 x 38 1/4 x 43 1/4	13.4	1940	1/4+	293
	12	D48N12C	\$13000	D48N12C-D	\$17031	48 x 38 1/4 x 43 1/4	13.4	1940	1/4+	328
60"	8	D60N8C	\$14278	D60N8C-D	\$18310	60 x 38 1/4 x 43 1/4	17	2560	1/3+	340
	12	D60N12C	\$14410	D60N12C-D	\$18445	60 x 38 1/4 x 43 1/4	17	2560	1/3+	360
	16	D60N16C	\$14517	D60N16C-D	\$18547	60 x 38 1/4 x 43 1/4	17	2560	1/3+	360
72"	12	D72N12C	\$16154	D72N12C-D	\$22201	72 x 38 1/4 x 43 1/4	20.6	2560	1/3+	402
	18	D72N18C	\$16312	D72N18C-D	\$22361	72 x 38 1/4 x 43 1/4	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



D27N8C-D	D32N8C-D	D48N8C-D	D48N10C-D	D48N12C-D
				
				
D60N8C-D	D60N12C-D	D60N16C-D	D72N12C-D	D72N18C-D

Door & Drawer Models

Unique air flow distribution allows pan product to maintain 33° - 41°F

STANDARD FEATURES

Designer Line

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 19" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (48" - 72" models only)
 Completely Enclosed, Vented & Removable Case Back
 Removable Interior Tub Below Pans
 (prevents food spillage in store zone)
 1/6 Size **Recessed** Pans, 4" Deep
 Insulated Lids
 Adjustable 6" Stainless Steel Legs

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks
 Overshelves (not available on HGL models)
 Casters
 Rear-mounted cutting board
 Crumb catcher
 Add'l epoxy-coated or stainless steel shelves
 Automatic, electric condensate evaporator (48" - 72" models)
 Flat insulated night cover
 Vision panel lid
 Stainless steel back
 Composite cutting board
 Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 156** for Options & Accessories.
 See **Page 162** for Overshelves.

D27N8C-FB	D32N8C-FB	D36N8C-FB	D36N10C-FB	D48N8C-FB	D48N10C-FB	D48N12C-FB
						
						
D60N8C-FB	D60N12C-FB	D60N16C-FB	D72N12C-FB	D72N18C-FB		

Designer line Front Breathing Sandwich Units - C (Cutting) Top


Cabinet Construction: Stainless Steel Front, Top, End Panels and Interior
C (Cutting) Top with 19" Cutting Board
All front breathers come standard with 3 3/4" casters











BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

FRONT BREATHING SANDWICH UNITS - C (CUTTING) TOP MODELS

SIZE	# PANS	WITH DOORS	DOORS LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
27"	8	D27N8C-FB	\$9385	D27N8C-FB-D	\$11401	27 1/2 x 38 1/4 x 41	7.4	1625	1/5	218
32"	8	D32N8C-FB	\$9860	D32N8C-FB-D	\$11876	32 x 38 1/4 x 41	9	1625	1/5	236
36"	8	D36N8C-FB	\$11014	-	-	36 x 38 1/4 x 41	10.3	1625	1/5	248
	10	D36N10C-FB	\$11065	-	-	36 x 38 1/4 x 41	10.3	1625	1/5	248
48"	8	D48N8C-FB	\$13110	D48N8C-FB-D	\$17141	48 x 38 1/4 x 41	13.4	1940	1/4+	293
	10	D48N10C-FB	\$13179	D48N10C-FB-D	\$17209	48 x 38 1/4 x 41	13.4	1940	1/4+	293
	12	D48N12C-FB	\$13260	D48N12C-FB-D	\$17290	48 x 38 1/4 x 41	13.4	1940	1/4+	328
60"	8	D60N8C-FB	\$14568	D60N8C-FB-D	\$18600	60 x 38 1/4 x 41	17	2560	1/3+	340
	12	D60N12C-FB	\$14704	D60N12C-FB-D	\$18734	60 x 38 1/4 x 41	17	2560	1/3+	360
	16	D60N16C-FB	\$14812	D60N16C-FB-D	\$18845	60 x 38 1/4 x 41	17	2560	1/3+	360
72"	12	D72N12C-FB	\$16473	D72N12C-FB-D	\$22521	72 x 38 1/4 x 41	20.6	2560	1/3+	402
	18	D72N18C-FB	\$16640	D72N18C-FB-D	\$22687	72 x 38 1/4 x 41	20.6	2560	1/3+	431

PAN TOP CONFIGURATIONS



D27N8C-FB-D	D32N8C-FB-D	D48N8C-FB-D	D48N10C-FB-D	D48N12C-FB-D
				
				
D60N8C-FB-D	D60N12C-FB-D	D60N16C-FB-D	D72N12C-FB-D	D72N18C-FB-D

Door & Drawer Models

Front breathers are a unique, field assembled, bottom mounted ventilation system designed to allow cabinets to be flush against a wall or built into a counter to conserve space. Unique air flow distribution allows pan product to maintain 33° - 41°F.

STANDARD FEATURES

Designer Line

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
 2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Easily Serviceable, Back Mounted Compressor
 19" Deep, Full Length Nylon Cutting Board
 Electronic Controller w/Digital Display & Hi-Low Alarm
Expansion Valve System (48" - 72" models only)
 Completely Enclosed, Vented & Removable Case Back
 Removable Interior Tub Below Pans
 (prevents food spillage in store zone)
 1/6 Size **Recessed** Pans, 4" Deep
 Insulated Lids
 3 3/4" High Casters

DOOR MODELS

Spring Loaded, Self Closing Doors
 Magnetic Snap-In Door Gaskets
Smooth, Polished Chrome Door Handles
 Field Rehingeable Doors
 Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Drawer Gaskets
Smooth, Polished Chrome Drawer Handles

OPTIONS

Door/drawer locks
 Overshelves (not available on HGL models)
 Rear-mounted cutting board
 Crumb catcher
 Add'l epoxy-coated or stainless steel shelves
 Automatic, electric condensate evaporator (48" - 72" models)
 Flat insulated night cover
 Vision panel lid
 Stainless steel back
 Composite cutting board
 Modified pan openings

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2017
Drawers not available for 36" models	
MODELS	TWO TIER DRAWERS
27"/60"	(1) 12 x 20 x 6 pan per drawer
32"	(1) 12 x 20 x 6 pan per drawer or (1) 1/2 size x 6 & (2) 1/3 size x 6 pans per drawer
48"/72"	(1) 1/2 size x 6 & (1) 1/3 size x 6 pan per drawer

See **Page 156** for Options & Accessories.
 See **Page 162** for Overshelves.

DRA43NSS/DLFA43-SS	DRA60NSS/DLFA60-SS	DRA68NSS/DLFA68-SS
		
		
DRA93NSS	DLRA118-SS	

Designer-line Base Model Refrigerators & Freezers (0°F) - Worktops

Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top, Stainless Steel Front, End Panels and Interior
Galvanized Steel Rear and Grill
Standard Flat Top or 5 1/2" Backsplash

BTU/HR Rating @ +25°F, 90°F Ambient (Refrigerators)
BTU/HR Rating @ -15°F, 90°F Ambient (Freezers)
10 ft. cord and plug attached (115-60-1 volts)

BASE WORKTOP REFRIGERATOR MODELS

SIZE	WITH DOOR(S)	DOOR(S) LIST PRICE	WITH DRAWERS	DRAWERS LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAP. (cu ft)	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
43"	DRA43NSS	\$11370	DRA43NSS-D	\$13695	43 x 36 1/16 x 36	12	2610	1/4+	345
60"	DRA60NSS	\$11935	DRA60NSS-D	\$14262	60 x 36 1/16 x 36	19	3100	1/4+	415
68"	DRA68NSS	\$13413	DRA68NSS-D	\$18066	68 x 36 1/16 x 36	22	4220	1/4+	485
93"	DRA93NSS	\$15923	DRA93NSS-D	\$22900	93 x 36 1/16 x 36	32	5260	1/4+	595
118"	DLRA118-SS	\$21242	DLRA118-SS-D	\$30546	118 x 36 1/16 x 36	44	5600	1/2	715

5 1/2" BACKSPLASH BASE WORKTOP REFRIGERATOR MODELS






43"	DRA43NSSBS	\$12154	DRA43NSSBS-D	\$14479	43 x 36 1/16 x 41 1/2	12	2610	1/4+	355
60"	DRA60NSSBS	\$12909	DRA60NSSBS-D	\$15232	60 x 36 1/16 x 41 1/2	19	3100	1/4+	425
68"	DRA68NSSBS	\$14505	DRA68NSSBS-D	\$19156	68 x 36 1/16 x 41 1/2	22	4220	1/4+	505
93"	DRA93NSSBS	\$17560	DRA93NSSBS-D	\$24537	93 x 36 1/16 x 41 1/2	32	5260	1/4+	610
118"	DLRA118-SS-BS	\$21943	DLRA118-SS-BS-D	\$31247	118 x 36 1/16 x 41 1/2	44	5600	1/2	730

BASE WORKTOP FREEZER MODELS (0°F)

43"	DLFA43-SS	\$13022	DLFA43-SS-D	\$15347	43 x 36 1/16 x 36	12	1340	1/3	350
60"	DLFA60-SS	\$14570	DLFA60-SS-D	\$16895	60 x 36 1/16 x 36	19	2180	3/4	420
68"	DLFA68-SS	\$15667	DLFA68-SS-D	\$20318	68 x 36 1/16 x 36	22	2310	3/4	500

5 1/2" BACKSPLASH BASE WORKTOP FREEZER MODELS (0°F)

43"	DLFA43-SS-BS	\$14406	DLFA43-SS-BS-D	\$16734	43 x 36 1/16 x 41 1/2	12	1340	1/3	360
60"	DLFA60-SS-BS	\$15618	DLFA60-SS-BS-D	\$17945	60 x 36 1/16 x 41 1/2	19	2180	3/4	430
68"	DLFA68-SS-BS	\$16785	DLFA68-SS-BS-D	\$21436	68 x 36 1/16 x 41 1/2	22	2310	3/4	515

DRA43NSS-D/DLFA43-SS-D	DRA60NSS-D/DLFA60-SS-D	DRA68NSS-D/DLFA68-SS-D
		
		
DRA93NSS-D	DLRA118-SS-D	

Door & Drawer Models

Unique forced air design utilizes fans (approx. every 12") across the entire back of unit for even distribution of cold air.

STANDARD FEATURES



- Performance-Rated Refrigeration System
- Environmentally-Safe R-290 Refrigerant** (43" - 93" Refrigerators)
- Environmentally-Safe R-134a Refrigerant (118" Refrigerators)
- Environmentally-Safe R-404A Refrigerant (Freezers)
- 2" Non-CFC Polyurethane Foam Insulation
- Automatic, Hot Gas Condensate Evaporator**
- Non-Corrosive, Plasticized Fin Evaporator Coil
- Easily Serviceable, Slide-Out Condensing Unit
- Electronic Controller w/Digital Display & Hi-Low Alarm
- Expansion Valve System
- Refrigerated Section w/Door Above the Condensing Unit
- Electronic Controller w/Digital Display & Hi-Low Alarm**
- Electronic Control, Off-Cycle Defrost (Refrigerators only)
- Automatic Electric Defrost (Freezers)
- Adjustable 6" Stainless Steel Legs

DOOR MODELS

- Spring Loaded, Self Closing Doors
- Magnetic Snap-In Door Gaskets
- Smooth, Polished Chrome Door Handles**
- Field Rehingeable Doors
- Heavy Duty, Epoxy-Coated Steel Shelves

DRAWER MODELS

- Stainless Steel Roll-Out Drawers
- Magnetic Snap-In Drawer Gaskets
- Smooth, Polished Chrome Drawer Handles**

OPTIONS

- Condensing unit left or right
- Door/drawer locks
- Overshelves
- Pan Slides (large section only on 60" models)
- Casters
- Add'l epoxy-coated or stainless steel shelves
- Stainless steel back
- Front breathing
- Drawer in lieu of half door above the condensing unit

DOOR TO DRAWERS (in lieu of one door per section)

Two drawers	\$2327
Drawer over compressor	\$1198

Drawers: DRA/DLFA60 models (over compressor & large section only)

MODELS	TWO TIER DRAWERS
43" - 118"	(2) 12 x 20 x 6 pans per drawer

Drawer over compressor holds (1) 12 x 20 x 6 pan

See **Page 156** for Options & Accessories.
See **Page 162** for Overshelves.



Undercounters, Sandwich Units & Bases

Options & Accessories

OPTIONS & ACCESSORIES

SIZE	PART NO.	DESCRIPTION	LIST PRICE
	-	Epoxy-Coated Shelf with Clips (Worktops, Undercounters & Sandwich Units) Epoxy-Coated Shelf with Clips (Base Models)	\$82
	-	Stainless Steel Shelf with Clips (Worktops, Undercounters & Sandwich Units) Stainless Steel Shelf with Clips (Base Models)	\$235
	-	Rehinging of Doors	N/C
	-	Cylinder Lock (per door/drawer)	\$190
3" Dia. 4" H	50209	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$299 \$443
5" Dia. 6" H	50177	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$444 \$670
4" Dia. 5" H	50205	Set of 4 Swivel Casters w/Brakes (43", 60" & 68" models) Set of 6 Swivel Casters w/Brakes (93" & 118" models)	\$355 \$583
3" Dia. 3 3/4" H	50301	Set of 4 Swivel Casters w/Brakes (standard on all -FB models)	\$299
4" H	50219	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models)	\$175 \$252
6" H	50203	Set of 4 Stainless Steel Legs (43", 60" & 68" models) Set of 6 Stainless Steel Legs (93" & 118" models) Standard on Designer Line models (not available for -FB models)	\$192 \$282
6" H	50202	Set of 4 "Black" Legs (43", 60" & 68" models) Set of 6 "Black" Legs (93" & 118" models)	\$126 \$192
4" H	50206	Set of 4 "Black" Legs (43", 60" & 68" models) Set of 6 "Black" Legs (93" & 118" models) (Not available for DRA/DLRA/DLFA models with Front Breathing Option)	\$158 \$235
	UCSC27	Stacking Collar (27" models only)	\$343
27 1/2" - 72"	-	SANDWICH UNITS Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher Stainless Steel Flat Covers Rear-Mounted 10" Cutting Board	See Page 32
43" - 118"	-	BASE MODELS Stainless Steel Interior Stainless Steel Finished Back Crumb Catcher Stainless Steel Flat Covers Rear-Mounted 10" Cutting Board	See Page 42
	50-012	Front Breathing Ventilation Fan (-FB) Note: Must be field installed	\$259
Base Model Worktops Only	-	Pan Slide Assemblies Stainless Steel Angle - Bottom Support (for 18" x 26" pans) (STD assembly holds 5 pans per section on adjustable 1" centers)	\$541
	-	Expansion Valve	\$703
	-	Drawer over Compressor Compartment (Base Models)	\$1198

Uprights & Base Models

158 Fish Files

Specially designed for fresh fish on crushed ice. 300 Series stainless steel interior, stainless steel exterior. Each drawer supplied with stainless steel pan. Can accommodate 12 x 20 perforated pans. Base models: compressor can be on left or right to keep away from hot equipment that may be nearby. Refrigerated door compartment over the compressor, with an option of a refrigerated drawer.



FLEXIBLE Option
Drawer in lieu of door
over condensing unit
Benefit
Adds additional
refrigerated
storage capacity

FLEXIBLE Option
Move the condensing
unit to left (standard
on right)
Benefit
Keeps refrigeration
away from hot
equipment nearby,
prolonging life of unit

D1RSNSS-F & DRA68NSS-F
shown w/ Standard Features and FLEXIBLE Options



Designer Line Fish Files

Cabinet Construction: Heavy Gauge #300 Series Stainless Steel Top, Stainless Steel Front, End Panels and Interior
Each Drawer Supplied with Stainless Steel Pan
Can Accommodate 12" x 20" Perforated Pans

BTU/HR Rating @ +25°F, 90°F Ambient
10 ft. cord and plug attached (115-60-1 volts)

UPRIGHT MODELS

SIZE	WITH DRAWERS	LIST PRICE	EXTERIOR DIMENSIONS INCHES W x D x H	NET CAPACITY	CAPACITY BTU/HR	H.P.	SHIP WEIGHT
4 DRAWERS	D1RSNSS-F	\$21419	26 x 29 3/8 x 83 1/4	16	1940	1/4	470
8 DRAWERS	D2RSNSS-F	\$32164	52 x 29 3/8 x 83 1/4	32	2560	1/3	675

BASE MODELS

43"	DRA43NSS-F	\$18178	43 x 36 1/16 x 36	12	2610	1/3	355
68"	DRA68NSS-F	\$20367	68 x 36 1/16 x 36	22	4220	1/2	495

DRA43NSS-F	DRA68NDD-F
	

Upright & Base Models

Specially designed for fresh fish storage on crushed ice.

STANDARD FEATURES

Designer Line

Performance-Rated Refrigeration System
Environmentally-Safe R-290 Refrigerant
Expansion Valve System
 Non-Corrosive, Plasticized Fin Evaporator Coil
 Stainless Steel Roll-Out Drawers
 Magnetic Snap-In Door/Drawer Gaskets
 Electronic Controller w/Digital Display & Hi-Low Alarm
Smooth, Polished Chrome Door/Drawer Handles
 Adjustable 6" Stainless Steel Legs

UPRIGHTS

3" Non-CFC Polyurethane Foam Insulation
 Automatic, Electric Condensate Evaporator
 Anti-Sweat Drawer Heaters

BASES

2" Non-CFC Polyurethane Foam Insulation
Automatic, Hot Gas Condensate Evaporator
 Easily Serviceable Slide Out Condensing Unit
 Spring Loaded, Self Closing Door (over condensing unit)
 Built-In, Off-Cycle Defrost Timer
 Refrigerated Section w/Door Above the Condensing Unit

OPTIONS

Door/drawer locks (door over condensing unit on Bases)
 Stainless steel back
 Casters

BASES ONLY

Condensing unit left or right
 Overshelves
 Front breathing
 Drawer in lieu of half door above the condensing unit

See **Page 156** for Options & Accessories.
 See **Page 163** for Expansion Valve Option.

Warranty - United States of America & Canada

NOTE: Possession of this Price List must not be construed as a binding offer of sale by Continental Refrigerator.
This Continental Refrigerator Price List supersedes all prices previously issued.
All prices and specifications are subject to change without notice.

Effective as of June 15, 2019

THREE (3) YEAR PARTS AND LABOR WARRANTY

Continental Refrigerator warrants to the original purchaser of every new Continental Refrigerator self contained unit, including all parts thereof, that such equipment is free from defects in material and workmanship, under normal use, proper maintenance and service as indicated by Continental Refrigerator Installation and Operations Manual, for a period of three (3) years from the date of installation, or thirty-nine (39) months from the date of shipment from the manufacturer, whichever comes first. Normal wear type parts, such as light bulbs/lamps and gaskets are not covered by this warranty. **Adjustments including cabinet leveling, hinge adjustments, caster or leg adjustments, and adjustments to controls are not covered under this warranty. Water damage to the cabinet or electrical devices including moisture from other appliances or improper cleaning, is not covered under this warranty. Equipment failure deemed to be the result of modifications to the unit will not be covered under this warranty.** For the purpose of this warranty, the original purchaser shall be deemed to mean the individual or company for whom the product was originally installed.

Continental Refrigerator's obligation under this warranty shall be limited to repairing or replacing, including labor, any part of such product which proves thus defective. Continental Refrigerator reserves the right to examine any product claimed to be defective. The labor warranty shall be for self-contained units only and for standard straight time, which is defined as normal service rate time, for service performed during normal working hours. Any service requested outside of a servicer's normal working hours will be covered under this warranty for the normal rate and any additional overtime rate will be the responsibility of the equipment purchaser. **Please contact the factory to obtain proper authorization for service. You may call directly or request service at <http://www.continentalrefrigerator.com/product-question/>.**

Any part determined to be defective in the product should be returned to the company within thirty (30) days under the terms of this warranty and must be accompanied by the cabinet model, serial number, and identified with a return material authorization number, issued by the manufacturer.

Special installation/applications, including remote locations, are limited in coverage by this warranty. Any installation that requires extra work, and/or travel, to gain access to the unit for service is the sole responsibility of the equipment purchaser.

Improper operation resulting from factors, including but not limited to, improper installation, improper or negligent cleaning and maintenance, out of tolerance voltage conditions, inadequate wiring, and accidental damage are not manufacturing defects and are strictly the responsibility of the purchaser.

Condenser coils must be cleaned at regular intervals. Failure to do so can cause compressor malfunction and will void warranty. Continental Refrigerator recommends a minimum monthly cleaning, as stated in the installation and operation manual.

ADDITIONAL TWO (2) YEAR COMPRESSOR PART WARRANTY

In addition to the warranty set forth above, Continental Refrigerator warrants the hermetically/semi-hermetically sealed compressor (part only) for an additional two (2) years beyond the first three (3) year warranty period; not to exceed sixty-three (63) months from the date of shipment from Continental Refrigerator, provided upon receipt of the compressor, manufacturer examination shows the sealed compressor to be defective. This extended warranty does not cover freight for the replacement compressor or freight for return of the failed compressor. Also, this extended compressor-part only warranty does not apply to any electrical controls, condenser, evaporator, fan motors, overload switch, starting relay, capacitors, temperature control, filter/drier, accumulator, refrigeration tubing, wiring harness, labor charges, or supplies which are covered by the standard warranty above.

THE FOREGOING WARRANTIES ARE EXPRESSLY GIVEN IN LIEU OF ALL OTHER WARRANTIES, EXPRESS, IMPLIED, OR STATUTORY, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED, ALONG WITH ALL OTHER OBLIGATIONS OR LIABILITIES ON OUR PART. AND WE NEITHER ASSUME, NOR AUTHORIZE ANY OTHER PERSON TO ASSUME FOR US, ANY OBLIGATION OR LIABILITY IN CONNECTION WITH THE SALE OF SAID REFRIGERATION UNITS OR ANY PARTS THEREOF.

This warranty shall not be assignable and shall be honored only in so far as the original purchaser.

This warranty does not apply outside the limits of the United States of America and Canada, nor does it apply to any part that has been subject to misuse, neglect, alteration, accident, or to any damage caused by transportation, flood, fire, acts of terrorism, or acts of God.

IN NO EVENT SHALL CONTINENTAL REFRIGERATOR BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR PUNITIVE DAMAGES. THE REMEDIES OF PURCHASER SET FORTH HEREIN ARE EXCLUSIVE AND THE TOTAL LIABILITY OF CONTINENTAL REFRIGERATOR, WHETHER BASED ON CONTRACT, WARRANTY, NEGLIGENCE, INDEMNIFICATION, STRICT LIABILITY, TORT, OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE OF THE COMPONENT UPON WHICH LIABILITY IS BASED. CONTINENTAL REFRIGERATOR SHALL HAVE NO OBLIGATION OR LIABILITY FOR CONSEQUENTIAL OR SPECIAL DAMAGES, INCLUDING BUT NOT LIMITED TO INDIRECT, PUNITIVE DAMAGES, LOSS OF USE, LOSS OF PRODUCT, DOWNTIME OR LOST PROFITS, ARISING OUT OF, RELATED TO OR CONNECTED IN ANY WAY WITH THE PRODUCT OR ITS USE.

See our Service Guideline at <http://www.continentalrefrigerator.com/service-parts/> for additional information regarding service and warranty coverage.



FLEXIBLE Options

Overshelves, Pan Slide Assemblies
& Expansion Valve Option

In This Section


- 162 Overshelves
- 163 Pan Slide Assemblies
- 163 Expansion Valve Option

 **FLEXIBLE Option**
SOS60/DOS60
Overshelves

Benefit
Easier item storage
and handling at an
arm's reach



SW60N18M-FB-D & 2RN
shown w/ Standard Features and FLEXIBLE Options

 **FLEXIBLE Option**
55-1508A
Chrome-plated
wire racks



Benefit
Prep ahead space
saving storage

Overshelves

Tubular-style overshelves are available as pass-thru shelves only.



OVERSHELVES FOR WORKTOPS & SANDWICH UNITS (16 GAUGE) 16" DEEP

SIZE	SINGLE OVERSHELF	SINGLE OVERSHELF LIST PRICE	DOUBLE OVERSHELF	DOUBLE OVERSHELF LIST PRICE
27 1/2"	SOS27	\$393	DOS27	\$737
32"	SOS32	\$473	DOS32	\$958
36"	SOS36	\$520	DOS36	\$1083
48"	SOS48	\$595	DOS48	\$1259
60"	SOS60	\$1010	DOS60	\$1681
72"	SOS72	\$1217	DOS72	\$2452








OVERSHELVES FOR BASES & PIZZA PREPARATION TABLES (16 GAUGE) 16" DEEP

SIZE	SINGLE OVERSHELF	SINGLE OVERSHELF LIST PRICE	DOUBLE OVERSHELF	DOUBLE OVERSHELF LIST PRICE
42 1/4"	SOS43	\$590	DOS43	\$1244
59 1/4"	SOS60P	\$1010	DOS60P	\$1681
67 1/4"	SOS68	\$1030	DOS68	\$1855
92 1/4"	SOS93	\$1441	DOS93	\$2580



Pan Slide Assemblies & Expansion Valve Option

PAN SLIDE ASSEMBLIES (not available for Shallow Depth & Extra-Wide models)

LINE DRAWING	PART NO.	DESCRIPTION	LIST PRICE
	50-P008A	Stainless Steel Full Section for 18 x 26 or (2) 18 x 14 Pans on 3" Center Bottom Supports (holds 16 pans per full section)	\$1081
	50-P008AB	Stainless Steel Half Section (same as above) (holds 8 pans per half section)	\$541
	50-P001A	Stainless Steel Full Section for 18 x 26 or (2) 18 x 14 Pans on 3" Center Rim Supports (holds 16 pans per full section)	\$1081
	50-P001AB	Stainless Steel Half Section (same as above) (holds 8 pans per half section)	\$541
	50-P008A-E	EXTRA-WIDE (E) MODELS ONLY Universal Stainless Steel Full Section on 5" Center Bottom Supports (1) 18 x 26 or (2) 12 x 20 (holds 10 pans per full section)	\$1081
	50-P008AB-E	Universal Stainless Steel Half Section (same as above) (holds 5 pans per half section)	\$541
	55-1508A	Full Section Chrome-Plated Wire for 18 x 26 Pans on 2" Center Bottom Supports (holds 10 pans - top; 13 pans - bottom)	\$805
	55-1508AB	Half Section Chrome-Plated Wire (same as above) (holds 10 pans - top; 13 pans - bottom)	\$405
	55-1501A	Full Section Chrome-Plated Wire for 18 x 26 Pans on 2" Center Rim Supports (holds 10 pans - top; 13 pans - bottom)	\$805
	55-1501AB	Half Section Chrome-Plated Wire (same as above) (holds 10 pans - top; 13 pans - bottom)	\$405

EXPANSION VALVE (in lieu of Cap System)

TYPE	LIST PRICE	TYPE	LIST PRICE
REFRIGERATORS	\$703	FREEZERS	\$909



A Division of National Refrigeration & Air Conditioning Products

Continental Refrigerator	Local: (215) 244-1400
539 Dunksferry Road	Toll Free: (800) 523-7138
Bensalem, PA 19020	Fax: (215) 244-9579

www.continentalrefrigerator.com

Due to our continued efforts in developing innovative products, specifications subject to change without notice.

Continental®

Refrigerator

INNOVATIVE DESIGNS FOR YOUR FOODSERVICE NEEDS



ENERGY STAR®
Partner since 2001



MADE IN THE U.S.A

CONT 2019 Price List (06/15/2019)