

QUARTZ

FLOORING SYSTEMS



DESCRIPTION

For high traffic environments, seamless quartz flooring systems are widely used due to their superior durability and aesthetic appeal. Colored quartz aggregates combine elements of superior impact resistance with excellent traction to create a floor coating that will function for the long term. Owners have the capability to select from an infinite number of colored quartz blends to achieve finishes that compliment their environment.

Quartz flooring systems perform well in heavy-foot traffic environments that include areas such as ramps and stairs where increased traction is desired. Resinwerks offers 8 standard quartz blends with the ability to custom blend and match as needed.

FEATURES AND BENEFITS:

- » Superior durability
- » Excellent traction
- » High impact, chemical and abrasion resistance
- » Suitable for interior and some exterior heavy-traffic environments
- » Adjustable traction to meet specific COF requirements
- » Customizable color blends and finishes to meet your design requirements



CHESTNUT



RUSSET



SAGEBRUSH



INDIGO



STONEWALL



OZARK



ANCHOR



ROCKLEDGE



CRYSTAL



TERRACOTTA





FLOORING DESIGN

Quartz flooring systems incorporate extremely durable, UV stable colored quartz aggregates and high-performance resins to achieve proper build and impact resistance.


A primer is used to ensure proper substrate adhesion followed by multiple layers of broadcast quartz or a quartz slurry matrix. The system is then grouted and top-coated. For heavy foot-traffic environments such as interior/exterior breezeways, owners may select a highly textured finish to help prevent slip and fall. For interior settings, a smooth quartz application may be selected to help minimize maintenance. All systems are available with either a gloss, satin or matte finish.

APPLICATIONS:

- » Car Dealership Customer Service Drive Up Lanes
- » Stadium Concourses
- » Retail Walkways
- » Parking Garages
- » Loading Docks
- » Apartment & Multi-Family Housing Breezeways
- » Industrial Flooring

SEAMLESS QUARTZ SYSTEMS

EPX-Q	Heavy-duty double broadcast seamless quartz flooring application. Available with a range of primer options including a vapor barrier epoxy for protection against elevated moisture vapor emission levels. Combines high-quality crystal-clear epoxies with a performance urethane or polyaspartic topcoat for long-term durability.
KTX-Q	Fast-drying double broadcast quartz application that incorporates fast-cure Kinetic® polyaspartic base coats, grout, and topcoats. This system provides for minimal installation down time while providing a UV stable, chemical resistant finish. Available in an unlimited number of colors and finishes.
BioCem SLQ	Incorporates a 1/8" polyurethane concrete slurry primer, followed by a double broadcast quartz. The SLQ system is grouted with a water-clear and chemical resistant 100% solids epoxy and finished with an aggregate fortified high-wear urethane in either a semigloss or satin finish. Available in an unlimited number of colors and blends






ABOUT US

Resinwerks manufactures sustainable industrial coatings that offer superior performance, quality and value. Supported by a team of veteran resinous flooring professionals, we are committed to delivering the very best products to facility owners and our trusted contractor partners. Our products are manufactured domestically and conveniently shipped direct.

SUSTAINABLE PRODUCTS

Our product line was designed from the ground up to focus on the latest in environmentally conscious resins and additives. In addition, we have largely substituted water for harsh solvents, making our products safer to use and better for our environment. For our clients this means less hazardous emissions and superior long-term performance.

Western and East Coast Sales & Distribution Offices
for convenient 1-2 day fulfillment Nationwide.



www.resinwerks.com

(720) 484-5160
7205 Gilpin Way, Suite #200
Denver, CO 80229