

# AG & CONSTRUCTION TRACKS



SUPPORTING THE IMPLEMENT DEALER INDUSTRY WITH AG & CONSTRUCTION TRACK SOLUTIONS





# AG TRACKS


## Agricultural Rubber Tracks



TRACKMAN® HP EXTREME



ARMOUR LUG LAYERS



CONSTRUCTION LAYERS



CONTINENTAL TRACKMAN® RUBBER TRACKS



| WE STOCK CONTINENTAL TRACKMAN RUBBER TRACKS FOR: |                                      |
|--------------------------------------------------|--------------------------------------|
| Cat/Challenger                                   | 35–55, 65–95, MT700 and MT800 Series |
| John Deere                                       | 8000, 9000, 8RT and 9RT Series       |
| Case Quadtrac                                    | 9300 and STX Series                  |


- Better flotation
  - Less compaction
  - Less berming
- Better fuel consumption
  - Better traction

| Part #    | Width | Tractor Vehicle                          | Description                               | Length | Tread Lug Count | Tread Pitch | Tread Lug Height | Guide Lug Count | MAXXTUFF™ Layers | Carcass Thickness | Ship Weight |
|-----------|-------|------------------------------------------|-------------------------------------------|--------|-----------------|-------------|------------------|-----------------|------------------|-------------------|-------------|
| 703526330 | 16"   | CHALLENGER 35/45/55                      | Trackman® HP                              | 319"   | 106             | 6.0"        | 2.0"             | 53              | 3                | 1.25"             | 830         |
| 703528250 | 18"   | CHALLENGER 35/45/55                      | Trackman® HP                              | 319"   | 106             | 6.0"        | 2.0"             | 53              | 3                | 1.25"             | 895         |
| 703526340 | 24"   | CHALLENGER 35/45/55                      | Trackman® HP                              | 319"   | 106             | 6.0"        | 2.0"             | 53              | 3                | 1.25"             | 1095        |
| 703526350 | 30"   | CHALLENGER 35/45/55                      | Trackman® HP                              | 319"   | 106             | 6.0"        | 2.0"             | 53              | 3                | 1.25"             | 1311        |
| 703616520 | 24"   | CHALLENGER 65-95                         | Trackman® HP Extreme                      | 339"   | 74              | 9.0"        | 2.75"            | 37              | 3                | 1.50"             | 1382        |
| 703616530 | 30"   | CHALLENGER 65-95                         | Trackman® HP Extreme                      | 339"   | 74              | 9.0"        | 2.75"            | 37              | 4                | 1.50"             | 1702        |
| 703612320 | 16"   | CHALLENGER MT735/MT745/MT755/MT765       | Trackman® HP                              | 348"   | 116             | 6.0"        | 2.0"             | 58              | 4                | 1.25"             | 861         |
| 703612330 | 18"   | CHALLENGER MT735/MT745/MT755/MT765       | Trackman® HP                              | 348"   | 116             | 6.0"        | 2.0"             | 58              | 4                | 1.25"             | 935         |
| 703613480 | 16"   | CHALLENGER MT735/MT745/MT755/MT765       | Trackman® HP Extreme                      | 349"   | 90              | 7.7"        | 2.75"            | 45              | 4                | 1.50"             | 968         |
| 703613490 | 18"   | CHALLENGER MT735/MT745/MT755/MT765       | Trackman® HP Extreme                      | 349"   | 90              | 7.7"        | 2.75"            | 45              | 4                | 1.50"             | 1075        |
| 703616540 | 24"   | CHALLENGER MT735/MT745/MT755/MT765       | Trackman® HP Extreme                      | 351"   | 78              | 9.0"        | 2.75"            | 78              | 4                | 1.50"             | 1341        |
| 703616550 | 30"   | CHALLENGER MT735/MT745/MT755/MT765       | Trackman® HP Extreme                      | 351"   | 78              | 9.0"        | 2.75"            | 78              | 4                | 1.50"             | 1628        |
| 703616560 | 30"   | CHALLENGER MT835/MT845/MT855/MT865/MT875 | Trackman® HP Extreme                      | 399"   | 88              | 9.0"        | 2.75"            | 66              | 4                | 1.50"             | 1859        |
| 703616570 | 36"   | CHALLENGER MT835/MT845/MT855/MT865/MT875 | Trackman® HP Extreme                      | 396"   | 88              | 9.0"        | 2.75"            | 66              | 4                | 1.50"             | 2208        |
| 703527850 | 16"   | JOHN DEERE 8000T                         | Trackman® HP                              | 324"   | 108             | 6.0"        | 2.0"             | 54              | 3                | 1.25"             | 873         |
| 703528240 | 18"   | JOHN DEERE 8000T                         | Trackman® HP                              | 324"   | 108             | 6.0"        | 2.0"             | 54              | 3                | 1.25"             | 943         |
| 703527860 | 24"   | JOHN DEERE 8000T                         | Trackman® HP                              | 324"   | 108             | 6.0"        | 2.0"             | 54              | 3                | 1.25"             | 1147        |
| 703527870 | 30"   | JOHN DEERE 8000T                         | Trackman® HP                              | 324"   | 108             | 6.0"        | 2.0"             | 54              | 3                | 1.25"             | 1356        |
| 703613530 | 16"   | JOHN DEERE 8000T                         | Trackman® HP Extreme                      | 325"   | 84              | 7.7"        | 2.75"            | 42              | 4                | 1.50"             | 969         |
| 703613540 | 18"   | JOHN DEERE 8000T                         | Trackman® HP Extreme                      | 325"   | 84              | 7.7"        | 2.75"            | 42              | 4                | 1.50"             | 1068        |
| 703616430 | 24"   | JOHN DEERE 8000T                         | Trackman® HP Extreme                      | 324"   | 72              | 9.0"        | 2.75"            | 54              | 3                | 1.50"             | 1360        |
| 703616440 | 30"   | JOHN DEERE 8000T                         | Trackman® HP Extreme                      | 324"   | 72              | 9.0"        | 2.75"            | 54              | 3                | 1.50"             | 1636        |
| 703616450 | 30"   | JOHN DEERE 9000T                         | Trackman® HP Extreme                      | 378"   | 84              | 9.0"        | 2.75"            | 84              | 3                | 1.50"             | 1732        |
| 703616460 | 36"   | JOHN DEERE 9000T                         | Trackman® HP Extreme                      | 378"   | 84              | 9.0"        | 2.75"            | 84              | 3                | 1.50"             | 2187        |
| 703612140 | 16"   | JD 8295RT/8320RT/8345RT                  | Trackman® HP                              | 354"   | 118             | 6.0"        | 2.0"             | 59              | 4                | 1.25"             | 868         |
| 703612150 | 18"   | JD 8295RT/8320RT/8345RT                  | Trackman® HP                              | 354"   | 118             | 6.0"        | 2.0"             | 59              | 4                | 1.25"             | 949         |
| 703613510 | 16"   | JD 8295RT/8320RT/8345RT                  | Trackman® HP Extreme                      | 357"   | 92              | 7.7"        | 2.75"            | 46              | 4                | 1.50"             | 985         |
| 703613520 | 18"   | JD 8295RT/8320RT/8345RT                  | Trackman® HP Extreme                      | 357"   | 92              | 7.7"        | 2.75"            | 46              | 4                | 1.50"             | 1094        |
| 703616470 | 24"   | JD 8295RT/8320RT/8345RT                  | Trackman® HP Extreme                      | 357"   | 78              | 9.0"        | 2.75"            | 78              | 4                | 1.50"             | 1417        |
| 703616480 | 30"   | JD 8295RT/8320RT/8345RT                  | Trackman® HP Extreme                      | 357"   | 78              | 9.0"        | 2.75"            | 78              | 4                | 1.50"             | 1691        |
| 703616490 | 30"   | JD 9430T/9530T/9630T                     | Trackman® HP Extreme                      | 387"   | 86              | 9.0"        | 2.75"            | 86              | 4                | 1.50"             | 1952        |
| 703616510 | 36"   | JD 9430T/9530T/9630T                     | Trackman® HP Extreme                      | 387"   | 86              | 9.0"        | 2.75"            | 86              | 4                | 1.50"             | 2198        |
| 703611790 | 30"   | CNH 9300                                 | Trackman® AG                              | 234"   | 78              | 6.0"        | 2.0"             | 39              | 3                | 1.25"             | 999         |
| 703611810 | 30"   | CNH 9300                                 | Trackman® Scraper                         | 234"   | 78              | 6.0"        | 2.0"             | 39              | 4                | 1.25"             | 997         |
| 703616850 | 30"   | CNH Quadtrac                             | Trackman® XP                              | 252"   | 84              | 6.0"        | 2.0"             | 42              | 3                | 1.25"             | 1067        |
| 703616860 | 36"   | CNH Quadtrac                             | Trackman® XP                              | 252"   | 84              | 6.0"        | 2.0"             | 42              | 3                | 1.25"             | 1303        |
| 703615270 | 30"   | CNH Quadtrac                             | Trackman® XP with ARMORLUG®               | 252"   | 84              | 6.0"        | 2.0"             | 42              | 4                | 1.25"             | 1020        |
| 703615640 | 30"   | CNH Quadtrac                             | Trackman® XP with ARMORLUG® Scraper       | 252"   | 84              | 6.0"        | 2.0"             | 42              | 4                | 1.25"             | 1079        |
| 703615280 | 36"   | CNH Quadtrac                             | Trackman® XP with ARMORLUG®               | 252"   | 84              | 6.0"        | 2.0"             | 42              | 4                | 1.25"             | 1318        |
| 703616260 | 30"   | CNH Quadtrac                             | Trackman® XP with ARMORLUG® ULTRA         | 252"   | 84              | 6.0"        | 2.0"             | 42              | 4                | 1.25"             | 1020        |
| 703611980 | 30"   | CNH Quadtrac                             | Trackman® XP with ARMORLUG® ULTRA Scraper | 252"   | 84              | 6.0"        | 2.0"             | 42              | 4                | 1.25"             | 1079        |
| 703612570 | 36"   | CNH Quadtrac                             | Trackman® XP with ARMORLUG® ULTRA         | 252"   | 84              | 6.0"        | 2.0"             | 42              | 4                | 1.25"             | 1318        |
| 703614960 | 16.5" | CNH Row Crop                             | Trackman® RowTech™                        | 264"   | 88              | 6.0"        | 1.75"            | 44              | 4                | 1.50"             | 753         |
| 703614970 | 18"   | CNH Row Crop                             | Trackman® RowTech™                        | 264"   | 88              | 6.0"        | 1.75"            | 44              | 4                | 1.50"             | 797         |
| 703614980 | 24"   | CNH Row Crop                             | Trackman® RowTech™                        | 264"   | 88              | 6.0"        | 1.75"            | 44              | 4                | 1.50"             | 1034        |
| 703614990 | 30"   | CNH Row Crop                             | Trackman® RowTech™                        | 264"   | 88              | 6.0"        | 1.75"            | 44              | 4                | 1.50"             | 1248        |

\*NOTE: 30" tracks cannot be used with the following Challenger Models: 65 A&B (SN Range: 7YC000–up), 75 (SN Range: 4CJ0001–up), 65C SN Range: 2ZJ1–2ZJ0499) and 75C (SNRange4KK0001–4KK0499). 30" tracks do not provide adequate clearance between the tracks and the tractor frame for the tractors listed.



Agriculture Track Components



| We Stock Midrollers, Drive Wheels & Idler Wheels for: |                                      |
|-------------------------------------------------------|--------------------------------------|
| Cat/Challenger                                        | 35-55, 65-95, MT700 and MT800 Series |
| John Deere                                            | 8000, 9000, 8RT and 9RT Series       |

- In-house manufacturing
- Excellent mud and water clearance
- 1-year warranty
- Market-leading durability

Agriculture Track Components







# CONSTRUCTION

## Construction Tracks

Manufactured using rubber compounds formulated over many years to provide optimum durability and performance in the toughest applications, Redington tracks offer unparalleled value.

Designed to eliminate stretch, our Continuous Steel Cord “CSC” construction maximizes strength while minimizing vibration, ensuring smooth operation.

Available for 4,000 plus machines, Redington has you covered with our “Guaranteed Fit” warranty program.



### Brands of Track Machines We Cover

We have construction tracks for over 4,000 different models, including:

- Bobcat
- Case
- Cat
- Gehl
- JCB
- John Deere
- Komatsu
- Kubota
- Mustang
- New Holland
- Takeuchi
- Volvo
- Yanmar



- NO flats
- Easy installation
- 10x16.5
- Driver comfort
- 8-hole wheels
- 12x16.5





[www.axontire.com](http://www.axontire.com)

**SUPPORTING THE IMPLEMENT DEALER INDUSTRY WITH AG & CONSTRUCTION TRACK SOLUTIONS**

**AXON**

Corporate: 1701 E. Euclid Ave. Des Moines, IA 50313

**888-980-1208**

Visit [www.axontire.com](http://www.axontire.com) for more information.

Instagram Facebook LinkedIn YouTube @axontire