## MATERIAL SAFETY DATA SHEET

## SECTION I - Product/ Company Identification

Product Trade Name: ALGINATE IMPRESSION MATERIAL

Part (Item) Number(s): 603-0103, 603-0203, 603-0303, 603-0403, 603-0503

604-0103, 604-0203, 604-0303, 604-0403, 604-0503

604-0603

Manufacturer Name: DENTAL TECHNOLOGIES, INC.

Address: 6901 N. HAMLIN AVENUE

City State Zip: LINCOLNWOOD, IL 60712 U.S.A.

 Emergency Telephone Number:
 (800) 424-9300 (Chemtrec)

 Information Telephone Number:
 (800) 835-0885 / (847) 677-5500

 Date Revised:
 15 Jun, 2006
 Rev 000

## SECTION II - Hazardous Ingredients / Identity Information

Hazardous Components:	Concentration	CAS No.	OSHA PEL	ACGIH TLV	OTHER LIMITS
Diatomaceous Earth	60 - 75 %	68855-54-9			
Calcium Sulfate	10 - 20 %	13397-24-5	15 mg/m3	15 mg/m3	
Sodium Alginate	10 - 20 %	9005-38-3	Not Listed	Not Listed	
Crystalline Silica	< 10 %	14808-60-7	10 mg/m3		
Zinc Oxide	< 10 %	1314-13-2			
Potassium Titanium Fluoride	< 5 %	16919-27-0	2.5 mg/m3	2.5 mg/m3	
Tetrasodium, Pyrophosphate	< 5 %	7722-88-5			

### SECTION III - Hazards Identification

Warning: This product contains crystalline silica, (airborne particles of respirable size) which is considered a hazard by inhalation. IARC has classified inhalation of CS as carginogenic for humans (Group 1). CS is listed by NTP as substance which may reasonably be anticipated to be a carcinogen. Inhalation of CS is also known to cause silicosis or non-cancerous lung disease.

SECTION IV - Fir	rst Aid Measures
------------------	------------------

Skin: Wash off with soap and water. Remove contaminated clothing. If irritation persists consult a physician.

Ingestion: Remove to fresh air. Drink water to clear throat and blow nose to evacuate dust.

Eyes: Flush with plenty of water. If irritation persists seek medical attention by an ophthalmologist.

Inhalation: N/E

## **SECTION V - Fire-fighting Measures.**

Suitable extinguishing Media: Chemical Foam, Carbon Dioxide, or Dry Chemical

Forbidden extinguish Media: Unknown

Special Exposure Hazards: None. Wear self contained breathing equipment Unusual fire and explosion hazards: Heat can initiate exotherm polymerization.

Special Protection Equipment: None. During emergency conditions, overexposure to thermal

decomposition products may cause health hazard.

## SECTION VI - Accidental release measures

MSDS-054 Rev000 Page 1 of 3

Personal Precautions: See sections VII and VIII. Avoid contact with skin, soft tissue or eye. Use good

personal hygene.

Environmental Precautions: Do not dump in sewer any spilled material.

Methods for Cleaning up Clean up using impervious gloves, wipe up with paper towels and dispose of in an

approved manner.

## SECTION VII - Handling and Storage

Handling: Avoid unnecessary exposure.

Storage: Room temperature, preferably cool, dry place.

Containers: Keep in original container supplied by manufacturer.

Other Precautions: Use according to directions. Avoid contact with eyes, skin and soft tissue.

## SECTION VIII - Exposure Controls / Personal Protection.

General Measures: Ventilation: Use sufficient local exhaust to reduce dust to the PEL for resperable quartz level

Limits: TWA: Not determined; PEL: not determined.

Respiratory protection: Use NIOSH approved dust mask respirator under appropriate OSHA standards and regulations.

Hands Protection: Impervious Gloves optinal

Eye Protection: Safety Glasses or Goggles to protect for dust particles.

Skin Protection: Respect good personal hygiene practice. Avoid unnecessary exposure.

Other Equipment: Lab Coat.

### **SECTION IX - Physical and Chemical Properties.**

Appearance: Powder Explosion Limits: N/A
Vapor Density N/A Flash Point N/A

Odor Flavored Water solubility: Powder absorbs water.

Vapor PressureN/ASpecific GravityN/EBoiling Point:N/AEvaporation Rate:N/A

### **SECTION X - Stability and Reactivity.**

Stability: Stable under normal storage conditions

Conditions to avoid: Temperatures over 27 ℃ / 80 ℉, direct sunlight or high intensity light.

Materials to avoid: Moisture
Hazardous Decomposition Products: Carbon Oxides
Hazardous Polymerization Products: May occur

# **SECTION XI - Toxicological Information.**

Ingestion: May cause indigestion.

Eye contact: May cause irritation, pain, eye burns or eye damage.

Skin Contact: May cause cause irritation or rash for persons with preexistent skin sensitivity.

Inhalation: No harmfull effects at room temperature.

Prolonged exposure: N/A

#### **SECTION XII -** Ecological Information.

There is no specific information on the product. Use according to good working practice.

Avoid releasing the product into environment.

## SECTION XIII - Disposal Considerations.

Incinerate or dispose according to local regulations.

MSDS-054 Rev000 Page 2 of 3

**SECTION XIV-Transport Information.** 

SEA TRANSPORTATION **ROAD / RAILWAY TRANSPORTATION:** 

RID/ADR Substances determining Hazard: None N/A N/A IMCO# Class N/A UN# N/A Hazard Identification # N/A Substance Identification # N/A **AIR TRANSPORTATION** Hazard Label

Substances determining Hazard: none

#### **SECTION XV-Regulatory Information**

CLASSIFICATION IN ACCORDANCE WITH EEC DIRECTIVES.

N/A

Hazard Classification Symbol::

ICAO/IATA Class

Risk Statements: R22 Harmful if swallowed.

> R36/37/38 Irritating to eyes, respiratory system and skin

N/A

Safety Statements: S36 Wear protective clothing

Ingredients Determining the label: N/A

#### **SECTION XVI-**Other Information

Abbreviations:

NFPA -National Fire Protection Association

N/A Not Applicable N/E Not Established

CAUTION: PRODUCT FOR PROFESSIONAL USE ONLY.

The above information is based on presently available data and to our best knowledge for handling the product under normal conditions. Any use of this product in any way not indicated on this document or using it together with any other process/procedure will be exclusively under the user's responsibility.

MSDS-054 Rev000 Page 3 of 3