



REAL PERFORMANCE

Designed For Your Business

The Cat® DP70N1 pneumatic tire lift truck offers proven reliability and durability, combined with the strength and stability you need to get the job done. Equipped with the high-performance Perkins® 854F 3.4L engine, this lift truck offers increased fuel efficiency, reduced emissions and a lower overall operating cost.

ADVANTAGES TO YOU:

- Controlled, yet powerful acceleration maximizes productivity.
- An 18% increase* in fuel efficiency, resulting in a greater annual cost savings.
- 500-hour extended service intervals mean less downtime and maintenance costs.
- World-class service and support provided by the best dealer network in the industry.
- Emission levels well below Environmental Protection Agency (EPA) Tier 4 Final requirements.

KEY APPLICATIONS:

- Lumber
- Steel and pipe
- Fabricated metals
- Concrete, stone, clay and glass
- Industrial machinery and equipment



^{*}Based on preliminary test results; levels may vary depending on application.







Made To Perform

With a lift capacity of 15,500 pounds and a powerfully efficient, turbocharged four-cylinder engine, the Cat DP70N1 lift truck raises the bar on performance – delivering powerful acceleration and reduced fuel costs for a better bottom line.

HIGH-PERFORMANCE PERKINS TIER 4 FINAL ENGINE

Building only the best in industrial engines, Perkins has spent a vast amount of time and resources on engine development for increased productivity and lower overall operating costs. The Perkins 854F four-cylinder engine is able to provide the same productivity with a fraction of the fuel, and a fraction of the cost of operation.

Benefits:

- Performs with 18% more fuel efficiency than previous models, resulting in greater annual savings*.
- Fuel saver mode lowers fuel consumption even further (by up to 14%) while maintaining up to 95% of overall productivity**.
- Low-speed torque offers controlled, yet powerful acceleration for maximum productivity throughout the shift.
- A compact turbocharger delivers six-cylinder power in a four-cylinder package, resulting in rapid response and a better driving experience for your operators.
- Meets EPA Tier 4 Final standards.

TIER 4 FINAL: THE RIGHT TECHNOLOGY FOR MAXIMUM PERFORMANCE

Proven Approach:


Features a compact Diesel Oxidation Catalyst (DOC) and Selective Catalytic Reduction (SRC) aftertreatment solution that meets or exceeds U.S. EPA Tier 4 Final standards. This technology is designed to be maintenance free for the life of the engine.

Cat Lift Trucks Advantage:

- Optimized DOC/SCR emissions solutions
- Fuel efficient
- Field-proven performance
- Increased uptime
- Fully supported by your local Cat lift truck dealer

^{*} Based on preliminary test results; levels may vary depending on application.

^{**} Fuel consumption levels may vary based on application.



OPTIONAL CONTROLS

Optional fingertip controls are integrated into the armrest for easy operator access and control.

- Provides control of the lift truck's hydraulic functions with minimal effort
- Reduces operator fatigue throughout the shift



OPTIONAL CAB

To further customize the lift truck for your business, select the premium cab option, which offers:

- Front windshield with wiper and washer
- Top panel
- Roof headliner
- Dome light
- Operator and defogger fan
- Rear windshield with wiper and washer
- Right and left steel door with sliding window
- Steel coat hook
- Cabin heater



COMFORTABLE RIDE

The full-suspension standard vinyl seat can be adjusted for added operator comfort.

- Front and back adjustment slides up to 6.5 inches to accommodate operators of various heights
- Suspension adjustment adds support in the seat based on the weight of the operator
- Lumbar support adjustment supports the operator's lower back
- Fold down pin allows the seat to easily move for access to the engine hood

LESS NOISE, LESS VIBRATION

Minimizing noise and vibration levels will help keep the operator comfortable throughout the shift.

Less vibration and noise is achieved through the use of:

- Rubber mounted components
- Fully-insulated engine hood
- Helical transmission gears
- Closed wheel wells



MORE FEATURES FOR MORE CONTROL

- **Standard orange seat belt** allows managers to easily see when operators are properly wearing their seat belt.
- **Electronic direction control** allows the operator to shift between forward and reverse travel without losing contact with the steering wheel. The result is smooth acceleration and direction changes up to 2.5 mph.
- Hydrostatic steering minimizes the effort needed to smoothly steer the lift truck, providing more operator control and maneuverability.
- Tilt steering column with mechanical quick return equipped with a memory function designed to adjust and lock and return to its preset position.
- Pneumatic tires provide traction and a comfortable ride in rugged terrain. The standard dual drive tires offer added stability while handling loads up to 15,500 lbs.

TAKING CONTROL OF YOUR WORKDAY

More Awareness

Moving heavy loads in the toughest terrain requires a high level of awareness and the ultimate in control. The Cat DP70N1 is built with this in mind, featuring all-around visibility and essential indicators to keep your operators alert and confident throughout the shift.

TOTAL CONTROL

Operators and pedestrians will benefit from this truck's lineup of powerful tools and features.

- Premium LCD/LED Display the easy-to-read display with at-a-glance indicators keeps the operator aware of the truck's performance at all times. Features like speed, travel direction and maintenance requirements are easily visible throughout operation.
- Engine Protection System this system is designed to keep the lift truck running at peak performance. Display-based indicators immediately notify the operators when vital fluids are low or engine maintenance is required, resulting in greater uptime while helping to prevent more costly maintenance needs later.
- Electronic Backup Alarm the alarm sounds anytime the truck is in reverse, alerting pedestrians and other operators working nearby.
- **Ground Speed Control** software and sensors limit the maximum operating travel speed of the truck while maintaining optimal acceleration and performance. See your local Cat lift truck dealer for flexibility in adjusting the speed in applications requiring stricter policies.
- **LED Lights** these work lights have a longer life, minimize glare and are cooler than traditional bulbs all features that lower the cost of ownership while improving operator productivity.

VISIBILITY – FROM FRONT TO BACK

The DP70N1 provides all-around visibility.

- Slim profile mast and open overhead guard design
- Lower profile counterweight enhances visibility when working in reverse











PRESENCE DETECTION SYSTEM (PDS)

The Presence Detection System (PDS) activates whenever the operator does not fasten the seat belt during operation or leaves the normal operating position without activating the parking brake. This integral computer-based feedback system uses both audible and visual indicators to alert the operator and increase operator awareness.

Key features:


- When the operator is not in the normal operating position, the PDS electronically discontinues powered-travel movement and activation of load-handling functions.
- When an operator is in the normal operating position, but the seat belt is not buckled, an audible warning will sound and a visible indicator will appear, alerting the operator.

Specifications

	haracteristics		DP70N1			
1	Capacity at rated load center	lb	kg	15,500	7,000	
2	Capacity at load center – distance	in	mm	24	600	
3	Power – electric, diesel, gasoline or LP gas		diesel			
4	Tire type – cushion or pneumatic			pneumatic		
5	Wheels (x=driven) – number front / rear			4x / 2		
	Dimensions			DP70N1		
6	Maximum fork height (top of fork) 1)	in	mm	120.5	3,060	
7	Free fork height 1)	in	mm	7.9	200	
8	Forks – thickness x length x width 1)	in	mm	2.4 × 48 × 5.9	60 x 1,220 x 150	
9	Fork spacing – out-to-out minimum / maximum	in	mm	11.8 / 63.0	300 / 1,600	
10	Tilt – forward / backward	d	eg	6° / 12°		
11	Length to fork face	in	mm	141	3,580	
12	Width – with dual drive tires	in	mm	85.4	2,170	
13	Height – with lowered mast 1)	in	mm	101.5	2,570	
14	Seat height to SIP	in	mm	62.7	1,592	
15	Height – to top of overhead guard	in	mm	103	2,610	
16	Height – with extended mast 1)	in	mm	168.5	4,277	
17	Minimum outside turning radius	in	mm	130	3,310	
18	Load moment constant	in	mm	23.0	585	
19	Minimum aisle – 90° stack – zero clearance without a load	in	mm	153	3,895	
	Performance			DP70N1		
20	Travel speed – loaded / empty	mph	km/h	16.2 / 18.0	26.0 / 29.0	
21	Lift speed – loaded / empty	fpm	m/s	92.5 / 96.1	0.47 / 0.49	
22	Lowering speed – loaded / empty	fpm	m/s	98.4 / 98.4	0.50 / 0.50	
23	Drawbar pull – loaded at 1 mph (1.6 km)	lb	N	8,900	39,600	
24	Drawbar pull – loaded maximum	lb	N	11,960	53,200	
25	Gradeability – loaded at 1 mph (1.6 km)		%	25	5	
26	Gradeability – maximum loaded	eability – maximum loaded %		35		
	Weight			DP70N1		
27	Empty	lb	kg	20,990	9,520	
28	Axle load – with rated load front / rear	lb	kg	32,730 / 3,760	14,820 / 1,700	
29	Axle load – without load front / rear	lb	kg	9,280 / 11,710	4,210 / 5,310	
	Chassis			DP70	DP70N1	
30	Tire size – front, standard duals		n	8.25-15-12PR		
31	Tire size – rear tires		n	8.25-15	-12PR	
32	Wheelbase	in	mm	90.6	2,300	
33	Tread width – front, standard duals	in	mm	65.0	1,650	
34	Tread width – rear tires	in	mm	65.0	1,650	
35	Ground clearance – at lowest point at mast	in	mm	6.7	170	
36	Ground clearance – at center of wheelbase	in	mm	10.4	263	
37	Service brake	l l		hydraulic with v	vacuum boost	
38	Parking brake			hand, mechanical		
	Powertrain			DP70N1		
39	Engine model		Perkins 854F			
40		HP	kW	100.6	75	
41	Engine – continuous output S.A.E. gross	at	rpm	2,4	80	
42			N-m	218	296	
43	Engine – maximum torque S.A.E. gross	lb-ft at	rpm	1,4		
44	Cylinder / displacement	cu in	L	4 / 207.5	4/3.4	
45	Transmission – type		1	powershift		
46	Transmission – number of speeds forward / reverse			2/2		
47	Battery	V	olts	12		
48	Relief pressure for attachments	psi	bar	2,770	191	
49	Noise level – mean value at operator's ear Leq	-	B(A)	86.		
.5		GE.	. "7		-	

¹⁾ heights with shaft type forks on standard two-stage mast. Optional hook type forks will change dimensions slightly.

NOTE: Dimensions represent maximum battery size, not compartment size. These specifications assume the use of drive axles, tires and tilt angles specified. Any modification to specifications, or any other combination of specifications made after the shipment of the truck, requires prior written approval from Mitsubishi Caterpillar Forklift America Inc. (MCFA). (See ANSI/ITSDF B56.1.) Also be advised that overall operating visibility may be affected by the mast configuration and mast options of your lift truck. Therefore, you may need to add ancillary [auxiliary] devices or modify your operating practices. Consult your dealer for further information.




Safety Standards

These trucks meet American National Standards Institute/ Industrial Truck Standards Development Foundation, ANSI/ITSDF B56.1. Users should be aware of, and adhere to, applicable codes and regulations regarding operator training, use, operation and maintenance of powered industrial trucks, including:

- ANSI/ITSDF B56.1.
- NFPA 505, fire safety standard for powered industrial trucks type designations, areas of use, maintenance, and operation.
- Occupational Safety and Health Administration (OSHA) regulations that may apply.

Specifications, equipment, technical data, photos and illustrations based on information at time of printing and subject to change without notice. Some products may be shown with optional equipment.







Genuine OEM parts



Custom financing packages





Factory warranty for added protection



Local Support You Can Count On

A Cat lift truck purchase connects you to a variety of material handling solutions, including world-class service and support from your local, trusted dealer. With trained service technicians, a diverse parts inventory and a broad selection of service options, your local dealer can help you lower costs, enhance productivity and more efficiently manage your business.

FINANCING MADE SIMPLE

Financing your next Cat lift truck is easy with our wide range of flexible leasing and purchasing options. Whether you want to finance or lease, your local Cat lift truck dealer can help customize a package for your business.

WHEN EVERY PART COUNTS

When buying from your local Cat lift truck dealer, you can rest assured that your genuine OEM parts are manufactured to meet original equipment criteria. Additionally, all Cat lift trucks OEM parts come with a six-month, unlimited-hours warranty.

When speed is critical, our Parts Fast Or Parts Free Guarantee* ensures next-business-day delivery of all Cat lift trucks parts, or they're free, including freight. If your part doesn't come in by the next business day, we pay for it.

STANDING BEHIND OUR PRODUCTS

We deliver peace of mind by helping your lift trucks stay on the job. Every new Cat lift truck is covered by a 1-year / 2,000-hours warranty that includes parts and labor, as well as components and systems. With our standard 2-year / 4,000-hours extended powertrain warranty, you'll have the confidence that only comes from owning a Cat lift truck.

^{*} At dealer's location

[†] Programs may be subject to change without notice and may vary by region. Please ask your local Cat lift truck dealer for complete terms and conditions.



Your Cat lift truck dealer can provide additional options and features to specialize your lift truck for your unique application. Operator training and custom financing programs are also available to help find the right fit for your business.

Helping move businesses forward - that's how we're built.

BUILT FOR IT.

1-800-CAT-LIFT | www.cat-lift.com

© 2015 MCFA. All Rights Reserved. CAT, CATERPILLAR, BUILT FOR IT, their respective logos, "CaterpillarYellow," the "Power Edge" trade dress as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission. All registered trademarks are the property of their respective owners. Some products may be shown with optional equipment.

