



— NO BODY BETTER —

MARAUDER  
MARAUDER SL



STEEL DUMP BODIES

**MADE FOR  
MORE**

**MARAUDER** **MARAUDER SL**

A product of the USA



# MARAUDER DUMP BODY



## STANDARD FEATURES

### Subframe

- 7" high, 7-gauge formed channel with interlaced 3" steel cross-members (Models MD92/MD113)
- 5" high structural channel, non-interlaced and stacked on 3" cross-members (Model MD95)

### Body Construction

- Dual-wall side construction with outer bolsters and dirt-shedding sides
- Floor HRA1011 steel floor (7-gauge on model MD95, 10-gauge on models MD92/113)
- Fully-welded integral bulkhead with half cab-shield
- Three-panel 10-gauge tailgate
- Single-lever heavy-duty release mechanism with additional remote release and chain slips
- Prime-coated and Top-coated finish in Gloss Black
- Outer walls, bulkhead, cab shield and tailgate include 2-sided galvanized A40-A60 coating weight steel for rust protection

### Hoist

- Double-acting electric-hydraulic hoist with in-cab tethered hand control
- MD95 and MD113: NTEA Class D rated for up to 12 Ton lift capacity\*
- MD92: NTEA Class C rated for up to 8 Ton lift capacity\*
- Permanently attached body prop

### Lighting

- LED Shock-mounted, recessed lamps for durability

### Warranty

- Backed by Reading's Three Year (36,000 mile) limited warranty for body and hoist (Ask for details)

### Options

- High bulkhead option (61") for Medium Duty Chassis (MD95 only)
- Variety of hitches, tarp covers
- REV-PAK™ storage systems for extended C.A. applications

\* Always observe chassis ratings (GVWR/GAWR/GCWR) and legal limits.

DIMENSIONAL INFORMATION									OPTIONAL FEATURES			
MODEL	DESCRIPTION	OVERALL WIDTH	OVERALL LENGTH	INSIDE WIDTH	INSIDE LENGTH	SIDEWALL HEIGHT	TAILGATE HEIGHT	BULKHEAD HEIGHT	COAL CHUTE	DROP SIDES	COAL CHUTE & DROP SIDES	BULKHEAD
MD92	9' - 2/3 Yard	96"	133"	87 3/8"	108"	16"	22"	52"	O	O	O	
MD113	11' - 3/4 Yard	96"	157"	87 3/8"	132"	16"	22"	52"	O			
MD95	9' - 4/5 Yard	96"	133"	87 3/8"	108"	20"	26"	52"				61.5"



# MARAUDER SL DUMP BODY



## STANDARD FEATURES

### Subframe

- 7-gauge steel with 3" steel trapezoidal longsills
- Crossmemberless understructure

### Body

- HRA1011 steel floor plate
- Angled sidewalls to eliminate bridging of material
- Dual wall, flat panel tailgate; includes single-release mechanism and chain slips
- Prime-coated and top-coated finish in gloss black finish

### Hoist

- Double-acting electric-hydraulic hoist with in-cab tethered hand control
- NTEA Class C rated for up to 8 Ton lift capacity\*
- Permanently attached body prop

\* Always observe chassis ratings (GVWR/GAWR/GCWR) and legal limits.

### Lighting

- LED Lights: Shock mounted, recessed stop, turn, and tail lights as well as marker lights in rear posts

### Warranty

- Backed by Reading's Three Year (36,000 mile) limited warranty for body and hoist (Ask for details)

### Options

- Variety of hitches

DIMENSIONAL INFORMATION								
MODEL	DESCRIPTION	OVERALL WIDTH	OVERALL LENGTH	INSIDE WIDTH	INSIDE LENGTH	SIDEWALL HEIGHT	TAILGATE HEIGHT	BULKHEAD HEIGHT
SLMD92	9' - 2/4 Yard	95.5"	123.6"	86.6"	108"	16"	22"	52"
SLMD113	9' - 3/4 Yard	95.5"	147.6"	86.6"	132"	16"	22"	52"

\*\*Coal chute and drop sides are not available on Marauder SL model.\*\*

# MADE FOR MORE

At Reading Truck, our work is our life. And we know it's yours, too. That's why our truck bodies have always been made with your work in mind. We created the first all-aluminum truck body over 35 years ago, and continue to make innovation a priority in every durable, worry-free design we create. Our customers put our products to work in some of the harshest environments and toughest sites imaginable. They know the difference is in the Reading details: better hinges, lighter aluminum frames, and easier opening latches. These details make our truck bodies unlike any other. They're made to handle bigger payloads, extra miles, and harder work. Reading Truck. Made for more.



## CLASS-LEADING WARRANTY

Your truck is the heart of your business. When it doesn't perform, you can't perform. That's why we back our work truck bodies with the best warranties in the business. To ensure that you get fast service when you need it, be sure to register your Reading truck body within 30 days of purchase and contact us anytime with any concerns you may have.



— NO BODY BETTER —

### CORPORATE HEADQUARTERS:

825 E. Wyomissing Blvd.  
Reading, PA 19611

[READINGBODY.COM](http://READINGBODY.COM)

Sold and Serviced Locally by



© 2019 Reading Truck Group. All rights reserved.

Version Number RTG19-MDB-01



All dimensions subject to plus or minus tolerance of 1/4" and all dimensions and specifications are subject to change without notice. Some items displayed in photographs are optional. Aluma-Fill, Aluma-Chock, Dual-Pro, Extend-A-Shelf, Grip-'n-Glide, Latch-Matic, Marauder, Reading, Redi-Dek, Spacemaker, Tool-Mates, and TUFF STUFF are registered trademarks of Reading Truck Group, LLC in the United States and some foreign countries.