



SAFETY PARTITIONS

Our safety partitions protect the most important asset: you



SAFE

Designed for maximum
impact resistance.
Proven by impact testing.



EFFICIENT

1. Contoured to maintain seat travel and ensure driver comfort.
2. Contoured to capitalize on cargo area floor space.



QUIET

Thickness of material
cancels vibrations.

SAFETY PARTITIONS

APPLICATION GUIDE P. 30

CHEVROLET

EXPRESS P. 32

FORD

TRANSIT P. 33

TRANSIT CONNECT P. 37

GMC

SAVANA P. 39

MERCEDES-BENZ

METRIS P. 40

SPRINTER P. 41

NISSAN

NV P. 44

NV200 P. 46

RAM

PROMASTER P. 47

PROMASTER CITY P. 48

Ranger Design safety partitions provide a solid and secure barrier between the occupants of the van and the cargo.

Built from heavy gauge steel, aluminum or thermoformed ABS and polycarbonate, these partitions are designed for maximum impact resistance and uphold a standard of safety set only by Ranger Design products.

Ranger Design partitions also provide a more comfortable environment for the driver by giving more seat travel and by not rattling as the vehicle drives down the road.

Application Guide

Type	Material	 Chevrolet Express Standard Roof	 Ford Transit Low Roof	 Ford Transit Medium Roof	 Ford Transit High Roof	 Ford Transit Connect Standard Roof	 GMC Savana Standard Roof
Contoured safety partition	Aluminum	3010-GS P. 32	3010-FTL P. 33	3010-FTM P. 34	3010-FTH P. 33	3010-TC P. 37	3010-GS P. 39
Contoured safety partition	Composite	—	—	—	—	—	—
Contoured safety partition	Steel	C12-H P. 32	C12-FTL P. 35	—	—	C12-E P. 38	C12-H P. 39
Contoured safety partition with perforated window	Steel	C10-H P. 32	C10-FTL P. 35	—	—	C10-E P. 38	C10-H P. 39
Contoured safety partition with tempered glass window	Aluminum	3020-GS P. 32	3020-FTL P. 34	3020-FTM P. 34	3020-FTH P. 34	3020-TC P. 37	3020-GS P. 39
Contoured Wire mesh partition	Steel	—	—	—	—	C13-E P. 38	—
Max view contoured safety partition	Composite	—	3320-FTL P. 35	—	—	3320-TC P. 38	—
Mid position straight safety partition	Aluminum	—	—	—	—	—	—
Mid position straight safety partition with tempered glass window	Aluminum	—	—	—	—	—	—
Single side straight partition	Aluminum	—	—	—	—	—	—
Straight partition with perforated window, no access	Steel	C20-GS P. 32	C20-FTL P. 36	C20-FTM P. 36	C20-FTH P. 36	—	C20-GS P. 39
Straight partition with perforated window, swing door	Steel	C30-GS P. 33	C30-FTL P. 37	C30-FTM P. 37	C30-FTH P. 37	—	C30-GS P. 40
Straight partition with tempered glass window, sliding door	Aluminum	—	—	3068-FTM P. 34	3068-FTH P. 34	—	—
Straight walk through partition	Aluminum	—	—	—	—	—	—
Straight walk through partition	Steel	C24-GS P. 33	C24-FTL P. 36	C24-FTM P. 36	C24-FTH P. 36	—	C24-GS P. 40

 Mercedes-Benz Metris Standard Roof	 Mercedes-Benz Sprinter Low Roof	 Mercedes-Benz Sprinter High Roof	 Nissan NV Low Roof	 Nissan NV High Roof	 Nissan NV200 Standard Roof	 Ram ProMaster Standard Roof	 Ram ProMaster High Roof	 Ram ProMaster City Standard Roof
–	3010-DL P. 41	3010-DH P. 41	3010-NL P. 44	3010-NH P. 44	3010-NS P. 46	3010-RP P. 47	3010-RP P. 47	3010-PC P. 48
–	–	–	–	–	–	–	–	3310-PC P. 49
–	–	–	–	–	C12-W P. 47	–	–	C12-PC P. 49
C10-MM P. 40	–	–	–	–	C10-W P. 47	–	–	C10-PC P. 49
–	3020-DL P. 42	3020-DH P. 41	3020-NL P. 45	3020-NH P. 45	3020-NS P. 46	3020-RP P. 47	3020-RP P. 47	3020-PC P. 49
C13-MM P. 41	–	–	–	–	C13-W P. 47	–	–	C13-PC P. 49
3320-MM P. 40	–	–	–	–	–	–	–	3320-PC P. 49
–	–	3015-DH P. 41	–	–	–	–	–	–
–	–	3025-DH P. 42	–	–	–	–	–	–
–	3060-DL P. 42	3060-DH P. 42	–	–	–	–	–	–
–	C20-DL P. 43	C20-DH P. 43	C20-NL P. 45	C20-NH P. 45	–	C20-X P. 48	C20-X P. 48	–
–	C30-DL P. 44	C30-DH P. 43	C30-NL P. 46	C30-NH P. 46	–	C30-X P. 48	C30-X P. 48	–
–	3068-DL P. 43	3068-DH P. 42	–	–	–	3068-RP P. 48	3068-RP P. 48	–
–	–	3064-DH P. 42	–	–	–	–	–	–
–	C24-DL P. 43	C24-DH P. 43	C24-NL P. 45	C24-NH P. 45	–	C24-X P. 48	C24-X P. 48	–

SAFETY PARTITIONS



CHEVROLET EXPRESS



3010-GS

Chevrolet Express
Contoured safety partition


Aluminum	
Standard Roof	
47 lbs	
1 hr	
Yes	
5.56"	



3020-GS

Chevrolet Express
Contoured safety partition with
tempered glass window


Aluminum	
Standard Roof	
49 lbs	
1 hr	
No	
5.56"	



C10-H

Chevrolet Express
Contoured safety partition
with perforated window


Steel	
Standard Roof	
58 lbs	
1 hr	
Yes	
5.56"	



C12-H

Chevrolet Express
Contoured safety partition

Steel	
Standard Roof	
53 lbs	
1 hr	
No	
5.56"	



C20-GS


Chevrolet Express
Straight partition with perforated
window, no access

Steel	
Standard Roof	
61 lbs	
1.5 hr	
Yes	
6.75"	



C24-GS
Chevrolet Express
Straight walk through partition

Steel	
Standard Roof	
46.5 lbs	
1 hr	
Yes	
6.75"	



C30-GS
Chevrolet Express
Straight partition with perforated window, swing door

Steel	
Standard Roof	
63.2 lbs	
1 hr	
Yes	
6.75"	



3068-FTM Straight partition with tempered glass window, sliding door



FORD
TRANSIT



3010-FTH
Ford Transit
Contoured safety partition

Aluminum	
High Roof	
57 lbs	
1 hr	
Yes	
8.32"	



3010-FTL
Ford Transit
Contoured safety partition

Aluminum	
Low Roof	
46 lbs	
1 hr	
Yes	
7.16"	

SAFETY PARTITIONS



3010-FTM

Ford Transit
Contoured safety partition

Aluminum

Medium Roof

52 lbs

1 hr

Yes

8.32"



3020-FTH

Ford Transit
Contoured safety partition with
tempered glass window

Aluminum

High Roof

66 lbs

1 hr

Yes

8.32"



3020-FTL

Ford Transit
Contoured safety partition with
tempered glass window

Aluminum

Low Roof

48 lbs

1 hr

Yes

7.16"



3020-FTM

Ford Transit
Contoured safety partition with
tempered glass window

Aluminum

Medium Roof

52 lbs

1 hr

Yes

8.32"



3068-FTH

Ford Transit
Straight partition with tempered
glass window, sliding door

Aluminum

High Roof

77 lbs

1.5 hrs

Yes

6.29"



3068-FTM

Ford Transit
Straight partition with tempered
glass window, sliding door

Aluminum

Medium Roof

84.2 lbs

1.5 hrs

Yes

6.29"



3320-FTL

Ford Transit
Max View contoured safety partition

Composite	
Low Roof	
50 lbs	
1.5 hr	
Yes	
8"	



C10-FTL

Ford Transit
Contoured safety partition
with perforated window

Steel	
Low Roof	
66 lbs	
1 hr	
Yes	
7.11"	



C12-FTL

Ford Transit
Contoured safety partition

Steel	
Low Roof	
64 lbs	
1 hr	
Yes	
7.11"	

MAX VIEW SAFETY PARTITION

The Ranger Design Max View gives you 180 degree rear visibility into the cargo area – giving you the safety and comfort you deserve

This state-of-the-art composite van partition provides unmatched protection with lightweight material. Built from thermoformed ABS and polycarbonate, it is engineered to resist maximum impact. With a snug fit and rattle-free construction, it gives you:

- Ergonomic cabin comfort
- 180-degree rear visibility
- Airtight climate control



SAFETY PARTITIONS



C20-FTH

Ford Transit

Straight partition with perforated window, no access

Steel

High Roof

92.1 lbs

1 hr

Yes

4.76"



C20-FTL

Ford Transit

Straight partition with perforated window, no access

Steel

Low Roof

64 lbs

1 hr

Yes

4.25"



C20-FTM

Ford Transit

Straight partition with perforated window, no access

Steel

Medium Roof

77 lbs

1 hr

Yes

4.76"



C24-FTH

Ford Transit

Straight walk through partition

Steel

High Roof

65 lbs

1.2 hrs

Yes

4.76"



C24-FTL

Ford Transit

Straight walk through partition

Steel

Low Roof

48 lbs

1.2 hrs

Yes

4"



C24-FTM

Ford Transit

Straight walk through partition

Steel

Medium Roof

58 lbs

1.2 hrs

Yes

4.76"



C30-FTH

Ford Transit

Straight partition with perforated window, swing door

Steel	
 High Roof	
 86 lbs	
 1.5 hrs	
 Yes	
 4.96"	




C30-FTL

Ford Transit

Straight partition with perforated window, swing door

Steel	
 Low Roof	
 68 lbs	
 1.5 hrs	
 Yes	
 4.61"	



C30-FTM

Ford Transit

Straight partition with perforated window, swing door

Steel	
 Medium Roof	
 79 lbs	
 1.5 hrs	
 Yes	
 4.96"	




3010-TC

Ford Transit Connect

Contoured safety partition

Aluminum	
 Standard Roof	
 39.75 lbs	
 1 hr	
 Yes	
 10.75"	



3020-TC

Ford Transit Connect

Contoured safety partition with tempered glass window

Aluminum	
 Standard Roof	
 42 lbs	
 1 hr	
 Yes	
 10.75"	



FORD
TRANSIT CONNECT

SAFETY PARTITIONS

PARTITIONS



3320-TC

Ford Transit Connect
Max View contoured safety partition

Composite

	Standard Roof
	36 lbs
	1 hr
	Yes
	8.4"



C10-E

Ford Transit Connect
Contoured safety partition with perforated window

Steel

	Standard Roof
	53 lbs
	1 hr
	Yes
	10.5"



C12-E

Ford Transit Connect
Contoured safety partition

Steel

	Standard Roof
	55 lbs
	1 hr
	Yes
	10.5"




C13-E

Ford Transit Connect
Contoured wire mesh partition

Steel

	Standard Roof
	37 lbs
	0.7 hr
	Yes
	10.5"

SETBACK FROM B PILLAR





GMC
SAVANA




3010-GS
GMC Savana
Contoured safety partition

Aluminum	
 Standard Roof	
 47 lbs	
 1 hr	
 Yes	
 5.56"	




3020-GS
GMC Savana
Contoured safety partition with
tempered glass window

Aluminum	
 Standard Roof	
 49 lbs	
 1 hr	
 No	
 5.56"	




C10-H
GMC Savana
Contoured safety partition
with perforated window

Steel	
 Standard Roof	
 58 lbs	
 1 hr	
 Yes	
 5.56"	



C12-H
GMC Savana
Contoured safety partition

Steel	
 Standard Roof	
 53 lbs	
 1 hr	
 No	
 5.56"	



C20-GS
GMC Savana
Straight partition with perforated
window, no access

Steel	
 Standard Roof	
 61 lbs	
 1.5 hr	
 Yes	
 6.75"	

SAFETY PARTITIONS


PARTITIONS



C24-GS

GMC Savana
Straight walk through partition

Steel	
Standard Roof	
46.5 lbs	
1 hr	
Yes	
6.75"	



C30-GS

GMC Savana
Straight partition with perforated window, swing door

Steel	
Standard Roof	
63.2 lbs	
1 hr	
Yes	
6.75"	



3010-GS Contoured safety partition for GMC Savana



MERCEDES-BENZ METRIS



3320-MM

Mercedes-Benz Metris
Max View contoured safety partition


Composite	
Standard Roof	
48 lbs	
1.2 hrs	
Yes	
9"	



C10-MM

Mercedes-Benz Metris
Contoured safety partition with perforated window

Steel	
Standard Roof	
62 lbs	
1 hr	
Yes	
11"	




C13-MM

Mercedes-Benz Metris
Contoured wire mesh partition

Steel	
Standard Roof	
37 lbs	
1.2 hrs	
Yes	
11"	




MERCEDES-BENZ
SPRINTER



3010-DH

Mercedes-Benz Sprinter
Contoured safety partition

Aluminum	
High Roof	
59 lbs	
1.2 hrs	
Yes	
5.5"	



3010-DL

Mercedes-Benz Sprinter
Contoured safety partition

Aluminum	
Low Roof	
57 lbs	
1.2 hrs	
No	
5.5"	



3015-DH

Mercedes-Benz Sprinter
Mid position straight safety partition

Aluminum	
High Roof	
59 lbs	
1.2 hrs	
No	
2.5"	



3020-DH

Mercedes-Benz Sprinter
Contoured safety partition with
tempered glass window

Aluminum	
High Roof	
66 lbs	
1.2 hrs	
No	
5.5"	

SAFETY PARTITIONS

PARTITIONS



3020-DL

Mercedes-Benz Sprinter
Contoured safety partition with tempered glass window

Aluminum	
Low Roof	
64 lbs	
1.2 hrs	
No	
5.5"	



3025-DH

Mercedes-Benz Sprinter
Mid position straight safety partition with tempered glass window

Aluminum	
High Roof	
66 lbs	
1.2 hrs	
No	
2.5"	



3060-DH

Mercedes-Benz Sprinter
Single side straight partition

Aluminum	
High Roof	
50 lbs	
0.7 hr	
No	
5"	



3060-DL

Mercedes-Benz Sprinter
Single side straight partition

Aluminum	
Low Roof	
20 lbs	
0.7 hr	
No	
5"	



3064-DH

Mercedes-Benz Sprinter
Straight walk through partition

Aluminum	
High Roof	
42 lbs	
1 hr	
No	
5"	



3068-DH

Mercedes-Benz Sprinter
Straight partition with tempered glass window, sliding door

Aluminum	
High Roof	
97.9 lbs	
1.5 hrs	
Yes	
8"	



3068-DL

Mercedes-Benz Sprinter
Straight partition with tempered glass window, sliding door


Aluminum	
Low Roof	
84 lbs	
1.5 hrs	
Yes	
7.25"	



C20-DH

Mercedes-Benz Sprinter
Straight partition with perforated window, no access


Steel	
High Roof	
89 lbs	
1 hr	
Yes	
7.5"	



C20-DL

Mercedes-Benz Sprinter
Straight partition with perforated window, no access


Steel	
Low Roof	
80 lbs	
1 hr	
Yes	
7.5"	



C24-DH

Mercedes-Benz Sprinter
Straight walk through partition

Steel	
High Roof	
66 lbs	
1 hr	
No	
7.5"	



C24-DL

Mercedes-Benz Sprinter
Straight walk through partition

Steel	
Low Roof	
61 lbs	
1 hr	
No	
7.5"	




C30-DH

Mercedes-Benz Sprinter
Straight partition with perforated window, swing door

Steel	
High Roof	
92 lbs	
1 hr	
No	
8"	

SAFETY PARTITIONS



C30-DL

Mercedes-Benz Sprinter

Straight partition with perforated window, swing door

Steel

Low Roof

83 lbs

1 hr

No

8"



NISSAN
NV



3010-NH

Nissan NV

Contoured safety partition

Aluminum

High Roof

64.1 lbs


1.2 hrs

Yes

5.78"

CONTOURED SAFETY PARTITIONS

1. Contoured to maintain seat travel and ensure driver comfort.
2. Contoured to capitalize on cargo area floor space.



3010-NL

Nissan NV

Contoured safety partition

Aluminum

Low Roof

42 lbs

1 hr

Yes

5.78"



3020-NH

Nissan NV
Contoured safety partition with tempered glass window

Aluminum	
High Roof	
59 lbs	
1.2 hrs	
No	
5.78"	



3020-NL

Nissan NV
Contoured safety partition with tempered glass window

Aluminum	
Low Roof	
42 lbs	
1 hr	
No	
5.78"	



C20-NH

Nissan NV
Straight partition with perforated window, no access

Steel	
High Roof	
80 lbs	
1.5 hrs	
Yes	
5.5"	



C20-NL

Nissan NV
Straight partition with perforated window, no access

Steel	
Low Roof	
58 lbs	
1 hr	
Yes	
5.5"	



C24-NH

Nissan NV
Straight walk through partition

Steel	
High Roof	
57 lbs	
1 hr	
Yes	
5.5"	




C24-NL

Nissan NV
Straight walk through partition

Steel	
Low Roof	
43.5 lbs	
1 hr	
Yes	
5.5"	

SAFETY PARTITIONS

PARTITIONS



C30-NH

Nissan NV
Straight partition with perforated window, swing door

Steel	
High Roof	
82.5 lbs	
1.2 hr	
Yes	
5.5"	



C30-NL

Nissan NV
Straight partition with perforated window, swing door

Steel	
Low Roof	
60.5 lbs	
1 hr	
Yes	
5.5"	



3010-NL Contoured Safety Partition for Nissan NV



NISSAN
NV200



3010-NS

Nissan NV200
Contoured safety partition


Aluminum	
Standard Roof	
42 lbs	
1 hr	
Yes	
3.3"	



3020-NS

Nissan NV200
Contoured safety partition with tempered glass window

Aluminum	
Standard Roof	
33 lbs	
1 hr	
Yes	
3.5"	



C10-W

Nissan NV200
Contoured safety partition
with perforated window


Steel	
 Standard Roof	
 42 lbs	
 1 hr	
 Yes	
 3.5"	



C12-W

Nissan NV200
Contoured safety partition

Steel	
 Standard Roof	
 53 lbs	
 1 hr	
 Yes	
 2.94"	



C13-W

Nissan NV200
Contoured wire mesh partition

Steel	
 Standard Roof	
 31.4 lbs	
 0.7 hr	
 Yes	
 3.45"	



RAM
PROMASTER



3010-RP

Ram ProMaster
Contoured safety partition

Aluminum	
 Standard / High Roof	
 62.8 lbs	
 1 hr	
 Yes	
 6.07"	



3020-RP

Ram ProMaster
Contoured safety partition with
tempered glass window

Aluminum	
 Standard / High Roof	
 59 lbs	
 1 hr	
 Yes	
 6.07"	

SAFETY PARTITIONS

PARTITIONS




3068-RP

Ram ProMaster
Straight partition with tempered glass window, sliding door

Aluminum

 Standard / High Roof
 76 lbs
 1.5 hrs
 Yes
 6.26"



C20-X

Ram ProMaster
Straight partition with perforated window, no access

Steel

 Standard / High Roof
 78 lbs
 1 hr
 Yes
 6.24"




C24-X

Ram ProMaster
Straight walk through partition

Steel

 Standard / High Roof
 70 lbs
 1 hr
 Yes
 6.24"



C30-X

Ram ProMaster
Straight partition with perforated window, swing door

Steel

 Standard / High Roof
 80 lbs
 1 hr
 Yes
 6.24"



RAM
PROMASTER CITY



3010-PC

Ram ProMaster City
Contoured safety partition

Aluminum

 Standard Roof
 39 lbs
 1 hr
 Yes
 8.1"



3020-PC

Ram ProMaster City
Contoured safety partition with tempered glass window

Aluminum	
Standard Roof	
41 lbs	
1 hr	
Yes	
8.1"	



3310-PC

Ram ProMaster City
Contoured safety partition

Composite	
Standard Roof	
44 lbs	
1 hr	
No	
7.1"	



3320-PC

Ram ProMaster City
Max view contoured safety partition

Composite	
Standard Roof	
42 lbs	
1 hr	
Yes	
7.1"	



C10-PC

Ram ProMaster City
Contoured safety partition with perforated window

Steel	
Standard Roof	
63.3 lbs	
1 hr	
Yes	
8.05"	



C12-PC

Ram ProMaster City
Contoured safety partition

Steel	
Standard Roof	
86 lbs	
1 hr	
Yes	
8.05"	



C13-PC

Ram ProMaster City
Contoured wire mesh partition

Steel	
Standard Roof	
72 lbs	
1 hr	
Yes	
8.33"	