



## APPLICATION INSTRUCTIONS


FOR THE

## KICKBALL SET


Product Number: 17-1W-056


SIZE: Base stencil: 15 inches wide x 15 inches high. Home plate: 17 inches wide x 17 inches high. Pitcher's plate: 24 inches wide x 24 inches high. Shown as approximately 34 feet by 34 feet ESTIMATED PAINT TIME: 1-2 people for 1.5-4 hours. READ FIRST: Completely read "General Instructions" attached to this document. Prepare surfaces as recommended before painting.

1. Using chalk lines and tape measure, mark out location of bases and homeplate as desired.




2. Take plate (square) and homeplate (pentagon) and place as shown below left, lining up outside edges to chalk lines (note homeplate is oriented with arrow pointing away from field). Using small sized brushes or rollers, paint the base and homeplate. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove stencil. Using square plate only, paint 1st and 2nd base as well. Pavement should like below right.









3. Take chalk line and going from homeplate to 2<sup>nd</sup> base, and then from 1<sup>st</sup> to 3<sup>rd</sup> base, find center of field as shown below left. Place pitcher's plate at intersection of chalk lines and align front of plate stencil to chalk line (that runs from 1<sup>st</sup> to 3<sup>rd</sup>) as shown below, middle. Using small sized brushes or rollers, paint the base and homeplate. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove stencil. Painted pavement should look like below right.




4. Take one strip of line stencils and align outer edge with chalk line so that it lines up with outer edge of base, as shown below left. Align other stencils to create straight line to other base. (Example is below middle, of running line stencils from 3<sup>rd</sup> to 2<sup>nd</sup> base). Using small sized brushes or rollers, paint the lines. Repeat painting 1-2 more times to achieve desired vividness, drying after each application, and remove stencils. Repeat this step for other base lines. Painted pavement should look like below right.







5. If desired, gaps between line stencils can be painted carefully by hand. Complete kickball set should appear as below:



6. Allow to dry for 24 hours before use.

Any questions? We're here to help – call us at (800) 681-0684!



THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED.