



ST 5041 FITNESS AGILITY LADDER

APPLICATION INSTRUCTIONS


SIZE

Squares are approx. 19 inches wide & length of pattern varies


PAINTERS & TIME

1-2 painters for less than 1 hr

INCLUDED IN THE BOX: 1 Stencil Sheet (3 pieces & 8 inserts)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Separate the two wide feet at the top and pop out the individual square inserts along the perforation.

Pop out and remove the blank square inserts from your **STENCIL** then put aside and discard them **(refer to discard symbol on stencil).**





STEP 2:

You can make any pattern you would like, here are some examples to reference.

Place your **STENCIL** in your desired location. Paint your **STENCIL**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**.



STEP 3:


Place your **STENCIL** inserts on top of the dry painted pavement to create a pattern. Paint your **STENCIL** inserts. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL** inserts. Repeat to achieve your desired pattern.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

YOU FINISHED PAINTING FITNESS AGILITY LADDER YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!

Your finished Fitness Agility Ladder should look similar to the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT WWW.FITANDFUNPLAYSCAPES.COM

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED. © 2022 FIT AND FUN PLAYSCAPES, LLC.