



ST 5092 SKIPADEE THE DRAGONFLY HOPSCOTCH

APPLICATION INSTRUCTIONS

SIZE



approx. 9 feet wide x 11 feet long

PAINTERS & TIME


1-2 painters for 2-3 hrs



INCLUDED IN THE BOX: 2 Stencil Sheets (8 pieces & multiple inserts)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Separate the stencil pieces along the perforation on the first stencil sheet (the stencil sheet with the body stencil piece).

Pop out the numbered inserts on the body stencil piece and put aside.



STEP 2:

Place **STENCIL A** in your desired location.



STEP 3:

Paint **STENCIL A**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL A**.



STEP 4:

Align **STENCIL B** with the painted pavement. Paint **STENCIL B**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL B**.



STEP 5:


Take the second stencil sheet labeled D, C and E and separate the stencil pieces along the perforation.

Pop out the eyes and the numbered insert on the head stencil piece and put aside.




STEP 6:

Align **STENCIL C** with the painted pavement. Paint **STENCIL C**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL C**.



STEP 7:

Rotate and align **STENCIL D** with the painted pavement, as shown. Paint **STENCIL D**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL D**.



STEP 8:

After the pavement and **STENCIL D** are fully dry, flip and align **STENCIL D** with the painted pavement, as shown. Paint **STENCIL D**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL D**.




STEP 9:

Rotate and align **STENCIL E** with the painted pavement, as shown. Paint **STENCIL E**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL E**.




STEP 10:

After the pavement and **STENCIL E** are fully dry, flip and align **STENCIL E** with the painted pavement, as shown. Paint **STENCIL E**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL E**.



STEP 11:

Place face and numbered inserts over the painted areas. Paint each piece. Repeat 1-2 more times to achieve desired vividness, drying after each application. Remove all stencil inserts.



STEP 12:

Place the lily pads and cattail pieces where you would like. Paint each piece. Repeat 1-2 more times to achieve desired vividness, drying after each application. Remove all stencil pieces.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING SKIPADEE THE DRAGONFLY HOPSCOTCH
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Skipadee the Dragonfly Hopscotch should look like the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT WWW.FITANDFUNPLAYSCAPES.COM

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED. © 2022 FIT AND FUN PLAYSCAPES, LLC.