




ST 5502 NATURE MOTOR SENSORY PATHWAY DELUXE PACKAGE APPLICATION INSTRUCTIONS



STENCILS INCLUDED IN YOUR PACKAGE: 15 Stencils

ST 5096 Bear Crawl | ST 5097 Elephant Walk

ST 5098 Leap Frog | ST 5099 Arrow, Shoe & Hand Prints

ST 5100 March Ants | ST 5101 Crab Crawl

ST 5102 Tiptoe Snake | ST 5103 Jump Logs®

ST 5104 Step Stones | ST 5105 Balance Tightrope

ST 5037 Daisy Hopscotch® | ST 5069 Squats

ST 5070 Lunges | ST 5071 Jumping Jacks

ST 5106 Tree Pose



ST 5037

DAISY HOPSCOTCH®

APPLICATION INSTRUCTIONS

SIZE

approx. 3 feet 6 inches wide x
13 feet 7 inches long



PAINTERS & TIME

1-2 painters for 2-4 hrs



© 2012 Fit and Fun Playscapes, LLC

INCLUDED IN THE BOX: 2 Stencil Sheets (multiple inserts & 5 pieces)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Remove the face and numbered leaves inserts from **STENCIL A** then put aside.



STEP 2:

Place **STENCIL A** in your desired location.



STEP 3:

Paint **STENCIL A**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL A**.



STEP 4:

Align **STENCIL B** with the painted pavement. Remove the numbered leaves inserts and insect pieces from **STENCIL B** then put aside.




STEP 5:

Paint **STENCIL B**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL B**.



YOU SUCCEEDED!

You finished painting the first layer of Daisy Hopscotch®. Your painted hopscotch should look like the image to the left.



TO PAINT THE SECOND LAYER:

Place the head and numbered leaves inserts over the painted areas. Paint each piece. Repeat 1-2 more times to achieve desired vividness, drying after each application. Remove all stencil inserts.



FINAL STEP!

Place the bee and butterfly pieces over the painted areas. Paint each piece. Repeat 1-2 more times to achieve desired vividness, drying after each application. Remove all stencil pieces.

**There's an extra bee stencil piece that you can use however you would like.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING DAISY HOPSCOTCH®
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Daisy Hopscotch® should look like the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT **WWW.FITANDFUNPLAYSCAPES.COM**

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED. © 2022 FIT AND FUN PLAYSCAPES, LLC.



ST 5069

SQUATS

APPLICATION INSTRUCTIONS

SIZE

approx. 3 feet 4 inches wide x
4 feet 8 inches long

PAINTERS & TIME

1-2 painters for less than 1 hr



INCLUDED IN THE BOX: 1 Stencil Sheet (2 pieces)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Layout your **STENCIL** in your desired location.

Separate the word along the perforation if you'd like. (For example, you can put the word above, or to the left/right of the illustration.)



STEP 2:

Paint your **STENCIL**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING SQUATS
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Squats should look like the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT WWW.FITANDFUNPLAYSCAPES.COM

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED. © 2022 FIT AND FUN PLAYSCAPES, LLC.



ST 5070 LUNGES

APPLICATION INSTRUCTIONS

SIZE

approx. 3 feet 4 inches wide x
4 feet 8 inches long

PAINTERS & TIME

1-2 painters for less than 1 hr



INCLUDED IN THE BOX: 1 Stencil Sheet (2 pieces)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Layout your **STENCIL** in your desired location.

Separate the word along the perforation if you'd like. (For example, you can put the word above, or to the left/right of the illustration.)



STEP 2:

Paint your **STENCIL**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING LUNGES
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Lunges should look like the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT **WWW.FITANDFUNPLAYSCAPES.COM**

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED. © 2022 FIT AND FUN PLAYSCAPES, LLC.



ST 5071

JUMPING JACKS

APPLICATION INSTRUCTIONS

SIZE

approx. 3 feet 4 inches wide x
5 feet 4 inches long

PAINTERS & TIME

1-2 painters for less than 1 hr



INCLUDED IN THE BOX: 1 Stencil Sheet (2 pieces)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Layout your **STENCIL** in your desired location.

Separate the word along the perforation if you'd like. (For example, you can put the word above, or to the left/right of the illustration.)



STEP 2:

Paint your **STENCIL**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING JUMPING JACKS
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Jumping Jacks should look like the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT WWW.FITANDFUNPLAYSCAPES.COM



ST 5096 BEAR CRAWL

APPLICATION INSTRUCTIONS

SIZE

approx. 2 feet 7 inches wide,
length varies

PAINTERS & TIME

1-2 painters for less than 1 hr



© 2019 Fit and Fun Playscapes, LLC

INCLUDED IN THE BOX: 1 Stencil Sheet (4 pieces)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Separate the word and single paw print pieces along the perforations. (For example, you can put the word above, or to the left/right of the illustration and the single paw prints wherever you would like.)

Layout your **STENCIL** in your desired location.



STEP 2:

Paint your **STENCIL**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete.

Allow the paint to dry for a minimum of 24 hours before use.



TO MAKE LONGER:

First, ensure that your **STENCIL** and pavement are completely dry. Separate the word along the perforation. Align your **STENCIL** with the painted pavement and paint. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete. Continue as long as you'd like.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING BEAR CRAWL
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Bear Crawl should look similar to the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT WWW.FITANDFUNPLAYSCAPES.COM



ST 5097

ELEPHANT WALK

APPLICATION INSTRUCTIONS

SIZE


approx. 3 feet 4 inches wide,
length varies

PAINTERS & TIME

1-2 painters for less than 1 hr



INCLUDED IN THE BOX: 1 Stencil Sheet (4 pieces)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Separate the word and single footprint pieces along the perforations. (For example, you can put the word above, or to the left/right of the illustration and the single footprints wherever you would like.)

Layout your **STENCIL** in your desired location.



STEP 2:

Paint your **STENCIL**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete.

Allow the paint to dry for a minimum of 24 hours before use.



TO MAKE LONGER:

First, ensure that your **STENCIL** and pavement are completely dry. Separate the word along the perforation. Align your **STENCIL** with the painted pavement and paint. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete. Continue as long as you'd like.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING ELEPHANT WALK
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Elephant Walk should look similar to the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT WWW.FITANDFUNPLAYSCAPES.COM



ST 5098

LEAP FROG

APPLICATION INSTRUCTIONS

SIZE


approx. 2 feet 2 inches wide,
length varies

PAINTERS & TIME

1-2 painters for less than 1 hr



INCLUDED IN THE BOX: 1 Stencil Sheet (4 pieces)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Separate the word and single footprint pieces along the perforations. (For example, you can put the word above, or to the left/right of the illustration and the single footprints wherever you would like.)


Layout your **STENCIL** in your desired location.



STEP 2:

Paint your **STENCIL**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete.

Allow the paint to dry for a minimum of 24 hours before use.



TO MAKE LONGER:


First, ensure that your **STENCIL** and pavement are completely dry. Separate the word along the perforation. Align your **STENCIL** with the painted pavement and paint. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete. Continue as long as you'd like.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!


**YOU FINISHED PAINTING LEAP FROG
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Leap Frog should look similar to the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT WWW.FITANDFUNPLAYSCAPES.COM



© 2019 Fit and Fun Playscapes, LLC



ST 5099 ARROW, SHOE & HAND PRINTS

APPLICATION
INSTRUCTIONS


SIZE

Width varies from
1-3 inches

PAINTERS & TIME

1-2 painters for less
than 1 hr

INCLUDED IN THE BOX: 1 Stencil Sheet (6 pieces)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.

STEP 1:


Separate the pieces along the perforations, if desired. For example, you can keep the handprints or footprints next to each other if you'd like.

STEP 2:

Paint each **STENCIL** how you would like. You can repeat stencils to make your own pattern. Repeat 1-2 more times to achieve desired vividness, drying after each application.

Then remove your **STENCILS**.


Allow the paint to dry for a minimum of 24 hours before use.



CONGRATULATIONS!!!

**YOU FINISHED PAINTING ARROW, SHOE & HAND PRINTS
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Arrow, Shoe & Hand Prints should look similar to the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT WWW.FITANDFUNPLAYSCAPES.COM

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED. © 2022 FIT AND FUN PLAYSCAPES, LLC.



ST 5100

MARCH ANTS

APPLICATION INSTRUCTIONS

SIZE


approx. 2 feet 5 inches wide,
length varies

PAINTERS & TIME

1-2 painters for less than 1 hr



INCLUDED IN THE BOX: 1 Stencil Sheet (2 pieces)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Layout your **STENCIL** in your desired location.

Separate the word along the perforation if you'd like. (For example, you can put the word above, or to the left/right of the illustration.)



STEP 2:

Paint your **STENCIL**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete.

Allow the paint to dry for a minimum of 24 hours before use.



TO MAKE LONGER:

First, ensure that your **STENCIL** and pavement are completely dry. Separate the word along the perforation. Flip and align your **STENCIL** with the painted pavement and paint. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete. Continue as long as you'd like.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING MARCH ANTS
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished March Ants should look like the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT WWW.FITANDFUNPLAYSCAPES.COM



ST 5101

CRAB CRAWL

APPLICATION INSTRUCTIONS

SIZE

approx. 3 feet wide x
7 feet 3 inches long


PAINTERS & TIME

1-2 painters for less than 1 hr



© 2013 Fit and Fun Playscapes, LLC

INCLUDED IN THE BOX: 1 Stencil Sheet (2 pieces)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Layout your **STENCIL** in your desired location.

Separate the word along the perforation if you'd like. (For example, you can put the word above, or to the left/right of the illustration.)



STEP 2:

Paint your **STENCIL**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING CRAB CRAWL
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Crab Crawl should look like the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT WWW.FITANDFUNPLAYSCAPES.COM



ST 5102

TIPTOE SNAKE

APPLICATION INSTRUCTIONS

SIZE


approx. 5 feet wide x 10 feet long

PAINTERS & TIME

2 painters for 1-2 hrs



INCLUDED IN THE BOX: 1 Stencil Sheet (4 pieces & multiple inserts)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Separate **STENCILS A-D** along the perforation.

Remove the head and body inserts from **STENCIL A**, body inserts from **STENCIL B** and tail inserts from **STENCIL C**. Then put stencil pieces and inserts aside.



STEP 2:

Place **STENCIL A** in your desired location. Paint **STENCIL A**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL A**. Fill in the gaps so your **STENCIL** is complete.



STEP 3:

Align **STENCIL B** to the painted pavement, using the etch mark. Paint **STENCIL B**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL B**. Fill in the gaps so your **STENCIL** is complete.



STEP 4:

After the pavement and **STENCIL B** are fully dry, flip **STENCIL B** and align using the etch mark. Paint **STENCIL B**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL B**. Fill in the gaps so your **STENCIL** is complete.



STEP 5:

Align **STENCIL C** to the painted pavement, using the etch marks. Paint **STENCIL C**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL C**. Fill in the gaps so your **STENCIL** is complete.




YOU SUCCEEDED!

You finished painting the first layer of Tiptoe Snake. Your painted Tiptoe Snake should look like the image to the left.



TO PAINT THE SECOND LAYER:

Place the eyes and dot pieces over the painted areas. Paint each piece. Repeat 1-2 more times to achieve desired vividness, drying after each application. Remove all stencil inserts.



PAINT TIPTOE:

Lastly, paint the word “Tiptoe” anywhere you would like. (For example, you can put the word above, or to the left/right of the illustration.) Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING TIPTOE SNAKE
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Tiptoe Snake should look like the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT **WWW.FITANDFUNPLAYSCAPES.COM**



ST 5103 JUMP LOGS

APPLICATION INSTRUCTIONS

SIZE

approx. 2 feet 6 inches wide,
length varies

PAINTERS & TIME

1-2 painters for less than 1 hr



INCLUDED IN THE BOX: 1 Stencil Sheet (2 pieces & 2 inserts)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Remove the log detail inserts from **STENCIL A** then put aside

Separate the word along the perforation if you'd like. (For example, you can put the word above, or to the left/right of the illustration.)



STEP 2:

Place **STENCIL A** in your desired location.



STEP 3:

Paint **STENCIL A**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove **STENCIL A**.



STEP 4:


Place the log detail inserts on top of the painted logs.



STEP 5:

Paint the log details. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove the log detail inserts. Fill in the gaps so your **STENCIL** is complete.

Allow the paint to dry for a minimum of 24 hours before use.



TO MAKE LONGER:


First, ensure that your **STENCIL** and pavement are completely dry. Separate the word along the perforation. Align your **STENCIL** with the painted pavement and paint. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete. Continue as long as you'd like.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING JUMP LOGS
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Jump Logs should look like the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT WWW.FITANDFUNPLAYSCAPES.COM



ST 5104

STEP STONES

APPLICATION INSTRUCTIONS

SIZE

approx. 3 feet wide, length varies


PAINTERS & TIME

1-2 painters for less than 1 hr



© 2013 Fit and Fun Playscapes, LLC

INCLUDED IN THE BOX: 1 Stencil Sheet (2 pieces)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Layout your **STENCIL** in your desired location.

Separate the word along the perforation if you'd like. (For example, you can put the word above, or to the left/right of the illustration.)



STEP 2:

Paint your **STENCIL**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete.

Allow the paint to dry for a minimum of 24 hours before use.



TO MAKE LONGER:

First, ensure that your **STENCIL** and pavement are completely dry. Separate the word along the perforation. Align your **STENCIL** with the painted pavement and paint. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete. Continue as long as you'd like.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING STEP STONES
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Step Stones should look like the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT **WWW.FITANDFUNPLAYSCAPES.COM**

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED. © 2022 FIT AND FUN PLAYSCAPES, LLC.



ST 5105

BALANCE TIGHTROPE

APPLICATION INSTRUCTIONS

SIZE


approx. 2 feet 8 inches wide,
length varies

PAINTERS & TIME

1-2 painters for less than 1 hr



INCLUDED IN THE BOX: 1 Stencil Sheet (2 pieces)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Layout your **STENCIL** in your desired location.

Separate the word along the perforation if you'd like. (For example, you can put the word above, or to the left/right of the illustration.)



STEP 2:

Paint your **STENCIL**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete.

Allow the paint to dry for a minimum of 24 hours before use.



TO MAKE LONGER:


First, ensure that your **STENCIL** and pavement are completely dry. Separate the word along the perforation. Align your **STENCIL** with the painted pavement and paint. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete. Continue as long as you'd like.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING BALANCE TIGHTROPE
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Balance Tightrope should look like the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT **WWW.FITANDFUNPLAYSCAPES.COM**



ST 5106

TREE POSE

APPLICATION INSTRUCTIONS

SIZE

approx. 3 feet 2 inches wide x
6 feet 4 inches long

PAINTERS & TIME

1-2 painters for less than 1 hr



INCLUDED IN THE BOX: 1 Stencil Sheet (3 pieces)



BEFORE YOU START PAINTING: Please completely read the General Instructions & prepare your surfaces as recommended.



STEP 1:

Layout your **STENCIL** in your desired location.

Separate the words along the perforation if you'd like. (For example, you can put the words above, or to the left/right of the illustration.)



STEP 2:

Paint your **STENCIL**. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then remove your **STENCIL**. Fill in the gaps so your **STENCIL** is complete.

Allow the paint to dry for a minimum of 24 hours before use.

CONGRATULATIONS!!!

**YOU FINISHED PAINTING TREE POSE
YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!**

Your finished Tree Pose should look like the image below.



Have any questions? We're here to help – call us at (800) 681-0684!


VISIT OUR WEBSITE AT **WWW.FITANDFUNPLAYSCAPES.COM**

CONGRATULATIONS!!!

YOU FINISHED PAINTING THE NATURE MOTOR SENSORY DELUXE PACKAGE

YOU DID IT! GIVE YOURSELVES A PAT ON THE BACK!

Your finished Nature Motor Sensory Deluxe Package should look like the image below.



Have any questions? We're here to help – call us at (800) 681-0684!

VISIT OUR WEBSITE AT WWW.FITANDFUNPLAYSCAPES.COM

THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED. © 2022 FIT AND FUN PLAYSCAPES, LLC.