

APPLICATION INSTRUCTIONS

FOR


ULTIMATE FUN REUSABLE STENCIL PACKAGE


Product Number: SP-UF-001

Completely read "General Instructions." Prepare surfaces as recommended before painting.

This document contains Application Instructions for the following Reusable Stencils included in the **ULTIMATE FUN REUSABLE STENCIL PACKAGE**:

1. USA MAP WITH CAPITALS & OCEANS: Product Number: 11-3W-014
2. TARGET PRACTICE: Product Number: 11-1W-012
3. SHAPES THAT SHAPE YOU UP: Product Number: 11-1W-004
4. RACETRACK: Product Number: 11-2W-019
5. ROBOT HOPSCOTCH®: Product Number: 11-3W-021
6. FOUR SQUARE (LARGE): Product Number: 11-2W-015
7. CHESS / CHECKERBOARD Product Number: 11-1W-008
8. CIRCLE UP (LARGE): Product Number: 11-2W-010
9. BUTTERFLY HOPSCOTCH: Product Number: 11-2W-024
10. ANIMAL PAW PRINTS: Product Number: 11-1W-001





APPLICATION INSTRUCTIONS FOR THE USA MAP WITH CAPITALS & OCEANS


Product Number: 11-3W-014

Completely read "General Instructions." Prepare surfaces as recommended before painting.

1. Place STENCIL A, B and C in the desired location. Using the 1" brushes, paint the state outlines and the bodies of water names. Capitals depicted by the stars can be painted now or after the fields of each state are painted in step 3. Repeat paint 1-2 more times to achieve desired vividness, drying after each application.



2. Remove STENCILS, one at a time when dry. If desired, use a 1/2" brush to paint gaps along state outlines and stencil seams. Repeat 1-2 more times to achieve desired vividness, drying after each application.
3. Use various colors of paint with rollers and brushes to fill in the fields of the states. Repeat 1-2 more times to achieve desired vividness, drying after each application.
4. Allow all paint to dry for a minimum of 24 hours before use.



APPLICATION INSTRUCTIONS

FOR THE


TARGET PRACTICE

Product Number: 11-1W-012

SIZE: diameter (width) approximately 3 feet 7 inches
ESTIMATED PAINT TIME: approximately 1 – 2 people for 1 – 2 hours.

FIRST READ: Completely read "General Instructions". Prepare surfaces as recommended before painting.


1. Place STENCIL A in desired location and paint. Chalk out alignment holes at top. Repeat painting 1-2 more times to achieve desired vividness, drying after each application, and remove STENCIL A.




2. If desired, paint the gaps. You can use stencil for this by slightly rotating stencil so cut outs are positioned over the gaps. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove STENCIL A. It should appear as below.



3. If desired, paint the remaining circles using same process of drying between applications. It should appear as below:





4. Align STENCIL Busing alignment holes as shown below:



5. Paint numbers. Repeat painting 1-2 more times to achieve desired vividness, drying after each application, and remove STENCIL
6. Allow all paint to dry for a minimum of 24 hours before use.

Any questions? We're here to help – call us at (800) 681-0684!



APPLICATION INSTRUCTIONS FOR THE **SHAPES THAT SHAPE YOU UP**


Product Number: 11-1W-004

SIZE: approximately 11.75 – 21 inches each

ESTIMATED PAINT TIME: depends on selected pattern.

FIRST READ: Completely read "General Instructions".
Prepare surfaces as recommended before painting.

1. Using various sized brushes or rollers, paint each stencil as desired. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove stencil. Allow to dry for 24 hours before use.



SEE OTHER APPLICATION INSTRUCTIONS FOR OTHER GAME IDEAS



APPLICATION INSTRUCTIONS FOR THE **SHAPES THAT SHAPE YOU UP LINE**


Product Number: 11-1W-004

SIZE: depends on desired spacing between each shape. One set of each shape spaced approximately 6 inches apart is approximately 12 feet 8 inches long. Width is 11.75-21 inches wide.

ESTIMATED PAINT TIME: approximately 1 – 2 people for less than 1 hour.


FIRST READ: Completely read “General Instructions”. Prepare surfaces as recommended before painting.

1. Arrange stencils in desired pattern with equal desired spacing between the sheets. Chalking may be needed for accuracy. The image below shows one of various patterns:



2. Using various sized brushes or rollers, paint each stencil as desired. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove stencil. Allow to dry for 24 hours before use.
3. Shapes can be reapplied to create longer lengths or different patterns. Letters or numbers can be painted after shapes are completely dry.

Any questions? We're here to help – call us at (800) 681-0684!



APPLICATION INSTRUCTIONS FOR THE **RACETRACK**


Product Number: 11-2W-019

SIZE: Varies depending on desired pattern. Straight Track approximately 4 feet wide x 8 feet high. Half Circle approximately 4 feet wide x 8 feet high – Half Circle used to make Quarter Circle.

ESTIMATED PAINT TIME: depends on design.


FIRST READ: Completely read "General Instructions". Prepare surfaces as recommended before painting.

1. Place semi-circular stencil (STENCIL 1 or A) in the desired location.




2. Paint Curb Lines and Divided Line. Repeat 1-2 more times to achieve desired vividness, drying after each application and then remove.

3. Align Curb Lines in straight stencil (STENCIL 2 or B) with Curb Lines painted on ground.




4. Paint straight stencil. Repeat 1-2 more times to achieve desired vividness, drying after each application and remove.
5. Repeat as desired, with one example shown below.




6. Repeat preceding steps until desired straight- run length of Racetrack is achieved.

7. To close Racetrack, align Curb Lines of semi-circular stencil with Curb Lines of painted pavement as illustrated below:



8. Take a 2" brush to paint gaps along Curb Lines and Divided Lines. Paint the fields, in any color you prefer. Use 9" paint rollers and as you approach the edges of the lines, tip the roller, applying pressure to the end and carefully and slowly paint as close to the edge of the lines as possible. Repeat 1-2 more times to achieve desired vividness, drying after each application. Let completely dry.
9. Allow all paint to dry for a minimum of 24 hours before use.

Any questions? We're here to help – call us at (800) 681-0684!



APPLICATION INSTRUCTIONS

FOR THE

ROBOT HOPSCOTCH®

Product Number: 11-3W-021


SIZE: approximately 10 feet long x 6 feet wide

ESTIMATED PAINT TIME: approximately 1 – 2 people for 2 – 4 hours.


FIRST READ: Completely read "General Instructions". Prepare surfaces as recommended before painting.

1. Place STENCIL B in desired location. Using chalk, mark the alignment holes at the top. Paint ONLY the large square boxes where the numbers will be applied. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove STENCIL B. It should look like the illustration to below right.



2.




Large square boxes




3. Align STENCIL A to painted pavement using alignment holes. Paint whole stencil with colors of your choice. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove STENCIL A. Let dry. It should like below right.





4. Align STENCIL B using the alignment holes and place over painted pavement. Paint small shapes along top sides of stencil. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove STENCIL B. Let dry. It should like below right.




5. Align STENCIL C using alignment holes and place next to painted pavement. Align STENCIL E to arm and STENCIL F to right bolt at base as shown below left. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove STENCIL C, E and F. Let dry. It should like below right.



6. Align STENCIL D using alignment holes and on top of painted head. Align STENCIL E to arm as shown and STENCIL F to left bolt at base as shown below left. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove STENCIL D, E and F. Allow all paint to dry for a minimum of 24 hours. It should look like illustration to the right when done.



Any questions? We're here to help – call us at (800) 681-0684!



APPLICATION INSTRUCTIONS

FOR THE

FOUR SQUARE (LARGE)


Product Number: 11-2W-015

SIZE: approximately 16 feet each side

ESTIMATED PAINT TIME: approximately 2 – 4 people for 1 – 2 hours.

FIRST READ: Completely read "General Instructions". Prepare surfaces as recommended before painting.


1. Align STENCIL A and B along the edges as shown below and tape.




2. Paint **only** the outlines of each stencil. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then, when fully dry, remove stencils. It should look like as follows:



3. Locate and align outline of STENCIL A over one side of the painted outlines, lapping over the dried painted outline. Tape and then align STENCIL B to STENCIL A and tape as shown below:




4. Paint **only** the outlines of each stencil. Repeat 1-2 more times to achieve desired vividness, drying after each application. Then when fully dry, remove stencils. It should look like as follows:




5. Complete other two quadrants of game as in steps 1-4 above until all four quadrants are painted. The painted pavement should look as follows:




6. Use 9" rollers to fill in the fields of each quadrant with desired paint. Repeat paint to achieve desired vividness, drying after each application.



7. Take STENCIL A and STENCIL B and align corners over painted pavement as shown below, one at a time. (Note that there are different sequences of numbers that are typically used – some position the “1” across from the “4”). Use small brushes to paint numbers, repeating to desired vividness and drying after each application. Remove each stencil when fully dry.




8. It should then look like illustration below. Use small brushes to fill in the gaps along outlines if desired.



9. Allow all paint to dry for a minimum of 24 hours before use.

Any questions? We're here to help – call us at (800) 681-0684!



APPLICATION INSTRUCTIONS

FOR THE

CHESSE/ CHECKERBOARD

Using the Chess, Checkers and Borders: (LARGE),

Product Number: 11-1W-008


SIZE: approximately 15 feet each side

ESTIMATED PAINT TIME: approximately 2 – 4 people for 1-2 hours.


FIRST READ: Completely read "General Instructions". Prepare surfaces as recommended before painting.

1. Lay stencil in desired location. Using rollers, paint each square alternating colors, let dry and relocate stencil adjacent to painted squares as shown below on following steps, adding to each completed set of squares. (Or chalk out all squares for complete board then paint) Repeat this process to create 8 painted squares across and 8 squares down until it is complete as shown below, far.


1




2




3




4




5




6




7



8



9






2. Repeat 1-2 more times to achieve desired vividness, drying after each application.
3. Allow to dry for 24 hours before use.

Any questions? We're here to help – call us at (800) 681-0684!



THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED.



APPLICATION INSTRUCTIONS

FOR THE

CIRCLE UP (LARGE)


Product Number: 11-2W-010

SIZE: diameter (width) approximately 18 feet

ESTIMATED PAINT TIME: approximately 2 – 4 people for 1 – 2 hours.

FIRST READ: Completely read "General Instructions". Prepare surfaces as recommended before painting.


1. This stencil is composed of two (2) stencils as shown below. Familiarize yourself with the markings before proceeding as labeled below.



2. Locate the center point of the circle. To mark where the circle would generally be laid out take a piece of 9' string. Hold one end of the string at the centerpoint and position a piece of chalk at the other end of the string. While holding the end at the center point, and keeping the string taught, create a circle by rotating around the center point. This is recommended to ensure the approximate desired position of the stencils.
3. The next several steps require that the stencil be positioned, painted, dried and re-oriented (flipping over horizontally and vertically). Please note the following:

- a. When removing stencils, use one person positioned at each end of the stencil and lift at the same time. Do not roll the stencil or lift unevenly.
 - b. Use a 2" brush to paint the Circle Outline.
 - c. Use a 2" brush to paint the Hour Marker Outlines.
 - d. Re-paint the outline 1-2 more times at each step to achieve desired vividness.
 - e. Wipe stencil dry after each step and upon completion.
 - f. Familiarize yourself with the sequence of laying out the stencils as indicated on the following page and use during application for reference.
4. Position STENCIL 1/A to align along the marked line on the pavement. This is the starting stencil. Mark the Alignment Circles and Alignment Rectangles using chalk. Paint STENCIL 1/A, remove, lay on tarp and dry. Allow paint to dry.
 5. Take STENCIL 2/B and place adjacent to painted STENCIL 1/A, exactly matching the Alignment Circles. Mark the Alignment Squares with chalk. Paint STENCIL 2/B, remove, lay on tarp and dry. Allow paint to dry.
 6. Take STENCIL 2/B and flip over, making sure the surfaces are completely dry. Position STENCIL 2/B adjacent to painted STENCIL 2/B exactly matching the Alignment Squares. Mark the Alignment Circles with chalk. Paint STENCIL 2/B, remove, lay on tarp and dry.. Allow paint to dry.
 7. Take STENCIL 1/A and flip over, making sure the surfaces are completely dry. Position STENCIL 1/A adjacent to painted STENCIL 2/B exactly matching the Alignment Circles. Mark the Alignment Rectangles with chalk. Paint STENCIL 1/A, remove, lay on tarp and dry. Allow paint to dry.
 8. Take STENCIL 1/A and flip over, making sure the surfaces are completely dry. Position STENCIL 1/A adjacent to painted STENCIL 1/A exactly matching the Alignment Rectangles. Mark the Alignment Circles with chalk. Paint STENCIL 1/A, remove, lay on tarp and dry. Allow paint to dry.
 9. Take STENCIL 2/B and flip over, making sure the surfaces are completely dry. Position STENCIL 2/B adjacent to painted STENCIL 1/A exactly matching the Alignment Circles. Mark the Alignment Squares with chalk. Paint STENCIL 2/B, remove, lay on tarp and dry.. Allow paint to dry.
 10. Take STENCIL 2/B and flip over, making sure the surfaces are completely dry. Position STENCIL 2/B adjacent to painted STENCIL 2/B exactly matching the Alignment Rectangles. Mark the Alignment Circles with chalk. Paint STENCIL 2/B, remove, lay on tarp and dry. Allow paint to dry. Put STENCIL 2/B on tarp.
 11. Take STENCIL 1/A and flip over, making sure the surfaces are completely dry. Position STENCIL 1/A between the starting painted STENCIL 1/A and painted STENCIL 2/B, exactly matching the Alignment Circles and Alignment Squares. Paint STENCIL 1/A, remove, lay on tarp and dry. Allow paint to dry.

SEQUENCE FOR LAYING OUT STENCILS





12. Touch-up the gaps between along the Circle Outline with paint, repeating 1-2 more times to achieve desired vividness.
13. Paint the field (inside) of the circle in any color you prefer. Use 9" paint rollers and as you approach the edges of the outlines, tip the roller, applying pressure to the end and carefully and slowly paint as close to the edge of the lines as possible. Repeat 1-2 more times to achieve desired vividness, drying after each application.
14. Allow all paint to dry for a minimum of 24 hours before use.

Any questions? We're here to help – call us at (800) 681-0684!



THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED.
© 2017 FIT AND FUN PLAYSCAPES, LLC



APPLICATION INSTRUCTIONS

FOR THE

BUTTERFLY HOPSCOTCH


Product Number: 11-2W-024

SIZE: approximately 14 feet long x 4 feet wide


ESTIMATED PAINT TIME: approximately 1 – 2 people for 2 – 4 hours.

FIRST READ: Completely read "General Instructions". Prepare surfaces as recommended before painting.


1. Place STENCIL B in desired location. Paint STENCIL B and let paint dry. Using chalk, mark the alignment holes on each side of the butterfly wing.





2. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove STENCIL B. Align STENCIL A using the alignment holes chalked out. And paint STENCIL A.




3. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove STENCIL A. It should look like this:




4. Take the inside of each wing and align as shown below, and paint using small brushes. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove inside part of wing stencil.




5. The butterfly should look like this on the ground:



6. After completely drying, place and align the numbered cutouts within spaces starting with "1" at the bottom of the right part of the wing as shown below. Paint as desired with thin brush. Let dry. Repeat 1-2 more times to achieve desired vividness, drying after each application.




7. Only completely dry, remove numbered cut outs. The stencil should look as follows:



Any questions? We're here to help – call us at (800) 681-0684!



THIS INFORMATION IS COPYRIGHT MATERIAL. ALL RIGHTS ARE RESERVED.
© 2017 FIT AND FUN PLAYSCAPES, LLC



APPLICATION INSTRUCTIONS FOR THE

ANIMAL PAW PRINTS


Product Number: 11-1W-001

SIZE: Paw print sizes vary from 4-10 inches

ESTIMATED PAINT TIME: 1-2 people for less than 1 hour

FIRST READ: Completely read "General Instructions". Prepare surfaces as recommended before painting.

- Using various sized brushes or rollers, paint each stencil as desired. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove stencil. Allow to dry for 24 hours before use.



Any questions? We're here to help – call us at (800) 681-0684!



APPLICATION INSTRUCTIONS FOR THE **ANIMAL PAW PRINTS STATIONS**

Product Number: 11-1W-001

SIZE: Paw print sizes vary from 4-10 inches


ESTIMATED PAINT TIME: 1-2 people for 3-6 hours

FIRST READ: Completely read "General Instructions".
Prepare surfaces as recommended before painting.


1. Make a straight line with chalk or washable marker approximately 25 feet wide, or other desired width. Then mark 8 perpendicular lines, approximately 36 inches apart and of desired length. Refer to diagram below.




2. Center each stencil over chalked line, approximately 36 inches apart from center of each. Refer to diagram below.



3. Using narrow brushes or rollers, paint each stencil as desired. Repeat 1-2 more times to achieve desired vividness, drying after each application, and remove stencils. The painted pavement should appear as below.



4. Wipe stencils down and let paint on them dry before re-applying. Position stencils over chalked lines, adjusting each so that the spacing appears natural noting that a variety of paw placement positions are possible.



5. Repeat Step 4 desired number of times, drying/ wiping stencils between applications until complete. Final painted pavement should appear similar to below.



6. Allow to dry for 24 hours before use.

Any questions? We're here to help – call us at (800) 681-0684!